

FORA DEVELOPMENTS

PHASE ONE ENVIRONMENTAL SITE ASSESSMENT

1856-1856A KEELE STREET AND 2636-2654 EGLINTON AVENUE WEST, TORONTO, ONTARIO

FINAL REPORT

NOVEMBER 2, 2022

Terrapex Environmental Ltd.

90 Scarsdale Road Toronto, Ontario, M3B 2R7 Telephone: (416) 245-0011 Website: www.terrapex.com

DISTRIBUTION: FORA DEVELOPMENTS PROJECT # CT3639.00

TABLE OF CONTENTS

1.0	EXE	ECUTIVE	SUMMARY						1
2.0	INT	RODUC	ΓΙΟΝ						3
	2.2	PHASE	ONE PROPER	RTY INFO	RMATION	١			3
	2.3	PLAN C	F SURVEY						4
	2.4	ENHAN	CED INVESTIG	GATION	PROPER1	ΓΥ			4
3.0	SC	OPE OF	INVESTIGATIO	ON					6
	3.1	GENER	AL						6
	3.2	QUALIF	IED PERSON						6
	3.3	LIMITA	TIONS						7
4.0	RE	CORDS	REVIEW						8
	4.1	GENER	AL						8
		4.1.1.							
		4.1.2.	FIRST DEVEL	OPED (JSE DETE	RMINA	ATION		8
		4.1.3.							
		4.1.4.							
		4.1.5.							
		4.1.6.							
	4.2								
		4.2.1.							
		4.2.2.						JMENTATION	
	12	4.2.3.							
	4.3	4.3.1.							
		4.3.2.							
		4.3.3.		-	-				
								SIGNIFICANCE	
		4.3.5.	WELL RECO	RDS					24
	4.4	SITE OF	PERATING RE	CORDS.					24
5.0	INT	ERVIEW	S						25
	5.1	SITE RE	PRESENTATI	VE					25
	5.2	SURRO	UNDING PRO	PERTY F	REPRESE	NTATI	VE		26
6.0	SIT	E RECO	NNAISSANCE						27
	6.1	GENER	AL REQUIREN	MENTS					27

		6.2.1.	STRUCTURES	27
		6.2.2.	UNDERGROUND UTILITIES	28
		6.2.3.	INTERIOR OF STRUCTURES	28
		6.2.4.	EXTERIOR OBSERVATIONS	29
		6.2.5.	ENHANCED INVESTIGATION PROPERTY	29
	6.3	PHASE	ONE STUDY AREA, OTHER THAN PHASE ONE PROPERTY	29
	6.4	WRITTE	EN DESCRIPTION OF INVESTIGATION	30
7.0	RE	/IEW AN	ID EVALUATION OF INFORMATION	31
	7.1	CURRE	NT AND PAST USES	31
	7.2	POTEN	TIALLY CONTAMINATING ACTIVITY	31
	7.3	AREAS	OF POTENTIAL ENVIRONMENTAL CONCERN	31
	7.4	PHASE	ONE CONCEPTUAL SITE MODEL	31
8.0	CO	NCLUSI	ONS	32
	8.1	WHETH	HER PHASE TWO ESA REQUIRED BEFORE RSC SUBMITTED	32
			ASED ON PHASE ONE ESA ALONE	
			TURES	
9.0	REI	FERENC	ES	34
			FIGURES	
Figu	ıre 1		Site Location	
Figu	ıre 2		General Site Layout	
Figu	ıre 3		Phase One Study Area and Surrounding Land Uses	
Figu	ıre 4		Conceptual Site Model and Potentially Contaminating Activities	
Figu	ıre 5		Conceptual Site Model – Areas of Potential Environmental Concern	i
			TABLES	
Tab	le 1	S	ummary of Phase One Property Information	4
Tab	le 2	Fi	rst Developed Use	8
Tab	le 3	S	ummary of Fire Insurance Products	8
Tab	le 4	Sı	ummary of City Directory Information	10
Tab	le 5	S	ummary of Potential Concerns Identified by ERIS	15
Tab	le 6	S	ummary of Aerial Photographs and Satellite Images	21
	le 7		ummary of Topography, Hydrology, and Geology	
Tab	le 8		ummary of Water Bodies, ANSI, Groundwater Information	
	le 9		ummary of Selected Water Well Records	
	le 10		te Reconnaissance Particulars	
	le 11		te Structure Observations	
Tab	le 12	2 Ta	ank Details	28

Table 13	Utility Details	28
Table 14	Structure Details	
Table 15	Site Details	28
Table 16	Current and Past Uses of the Phase One Property	.36
Table 17.1	Potentially Contaminating Activities On, In Or Under The Phase One Property	. 37
Table.17.2	Potentially Contaminating Activities Within the Phase One Study Area	.38
Table 18	Areas of Potential Environmental Concern	.48

APPENDICES

Appendix I	Plan of Survey
Appendix II	Fire Insurance Products
Appendix III	Chain of Title
Appendix IV	City Directory Search
Appendix V	ERIS Report
Appendix VI	Government and Regulatory Information
Appendix VII	Aerial Photographs and Satellite Images
Appendix VIII	Topographic and Ontario Base Maps
Appendix IX	Site Photographs
Appendix X	Phase One Conceptual Site Model
Appendix XI	Qualification of the Assessors

1.0 EXECUTIVE SUMMARY

Terrapex Environmental Ltd. (Terrapex) was retained by Fora Developments (Fora) to conduct a Phase One environmental site assessment (ESA) of the property located at 1856-1856A Keele Street and 2636-2654 Eglinton Avenue West, Toronto, Ontario (the Phase One property, hereinafter referred to as the Site). It is understood that the study documented herein is being undertaken for the purposes of filing a Record of Site Condition per Ontario Regulation (O. Reg.) 153/04 under the Environmental Protection Act, *Records of Site Condition - Part XV.1 of the Act.*

The objective of the investigation was to identify actual and potential sources of contamination associated with the Site arising from current and/or historical activities on the Site and on properties within the Phase One study area in order to satisfy the following Phase One ESA general objectives listed in O. Reg. 153/04:

- to develop a preliminary determination of the likelihood that one or more contaminants have affected any land or water on, in or under the Phase One property;
- to determine the need for a Phase Two ESA; and,
- to provide a basis for carrying out any Phase Two ESA required.

The Site is located on the northwest side of Keele Street and Eglinton Avenue West, in the City of Toronto (see Figure 1). The Site has a rectangular shape with a total area of approximately 0.14 ha (1,352.6 m²) and is currently occupied by conjoined buildings (between one and two stories tall). The buildings are currently occupied by various tenants for residential and commercial use, including multiple private residences, a grocery store, two beauty salons, and a restaurant.

It is understood that the Fora proposes a redevelopment of the Site consisting of a high-rise building in excess of thirty storeys, and with four levels of underground parking garage. The current use at the Site would constitute commercial use as per O. Reg. 153/04 (*Records of Site Condition – Part XV.1 of the Act*). As the proposed development would involve a change in the use of the Site from commercial property use to residential property use, per Section 168.3.1 of the Ontario *Environmental Protection Act*, it is necessary to file a Record of Site Condition before the use of the Site can be changed.

The Site is legally described as Part of Lot A, Registered Plan 285, City of Toronto. The municipal addresses for the Site are 2636-2654 Eglinton Avenue West, Toronto, Ontario.

A total of 70 potentially contaminating activities (PCAs) relating to activities at the Site and within the Phase One Study Area that were evaluated for their potential to contribute to an Area of Potential Environmental Concern (APEC). Based on a detailed review of the available information relating to the PCAs, a total of ten APECs were identified on the Site.

- APEC 1: Northeastern corner of the Site. An oil-fired water heating system is present on the Site in 1962. During the Site reconnaissance, an above-ground storage tank (AST) was also identified on the 1856 Keele Street portion of the Site (PCA 1).
- APEC 2: Northern portion of the building at the 2654 Eglinton Avenue West. A spill of 5 L of transformer oil to the vault and drain due to equipment failure (PCA 2).
- APEC 3: 2636 Eglinton Avenue West portion of the Site. Photography and printing studios have been historically present at the Site at 2636 Eglinton Avenue West (PCA 3).
- APEC 4: 2642 Eglinton Avenue West portion of the Site. A textile operation identified as Enza Fashion and Textiles operated on the 2642 Eglinton Avenue West portion of the Site in 1962 (PCA 4).
- APEC 5: Western property boundary. An automotive service garage was historically present at the location of 2660 Eglinton Avenue West (PCA 5).
- APEC 6: Western property boundary. Imperial Oil received a permit to develop a gas station in 1949 (PCA 6).
- APEC 7: Northwestern property boundary. Toronto Transit Commission is registered as a car wash. Delsan is also registered as a generator of oil skimmings and sludges at 111 Yore Road (PCA 7).
- APEC 8: Entire Site. Fill materials could be associated with the historical re-grading associated with various developments and additions on the Site (PCA 39).
- APEC 9: 1856 Keele Street portion of the Site. An electronic repair and service business operated at the 1856 Keele Street portion of the Site between 1970 and at least 2001 (PCA 40).
- APEC 10: Eastern and southern property boundary. Several dry cleaning operations were presented east, southeast, and south of the Site (PCA 57, PCA 60-62).
- APEC 10: Eastern and southern property boundary. Operation of dry cleaning businesses on off-Site properties to the east and south of the Site (PCAs 60, 61, and 62).

Based on the findings and results of the Phase One ESA, several APECs have been identified at the Site; therefore, a Phase Two ESA is recommended at this Site. A Phase Two would be required in order to file a record of site condition (RSC) for the Phase One Property, in accordance with the requirements of O. Reg. 153/04.

2.0 INTRODUCTION

Terrapex Environmental Ltd. (Terrapex) was retained by Fora Developments (Fora) to conduct a Phase One Environmental Site Assessment (ESA) of the property located at 1856-1856A Keele Street and 2636-2654 Eglinton Avenue West, Toronto, Ontario (the Phase One property, hereinafter referred to as the Site). The current use at the Site would constitute commercial use as per O. Reg. 153/04 (*Records of Site Condition – Part XV.1 of the Act*). As the proposed development would involve a change in the use of the Site from commercial property use to residential property use, per Section 168.3.1 of the Ontario *Environmental Protection Act*, it is necessary to file a Record of Site Condition before the use of the Site can be changed.

2.1 OBJECTIVE

The objective of the investigation was to identify actual and potential sources of contamination associated with the Site arising from current and/or historical activities on the Site and on properties within the "Phase One Study Area" (refer to Section 4.1.1), in order to satisfy the following Phase One ESA general objectives listed in O. Reg. 153/04:

- to develop a preliminary determination of the likelihood that one or more contaminants have affected any land or water on, in or under the Phase One property;
- to determine the need for a Phase Two ESA;
- to provide a basis for carrying out any Phase Two ESA required; and,
- if necessary, to provide adequate preliminary information about environmental conditions in the land or water on, in or under the Phase One property for the conduct of a Risk Assessment following completion of a Phase Two ESA.

2.2 PHASE ONE PROPERTY INFORMATION

Information regarding the location and identification of the Phase One property and the party authorizing this study is provided in Table 1 below.

The Site is located on the northwest side of Keele Street and Eglinton Avenue West, in the City of Toronto (see Figure 1). The Site has a rectangular shape with a total area of approximately 0.14 ha (1,352.6 m²) and is currently occupied by conjoined buildings (between one and two stories tall). The buildings are currently occupied by various tenants for residential and commercial use, including multiple private residences, a grocery store, two beauty salons, and a restaurant.

It is understood that the Fora proposes a redevelopment of the Site consisting of a high-rise building in excess of thirty storeys, and with four levels of underground parking garage. The current use at the Site would constitute commercial use as per O. Reg. 153/04 (*Records of Site Condition – Part XV.1 of the Act*). As the proposed development would involve a change in the

use of the Site from commercial property use to residential property use, per Section 168.3.1 of the Ontario *Environmental Protection Act*, it is necessary to file a Record of Site Condition before the use of the Site can be changed.

The Site is legally described as Part of Lot A, Registered Plan 285, City of Toronto. The municipal addresses for the Site are 1856-1856A Keele Street and 2636-2654 Eglinton Avenue West, Toronto, Ontario.

Refer to Figure 1 for the location of the Site, and to Figure 2 for the general layout of the Site at the time of the site reconnaissance.

TABLE 1: PHASE ONE PROPERTY INFORMATION

Municipal Address:	1856 Keele Street, Toronto, Ontario 1856A Keele Street, Toronto, Ontario 2636 Eglinton Avenue West, Toronto, Ontario 2640-2642 Eglinton Avenue West, Toronto, Ontario 2654 Eglinton Avenue West, Toronto, Ontario
Property Identification Number (PIN):	10496-0078(LT) 10496-0079(LT) 10496-0080(LT) 10496-0081(LT)
Legal Description:	Part of Lot A Registered Plan 285, City of Toronto
UTM Coordinates (centre of site, NAD83):	17T East: 622960.75 North: 4838647.53
Name and Address of Owner:	Keeli GP Inc. 1840 Eglinton Avenue West, Suite 202 Toronto, Ontario M6E 2J7
Name and Address of Authorizing Party:	Mr. Lyle Levine Fora Developments Inc. 2440 Dundas Street West, Suite 200 Toronto, Ontario M6P 1W9
Site Area (m²):	1352.6 m ²
Structures:	Conjoined buildings with the mixed of residential and commercial property uses. The conjoined buildings are at various heights, ranging between one to two stories tall.
Occupants (current):	Multiple private residences and commercial operations
Other facilities of note:	None

2.3 PLAN OF SURVEY

Fora provided a survey titled Plan of Survey Showing Topographical Information of Part of Lot A, Registered Plan 285 (Formerly City of York), City of Toronto, prepared by KRCMAR Surveyors Ltd., dated April 21, 2022. A copy of the plan of survey is included in Appendix I.

2.4 ENHANCED INVESTIGATION PROPERTY

An enhanced investigation property is defined in O. Reg. 153/04 as a property that is being used or has been used, in whole or in part, for an industrial use or for commercial use as a garage, a

bulk liquid dispensing facility (including a gasoline outlet), or for the operation of dry cleaning equipment.

The Site is not an enhanced investigation property.

3.0 SCOPE OF INVESTIGATION

3.1 GENERAL

The Phase One ESA was conducted in accordance with the current requirements of O. Reg. 153/04 and as outlined in the Terrapex proposal to Fora dated April, 29, 2022. The Phase One ESA also meets or exceeds the requirements of a Phase I ESA as prescribed by the Canadian Standards Association Standard Z768-01 (R2012). The five main components of the Phase One ESA scope of work are described below.

Records Review: A review was conducted of available historic and current environmental information pertaining to the Site and the Phase One study area in accordance with Schedule D (Phase One Environmental Site Assessments) of O. Reg. 153/04.

Interviews: An interview was conducted with a representative of the current owner of the Site. Representatives of the previous owners were not available.

Site Reconnaissance: A reconnaissance of the Site and accessible properties within the Phase One study area was conducted for evidence of potential environmental concerns.

Evaluation: The information obtained from the records review, interviews, and Site reconnaissance was reviewed, evaluated and interpreted by the Qualified Person (QP) for this project (see Section 3.2 below) in consideration of the Phase One ESA general objectives and any uncertainty associated with the data sources.

Reporting: In accordance with the requirements of Schedule D of O. Reg. 153/04, this report documents the findings, conclusions, and recommendations of the Phase One ESA and includes:

- a table of the current and past uses of the Phase One property;
- a table of identified potentially contaminating activities (PCAs) and a table of associated areas of potential environmental concern (APECs);
- a Phase One conceptual Site model (CSM); and,
- conclusions and recommendations made based on the evaluation and interpretation of information obtained for the Phase One ESA.

3.2 QUALIFIED PERSON

The Phase One ESA was supervised by Mr. Peter Sutton, P.Eng., Vice-President of Environmental Services at Terrapex, located at 90 Scarsdale Road in Toronto, Ontario. Mr. Sutton is a licensed Professional Engineer in Ontario and meets the qualifications as a QP with the Ministry of the Environment, Conservation and Parks (MECP, formerly known as the Ministry of Environment and Climate Change, MOECC, and Ministry of the Environment, MOE) for the

purpose of creating and submitting RSCs for filing on the Brownfields Environmental Site Registry.

3.3 LIMITATIONS

It should be noted that although Terrapex has attempted to verify information wherever possible, except where explicitly noted, we have relied upon the accuracy of information collected during the records review and interview components.

The general limitations of the study are provided in Section 8.3. Specific limitations of this Phase One ESA are as follows:

- the roof of the buildings were not accessible for safety reasons;
- no access to the residential units 1 and 2 located in 2640 Eglinton Avenue West;
- no access to one of the bedrooms in the residential unit 1 for 2638 Eglinton Avenue West; and,
- a response has been received to our request for file information from the MECP, however we have not yet received the documents.

In the opinion of the QP, none of the above limitations are considered to have compromised the objectives of the Phase One ESA.

4.0 **RECORDS REVIEW**

4.1 **GENERAL**

Terrapex obtained and reviewed records relating to the Site and surrounding properties within the Phase One Study Area, in accordance with Schedule D (Phase One Environmental Site Assessments) of O. Reg. 153/04. The records and sources of information reviewed are summarized below, and a list of all documents and data cited in this report is provided in Section 9.0.

4.1.1. PHASE ONE STUDY AREA DETERMINATION

To determine the Phase One Study Area, Terrapex conducted a preliminary records review to identify any conditions that might warrant an expansion of the Phase One Study Area beyond the minimum required by O. Reg. 153/04. This review included searches / reviews of the following information:

- aerial photographs and satellite images;
- Provincial waste disposal site inventory documents; and,
- reports documenting previously completed environmental investigations of the Site.

The preliminary review did not identify any potential concerns warranting an expansion of the Phase One Study Area. Accordingly, the Phase One Study Area was established to encompass all of the properties that were located in whole or in part, within 250 m of the boundaries of the subject site.

The boundary of the Phase One Study Area is depicted in Figure 3. Note that all distances are calculated from the nearest property boundary of the site to the nearest boundary of the feature/site in question and are approximate.

4.1.2. FIRST DEVELOPED USE DETERMINATION

Information obtained during the records review portion of the work program was used to determine the date of the first developed use of the Site, as defined in O. Reg. 153/04, summarized in Table 2 below:

TABLE 2: FIRST DEVELOPED USE

YEAR	SITE FEATURES	POTENTIALLY CONTAMINATING ACTIVITY ¹	REFERENCE/SOURCE
1954	The Site was first observed to be developed with commercial buildings in 1954.	None identified	Aerial photographs Previous report (Property Condition Assessment)

¹As set out in Table 2 in Schedule D of O. Reg. 153/04.

Based on the above, it was determined that the first developed land use at the Site was around 1954 when the property was used for/developed for commercial purposes.

4.1.3. FIRE INSURANCE PLANS

ERIS Environmental Risk Information Services Ltd. (ERIS) provided an Enviroscan search (provided by Opta Information Intelligence) for the site and surrounding properties. A summary of the relevant information obtained from the fire insurance products is presented in Table 3 below, including identification of operations that are considered to be PCAs under O. Reg. 153/04.

TABLE 3 SUMMARY OF FIRE INSURANCE PRODUCTS

YEAR	PRODUCT	SITE FEATURES	FEATURES OF SURROUNDINGS	PCAs ¹ /POTENTIAL CONCERNS
1890	FIP	no address shown no structures shown on Site.	no addresses and structures shown on surrounding properties.	None.
1923	FIP	- the Site appears the same as in the 1890 FIP.	The surrounding properties generally appear to be residential. Several coal bins are shown on the exterior of a large building identified as York Memorial Collegiate Institute (2690 Eglinton Avenue West).	Off-Site: Other – Coal Storage
1962	FIP	 the Site addresses are shown as 2638-2650 Eglinton Avenue West. a conjoined building consisting of a large grocery store and several smaller commercial stores are shown on the Site. 	 the surrounding properties generally appear to be institutional and commercial an auto repair service garage is shown on the FIP immediate west of the Site (2660 Eglinton Avenue West). an auto repair service garage and a storage tank are shown southwest of the Site (2621 Eglinton Avenue West). 	Off-Site: 52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems

YEAR	PRODUCT	SITE FEATURES	FEATURES OF SURROUNDINGS	PCAs¹/POTENTIAL CONCERNS
			two auto repair service garages are located south of the Site (1822 Keele Street and 1815 Keele Street).	
1976	Underwriter Report	the Site buildings (2636-2642 Eglinton Avenue West) are heated with an oil-fired water heating system and has a solid standard brick chimney. a photography studio identified as Public Club was shown on the report.	N/A	On-Site: 28 - Gasoline and Associated Products Storage in Fixed Tanks 31 - Ink Manufacturing, Processing and Bulk Storage
1982	Underwriter Report	 the Site address, building, and heating appears to be the same as the 1976 report. a photography studio identified as Antonio's Photo Studio was shown on the report (2636 Eglinton Avenue West). a textile operation identified as Enza Fashion and Textiles was also shown on the report (2642 Eglinton Avenue West). 	N/A	On-Site: 28 - Gasoline and Associated Products Storage in Fixed Tanks 31 - Ink Manufacturing, Processing and Bulk Storage 54 - Textile Manufacturing and Processing
1991	Underwriter Report	- The building on 2636 Eglinton Avenue West appears to have switched to a gas-powered hot water heater.	N/A	None.

¹As set out in Table 2 in Schedule D of O. Reg. 153/04.

A copy of Fire insurance products reviewed is included in Appendix II.

4.1.4. CHAIN OF TITLE

The Site has been used for commercial purposes since approximately 1954, after which there are records of the business operations located from other sources. As such, in the opinion of the QP, a title search would not contribute significant additional information regarding the environmental condition of the Phase One property. Nonetheless, a full title search will be conducted prior to submitting a Record of Site Condition for the purposes of confirming information in the Table of Current and Past Uses, and an updated final report will be issued. All Land Registry information in the updated final report will be included in Appendix III.

4.1.5. ENVIRONMENTAL REPORTS

Terrapex was provided with the following previous environmental reports for review as part of the scope of the current Phase One ESA.

• Property Condition Assessment (PCA), 2654 Eglinton Avenue West, Toronto, Ontario, prepared for The Hazcon Group Ltd by S2S Environmental Ltd (S2S), dated September 9, 2011.

S2S , 2011, PCA						
Objective/Work Program	The work program that was completed was a property condition assessment					
	for 2654 Eglinton Avenue West. The PCA was requested by Hazcon on behalf					
	of the prospective purchaser for financing purposes.					
Comments/Limitations/Other	The PCA was conducted only on the 2654 Eglinton Avenue West Property.					
	The property was occupied by an Image Beauty Supply House					
	The building was constructed in 1954					
	Various renovations and additions had been completed for the building but					
	exact dates and details of the work were not available at the time of the					
	inspection					
	The total building floor area which includes the basement was 1,207 m ²					
	Findings of the PCA included the following:					
	The building was in fair condition					
	o The building was structurally sound and no evidence of structural					
	faults					
	 Active roof leaks were identified at the time of the inspection. 					

4.1.6. PROPERTY USE RECORDS

A municipal directory search was conducted for the Site and neighbouring properties within 250 m for years between 1925 and 2001. Municipal directory information was obtained by ERIS.

Based on a review of the information obtained, a summary of search results that are considered to be PCAs, or otherwise of potential environmental concern to the Site, is provided in Table 4 below:

TABLE 4 CITY DIRECTORY INFORMATION

ADDRESS	PROXIMITY ¹	YEAR(S)	LISTING(S)	POTENTIAL PCAs ² / CONCERNS
1856 Keele Street	Site	2001 1965-1970	T & B Electronic Services TV Repair	19 - Electronic and Computer Equipment Manufacturing
2636 Eglinton Avenue West	Site	1985-1995	Antonio Foto Lab	31 - Ink Manufacturing, Processing and Bulk Storage
2522 Eglinton Avenue West	275 m east of the Site	1986	Derek's Printing	31 - Ink Manufacturing, Processing and Bulk Storage

ADDRESS	PROXIMITY ¹	YEAR(S)	LISTING(S)	POTENTIAL PCAs ² / CONCERNS
2538 Eglinton Avenue West	240 m east of the Site	1965	Fuel Oil Co LTD	28 - Gasoline and Associated Products Storage in Fixed Tanks
2540 Eglinton Avenue West	235 m east of the Site	1980 1965	Tailors & Cleaners Tailors & Cleaners	37 - Operation of Dry Cleaning Equipment (where chemicals are used)
2548 Eglinton Avenue West	225 m east of the Site	1965-1980	Photo Studio	31 - Ink Manufacturing, Processing and Bulk Storage
2562 Eglinton Avenue West	135 m east of the Site	1955	Laundry & Cleaners	37 - Operation of Dry Cleaning Equipment (where chemicals are used)
2564 Eglinton Avenue West	135 m east of the Site	1960-1970	Keelton Cleaners	37 - Operation of Dry Cleaning Equipment (where chemicals are used)
2584 Eglinton Avenue West	135 m east of the Site	1995	Carmen & Frank's Garage Auto Parts Omega Import & Export LTD Scarboro Subaru	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems
2521 Eglinton Avenue West	240 m east of the Site	1965-1975	Launderama	37 - Operation of Dry Cleaning Equipment (where chemicals are used)
2527 Eglinton Avenue West	225 m east of the Site	1955	Fiarview Paint & Wallpaper	39 - Paints Manufacturing, Processing and Bulk Storage
2529 Eglinton Avenue West	220 m east of the Site	1955-1991 1995	Tru-Tone Cleaners Tru-Tone Dry Cleaners	37 - Operation of Dry Cleaning Equipment (where chemicals are used)
2531 Eglinton Avenue West	200 m east of the Site	2001 1985-1986	Sun Star Printing Do It Right Dry Cleaners	31 - Ink Manufacturing, Processing and Bulk Storage 37 - Operation of Dry Cleaning Equipment (where chemicals are used)

ADDRESS	PROXIMITY ¹	YEAR(S)	LISTING(S)	POTENTIAL PCAs ² / CONCERNS
2535 Eglinton Avenue West	185 m east of the Site	2001 1960	G T A Dry Cleaners Fairview Paint & Wallpaper	37 - Operation of Dry Cleaning Equipment (where chemicals are used)
				39 - Paints Manufacturing, Processing and Bulk Storage
2557 Eglinton Avenue West	90 m east of the Site	1980	FAL Photo Agency	31 - Ink Manufacturing, Processing and Bulk Storage
2583 Eglinton Avenue West	25 m southeast of the Site	1995	Thruway Muffler Center	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems
2585 Eglinton Avenue West	25 m southeast of the Site	1960 1955	Bo-Bo Cleaners & Launderers Durable Cleaners	37 - Operation of Dry Cleaning Equipment (where chemicals are used)
2599 Eglinton Avenue West	25 m south of the Site	1975	Chap Printing	31 - Ink Manufacturing, Processing and Bulk Storage
2610 Eglinton Avenue West	70 m east of the Site	1995	Gas Bar Wexline Motors	28 - Gasoline and Associated Products Storage in Fixed Tanks
2616 Eglinton Avenue West	50 m east of the Site	1960	Jim's Laundry & Cleaner	37 - Operation of Dry Cleaning Equipment (where chemicals are used)
2660 Eglinton Avenue West	Adjacent, west	1970-1991 1965 1955-1960	Metro Toronto Ambulance Station Esso Service Station	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems
				28 - Gasoline and Associated Products Storage in Fixed Tanks

ADDRESS	PROXIMITY ¹	YEAR(S)	LISTING(S)	POTENTIAL PCAs ² / CONCERNS
2601 Eglinton Avenue West	25 m south of the Site	2001 1950	Today's Cleaning SVC British American SVC STN	37 - Operation of Dry Cleaning Equipment (where chemicals are used) 52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems 28 - Gasoline and
				Associated Products Storage in Fixed Tanks
2603 Eglinton Avenue West	25 m south of the Site	1955	Keeton Cleaners	37 - Operation of Dry Cleaning Equipment (where chemicals are used)
2615 Eglinton Avenue West	25 m south of the Site	1955-1960	Service Center	28 - Gasoline and Associated Products Storage in Fixed Tanks
2635 Eglinton Avenue West	95 m west of the Site	1965-1975	MF Cleaners	37 - Operation of Dry Cleaning Equipment (where chemicals are used)
2637 Eglinton Avenue West	95 m west of the Site	1970-1980	Roma Printing	31 - Ink Manufacturing, Processing and Bulk Storage
2665 Eglinton Avenue West	160 m west of the Site	1960	TV SVC CTR	19 - Electronic and Computer Equipment Manufacturing
2681 Eglinton Avenue West	190 m west of the Site	1991-1995 1975	Gisini Printing Co TV Repairs	31 - Ink Manufacturing, Processing and Bulk Storage
				19 - Electronic and Computer Equipment Manufacturing
2683 Eglinton Avenue West	195 m west of the Site	1955-1965	Cleaner	37 - Operation of Dry Cleaning Equipment (where chemicals are used)
2687 Eglinton Avenue West	205 m west of the Site	1985-1986	Kay's Cleaners	37 - Operation of Dry Cleaning Equipment (where chemicals are used)
1820 Keele Street	225 m south of the Site	1950-1991 1935-1945	Keelsdale Motor SVC Keelsdale SVC STN	28 - Gasoline and Associated Products Storage in Fixed Tanks

ADDRESS	PROXIMITY ¹	YEAR(S)	LISTING(S)	POTENTIAL PCAs ² / CONCERNS
1815 Keele Street	230 m south of the Site	1930	Auto Wreckers	49 - Salvage Yard, including automobile wrecking
1815-1819 Keele Street	230 m south of the Site	1945 1935-1940	Harold's Auto SVC Service Station	28 - Gasoline and Associated Products Storage in Fixed Tanks 52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems
1819 Keele Street	230 m south of the Site	1960-1965 1950-1955	Texaco SVC Service Station	28 - Gasoline and Associated Products Storage in Fixed Tanks
4 Avon Drive	225 m south of the Site	1980-1991	A&A Salvage	49 - Salvage Yard, including automobile wrecking

¹ direction and approximate distance to nearest Site boundary

A copy of the municipal directory search results is provided in Appendix IV.

4.2 ENVIRONMENTAL SOURCE INFORMATION

4.3.1. ERIS ENVIRONMENTAL DATABASE

Terrapex ordered a RSC Report (Urban) from Environmental Risk Information Services Information Limited Partnership. (ERIS) for any records associated with properties within the Phase One study area. ERIS searched government and privately owned databases for environmental source information, including the information and documents listed in paragraph 7 of subsection 3 (2) in Schedule D of O. Reg. 153/04. The report included a physical settings report (geologic, topographic, hydrogeologic, and well information), and a map of Areas of Natural and Scientific Interest (ANSIs).

The report from ERIS is included in Appendix V and includes a detailed report which presents information for the records found, a Site diagram which plots the locations of the properties for which records were found (provided sufficient address information was available), as well as an appendix which contains a list and descriptions of the databases ERIS searched.

The ERIS report indicated 15 listing(s) for the Site and 354 relevant listings within the phase one study area. Relevant listings are summarized in Table 5 below:

²As set out in Table 2 in Schedule D of O. Reg. 153/04.

TABLE 5 - SUMMARY OF RELEVANT ERIS FINDINGS

ADDRESS	PROXIMITY ¹	DATABASE	YEAR(S) ²	DETAILS	PCA ³ s/POTENTIAL CONCERNS
2654 Eglinton Ave W	Site	GEN - Ontario Regulation 347 Waste Generators Summary	1992- 2001	Generator of light fuels.	28 - Gasoline and Associated Products Storage in Fixed Tanks
2654 Eglinton Ave W	Site	SPL - Ontario Spills	2020	Spill of 5 L of transformer oil to the vault and drain due to equipment failure.	55 - Transformer Manufacturing, Processing and Use
2636 Eglinton Ave W	Site	GEN - Ontario Regulation 347 Waste Generators Summary	1986- 1998	Antonio Foto Studio Ltd. is registered as a generator of photoprocessing wastes.	31 - Ink Manufacturing, Processing and Bulk Storage
2660 Eglington Ave W	Adjacent, west	GEN - Ontario Regulation 347 Waste Generators Summary	1986- 2021	Toronto Ambulance Services is registered as a generator of organic wastes, detergents, and/or oil skimmings. Metrolinx is registered as a generator of petroleum distillates, oil skimmings, and light fuels. Crosslinx is registered as a generator of waste oils, inorganic sludges, and lubricants.	8 - Chemical Manufacturing, Processing and Bulk Storage
2660 Eglington Ave W	Adjacent, west	TANK - Anderson's Storage Tanks	1949	Imperial Oil received a permit to develop a gas station in 1949.	28 - Gasoline and Associated Products Storage in Fixed Tanks
111 Yore Rd	Adjacent, northwest	GEN - Ontario Regulation 347 Waste Generators Summary	2015- 2018	Toronto Transit Commission is registered as operating a car wash. Delsan is registered as a generator of oil skimmings and sludges.	50 - Soap and Detergent Manufacturing, Processing and Bulk Storage
111 Yore Rd	Adjacent, northwest	SCT - Scott's Manufacturing Directory	2018	Crosslinx Transit Solutions Contractors reported a spill of 20 L of water and diesel to the sewer.	Other - Spill of fuel to the sewer

ADDRESS	PROXIMITY ¹	DATABASE	YEAR(S) ²	DETAILS	PCA3s/POTENTIAL CONCERNS
2601 Eglinton Ave W	25 m south of the Site	TANK - Anderson's Storage Tanks	1949	A historic gasoline service station and automotive garage registered fuel tanks in 1949.	28 - Gasoline and Associated Products Storage in Fixed Tanks 52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems
2609 Eglinton Ave W	25 m south of the Site	ANDR - Anderson's Waste Disposal Sites	1933	Approximately 400 cubic yards of fill were placed on the property in 1933.	30 - Importation of Fill Material of Unknown Quality
2615 Eglinton Ave W	25 m south of the Site	TANK - Anderson's Storage Tanks	1947	A fuel storage tank was registered at a gasoline service station in 1947.	28 - Gasoline and Associated Products Storage in Fixed Tanks
Keele St, south of Eglinton Ave W	40 m southwest of the Site	SPL - Ontario Spills	1994	Canada Building Materials reported a spill of motor oil which had leaked from a truck.	Other - Spill of motor oil from the road
Southeast corner of Keele St and Eglinton Ave W	40 m southwest of the Site	SPL - Ontario Spills	1993	Toronto Transit Commission reported a spill of 20 L of engine coolant to a catch basin.	Other - Spill of engine coolant to the catch basin
2612 Eglinton Ave W	60 m east of the Site	PES - Pesticide Register	Unknown	Valiant Hardware Ltd. is registered as a pesticide vendor.	40 - Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications
2623 Eglinton Ave W	65 m southwest of the Site	GEN - Ontario Regulation 347 Waste Generators Summary	2013	TD Canada Trust is registered as a generator of oil skimmings and sludges.	8 - Chemical Manufacturing, Processing and Bulk Storage
2 Trethwey Dr	65 m west of the Site	GEN - Ontario Regulation 347 Waste Generators Summary	1986- 2001	York Board of Education is registered as a generator of light fuels, organic laboratory chemicals, and/or inorganic laboratory chemicals.	8 - Chemical Manufacturing, Processing and Bulk Storage
2 Trethwey Dr	65 m west of the Site	NPCB - National PCB Inventory	Unknown	York Board of Education is registered as using PCB-containing equipment.	55 - Transformer Manufacturing, Processing and Use

ADDRESS	PROXIMITY ¹	DATABASE	YEAR(S) ²	DETAILS	PCA3s/POTENTIAL CONCERNS
2600 Eglinton Ave W	80 m east of the Site	GEN - Ontario Regulation 347 Waste Generators Summary	2005	Gam X-Ray Limited is registered as a generator of waste oils and lubricants.	8 - Chemical Manufacturing, Processing and Bulk Storage
2639 Eglinton Ave W	100 m southwest of the Site	SPL - Ontario Spills	2013	A water main break released chlorinated water into the Humber River.	Other – Spill of chlorinated water to a nearby watercourse
2690 Eglinton Ave W	100 m west of the Site	GEN - Ontario Regulation 347 Waste Generators Summary	1989- 2022	The York Board of Education is registered as a generator of aliphatic solvents, inorganic laboratory chemicals, heavy metals, halogenated pesticides, waste oils and lubricants, organic laboratory chemicals, and/or light fuels.	8 - Chemical Manufacturing, Processing and Bulk Storage
2690 Eglinton Ave W	100 m west of the Site	SPL - Ontario Spills	2019	A large fire was reported at York Memorial Collegiate Institute.	24 - Fire Training
2641 Eglinton Ave W	110 m southwest of the Site	GEN - Ontario Regulation 347 Waste Generators Summary	2013	Metrolinx is registered as a generator of aromatic solvents and heavy fuels.	8 - Chemical Manufacturing, Processing and Bulk Storage
Cameron and Keele St	140 m southwest of the Site	ANDR - Anderson's Waste Disposal Sites	1929	An illegal trash site was reported at this property in 1929.	58 - Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners
1872 Keele St	150 m north of the Site	SPL - Ontario Spills	1998	A private residence reported a spill of 300 L of furnace oil to their basement.	28 - Gasoline and Associated Products Storage in Fixed Tanks
2681 Eglinton Ave W	190 m west of the Site	SCT - Scott's Manufacturing Directory	1978	Gisini Printing Co. is identified as a commercial printing business that was established in 1978.	31 - Ink Manufacturing, Processing and Bulk Storage
2700 Eglinton Ave W	215 m west of the Site	NPCB - National PCB Inventory	1990- 1992	City of York is registered as a PCB storage site.	55 - Transformer Manufacturing, Processing and Use

ADDRESS	PROXIMITY ¹	DATABASE	YEAR(S) ²	DETAILS	PCA ³ s/POTENTIAL CONCERNS
2700 Eglinton Ave W	215 m west of the Site	GEN - Ontario Regulation 347 Waste Generators Summary	1992- 2022	City of York and City of Toronto are registered as a generator of waste organic laboratory chemicals, photogrocessing wastes, heavy metals, paints, pigments, and coatings, and/or waste oils and sludges.	8 - Chemical Manufacturing, Processing and Bulk Storage
1820 Keele St	225 m south of the Site	TANK - Anderson's Storage Tanks	1929	A fuel tank is registered to a gasoline service station in 1929.	28 - Gasoline and Associated Products Storage in Fixed Tanks
1819 Keele St	230 m south of the Site	TANK - Anderson's Storage Tanks	1932	A permit to relocate a gasoline pump at a gasoline service station was approved in 1932.	31 - Ink Manufacturing, Processing and Bulk Storage
1815 Keele St	230 m south of the Site	TANK - Anderson's Storage Tanks	1928	A permit for a gasoline service station was issued in 1928.	28 - Gasoline and Associated Products Storage in Fixed Tanks
1815 Keele St	230 m south of the Site	ANDR - Anderson's Waste Disposal Sites	1929	North Auto Wrecker operated a junkyard in 1929.	49 - Salvage Yard, including automobile wrecking
2696 Eglinton Ave W	250 m west of the Site	GEN - Ontario Regulation 347 Waste Generators Summary	1986- 2001	Metropolitan Toronto Police are registered as a generator of light fuels and/or oil skimmings and sludges.	8 - Chemical Manufacturing, Processing and Bulk Storage
2696 Eglinton Ave W	250 m west of the Site	TANK - Anderson's Storage Tanks	1950	York Township Police were issued a permit for a gasoline tank and a pump in 1950.	28 - Gasoline and Associated Products Storage in Fixed Tanks
Gorge west of Trethewey Dr	250 m west of the Site	ANDR - Anderson's Waste Disposal Sites	1930	Coronation Park Dump operated for two years when the township dumped garbage ashes and other refuse into the gorge to the west of Trethewey Drive.	58 - Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners

¹ direction and approximate distance to nearest Site boundary

² For SCT listings, the year is the year the company was established.

³ As set out in Table 2 in Schedule D of O. Reg. 153/04.

4.3.2. OTHER GOVERNMENT AND REGULATORY DOCUMENTATION

Terrapex contacted representatives of provincial and municipal government agencies to request any environmental information in their files related to the Site, and/or any available information pertaining to nearby water bodies and areas of natural significance within the Phase One Study Area. Terrapex also conducted searches of available information provided on government websites. The responses received from the government agencies, as well as the additional information obtained through website searches, are summarized in the following sections. Copies of relevant documents and maps are included in Appendix IV.

Ontario Ministry of the Environment, Conservation and Parks (MECP): Terrapex submitted a Freedom of Information (FOI) request regarding documented environmental concerns related to the address of 1856-1856A Keele Street and 2636-2654 Eglinton Avenue West, Toronto, Ontario including orders, spills, investigations, waste generator registrations and certificates of approval, as well as general environmental concerns. A request was sent to the MECP on September, 26, 2022.

A written response from the MECP typically requires several weeks. If upon receipt of the response from the MECP any significant environmental issues are identified, Terrapex will forward the response as an addendum to this report.

MECP Source Water Protection: Terrapex conducted a search of the information provided on the MECP on-line map of Source Water Protection Areas to determine whether the Phase One property is located in a well-head protection area, or another area designated as an area for the protection of groundwater. The Site is location within an area under the jurisdiction of the Toronto and Region Conservation Authority (TRCA). The review indicates the Site in not within a well-head protection area..

Ontario Ministry of Northern Development, Mines, Natural Resources (MNDMRF): Terrapex conducted a search of the information provided on the Ministry of Northern Development, Mines, Natural Resources (MNDMRF) on-line map of Natural Heritage Areas to identify any environmentally sensitive areas or areas of natural significance within the Phase One Study Area.

Search results indicated that there are no Provincial Parks, Conservation Reserves, Areas of Natural or Scientific Interest, or Wetlands in the Phase One Study Area.

Technical Standards & Safety Authority (TSSA): The TSSA was contacted regarding records of fuel storage tanks at the Site and neighbouring sites. Terrapex received a

response from TSSA on November, 01, 2022. No records were found for the Site and neighbouring properties.

Toronto and Region Conservation Authority (TRCA): A search was conducted on the TRCA interactive mapping website to determine if the Site is within an area regulated by the TRCA. The results indicated the Site is not within the TRCA Regulated Areas. The Site is located within the Humber River Watershed and the nearest water body, Black Creek, is located 430 m, west of the Site.

Municipal Records: Terrapex conducted a search of the information provided on the City of Toronto's interactive mapping application. The results indicated that the Site is not within an environmentally significant area, natural heritage system, provincial ANSI, or provincially significant wetland. The Site is zoned as Commercial Residential "CR SS2 (x2624)".

Official Plan: Terrapex conducted a search of the information provided on the City of Toronto's Official Plan to determine whether the Phase One property is located in a wellhead protection area, or another area designated as an area for the protection of groundwater. The review indicated the Site is not within a wellhead protection area or within an area of groundwater protection.

4.3.3. CLIENT FILE INFORMATION

A proposed redevelopment site plan of the Site, a legal survey, and a Property Condition Assessment report conducted by S2S Environmental Inc. were provided to Terrapex by Fora. No other file information relating to the Site was available.

4.3 PHYSICAL SETTING SOURCES

4.4.1. AERIAL PHOTOGRAPHS

Aerial photographs were selected (based on availability, quality, and scale) for review to identify changes to topographic features, as well as development of the site and surrounding properties within the Phase One Study Area over the years. The earliest aerial photograph obtained for review was from the year 1947, from City of Toronto Archives.

Terrapex reviewed aerial photographs as well as satellite images available for the years 1947 to 2021 from the City of Toronto on-line archives;

An approximate 10-year intervening time frame between successive photographs/images was considered to be sufficient to permit a reasonable evaluation of the area development and apparent land use history.

The relevant features identified in the aerial photographs and satellite images are summarized in Table 6 below. It should be noted that identification of some specific features at the Site and surrounding areas was precluded by the scale and resolution of the aerial photographs. Copies of the aerial photographs and the satellite images are included in Appendix V.

TABLE 6 SUMMARY OF AERIAL PHOTOGRAPHS AND SATELLITE IMAGES

YEAR	SOURCE	KEY FEATURES - SITE	KEY FEATURES - SURROUNDINGS	POSSIBLE PCA ¹ s/APECs
1947	City of Toronto Archives	No structures are visible on the Site.	Surrounding properties to the south of Eglinton Avenue are generally residential. Surrounding properties to the north Eglinton Avenue are generally vacant and rural residential.	None Identified.
			A large building resembling a school has been constructure to the west of the Site.	
1954	City of Toronto Archives	Four conjoined buildings have been constructed on the Site.	Several commercial and residential buildings have been constructed to the north, east, and south of the Site. A large building identified as a community centre is constructed west of the Site.	None Identified.
1965	City of Toronto Archives	The Site generally appears similar to the 1954 aerial photograph.	The surrounding properties appears similar to the 1954 aerial photograph. More buildings are seen to the west and northwest of the Site.	None Identified.
1978	City of Toronto Archives	The Site generally appears similar to the 1965 aerial photograph.	The surrounding properties appears similar to the 1965 aerial photograph. Some commercial buildings are constructed to the east of the Site.	None Identified.
1985	City of Toronto Archives	The Site generally appears similar to the 1978 aerial photograph.	The surrounding properties appears similar to the 1965 aerial photograph.	None Identified.
1992	City of Toronto Archives	The Site generally appears similar to the 1985 aerial photograph.	The surrounding properties appears similar to the 1985 aerial photograph.	None Identified.
2005	City of Toronto Archives	The Site generally appears similar to the 1992 aerial photograph.	The surrounding properties appears similar to the 1992 aerial photograph.	None Identified.
2015	City of Toronto Archives	The Site generally appears similar to the 2005 aerial photograph.	The surrounding properties appears similar to the 2005 aerial photograph.	None Identified.
2021	City of Toronto Archives	The Site generally appears similar to the 2015 aerial photograph.	The surrounding properties appears similar to the 2021 aerial photograph.	None Identified.

As set out in Table 2 in Schedule D of O. Reg. 153/04.

4.4.2. TOPOGRAPHY, HYDROLOGY, GEOLOGY

The following maps, and/or databases were reviewed in order to document the topography, geology and hydrogeology of the Site and the Phase One study area:

- **ERIS Physical Setting Report**
- Google Earth on-line images;
- VuMap Interactive Mapping;
- Quarternary Geology of Ontario, Southern Sheet, Map 2556;
- Metropolitan Toronto Bedrock Contours, Ontario Department of Mines, Preliminary Map 102, February 1961;
- Bedrock Geology of Ontario, Southern Sheet, Ontario Geological Survey, Map 2544; and
- Topographic Map, National Topographic Systems (NTS), information current as of 1989, Map 30M/11.

A summary of reviewed information are presented in Table 7 below:

TABLE 7 - SUMMARY OF TOPOGRAPHY, HYDROLOGY, AND GEOLOGY

SITE FEATURE	DESCRIPTION / DETAILS			
REGIONAL TOPOGRAPHY	Site is generally flat with no significant grade difference, slopes gently to the southwest			
APPROX ELEVATION (masl)	Between 127.80 m above sea level (m asl) and 130.08 m asl. Based on the topographic survey provided by Fora.			
PHYSIOGRAPHIC REGION	The Site and Phase One Study Area are located in the physiographic region known as Iroquois Plain, which consists of shallow-water deposits sand and silty sand.			
OVERBURDEN SOIL STRATIGRAPHY	Quarternary geology mapping indicates the Site is located in an area of glaciolacustrine deposits, predominantly consisting of sand, gravelly sand and gravel, along with nearshore and beach deposits.			
BEDROCK AND APPROXIMATE DEPTH	Upper Ordovician shale, limestone, dolostone, and siltstone of the Georgian Bay Formation and is anticipated to be more than 30 m below grade.			

Copies of reviewed information are provided in Appendix VI.

4.4.3. **FILL MATERIALS**

Fill materials are not suspected to be present at the Site, other than possibly minor quantities of engineered sand/gravel fill used during construction of the residential structure and associated parking area.

NATURAL SIGNIFICANCE AND 4.4.4. WATER BODIES. AREAS OF **GROUNDWATER INFORMATION**

Based on a review of information and records in the preceding sections, a summary of water bodies, areas of natural significance, if any, and groundwater information within the Phase One study area are summarized in Table 8 below:

TABLE 8 - SUMMARY OF WATER BODIES, AREAS OF NATURAL SIGNIFICANCE, GROUNDWATER INFORMATION

FEATURE	WITHIN PHASE ONE PROPERTY	WITHIN PHASE ONE STUDY AREA	DESCRIPTION/ DETAILS
WATER BODY	No	Yes	Black Creek is located to the northwest of the Phase one property
ANSI	No	No	N/A
WELL-HEAD PROTECTION AREA	No	No	N/A
MUNICIPAL DRINKING WATER SYSTEM	Yes	Yes	Supplied by City of Toronto (derived from surface water sources)
WELL FOR CONSUMPTION/ AGRICULTURAL USE	No	No	N/A

4.4.5. **WELL RECORDS**

Based on a review of information and records in the preceding sections, there are two wells on Site and 132 wells within the Phase One Study Area. The location of the wells are indicated in the ERIS report (Appendix II) and on Figure 3. A summary of relevant water well records with sufficient information on the hydrogeological and geological characteristics of the Phase One Study Area are summarized in Table 9 below:

TABLE 9 - SUMMARY OF SELECTED WATER WELL RECORDS

WELL ID/ TAG	YEAR	TYPE OF WELL	LOCATION	GENERAL STRATIGRAPHY	APPROXIMATE DEPTH TO WATER TABLE
7298513	2017	Dewatering	Site	Sand and gravel to 1.5 mbg, sand to 4.5 mbg, clayey silt and silty clay to 22.9 mbg. Shale bedrock was encountered at 30 mbg.	Unknown
7275999	2016	Dewatering	Site	Sand and gravel to 4.5 mbg, clay and silt to 27 mbg. Shale bedrock at 27 mbg.	Unknown
7154471	2010	Monitoring	10 m southwest	Sand and gravel to 3.0 mbg, clayey silt to 10.0 mbg. Beckrock was not encountered.	Unknown

4.4 SITE OPERATING RECORDS

As the site was determined not to constitute an Enhanced Investigation Property as defined in O. Reg. 153/04, a review of site operating records was not required by the regulation.

5.0 INTERVIEWS

5.1 SITE REPRESENTATIVE

Mr. Paolo Manzi of P2 Management Inc. completed Terrapex's standard Phase I/One ESA Interview Questionnaire via email for this study on November 1, 2022. The relevant information contained in this questionnaire is summarized below.

Mr. Paolo Manzi, Senior Property Manager of P2 Management Inc:

- Mr. Manzi has been involved with the Site since 2012.
- All buildings on the property are believed to be constructed in in the 1950's. The 2654 Eglinton Avenue West building was renovated between 2012 and 2013.
- The previous tenants of the property were Image Beauty Salon at 2654 Eglinton Avenue West up to 2012, along with various supermarkets in the 1990's and prior to the 1990's.
- The current tenants of the property are the following:
 - Dollar Tree (retail store) at 2654 Eglinton Avenue West;
 - o Hair Salon at 2642 Eglinton Avenue West;
 - Jinjin's Nail Salon at 2636 Eglinton Avenue West;
 - o Metro Pizza and Chicken Restaurant at 1856 Keele Street; and,
 - 3 residential units are also located at the property.
- The current property use is mixed retail and residential. The ground floor of the addresses
 is the retail and commercial use with the residential and offices on the second floors of the
 properties.
- The previous uses of the property are similar to the current uses.
- Heating Oil AST in the basement of 1856 Keele Street no longer in use.
- The dollar tree underwent major interior renovations between 2012 and 2013.
- A boiler is located in the basements in both the 2642 Eglinton Avenue West and 1856 Keele Street properties. The 2654 Eglinton Avenue West property is heated by a roof top unit.
- There is currently a temporary easement for metrolinx along the northern portion of the property and there are tiebacks for metrolinx on the west side of the property.
- As far as Mr. Manzi was aware, the Site has always been mixed retail and residential.

The statements and information provided by Mr. Manzi were consistent with information obtained from other sources as part of the Phase One ESA investigation. No additional information pertaining to the site could be provided.

5.2 **SURROUNDING PROPERTY REPRESENTATIVE**

Surrounding property representatives were not contacted as part of the interview process.

6.0 SITE RECONNAISSANCE

6.1 GENERAL REQUIREMENTS

The reconnaissance of the Site and the Phase One Study Area was conducted by Mr. Raymond Ayuen and Mr. Vivo Subhan of Terrapex, as follows:

TABLE 10 SITE RECONNAISSANCE PARTICULARS

DATE, TIME AND DURATION	WEATHER CONDITIONS	GUIDE	OCCUPANT/ USE OF FACILITY	ENHANCED INVESTIGATION PROPERTY ¹	NAMES and QUALIFICATIONS of PERSONS CONDUCTING INVESTIGATION
September 12, 2022 9:15 am to 12:30 pm	Cloudy 19 °C	Mr. Paolo Manzi P2 Management Inc.	Mixed Residential/ Commercial Use	No	Mr. Raymond Ayuen, AScT, Dipl and Mr. Vivo Subhan, BSc.GIT.

¹ As per clause 32 (1) of O. Reg. 153/04.

Cursory observations of the surrounding properties within the Phase One Study Area made during the Site reconnaissance were limited to areas visible from the Site or from publicly accessible areas and vantage points. During the Site reconnaissance, Terrapex photographed the general Site layout, as well as any specific environmental concerns identified on the site or on surrounding properties within the Phase One Study Area.

Specific limitations encountered during the Site reconnaissance are provided in Section 3.3.

The site location plan is shown on Figure 1. The site layout is shown on Figure 2. Selected photographs including general descriptions are provided in Appendix VII.

6.2 SPECIFIC OBSERVATIONS AT PHASE ONE PROPERTY

6.2.1. SITE DESCRIPTION AND STRUCTURES

The Site is located on the northwest side of Keele Street and Eglinton Avenue West, in the City of Toronto (see Figure 1). The Site has a rectangular shape with a total area of approximately 0.14 ha (1,352.6 m²) and is currently occupied by conjoined buildings (between one and two stories tall). The buildings are currently occupied by various tenants for residential and commercial use, including multiple private residences, a grocery store, two beauty salons, and a restaurant.

Summary of observations from the Site reconnaissance presented in Table 11 below:

TABLE 11 SITE STURCTURE OBSERVATIONS

SITE FEATURES	QUANTITY	AGE	DESCRIPTION	LOCATION
BUILDINGS	4	C.1950s	Four two-storey buildings each with a basement.	the entire site footprint
OTHER STRUCTURES	0	Unknown	N/A	N/A

SITE FEATURES	QUANTITY	AGE	DESCRIPTION	LOCATION
BELOW GRADE STRUCTURES	0	Unknown	N/A	N/A
POTABLE/ NON-POTABLE WATER SOURCES	N/A	N/A	Supplied by the City of Toronto	N/A

Summary of observed above ground storage tanks (ASTs) are presented in Table 12 below:

TABLE 12 TANK DETAILS

TANK	CONSTRUCTION	AGE	CONTENTS	VOLUME (L)	STATUS	LOCATION
AST 1	Steel	unknown	Fuel Oil	250	Not In Use	Northern portion of the basement of 1856 Keele Street

6.2.2. **UNDERGROUND UTILITIES**

Summary of utilities from inquires and site observations presented in Table 13 below:

TABLE 13 UTILITY DETAILS

UTILITY	PRESENCE ON SITE	APPROXIMATE LOCATION
ELECTRICAL	Yes	Overhead utility lines off of Keele Street on the east side and underground along Eglinton Avenue West to the south of the properties.
GAS	Yes	A gas line runs from Eglinton Avenue West for 1856 Keele Street, and 2636 and 2642 Eglinton Avenue West properties, and from the lane way north of the Site for 2654 Eglinton Avenue West property.
SEWER	Yes	Underground along Keele Street to east and Eglinton Avenue West to the South
WATER	Yes	Enters the Site from Eglinton Avenue West to the South, there is also a transmission water main within the lane way to the north of the Site.

6.2.3. **INTERIOR OF STRUCTURES**

Details of structures observed are summarized in Table 14 below.

TABLE 14 STRUCTURE DETAILS

ITEM	BUILDING 1 – (2654 Eglinton Avenue West)	BUILDING 2- (2640 and 2642 Eglinton Avenue West)	BUILDING 3 – (2636 and 2638 Eglinton Avenue West)	BUILDING 4 – (1856 Keele Street)
OCCUPANTS	Dollar Tree	one residential unit above and Lavish House of Beauty	Jin Jin's Nail and Spa and two residential units above	Metro Pizza and Chicken and residential unit above
CONSTRUCTION DETAILS	Cinder block, concrete, and brick construction	Cinder block, concrete, and brick construction	Cinder block, concrete, and brick construction	Cinder block, concrete, and brick construction
EXIT/ENTRY POINTS	Entrance is located from both Eglinton Avenue West to the South and the lane way to the north.	Entrance is located from both Eglinton Avenue West to the South and the lane way to the north.	Entrance is located from both Eglinton Avenue West to the South and the lane way to the north.	Entrance is located from Keele Street to the East.
HEATING SYSTEM	Natural Gas	Natural Gas	Natural Gas	Natural Gas
COOLING SYSTEM	HVAC unit on the roof	Wall mounted or Window mounted	Wall mounted or Window mounted	Wall mounted or Window mounted

DRAIN/PITS/SUMPS	Two sump wells in	Floor drain in the	Floor drain in the	Floor drain in the
DRAIN/FITS/SUMFS	the basement	basement	basement	basement
UNIDENTIFIED	None	None	None	None
SUBSTANCES	None	None	None	None
STAINS/	Some minor staining			
CORROSION ON	in the basement	None	None	None
FLOORS	floors.			

Where applicable, the approximate location of PCAs are shown on Figure 4.

6.2.4. **EXTERIOR OBSERVATIONS**

Summary of observations of the exterior of the Site are presented in Table 15 below:

TABLE 15 SITE DETAILS

TABLE 10 ONE DETAILS					
ITEM	DETAILS	APPROXIMATE LOCATION			
SEWAGE WORKS	Connected to the municipal sewage system.	N/A			
OIL/GAS or WATER WELLS	None observed	N/A			
GROUND SURFACE	Asphalt parking	Northern portion of the Site.			
RAILWAY LINES/ SPURS	None	N/A			
STAINED SOIL/ VEGETATION/ PAVEMENT	None	N/A			
STRESSED VEGETATION	None	N/A			
POTENTIAL PCA ¹	None.	N/A			
UNIDENTIFIED SUBSTANCES	None	N/A			

¹As set out in Table 2 in Schedule D of O. Reg. 153/04.

6.2.5. **ENHANCED INVESTIGATION PROPERTY**

The Site is not considered an Enhanced Investigation Property.

PHASE ONE STUDY AREA, OTHER THAN PHASE ONE PROPERTY 6.3

Observations from the site reconnaissance of the Phase One Study Area, are listed below.

FEATURE/DETAILS	DESCRIPTION	ADDRESS	PROXIMITY
WATER BODY	NONE	N/A	N/A
ANSI	NONE	N/A	N/A
MUNICIPAL DRINKING WATER SYSTEM	Supplied by City of Toronto (derived from surface water sources)	N/A	N/A
WELL FOR CONSUMPTION/ AGRICULTURAL USE	NONE OBSERVED	N/A	N/A
PCA¹ Pole Mounted Transformer 55 - Transformer Manufacturing, Processing and Use		Adjacent to 1997 Keele Street	20 m northeast of Site

6.4 WRITTEN DESCRIPTION OF INVESTIGATION

The site reconnaissance was conducted to identify, describe, and document specific items at the Site and at surrounding properties within the Phase One Study Area, in accordance with Schedule D of O. Reg. 153/04. Written descriptions detailing the observations made by Terrapex personnel during the site reconnaissance are provided above in Sections 6.2 and 6.3, for the Site and the Phase One Study Area, respectively.

Discussions regarding the identification of PCAs on the Site and on surrounding properties with the Phase One Study Area are provided below in Section 7.2.

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 CURRENT AND PAST USES

A summary of the current and past uses of the Phase One property is provided in Table 16, below.

7.2 POTENTIALLY CONTAMINATING ACTIVITY

A potentially contaminating activity as defined in O. Reg. 153/04 is a use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in the Phase One property and/or Phase One study area. Details regarding the PCAs that may be contributing to an area of potential environmental concern are provided below in Tables 17.1 and 17.2.

7.3 AREAS OF POTENTIAL ENVIRONMENTAL CONCERN

An area of potential environmental concern, as defined in O. Reg. 153/04, is the area on, in, or under a Phase One property where one or more contaminants are potentially present, as determined through the Phase One environmental site assessment, including through, (a) identification of past or present uses on, in or under the Phase One property and (b) identification of potentially contaminating activity. APECs are summarized in Table 18, and shown on Figure 5.

A discussion and description of how any uncertainty or absence of information obtained in each of the components of the Phase One environmental site assessment could affect the conclusion is provided in Section 7.4, Phase One conceptual model.

7.4 PHASE ONE CONCEPTUAL SITE MODEL

The Phase One ESA conceptual site model (CSM) developed based on the results of the Phase One site assessment is provided in Appendix XII and summarized in Figures 3, 4, and 5. The referenced figures show the Phase One property and Phase One study area including:

- any existing buildings and structures,
- water bodies located in whole or in part on the Phase One study area,
- any areas of natural significance located in whole or in part on the Phase One study area,
- any drinking water wells at the Phase One property,
- roads, including names, within the Phase One study area,
- uses of properties adjacent to the Phase One property,
- areas where any potentially contaminating activity has occurred, including tanks in such areas, and
- any areas of potential environmental concern.

8.0 CONCLUSIONS

8.1 WHETHER PHASE TWO ESA REQUIRED BEFORE RSC SUBMITTED

Based on the findings and results of the Phase One ESA, several APECs have been identified at the Site; therefore, a Phase Two ESA is required in order to file an RSC for the Phase One Property, in accordance with the requirements of O. Reg. 153/04.

8.2 RSC BASED ON PHASE ONE ESA ALONE

An RSC cannot be filed for the Phase One Property based solely on this Phase One ESA.

8.3 SIGNATURES

The environmental assessment described herein was conducted in accordance with the terms of reference for this project, as agreed upon by Fora Developments and Terrapex Environmental Ltd.

The Phase One Environmental Site Assessment of the property located at 1856-1856A Keele Street and 2636-2654 Eglinton Avenue West, Toronto, Ontario which included the review, evaluation, and interpretation of the information obtained from the records review, interviews, and site reconnaissance has been conducted in accordance with Ontario Regulation 153/04 (Records of Site Condition – Part XV.1 of the Environmental Protection Act), made under the *Environmental Protection Act*, by or under the supervision of a Qualified Person. The qualifications of the assessors are included in Appendix VIII.

Terrapex has exercised due care, diligence, and judgement in the performance of this assessment; however, studies of this nature have inherent limitations. This report is intended to provide only a general assessment of the environmental conditions encountered at the site. By necessity, the findings and observations regarding actual or potential contamination of the property are based solely on the extent of observations and information gathered during the assessment, and subsequent investigations of differing scope may reveal conflicting results. Findings and observations may also change with the passage of time. Where applicable, observations of nearby properties were limited to areas visible from the site or from publically accessible areas and vantage points.

Terrapex has relied in good faith on information and representations obtained from the Client and third parties and, expect where specifically identified, has made no attempt to verify such information. Terrapex accepts no responsibility for any deficiency or inaccuracy in this report as a result of any misstatement, omission, misrepresentation, or fraudulent act of those providing information. Terrapex shall not be responsible for conditions or consequences arising from relevant facts that were concealed, withheld, or not fully disclosed at the time of the study.

This report has been prepared for the sole use of Fora Developments, Terrapex Environmental Ltd. accepts no liability for claims arising from the use of this report, or from actions taken or decisions made as a result of this report, by parties other than Fora Developments .

Respectfully submitted,

TERRAPEX ENVIRONMENTAL LTD.

Elizabeth Madden, P.Eng

Michael Deans, B.A.T., C.E.T.

Environmental Free 18 Project Manager

Issued as final report Peter Sutton, P.Eng.

Vice President, Environmental Services

Qualified Person per s 5 (2), O. Reg. 153/04

9.0 REFERENCES

Regulations and Guidelines

Ontario Regulation 153/04, Records of Site Condition – Part XV.1 of the Environmental Protection Act

Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act, April 15, 2011

Property Use Information:

Fire Insurance Plans available from the ERIS

Site Plans:

Plan of Survey Showing Topographical Information of Part of Lot A, Registered Plan 285 (Formerly City of York), City of Toronto, prepared by KRCMAR Surveyors Ltd., dated April 21, 2022.

Environmental Source Information:

Ontario Ministry of the Environment (MOE), Ministry of the Environment and Climate Change (MOECC) and Ministry of the Environment, Conservation and Parks (MECP) documents and databases:

- Inventory of Coal Gasification Plant Waste Sites in Ontario, Volume II (April 1987), prepared for MOE by Intera Technologies Ltd. (Intera)
- Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario, Volume I (November 1988), prepared for MOE by Intera
- Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario, Volume II (November 1988), prepared for MOE by Intera
- Waste Disposal Site Inventory (June 1991)
- MOECC Brownfields Environmental Site Registry website

Federal government, provincial government, and private source database records available through ERIS Information Inc. (ERIS) for locations within 300 m of the Site.

Regulatory file information and documentation regarding environmental concerns related to the site, and/or information pertaining to water bodies and areas of natural significance within the Phase One Study Area, available from:

- MECP Freedom of Information and Protection of Privacy Office
- Ontario Ministry of Natural Resources and Forestry (MNRF) Natural Heritage Area on-line mapping
- Technical Standards & Safety Authority (TSSA) Fuels Safety Division
- City of Toronto (public health, fire and technical services departments)

City of Toronto, Zoning By- law Interactive Map, available online at:

http://map.toronto.ca/maps/map.jsp?app=ZBL CONSULT

City of Toronto, City Planning Division, Official Plan Map 8A (City Parkland), Official Plan Map 9 (Natural Heritage, December 2010); Official Plan Map 12 (Environmental Significant Areas, June 2006); Official Plan Map 18 (Land Use Plan, December 2010).

Physical Setting Sources:

Aerial photographs for the years 1947, 1954, 1965, 1978, 1985, 1992, 2005, 2015, and 2021 available from the City of Toronto.

Ontario Geological Survey 2011. 1:250 000 scale bedrock geology of Ontario; Ontario Geological Survey, Miscellaneous Release---Data 126-Revision 1.

Ontario Geological Survey 2010. Surficial geology of southern Ontario; Ontario Geological Survey, Miscellaneous Release— Data 128 – Revised.

Chapman, L.J. and Putnam, D.F. 2007. Physiography of Southern Ontario; Ontario Geological Survey, Miscellaneous Release— Data 22.

MNR 1:10,000 scale Ontario Base Map (OBM) of Toronto, Ontario, based on 1979 aerial photography.

The Physiography of Southern Ontario, Third Edition, Ontario Geological Survey Special Volume 2 (1984), Chapman and Putnam, map provided by ERIS.

Ontario Geological Survey map entitled Surficial Geology of southern Ontario, map provided by ERIS.

Ontario Geological Survey map entitled Bedrock Geology of Ontario, map provided by ERIS.

Well record information available from ERIS on the Water Well Information System databases and from the MOECC Environmental Monitoring and Reporting Branch Water Well Information System, on-line mapping application

Interviews:

Interview on November 01, 2022 with Mr. Paolo Mancy, senior project manager at P2 Management Inc., via email.

Environmental Reports:

Property Condition Assessment (PCA), 2654 Eglinton Avenue West, Toronto, Ontario, prepared for The Hazcon Group Ltd by S2S Environmental Ltd (S2S), dated September 9, 2011.

TABLE 16 CURRENT AND PAST USES OF THE PHASE ONE PROPERTY

YEAR	NAME OF OWNER	DESCRIPTION OF PROPERTY USE	PROPERTY USE ¹	OTHER OBSERVATIONS FROM AERIAL PHOTOGRAPHS, FIRE INSURANCE PLANS, ETC.
Pre- 1954	Unknown	Rural residential / agricultural (no structures)	Agriculture or other use	1947 Aerial Photograph: no structures are visible on the Site.
1954 - 2012	Unknown	Various commercial businesses (electronic repair, printing shop, retail store, etc.)	Commercial use	1954 Aerial Photograph: commercial buildings have been constructed on the Site. City Directories: a TV repair business operated at the Site between 1965 and 1970. A photo lab operated at the Site between 1985 and 1995.
2012	P2 Management Inc.	Various commercial businesses (retail stores)	Commercial use	City Directories: an electronic repair shop operated at the Site in 2001.
Early 2020	Fora Developments	Various commercial businesses (retail stores)	Commercial use	Site Reconnaissance: The Site buildings are currently occupied by various tenants for residential and commercial use, including multiple private residences, a grocery store, two beauty salons, and a restaurant.

¹as defined in O.Reg. 153/04

TABLE 17.1 POTENTIALLY CONTAMINATING ACTIVITIES ON, IN OR UNDER THE PHASE ONE PROPERTY

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 1	28 - Gasoline and Associated Products Storage in Fixed Tanks	An oil-fired water heating system is present on the Site in 1962. An AST was present on the 1856 Keele Street portion of the property during the Site reconnaissance.	ERIS Report FIPs Site Visit	Possible	No information regarding historic spills or maintenance
PCA 2	55 - Transformer Manufacturing, Processing and Use	Spill of 5 L of transformer oil to the vault and drain due to equipment failure.	ERIS Report	Possible	No information on the location of the former transformer
PCA 3	31 - Ink Manufacturing, Processing and Bulk Storage	Antonio Foto Studio Ltd. is registered as a generator of photoprocessing wastes. A photography studio identified as Public Club is present in 1962 on the 2636 Eglinton Avenue West portion of the Site.	ERIS Report FIPs	Possible	No information on the storage of chemicals or maintenance practices
PCA 4	54 - Textile Manufacturing and Processing	A textile operation identified as Enza Fashion and Textiles operated on the 2642 Eglinton Avenue West portion on the property in 1962.	FIPs	Possible	No information on the chemicals used or maintenance practices
PCA 39	30 - Importation of Fill Material of Unknown Quality	Fill material was likely imported on the Site during grading and development activities.	Site Visit	Possible	No information on where the fill was placed or the origin of the fill.
PCA 40	19 - Electronic and Computer Equipment Manufacturing	An electronic repair and service business operated at the 1856 Keele Street portion of the Site between 1970 and at least 2001.	City Directories	Possible	No information on the storage of chemicals or maintenance practices

¹ As shown on Figure 4. ² As set out in Table 2 in Schedule D of O. Reg. 153/04.

³ Area of potential environmental concern (APEC)

TABLE 17.2 POTENTIALLY CONTAMINATING ACTIVITIES WITHIN THE PHASE ONE STUDY AREA

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 5	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	2660 Eglington Ave W Adjacent, west	An automotive repair service garage historically operated on this property. Toronto Ambulance Services is registered as a generator of organic wastes, detergents, and/or oil skimmings. Metrolinx is registered as a generator of petroleum distillates, oil skimmings, and light fuels. Crosslinx is registered as a generator of waste oils, inorganic sludges, and lubricants.	ERIS Report FIPs City Directory	Possible due to close proximity to the Site	No information on the storage or maintenance practices
PCA 6	28 - Gasoline and Associated Products Storage in Fixed Tanks	2660 Eglington Ave W	Imperial Oil received a permit to develop a gas station in 1949.	ERIS Report City Directory	Possible due to close proximity to the Site	No information on the storage or maintenance practices
PCA 7	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	111 Yore Rd Adjacent, northwest	Toronto Transit Commission is registered as operating a car wash. Delsan is registered as a generator of oil skimmings and sludges.	ERIS Report	Possible due to close proximity to the Site	No information on the storage or maintenance practices
PCA 8	28 - Gasoline and Associated Products Storage in Fixed Tanks	2601 Eglinton Ave W 25 m south of the Site	A historic gasoline service station and automotive garage registered fuel tanks in 1949.	ERIS Report City Directory	Unlikely due to downgradient location from the Site	No information on the storage or maintenance practices
PCA 9	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	2601 Eglinton Ave W 25 m south of the Site	A historic gasoline service station and automotive garage registered fuel tanks in 1949.	City Directory	Unlikely due to downgradient location from the Site	No information on the storage or maintenance practices
PCA 10	30 - Importation of Fill Material of Unknown Quality	2609 Eglinton Ave W 25 m south of the Site	Approximately 400 cubic yards of fill were placed on the property in 1933.	ERIS Report	Unlikely due to downgradient location from the Site	No information on the origin of the fill material

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 11	28 - Gasoline and Associated Products Storage in Fixed Tanks	2615 Eglinton Ave W	A fuel storage tank was registered at a gasoline service station in 1947.	ERIS Report City Directory	Unlikely due to downgradient location from the Site	No information on the storage or maintenance practices
		25 m south of the Site				
PCA 12	Other - Spill of motor oil from the road	Keele St, south of Eglinton Ave W	Canada Building Materials reported a spill of motor oil which had leaked from a truck.	ERIS Report	Unlikely due to downgradient location from the Site	No information on the exact location of the spill or any cleanup activities
		40 m southwest of the Site				
PCA 13	Other - Spill of engine coolant to the catch basin	Southeast corner of Keele St and Eglinton Ave W	Toronto Transit Commission reported a spill of 20 L of engine coolant to a catch basin.	ERIS Report	Unlikely due to downgradient location from the Site	No information on the exact location of the spill or any cleanup activities
		40 m southwest of the Site				
PCA 14	40 - Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing,	2612 Eglinton Ave W	Valiant Hardware Ltd. is registered as a pesticide vendor.	ERIS Report	Unlikely due to cross- gradient location and small quantity of chemicals stored	No information on the storage or maintenance practices
	Processing, Bulk Storage and Large-Scale Applications	Site				
PCA 15	52 - Storage, maintenance, fuelling and repair of equipment,	2621 Eglinton Ave W	An auto repair service garage and a storage tank were present in 1962.	FIPs	Unlikely due to downgradient location from the Site	No information on the storage or maintenance practices
	vehicles, and material used to maintain transportation systems	65 m southwest of the Site				
PCA 16	8 - Chemical Manufacturing, Processing and Bulk	2623 Eglinton Ave W	TD Canada Trust is registered as a generator of oil skimmings and sludges.	ERIS Report	Unlikely due to downgradient location from the Site	No information on the storage or maintenance practices
	Storage	65 m southwest of the Site				

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 17	8 - Chemical Manufacturing, Processing and Bulk Storage	2 Trethwey Dr 65 m west of the Site	York Board of Education is registered as a generator of light fuels, organic laboratory chemicals, and/or inorganic laboratory chemicals.	ERIS Report	Unlikely due to cross- gradient location and small quantity of chemicals stored	No information on the storage or maintenance practices
PCA 18	55 - Transformer Manufacturing, Processing and Use	2 Trethwey Dr 65 m west of the Site	York Board of Education is registered as using PCB-containing equipment.	ERIS Report	Unlikely due to cross- gradient location and low mobility of PCBs	No information on the storage or maintenance practices
PCA 19	8 - Chemical Manufacturing, Processing and Bulk Storage	2600 Eglinton Ave W 80 m east of the Site	Gam X-Ray Limited is registered as a generator of waste oils and lubricants.	ERIS Report	Unlikely due to cross- gradient location and small quantity of chemicals stored	No information on the storage or maintenance practices
PCA 20	Other – Spill of chlorinated water to a nearby watercourse	2639 Eglinton Ave W 100 m southwest of the Site	A water main break released chlorinated water into the Humber River.	ERIS Report	Unlikely due to downgradient location from the Site	No information on the exact location of the spill or any cleanup activities
PCA 21	8 - Chemical Manufacturing, Processing and Bulk Storage	2690 Eglinton Ave W 100 m west of the Site	The York Board of Education is registered as a generator of aliphatic solvents, inorganic laboratory chemicals, heavy metals, halogenated pesticides, waste oils and lubricants, organic laboratory chemicals, and/or light fuels.	ERIS Report	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 22	24 - Fire Training	2690 Eglinton Ave W 100 m west of the Site	A large fire was reported at York Memorial Collegiate Institute.	ERIS Report	Unlikely due to cross- gradient location intervening distance from the Site	No information on the extent of the fire or firefighting chemicals used
PCA 23	Other - coal storage	2690 Eglinton Ave W 100 m west of the Site	Several coal bins are shown on the exterior of a large building identified as York Memorial Collegiate Institute	FIPs	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 24	8 - Chemical Manufacturing, Processing and Bulk Storage	2641 Eglinton Ave W 110 m southwest of the Site	Metrolinx is registered as a generator of aromatic solvents and heavy fuels.	ERIS Report	Unlikely due to downgradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 25	58 - Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	Cameron Ave and Keele St 140 m southwest of the Site	An illegal trash site was reported at this property in 1929.	ERIS Report	Unlikely due to downgradient location intervening distance from the Site	No information on the type of refuse fumped
PCA 26	28 - Gasoline and Associated Products Storage in Fixed Tanks	1872 Keele St 150 m north of the Site	A private residence reported a spill of 300 L of furnace oil to their basement.	ERIS Report	Unlikely due to the intervening distance from the Site	No information on the cleanup/remediation
PCA 27	31 - Ink Manufacturing, Processing and Bulk Storage	2681 Eglinton Ave W 190 m west of the Site	Gisini Printing Co. is identified as a commercial printing business that was established in 1978.	ERIS Report City Directory	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 28	55 - Transformer Manufacturing, Processing and Use	2700 Eglinton Ave W 215 m west of the Site	City of York is registered as a PCB storage site.	ERIS Report	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 29	8 - Chemical Manufacturing, Processing and Bulk Storage	2700 Eglinton Ave W 215 m west of the Site	City of York and City of Toronto are registered as a generator of waste organic laboratory chemicals, photogrocessing wastes, heavy metals, paints, pigments, and coatings, and/or waste oils and sludges.	ERIS Report	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 30	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	1822 Keele St 225 m south of the Site	An automotive repair garage is present in 1962.	FIP	Unlikely due to downgradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 31	28 - Gasoline and Associated Products Storage in Fixed Tanks	1820 Keele St 225 m south of the Site	A fuel tank is registered to a gasoline service station in 1929.	ERIS Report	Unlikely due to downgradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 32	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	1819 Keele St 230 m south of the Site	A permit to relocate a gasoline pump at a gasoline service station was approved in 1932.	ERIS Report City Directory	Unlikely due to downgradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 33	28 - Gasoline and Associated Products Storage in Fixed Tanks	1815 Keele St 230 m south of the Site	A permit for a gasoline service station was issued in 1928.	ERIS Report City Directory	Unlikely due to downgradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 34	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	1815 Keele St 230 m south of the Site	An automotive repair garage is present in 1962.	FIP City Directory	Unlikely due to downgradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 35	49 - Salvage Yard, including automobile wrecking	1815 Keele St 230 m south of the Site	North Auto Wrecker operated as a junkyard in 1929.	ERIS Report City Directory	Unlikely due to downgradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 36	8 - Chemical Manufacturing, Processing and Bulk Storage	2696 Eglinton Ave W 250 m west of the Site	Metropolitan Toronto Police are registered as a generator of light fuels and/or oil skimmings and sludges.	ERIS Report	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 37	28 - Gasoline and Associated Products Storage in Fixed Tanks	2696 Eglinton Ave W 250 m west of the Site	York Township Police were issued a permit for a gasoline tank and a pump in 1950.	ERIS Report	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 38	58 - Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	Gorge west of Trethewey Dr 250 m west of the Site	Coronation Park Dump operated for two years when the township dumped garbage ashes and other refuse into the gorge to the west of Trethewey Drive.	ERIS Report	Unlikely due to cross- gradient location intervening distance from the Site	No information on the type of refuse stored or any cleanup
PCA 41	Other - Spill of fuel to the sewer	111 Yore Rd Adjacent, northwest	Crosslinx Transit Solutions Contractors reported a spill of 20 L of water and diesel to the sewer.	ERIS Report	Unlikely due to the small quantity of fuel which did not spill to the soil or water	No information on the exact location of the spill
PCA 42	28 - Gasoline and Associated Products Storage in Fixed Tanks	2538 Eglinton Avenue West 240 m east of the Site	Fuel Oil Co LTD operated as a retail fuel outlet in 1965.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 43	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2540 Eglinton Avenue West 235 m east of the Site	A dry cleaner identified as Tailors & Cleaners was present east of the Site between 1965 and 1980.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 44	31 - Ink Manufacturing, Processing and Bulk Storage	2548 Eglinton Avenue West 225 m east of the Site	A photo studio operation was present east of the Site between 1965 and 1980.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 45	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2562 Eglinton Avenue West 135 m east of the Site	Laundry & Cleaners was operated east of the Site in 1955.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 46	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2564 Eglinton Avenue West 135 m east of the Site	Keelton Cleaners was operated as a dry cleaner east of the Site between 1960 and 1970.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 47	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	2584 Eglinton Avenue West 135 m east of the Site	Several automotive businesses including an auto repair garage were operated east of the Site in 1995.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 48	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2521 Eglinton Avenue West 240 m east of the Site	Launderama was operated as a dry cleaner east of the Site between 1965 to 1975.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 49	39 - Paints Manufacturing, Processing and Bulk Storage	2527 Eglinton Avenue West 225 m east of the Site	Fiarview Paint & Wallpaper was operated east of the Site in 1955.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 50	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2529 Eglinton Avenue West 220 m east of the Site	Tru-Tone Dry Cleaners was operated as a dry cleaner east of the Site between 1955 and 1995.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 51	31 - Ink Manufacturing, Processing and Bulk Storage	2531 Eglinton Avenue West 200 m east of the Site	Sun Star Printing operated as a printing shop east of the Site in 2001.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 52	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2531 Eglinton Avenue West 200 m east of the Site	Do It Right Dry Cleaners operated as a dry cleaner east of the Site between 1985 and 1986.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 53	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2535 Eglinton Avenue West 185 m east of the Site	G T A Dry Cleaners operated as a dry cleaner east of the Site in 1960 and 2001.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 54	39 - Paints Manufacturing, Processing and Bulk Storage	2535 Eglinton Avenue West 185 m east of the Site	Fairview Paint & Wallpaper was identified east of the Site in 1960.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 55	31 - Ink Manufacturing, Processing and Bulk Storage	2557 Eglinton Avenue West 90 m east of the Site	FAL Photo Agency was operated as a photo studio east of the Site in 1980.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 56	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	2583 Eglinton Avenue West 25 m southeast of the Site	Thruway Muffler Center was operated as a service garage southeast of the Site in 1995.	City Directories	Unlikely due to downgradient location from the Site	No information on the storage or maintenance practices
PCA 57	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2585 Eglinton Avenue West 25 m southeast of the Site	Bo-Bo Cleaners & Launderers and Durable Cleaners were operated as possible dry cleaners between 1955 and 1960.	City Directories	Possible due to intervening distance from the Site.	No information on the storage or maintenance practices

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 58	31 - Ink Manufacturing, Processing and Bulk Storage	2599 Eglinton Avenue West	Chap Printing was present south of the Site in 1975.	City Directories	Unlikely due to downgradient location from the Site	No information on the storage or maintenance practices
		25 m south of the Site				
PCA 59	28 - Gasoline and Associated Products Storage in Fixed Tanks	2610 Eglinton Avenue West	A retail fuel outlet operation was present east of the Site in 1995.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
		70 m east of the Site				
PCA 60	37 - Operation of Dry Cleaning Equipment (where chemicals are	2616 Eglinton Avenue West	Jim's Laundry & Cleaner was operated as a dry cleaner in 1960.	City Directories	Possible due to the intervening distance from the Site	No information on the storage or maintenance practices
	used)	50 m east of the Site				
PCA 61	37 - Operation of Dry Cleaning Equipment (where chemicals are	2601 Eglinton Avenue West	Today's Cleaning SVC was operated as a possible dry cleaner in 2001.	City Directories	Possible due to the intervening distance from the Site	No information on the storage or maintenance practices
	used)	25 m south of the Site				
PCA 62	37 - Operation of Dry Cleaning Equipment (where chemicals are	2603 Eglinton Avenue West	Keeton Cleaners was operated as a possible dry cleaner in 1955.	City Directories	Possible due to the intervening distance from the Site	No information on the storage or maintenance practices
	used)	25 m south of the Site				
PCA 63	37 - Operation of Dry Cleaning Equipment (where chemicals are	2635 Eglinton Avenue West	MF Cleaners was operated as a possible dry cleaner between 1965 and 1975.	City Directories	Unlikely due to cross- gradient location intervening distance	No information on the storage or maintenance practices
	used)	95 m west of the Site			from the Site	
PCA 64	31 - Ink Manufacturing, Processing and Bulk Storage	2637 Eglinton Avenue West	Roma Printing was present west of the Site between 1970 and 1980.	City Directories	Unlikely due to cross- gradient location intervening distance	No information on the storage or maintenance practices
		95 m west of the Site			from the Site	

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 65	19 - Electronic and Computer Equipment Manufacturing	2665 Eglinton Avenue West 160 m west of the Site	TV SVC CTR was operated as an electronic equipment operation in 1960.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 66	19 - Electronic and Computer Equipment Manufacturing	2681 Eglinton Avenue West 190 m west of the Site	TV Repairs was present west of the Site in 1975.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 67	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2683 Eglinton Avenue West 195 m west of the Site	Cleaner was operated as a dry cleaner between 1955 and 1965.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 68	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2687 Eglinton Avenue West 205 m west of the Site	Kay's Cleaners was operated as a dry cleaner between 1985 and 1986.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 69	49 - Salvage Yard, including automobile wrecking	4 Avon Drive 225 m south of the Site	A&A Salvage was operated as a salvage yard between 1980 and 1991.	City Directories	Unlikely due to downgradient location from the Site	No information on the storage or maintenance practices
PCA 70	55 - Transformer Manufacturing, Processing and Use	West of 1997 Keele Street 20 m northeast of the Site	A pole-mounted transformer is identified northeast of the Site.	Site Reconnaissance	Unlikely due to the nature of contaminants	No information on the chemicals used in manufacturing the transformer.

¹ As shown on Figure 4.

² As set out in Table 2 in Schedule D of O. Reg. 153/04.

³ Area of potential environmental concern (APEC)

TABLE 18 AREAS OF POTENTIAL ENVIRONMENTAL CONCERN

APEC¹	LOCATION OF APEC ON PHASE ONE PROPERTY	POTELTIALLY CONTAMINATING ACTIVITY ²	LOCATION OF PCA (ON-SITE or OFF- SITE)	CONTAMINANTS OF POTENTIAL CONCERN ³	MEDIA POTENTIALLY IMPACTED (Ground water, Soil, and/or Sediment)
APEC 1	Northeastern corner of the Site	28 - Gasoline and Associated Products Storage in Fixed Tanks	On-Site PCA 1	BTEX PHCs PAHs	Soil Groundwater
APEC 2	Northern portion of the building at the 2654 Eglinton Ave W portion of the Site	55 - Transformer Manufacturing, Processing and Use	On-Site PCA 2	PCBs	Soil
APEC 3	2636 Eglinton Ave W portion of the Site.	31 - Ink Manufacturing, Processing and Bulk Storage	On-Site PCA 3	VOCs Metals	Soil Groundwater
APEC 4	2642 Eglinton Ave W portion of the SIte	54 - Textile Manufacturing and Processing	On-Site PCA 4	VOCs Metals	Soil Groundwater
APEC 5	Western property boundary	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	Off-Site PCA 5	VOCs BTEX PHCs PAHs	Soil Groundwater
APEC 6	Western property boundary	28 - Gasoline and Associated Products Storage in Fixed Tanks	Off-Site PCA 6	BTEX PHCs PAHs	Soil Groundwater
APEC 7	Northwestern property boundary	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	Off-Site PCA 7	VOCs BTEX PHCs PAHs	Soil Groundwater
APEC 8	Entire Site	30 - Importation of Fill Material of Unknown Quality	On-Site PCA 39	PHCs PAHs Metals As, Sb, Se B(HWS), Cr(VI), CN-, Hg	Soil
APEC 9	1856 Keele St portion of the Site.	19 - Electronic and Computer Equipment Manufacturing	On-Site PCA 40	VOCs Metals	Soil Groundwater
APEC 10	Eastern and southern property boundary	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	Off-Site PCA 57 PCA 60 PCA 61 PCA 62	VOCs	Groundwater

- Areas of potential environmental concern (APEC) means the area on, in or under a Phase One property where one or more contaminants are potentially present, as determined through the Phase One environmental site assessment, including through,
 - (a) identification of past or present uses on, in or under the Phase One property, and
 - (b) identification of potentially contaminating activity.
- As set out in Column A of Table 2 of Schedule D.
- Contaminants of potential concern (COPC) according to the Method Groups as identified in the "Protocol for in the Assessment of Properties under Part XV.1 of the Environmental Protection Act", March 9, 2004, amended as of July 1, 2011:

BTEX: benzene, toluene, ethylbenzene, xylenes Hg: mercury As: arsenic Cl: chloride

PHCs: petroleum hydrocarbons (F1-F4)

VOCs: volatile organic compounds

PAHs: polycyclic aromatic hydrocarbons

B (hws): boron, hot water soluble

Cr (VI): chromium (hexavalent)


Se: selenium


SAR: sodium adsorption ratio


CN-: cyanide


Na: sodium


PCBs: polychlorinated biphenyls
















APPENDIX I PLAN OF SURVEY



APPENDIX II FIRE INSURANCE PRODUCTS









An SCM Company

175 Commerce Valley Drive W Markham, Ontario L3T 7Z3

T 905-882-6300 W: www.optaintel.ca

Report Completed By.

Midori

Site Address:

2636 Eglinton Avenue West, Toronto, York, ONed by

Project No:

Eleanor Goolab

ERIS

22090803396

Opta Order ID:

Date Completed: 9/15/2022 8:11:27 AM

114050

Page: 2

Project Name: 2636 Eglinton Avenue West Toronto

Project #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report

Search Area: 2636 Eglinton Avenue West, Toronto,


York, ON

Requested by:

Eleanor Goolab Date Completed: 09/15/2022 08:11:27



OPTA INFORMATION INTELLIGENCE



Page: 3

Project Name: 2636 Eglinton Avenue West Toronto

Project #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report

Opta Historical Environmental Services Enviroscan Terms and Conditions

> Requested by: Eleanor Goolab Date Completed: 09/15/2022 08:11:27



OPTA INFORMATION INTELLIGENCE

Opta Historical Environmental Services Enviroscan ¹ Terms and Conditions

Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Opta's records relating to the described property (hereinafter referred to as the "Property"). Opta makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Opta's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Opta does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

Disclaimer

Opta disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Opta Reports or from any tortious acts or omissions of Opta's agents, employees or representatives.

Entire Agreement

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

Governing Document

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

Law

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.



175 Commerce Valley Drive W

Markham, Ontario

L3T 7Z3

T: 905.882.6300

Toll Free: 905.882.6300

F: 905.882.6300

An SCM Company

www.optaintel.ca

ENVIROSCAN Report

Page: 4
Project Name: 2636 Eglinton
Avenue West Toronto

Project #: 22090803396 P.O. #: CT3639.00

Page

Report Title

Report Index



Requested by: Eleanor Goolab Date Completed: 09/15/2022 08:11:27

OPTA INFORMATION INTELLIGENCE

6	(1890) Volume: Toronto Volume 1 Firemap: 48
8	(1963) Volume: Toronto Volume 13 Firemap: 1316
10	(1963) Volume: Toronto Volume 13 Firemap: 1316
12	(1963) Volume: Toronto Volume 13 Firemap: 1317
14	(1963) Volume: Toronto Volume 13 Firemap: 1317
16	(1963) Volume: Toronto Volume 13 Firemap: 1323
18	(1963) Volume: Toronto Volume 13 Firemap: 1323
20	(1963) Volume: Toronto Volume 13 Firemap: 1323
22	(1963) Volume: Toronto Volume 13 Firemap: 1323
24	(1930) Volume: Toronto Junction Firemap: 66
26	(1930) Volume: Toronto Junction Firemap: 67

- 27 (1991) Multirisk Report 1991 ANTONIOS PHOTO STUDIO 2636 Eglinton Avenue West York ON M6M1T7 (distance = 0 metres*)
- 34 (1982) Commercial Property Fire Inspection Survey Form Report 1982 VARIOUS TENANTS 2636-2642 Eglinton Avenue West Borough of York ON M6M1T7 (distance = 0 metres*)
- 39 (1982) Commercial Property Fire Rating Form Report 1982 VARIOUS TENANTS 2636/2642 Eglinton Avenue West Borough of York ON M6M1T7 (distance = 0 metres*)
- 42 (1976) Fire Inspection and Rate Calculation Form Report 1976 2636-2642 Eglinton Ave. W. (including 1856-1856A Keele St.) Borough of York ON M6M1T7 (distance = 0 metres*)

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

Page: 5
Project Name: 2636 Eglinton Avenue West Toronto

Project #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report

1890 Volume: Toronto 1 Firemap: 48

Toronto Vol. 1 Plan: 2023 (1890) Sheet: 48 (1890)

Requested by: Eleanor Goolab Date Completed: 09/15/2022 08:11:27



OPTA INFORMATION INTELLIGENCE



opto 5 **ENVIROSCAN** Report Page: 6 Project Name: 2636 Eglinton 1890 Volume: Toronto 1 Firemap: 48 Toronto Vol. 1 Plan: 2023 (1890) Sheet: 48 (1890) Avenue West Toronto Requested by: Project #: 22090803396 Eleanor Goolab OPTA INFORMATION INTELLIGENCE P.O. #: CT3639.00 Date Completed: 09/15/2022 08:11:27 SCALE, 1000 PEET TO ONE INCh. CITY OF TORONTO. NTABIO HUMBER Range Range IV Rangell N 国 ZE 88 36 CARLTON manney is py 6 38 T. Robinson T Robinson G mishoot sake " wound out G.Marshall. Tr. 140 pineo 39 MOUNT DENNIS South Ole Mrs. Minhore OL simest.H. Æ 88 TE 32 anakhing. 0 0

Page: 7

Project Name: 2636 Eglinton Avenue West Toronto

Project #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report

1963 Volume: Toronto 13 Firemap: 1316

Toronto Vol. 13 Plan: 2187 (1962)

Sheet: 1316 (1963)

Requested by:
Eleanor Goolab
Date Completed: 09/15/2022 08:11:27



OPTA INFORMATION INTELLIGENCE



Page: 8
Project Name: 2636 Eglinton
Avenue West Toronto


Project #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report

1963 Volume: Toronto 13 Firemap: 1316 Toronto Vol. 13 Plan: 2187 (1962) Sheet: 1316 (1963)

Requested by: Eleanor Goolab Date Completed: 09/15/2022 08:11:27





Page: 9

Project Name: 2636 Eglinton Avenue West Toronto

Proiect #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report

1963 Volume: Toronto 13 Firemap: 1316


Toronto Vol. 13 Plan: 2187 (1962)

Sheet: 1316 (1963) Eleanor Goolab Date Completed: 09/15/2022 08:11:27



OPTA INFORMATION INTELLIGENCE

Requested by:



Page: 10 Project Name: 2636 Eglinton Avenue West Toronto

Project #: 22090803396 P.O. #: CT3639.00


1963 Volume: Toronto 13 Firemap: 1316

Toronto Vol. 13 Plan: 2187 (1962)

Sheet: 1316 (1963)

Requested by: Eleanor Goolab Date Completed: 09/15/2022 08:11:27





ENVIROSCAN Report

Page: 11 Project Name: 2636 Eglinton Avenue West Toronto

Proiect #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report

1963 Volume: Toronto 13 Firemap: 1317

Toronto Vol. 13 Plan: 2187 (1962) Sheet: 1317 (1963)

Eleanor Goolab Date Completed: 09/15/2022 08:11:27



OPTA INFORMATION INTELLIGENCE

Requested by:




Page: 12
Project Name: 2636 Eglinton
Avenue West Toronto

Project #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report

1963 Volume: Toronto 13 Firemap: 1317 Toronto Vol. 13 Plan: 2187 (1962) Sheet: 1317 (1963)





Page: 13 Project Name: 2636 Eglinton Avenue West Toronto

Proiect #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report

1963 Volume: Toronto 13 Firemap: 1317

Toronto Vol. 13 Plan: 2187 (1962)

Requested by: Sheet: 1317 (1963) Eleanor Goolab Date Completed: 09/15/2022 08:11:27



OPTA INFORMATION INTELLIGENCE



Page: 14
Project Name: 2636 Eglinton
Avenue West Toronto


P.O. #: CT3639.00

Project #: 22090803396

ENVIROSCAN Report

1963 Volume: Toronto 13 Firemap: 1317 Toronto Vol. 13 Plan: 2187 (1962) Sheet: 1317 (1963)





ENVIROSCAN Report Page: 15 Project Name: 2636 Eglinton 1963 Volume: Toronto 13 Firemap: 1323 Avenue West Toronto Toronto Vol. 13 Plan: 2187 (1962) Requested by: Sheet: 1323 (1963) Proiect #: 22090803396 Eleanor Goolab OPTA INFORMATION INTELLIGENCE P.O. #: CT3639.00 Date Completed: 09/15/2022 08:11:27 Beechborough Ave FIP Locator Map The detailed FIP is on the following page Glenhaven St Westacres Dr & Beechborough Ave Green Rd Hills Park Bertram Lonborough A Charles E Webster Public School rethewey Dr Lonborough Ave Greentee C Irving Rd Yore Rd Yore Rd Eglint Lester Ave Venn Coronation Park The New Generation cameron Youth Recreation Centre York Civic Centre W Masjid-El-Noor Cameron Ave Eglinton Ave W Hertford Ave Holwood Ave Ayon Dr Ypres Rd Silverthorn Keelesdale Junior Public School Community School Toronto Public Library - Evelyn Gregory Branch Keelesdale Juliet Crescent This document is owned by Opta Information Intelligence Map data @202 Inc. and is subject to copyright protection. Please see the full Terms and Conditions at

the front of this document.


Page: 16
Project Name: 2636 Eglinton
Avenue West Toronto

Project #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report

1963 Volume: Toronto 13 Firemap: 1323 Toronto Vol. 13 Plan: 2187 (1962) Sheet: 1323 (1963)





ENVIROSCAN Report **Page: 17** Project Name: 2636 Eglinton 1963 Volume: Toronto 13 Firemap: 1323 Avenue West Toronto Toronto Vol. 13 Plan: 2187 (1962) Requested by: Sheet: 1323 (1963) Proiect #: 22090803396 Eleanor Goolab OPTA INFORMATION INTELLIGENCE P.O. #: CT3639.00 Date Completed: 09/15/2022 08:11:27 Beechborough Ave FIP Locator Map The detailed FIP is on the following page Glenhaven St Westacres Dr & Beechborough Ave Green Rd Hills Park Bertram Lonborough A Charles E Webster Public School rethewey Dr Keele St Lonborough Ave Greentee C Yore Rd Yore Rd Eglint Lester Ave Venn Eglinton Ave W Coronation Park The New Generation cameron Youth Recreation Centre York Civic Centre W Masjid-El-No Cameron Ave Eglinton Ave W Hertford Ave Holwood Ave Ayon Dr Ypres Rd Silverthorn Keelesdale Junior Public School Community School Toronto Public Library - Evelyn Gregory Branch Keelesdale Juliet Crescent This document is owned by Opta Information Intelligence Map data @202 Inc. and is subject to copyright protection. Please see the full Terms and Conditions at

the front of this document.


ENVIROSCAN Report

Page: 18
Project Name: 2636 Eglinton
Avenue West Toronto

Project #: 22090803396 P.O. #: CT3639.00

1963 Volume: Toronto 13 Firemap: 1323 Toronto Vol. 13 Plan: 2187 (1962) Sheet: 1323 (1963)





ENVIROSCAN Report Page: 19 Project Name: 2636 Eglinton 1963 Volume: Toronto 13 Firemap: 1323 Avenue West Toronto Toronto Vol. 13 Plan: 2187 (1962) Requested by: Sheet: 1323 (1963) Proiect #: 22090803396 Eleanor Goolab OPTA INFORMATION INTELLIGENCE P.O. #: CT3639.00 Date Completed: 09/15/2022 08:11:27 This document is owned by Opta Information Intelligence FIP Locator Map Beechborous Inc. and is subject to copyright protection. Please see the The detailed FIP is on the following page . full Terms and Conditions at Glenhaven St the front of this document. Westacres Dr & Beechborough Ave Green Rd Hills Park Bertram Lonborough A Charles E Webster Public School rethewey Dr Keele St Lonborough Ave Greentee C Yore Rd Yore Rd Eglint Lester Ave Venn Eglinton Ave W Coronation Park The New Generation Cameron Youth Recreation Centre York Civic Centre W Masjid-El-Noor Cameron Ave Eglinton Ave W Hertford Ave od Ave Silverthorn Keelesdale Junior Public School Community School Toronto Public Library Evelyn Gregory Branch Keelesdale Juliet Crescent South Park oogle Map data @202

Page: 20
Project Name: 2636 Eglinton
Avenue West Toronto

Project #: 22090803396 P.O. #: CT3639.00


1963 Volume: Toronto 13 Firemap: 1323

Toronto Vol. 13 Plan: 2187 (1962)

Sheet: 1323 (1963)

Requested by: Eleanor Goolab Date Completed: 09/15/2022 08:11:27





ENVIROSCAN Report

Page: 21 Project Name: 2636 Eglinton Avenue West Toronto

Proiect #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report

1963 Volume: Toronto 13 Firemap: 1323

Toronto Vol. 13 Plan: 2187 (1962) Sheet: 1323 (1963)

Eleanor Goolab Date Completed: 09/15/2022 08:11:27

Requested by:



OPTA INFORMATION INTELLIGENCE




Page: 22
Project Name: 2636 Eglinton
Avenue West Toronto

Project #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report

1963 Volume: Toronto 13 Firemap: 1323 Toronto Vol. 13 Plan: 2187 (1962) Sheet: 1323 (1963)





Page: 23 Project Name: 2636 Eglinton Avenue West Toronto

Project #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report


1930 Volume: Toronto Junction Firemap: 66

Toronto Junction Plan: 2208 (1923) Sheet: 66 (1930)

Requested by: Eleanor Goolab Date Completed: 09/15/2022 08:11:27



OPTA INFORMATION INTELLIGENCE



Page: 24
Project Name: 2636 Eglinton
Avenue West Toronto


Project #: 22090803396 P.O. #: CT3639.00

1930 Volume: Toronto Junction Firemap: 66 Toronto Junction Plan: 2208 (1923)

Sheet: 66 (1930)

Requested by: Eleanor Goolab Date Completed: 09/15/2022 08:11:27





ENVIROSCAN Report

Page: 25 Project Name: 2636 Eglinton Avenue West Toronto

Proiect #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report

1930 Volume: Toronto Junction Firemap: 67


Toronto Junction Plan: 2208 (1923) Sheet: 67 (1930)

Eleanor Goolab Date Completed: 09/15/2022 08:11:27

Requested by:



OPTA INFORMATION INTELLIGENCE




ENVIROSCAN Report Page: 26 Project Name: 2636 Eglinton Avenue West Toronto

1930 Volume: Toronto Junction Firemap: 67 Toronto Junction Plan: 2208 (1923) Sheet: 67 (1930)



Project #: 22090803396 P.O. #: CT3639.00



Page: 27

Project Name: 2636 Eglinton Avenue West Toronto

Project #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report

Multirisk Report - 1991 ANTONIOS PHOTO STUDIO 2636 Eglinton Avenue West York ON M6M1T7

Requested by: Eleanor Goolab Date Completed: 09/15/2022 08:11:27



Multirisk Report - 1991 ANTONIOS PHOTO STUDIO 2636 Eglinton Avenue West York ON M6M1T7

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.





This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the purchase order relating to the release of this document for complete terms and conditions.

MultiRisk INSPECTION SERVICES

BASIC FIRE & LIABILITY SURVEY CONFIDENTIAL

NOTE: The sole purpose of this report is to provide insurance pricing and underwriting information about the particular insured and location named below. Only the person requesting this survey will receive a copy of the report, and IAO asks that it be kept strictly confidential. This report does not guarantee compliance with any standards or with any federal, provincial or municipal codes, ordinances or regulations. Tests of fire protection equipment have not been conducted or witnessed during this inspection.

Telephone #: 654-8399
IAO Representative: P.C Tom/in/Son
Inspection date: FEB 14 191
ETENANT D: 427 m² FOTO GRAPHER PROVIDING TURE SERVICES + THE BASEMENT. INSURED
EPT ON HAND
H STORE
SALUN

IAO reports, prepared in compliance with commonly accepted risk control standards existing at the time services are rendered, are developed from an inspection of the premises and/or from data supplied by or on behalf of the Purchaser. IAO does not purport to list all hazards. While changes and modifications, referred to in the reports are designed to upgrade protection and loss prevention of the premises, IAO assumes no responsibility for management and control of these activities. IAO will not be responsible to the Purchaser for any losses or damages, whether consequential or other, however caused, incurred or suffered, as a result of the services being provided.

LCED.400.0190

Building condition: Excellent	1. BUILDING Year built: 1940 5 Additions:
Basement: No	Building renovated: PNo Yes 19 Storeys: Z Height: 6 m
Wall construction: Fire resistive	Basement: No Yes 354 m2 Finished 100 % Unfinished % Area: Ground floor 351 m2 Total 106 ym
Floor construction: L Wood joist	Building condition: ☐ Excellent ☐ Good ☐ Fair ☐ Poor
Roof construction: Wood joist Concrete Steel deck	Wall construction: Fire resistive% Non-combustible% Masonry 100% Brick veneer% Wood frame%
Resurfaced: No	Floor construction: Wood joist Concrete Concrete on metal pan Other
Interior Finish: Walls: Combustible	마른 사람들은 사람들이 살아보면 보다는 다른 사람들은 사람들이 되었다면 보고 있다면 보고
Ceilings: Combustible	
Ceilings: Combustible	
Vertical openings: None	HENNY TO NOTE NOTE NOTE NOTE NOTE NOTE NOTE N
Proper protection:	
Mezzanines: Yes	
Construction: Occupancy: Area:	
Occupancy: Area:	
Area:	
Outbuildings: Yes	
Construction:	
Occupancy: Area:m² Condition: □ Excellent □ Good □ Fair □ Poor HEATING	
Area:m² Condition: □ Excellent □ Good □ Fair □ Poor P. HEATING Hot water/steam:	
Condition:	
Hot water/steam:	
Hot water/steam:	Condition: Excellent Good Fair Poor
Forced warm air:	2. HEATING
Suspended unit heaters:	Hot water/steam: 100 % 🗆 Electric 🗜 Gas 🗆 Oil Other
Portable heaters:	Forced warm air:% Electric Gas Oil Other
Electric baseboard units:	Suspended unit heaters:
Other:	Portable heaters:
Other:	Electric baseboard units:%
Appliances enclosed in a standard room:	- NOTE TO THE TOTAL CONTROL OF THE SECOND O
Combustible materials stored in the room:	Appliances enclosed in a standard room: ☐ Yes ☐ No ☐ Not required
Fuel tanks: None Inside Outside above ground Outside below ground Fill and vent piping outdoors: Yes No Chimneys: Masonry ULC Factory built Unlabelled pre-fab Other Standard Non-standard Installation appears safe: Yes No Installation replaced: No Yes 19 96 ELECTRICAL Type: Conduit Bx Non-metallic cable Other Overcurrent protection: Circuit breakers Type S fuses Other fuses Condition: Good Fair Poor Installation appears safe: Yes No	이 보면 보다면서 가게 된 경기에 가게 되었다면서 있다면서 있다면서 되었다. 그리아 전에 전혀 있는데 있다.
Fill and vent piping outdoors:	
Chimneys:	가는 위에 대통령에 대한 경험을 받는 경험이 있다면 가지 있다면 가지 않는데 함께 되었다면 보고 있다면 하는데 하는데 함께 되었다면 하는데 없다면 하는데
Installation appears safe: Ves No	
Installation appears safe: Ves	
Installation replaced: No Yes 19	
B. ELECTRICAL Type: Conduit Bx Non-metallic cable Other Overcurrent protection: Circuit breakers Type S fuses Other fuses Condition: Good Fair Poor Installation appears safe: Yes No	
Type: Conduit Bx Non-metallic cable Other Overcurrent protection: Circuit breakers Type S fuses Other fuses Condition: Good Fair Poor Installation appears safe: No No	Installation replaced. LYNO 12 1es 1970
Overcurrent protection: Circuit breakers	3. ELECTRICAL
Condition: (D Good	Type: Conduit Bx Non-metallic cable Other
Installation appears safe: 🖫 Yes 📮 No	Overcurrent protection: 🗗 Circuit breakers 🗆 Type S fuses 🗆 Other fuses
	Condition: (D Good
to the state of th	
Installation replaced: LI NO LETTES 19 70 %	Installation replaced: No 19 Yes 19 80 5 100 %
Type: © Copper Galvanized Plastic Other	

	H	eight		Construction	Occi	upancy	
Front m	Y	Sto.					
Rear m		Sto.					
Lefto m		/ Sto.	13/	rick 1	mil	STU	e-
Right m		Sto.					
Neighbourhood: ☐ Industrial Appears to be: ☐ Stable		nmercial via: 🗆 Exp	☐ Residen		oration		
FUS Public Fire Protection Clares Protection Clares Protection Clares Polynomer Distance to Fire Department: Roads: Paved Unpa Accessible Year-round: Year Price Department: Year Price Department: Within 155 within 156 pover 312 rounds.	Compositived No No Sim	te /	km	Automatic Sprinkler Protection:	Yes No No Yes No No Supplement	N/A N/A attached	
Incurado asos 427	-2		-14.4 4 4	20			
Access by the public: Heavy Are the following satisfactory?		derate 🗆	Light	public 30 % Gross Revenue \$ 150,	200		
Access by the public: Heavy Are the following satisfactory? Stairs, ramps, handrails	y □ Mox			1.7		□ No	
Access by the public: Heavy Are the following satisfactory? Stairs, ramps, handrails Floor surfaces and coverings	y	derate 🗆	Light	Gross Revenue \$		□ No	□ N //
Access by the public: Heavy Are the following satisfactory? Stairs, ramps, handrails Floor surfaces and coverings Walls and ceilings	Yes Yes	derate 🗆	Light	Gross Revenue \$	₩Yes		
Access by the public: Heavy Are the following satisfactory? Stairs, ramps, handrails Floor surfaces and coverings	y	Mo D No	Light	Gross Revenue \$ 150, Sidewalks, yards, parking lots Signs and awnings	Yes Yes	□ No	□ N/
Access by the public: Heavy Are the following satisfactory? Stairs, ramps, handrails Floor surfaces and coverings Walls and ceilings	Yes Yes	M No	Light	Gross Revenue \$ 150, Sidewalks, yards, parking lots Signs and awnings Roof attachments	Yes Yes	□ No	O NI
Access by the public: Heavy Are the following satisfactory? Stairs, ramps, handrails Floor surfaces and coverings Walls and ceilings Interior lighting	Yes Yes Yes Yes	M No No No No	Light	Gross Revenue \$	Yes Yes Yes	□ No □ No	O NI
Access by the public: Heavy Are the following satisfactory? Stairs, ramps, handrails Floor surfaces and coverings Walls and ceilings Interior lighting Exterior lighting	Yes Yes Yes Yes Yes	No No No No No	Light N/A	Gross Revenue \$	Yes Yes Yes Yes Yes	□ No □ No □ No □ No	
Access by the public: Heavy Are the following satisfactory? Stairs, ramps, handrails Floor surfaces and coverings Walls and ceilings Interior lighting Exterior lighting Emergency lighting	Yes Yes Yes Yes Yes Yes Yes	No No No No No No	Light N/A	Gross Revenue \$ 150, Sidewalks, yards, parking lots Signs and awnings Roof attachments TV dishes Other attachments Fire exits	Yes Yes Yes Yes Yes Yes Yes	□ No □ No □ No □ No □ No	E NII
Access by the public: Heavy Are the following satisfactory? Stairs, ramps, handrails Floor surfaces and coverings Walls and ceilings Interior lighting Exterior lighting Emergency lighting Interior housekeeping	Yes Yes Yes Yes Yes Yes Yes Yes	No No No No No No No	Light N/A N/A	Gross Revenue \$ 150, Sidewalks, yards, parking lots Signs and awnings Roof attachments TV dishes Other attachments Fire exits Fire alarms	Yes Yes Yes Yes Yes Yes Yes Yes	No No No No No No	E NI
Access by the public: Heavy Are the following satisfactory? Stairs, ramps, handrails Floor surfaces and coverings Walls and ceilings Interior lighting Exterior lighting Emergency lighting Interior housekeeping Exterior housekeeping	Yes	No N	Light N/A N/A N/A	Gross Revenue \$ 150, Sidewalks, yards, parking lots Signs and awnings Roof attachments TV dishes Other attachments Fire exits Fire alarms	Yes Yes Yes Yes Yes Yes Yes Yes	No No No No No No	E NI
Access by the public: Heavy Are the following satisfactory? Stairs, ramps, handrails Floor surfaces and coverings Walls and ceilings Interior lighting Exterior lighting Emergency lighting Interior housekeeping Exterior housekeeping Washrooms	Yes	No N	Light N/A N/A N/A	Gross Revenue \$ 150, Sidewalks, yards, parking lots Signs and awnings Roof attachments TV dishes Other attachments Fire exits Fire alarms	Yes Yes Yes Yes Yes Yes Yes Yes Yes	No No No No No No	E NI
Access by the public: Heavy Are the following satisfactory? Stairs, ramps, handrails Floor surfaces and coverings Walls and ceilings Interior lighting Exterior lighting Emergency lighting Interior housekeeping Exterior housekeeping Washrooms DO THE FOLLOWING FEATURE	Yes	No	Light N/A N/A N/A	Gross Revenue \$	Yes Yes Yes Yes Yes Yes Yes Yes Yes	No No No No No	E NII
Access by the public: Heavy Are the following satisfactory? Stairs, ramps, handrails Floor surfaces and coverings Walls and ceilings Interior lighting Exterior lighting Emergency lighting Interior housekeeping Exterior housekeeping Washrooms DO THE FOLLOWING FEATUR Sale of food	Yes	No N	Light N/A N/A N/A	Sidewalks, yards, parking lots Signs and awnings Roof attachments TV dishes Other attachments Fire exits Fire alarms Fire escapes Dance floor Swimming pool	Yes	No No No No No No	
Access by the public: Heavy Are the following satisfactory? Stairs, ramps, handrails Floor surfaces and coverings Walls and ceilings Interior lighting Exterior lighting Emergency lighting Interior housekeeping Exterior housekeeping Washrooms DO THE FOLLOWING FEATUR Sale of food Sale of alcohol	Yes	No N	Light N/A N/A N/A	Gross Revenue \$	Yes	No No No No No	E NII
Access by the public: Heavy Are the following satisfactory? Stairs, ramps, handrails Floor surfaces and coverings Walls and ceilings Interior lighting Exterior lighting Emergency lighting Interior housekeeping Exterior housekeeping Washrooms DO THE FOLLOWING FEATUR Sale of food Sale of alcohol Bouncers Guard dogs Page 15 Pag	Yes	No N	Light N/A N/A N/A N/A	Sidewalks, yards, parking lots Signs and awnings Roof attachments TV dishes Other attachments Fire exits Fire alarms Fire escapes Dance floor Swimming pool	Yes	No N	S NII

ZTHIND TO THE BASENENT ARE WITHOUT HAND RAILS OR SUP THEMES. THIS WOULD BE THE BUILDING OUVER BY RESPONSIBILITY	2771/13 TO THE BASE NEWT ARE WITHOUT HAND RAIS OR SILD TREADS. THIS WOUL BE THE BUILD, NO DUVIN ELS RESPONSIBILITY	
2THIND TO THE BASE NEWT ARE WITHOUT HAND RAILS ON SILD THEADS. THIS WOUL BE THE BUILD, NO DUVIN ALS RESPONSIBILITY	2771/13 TO THE BASE NEWT ARE WITHOUT HAND RAIS OR SILD TREADS. THIS WOUL BE THE BUILD, NO DUVIN ELS RESPONSIBILITY	
2THIND TO THE BASE NEWT ARE WITHOUT HAND RAILS ON SILD THEADS. THIS WOUL BE THE BUILD, NO DUVIN ALS RESPONSIBILITY	2771/13 TO THE BASE NEWT ARE WITHOUT HAND RAIS OR SILD TREADS. THIS WOUL BE THE BUILD, NO DUVIN ELS RESPONSIBILITY	
2THIND TO THE BASE NEWT ARE WITHOUT HAND RAILS ON SILD THEADS. THIS WOUL BE THE BUILD, NO DUVIN ALS RESPONSIBILITY	2771/13 TO THE BASE NEWT ARE WITHOUT HAND RAIS OR SILD TREADS. THIS WOUL BE THE BUILD, NO DUVIN ELS RESPONSIBILITY	
2THIND TO THE BASE NEWT ARE WITHOUT HAND RAILS ON SILD THEADS. THIS WOUL BE THE BUILD, NO DUVIN ALS RESPONSIBILITY	2771/13 TO THE BASE NEWT ARE WITHOUT HAND RAIS OR SILD TREADS. THIS WOUL BE THE BUILD, NO DUVIN ELS RESPONSIBILITY	
2THIND TO THE BASE NEWT ARE WITHOUT HAND RAILS ON SILD THEADS. THIS WOUL BE THE BUILD, NO DUVIN ALS RESPONSIBILITY	2771/13 TO THE BASE NEWT ARE WITHOUT HAND RAIS OR SILD TREADS. THIS WOUL BE THE BUILD, NO DUVIN ELS RESPONSIBILITY	
HAND RAILS OR SILP TREADS. THIS WOULD BE THE BUILD, NG VUVIN ERS RESPONSIBILITY	HAND ANIS OR SIJP THEMPS. THIS WOULD BE THE BUILD, NG DUVIN ERS RESPONSIBILITY	
HAND RAILS OR SILP TREADS. THIS WOULD BE THE BUILD, NG VUVIN ERS RESPONSIBILITY	HAND ANIS OR SIJP THEMPS. THIS WOULD BE THE BUILD, NG DUVIN ERS RESPONSIBILITY	
HAND RAILS OR SILP TREADS. THIS WOULD BE THE BUILD, NG VUVIN ERS RESPONSIBILITY	HAND ANIS OR SIJP THEMPS. THIS WOULD BE THE BUILD, NG DUVIN ERS RESPONSIBILITY	
HAND RAILS OR SILP TREADS. THIS WOULD BE THE BUILD, NG VUVIN ERS RESPONSIBILITY	HAND ANIS OR SIJP THEMPS. THIS WOULD BE THE BUILD, NG DUVIN ERS RESPONSIBILITY	
HAND RAILS OR SILP TREADS. THIS WOULD BE THE BUILD, NG VUVIN ERS RESPONSIBILITY	HAND ANIS OR SIJP THEMPS. THIS WOULD BE THE BUILD, NG DUVIN ERS RESPONSIBILITY	
HAND RAILS OR SILP TREADS. THIS WOULD BE THE BUILD, NG VUVIN ERS RESPONSIBILITY	HAND ANIS OR SIJP THEMPS. THIS WOULD BE THE BUILD, NG DUVIN ERS RESPONSIBILITY	
HAND RAILS OR SILP TREADS. THIS WOULD BE THE BUILD, NG VUVIN ERS RESPONSIBILITY	HAND ANIS OR SIJP THEMPS. THIS WOULD BE THE BUILD, NG DUVIN ERS RESPONSIBILITY	
HAND RAILS OR SILP TREADS. THIS WOULD BE THE BUILD, NG VUVIN ERS RESPONSIBILITY	HAND ANIS OR SIJP THEMPS. THIS WOULD BE THE BUILD, NG DUVIN ERS RESPONSIBILITY	
HAND RAILS OR SILP TREADS. THIS WOULD BE THE BUILD, NG VUVIN ERS RESPONSIBILITY	HAND ANIS OR SIJP THEMPS. THIS WOULD BE THE BUILD, NG DUVIN ERS RESPONSIBILITY	
HAND RAILS OR SILP TREADS. THIS WOULD BE THE BUILD, NG VUVIN ERS RESPONSIBILITY	HAND ANIS OR SIJP THEMPS. THIS WOULD BE THE BUILD, NG DUVIN ERS RESPONSIBILITY	
HAND RAILS OR SILP TREADS. THIS WOULD BE THE BUILD, NG VUVIN ERS RESPONSIBILITY	HAND ANIS OR SIJP THEMPS. THIS WOULD BE THE BUILD, NG DUVIN ERS RESPONSIBILITY	
HAND RAILS OR SILP TREADS. THIS WOULD BE THE BUILD, NG VUVIN ERS RESPONSIBILITY	HAND ANIS OR SIJP THEMPS. THIS WOULD BE THE BUILD, NG DUVIN ERS RESPONSIBILITY	
HAND RAILS OR SILP TREADS. THIS WOULD BE THE BUILD, NG VUVIN ERS RESPONSIBILITY	HAND ANIS OR SIJP THEMPS. THIS WOULD BE THE BUILD, NG DUVIN ERS RESPONSIBILITY	THE WORLD COME TO THE PROPERTY OF THE PROPERTY
BE THE BUILD, NO DUNNERS RESPONSIBILITY	BE THE BUILD, NO DUNNERS RESPONSIBILITY	STAINS TO THE BASENENT ARE WITHOUT
		HAND RAILS OR SILP TREADS. THIS WOU
		BE THE BUILD, NE DUVIN BES RESPONSIBILI





CRIME SUPPLEMENT CONFIDENTIAL

NOTE: The sole purpose of this report is to provide insurance pricing and underwriting information about the particular insured and location named below. Only the person requesting this survey will receive a copy of the report, and IAO asks that it be kept strictly confidential. This report does not guarantee compliance with any standards or with any federal, provincial or municipal codes, ordinances or regulations. Tests of fire protection equipment have not been conducted or witnessed during this inspection.

	'S PHOTO STUDIO	Person contacted: MR A. SCHULIAKEWICH
idress: 2636	Eblinton AVE.	4 Telephone #: 654 8399
У.	ORK OSTARIO	IAO Representative: P.C Toulinson
iicy/Reference #:	1	Inspection date: FEB 14 Kg
1. NEIGHBOURH		☐ Rural ☐ Isolated
Open from: 9:00 Stock stored indo Minimum value	HOTO 612A PHER'S S WAM to 6'00 PM HORS: (AMERAS & 1900000 NIA	TUDIO WITH SMALL AMOUNT OF RETNIC S days/week 9:01 mm to 1:00 pm / days/week H ACCESSORIES TOTAL UNIVE BODE Maximum value: \$ 2000
Yards fenced:	: □Yes □ No Exterior lit at	e Provincial police Private For building
Watchman service	☐ Non-standard	
Watchman service Standard Standard 4. ALARMS: Name of installer: Type of response Central static Monitoring s Police station Private	Yes No facility: on Company name: station Company name: on Owners dwellin	Date of installation:
Watchman service Standard Standard 4. ALARMS: Name of installer: Type of response Central static Monitoring s Police station Private Other Alarm system UL0	Yes No facility: facility: fon Company name: station Company name: Owners dwellin	Date of installation:
Watchman service Standard 4. ALARMS: Name of installer: Type of response Central station Monitoring s Police station Private Other Alarm system ULC Certificate #: Line security gr	Yes No facility: on Company name: station Company name: on	Date of installation:
Watchman service Standard 4. ALARMS: Name of installer: Type of response Central station Monitoring s Police station Private Other Alarm system ULC Certificate #: Line security gr Is the alarm sys	Yes No facility: on Company name: station Company name: on Owners dwelling Local alarm C certified: Yes No rade: AA A B D stem monitored for openings and	Date of installation:

IAO reports, prepared in compliance with commonly accepted risk control standards existing at the time services are rendered, are developed from an inspection of the premises and/or from data supplied by or on behalf of the Purchaser. IAO does not purport to list all hazards. While changes and modifications, referred to in the reports are designed to upgrade protection and loss prevention of the premises, IAO assumes no responsibility for management and control of these activities. IAO will not be responsible to the Purchaser for any losses or damages, whether consequential or other, however caused, incurred or suffered, as a result of the services being provided.

LCED.401.0190

100 TO 100		Cor	struction	חכ		Protection		1		Loc	cks		_	200.00
DOORS	Total number	Wood	Metal	Glass	Alarm	Screens	Metal bars	1	2	3	4	5	6	Remarks
Front	2			V				~	1				- 1	DOUGE CLIMO
Rear	1		/						V	~				LEADS TO TH
Left														FISH STORE
Right														
Elevator														
Shipping	-													
omponing														
TABLES AND			ames				Protection	_		_			1	Remarks
WINDOWS	Tota		Met	al	Alarms	Armoured glass	Screens		Metal bars		clo	anently sed	1	riomarks
Front												~		
Rear			1											
Left														
Right	J											/		
Skylight														
Holdup alarm	- Ch ndled sa aluables n: [9] N	stored i	Yes to the same 1	□ No _ life duri	ng working	hours: 🗹 Ye	s [/ No					40,		
Cheques har Money and v Holdup alarm	- Chandled sa aluables n: LYN Yes LXN	lely: ☐ stored i lo ☐ Ye No F	Yes In the sais 1	□ No _ life duri	or:	hours: Ye	s [/ No ation:	Bas.	EN	ne.	17			
Cheques har Money and v Holdup alarm 7. SAFE: [Y Class: Lit at night Labelled by the same state of the same sta	- Chandled saluables n: [9] N Yes ULC: N	No F	Yes In the sais 1	□ No _ life duri	or:	hours: TYes	s [/ No sation: reet - // o sponse facilit	BA 3	Cent	tral st	17			
Cheques har Money and v Holdup alarm Class: Lit at night Labelled by Labelled by Labelled by Class: Class: Class of alarm	- Ch ndled sa aluables n: [9 N Yes ULC: A	No F	Yes (nother sales 1	No _ life duri	or:	hours: TYes	s [/ No	BA 3	Cent	tral st	17			
Cheques har Money and v Holdup alarm Class: Lit at night Labelled by Labelled by Labelled by Class: Class: Class of alarm No 7 The	- Ch ndled sa aluables n: [9 N Yes ULC: N	No F	Yes (nother sales 1	No _ ife duri	or: Yes Visit Yes Yes Yes	No Locole from the str	s [/ No sation: reet - // o sponse facilit rm: C labelled:	BAS. Iy: O Ves DATK	Centither_	tral st	ation	4 0		can
Cheques har Money and v Holdup alarm Class: Lit at night Labelled by Charm: Class: Class of alarm No 7. 76	- Ch ndled sa aluables n: [9 N Yes ULC: N	No F	Yes (nother sales 1	No _ ife duri	r: Yes Visit Yes Yes Yes	No Locole from the street No Res	s [] No sation: reet - Mo sponse facilit rm: C labelled:	BA 3	Centither_	ral st	ation A	5 D	2/1	Con Resistan
Cheques har Money and v Holdup alarm Class: Lit at night Labelled by Charm: Class: Class of alarm No 7. 76	- Ch ndled sa aluables n: [9 N Yes ULC: N	No F	Yes (nother sales 1	No _ ife duri	r: Yes Visit Yes Yes Yes	No Locole from the street No Res	s [] No sation: reet - Mo sponse facilit rm: C labelled:	BA 3	Centither_	ral st	ation A	5 D	2/1	
Cheques har Money and v Holdup alarm Class: Lit at night Labelled by Labelled by Labelled by Class: Class of alarm Class of alarm No 7. The 5. JA	TORY:	No Finance	Yes (nother sales 1	No _ ife duri	r: Yes Visit Yes Yes	No Locole from the street No Res	s [] No sation: reet - Mo sponse facilit rm: C labelled:	BA 3	Centither_	ral st	ation A	5 D	2/1	Con Resistan
Cheques har Money and v Holdup alarm Class: Lit at night Labelled by Charm: Class: Class of alarm No. 7. 76 5. JA	Yes Day Yes TORY:	No Form	Yes (nother sales 1	No _ life during the floor with the	REM LABEL OT U	No Locale from the strain No Res	s [] No sation: reet - Mo sponse facilit rm: C labelled:	BASON O	Centither_	No No	ation Aug	61A	n / n y	RESISTANT CLOSES
Cheques har Money and v Holdup alarm Class: Lit at night Labelled by Charm: Class of alarm Class of alarm No 7. The 9. LOSS HIST No 7. The 9. JA	Yes Days	No For No Property	Yes (nother sales 1)	No_lee during ype: the floating ype: No_lee during ype: No_lee during ype: No_lee during ype:	REM LABE	No Locale from the street No Res	s [] No sation: reet - Mo sponse facilit rm: C labelled: COMMENI By ASS GNO	BASON ON THE STATE OF THE STATE	Centither_	No No	ation Aug	S S S S S S S S S S S S S S S S S S S	n/ny ep	CAN RESISTAN
Cheques har Money and v Holdup alarm Class: Lit at night Labelled by Alarm: Class of alarm	Yes Days	No Finance Property of the Pro	Yes (nother sales 1)	No_ale during the flow	r: Yes Visit Yes Yes	ARKS & RE	s [] No sation: reet - Mo sponse facilit rm: C labelled: COMMENI By 1+55 9ND	BAS. IY: O Ves DATK III III III III III III III	Centither_	No No	A ys	SUL BUL	n/ ny	RESISTANT CLOSES

Page: 34

Project Name: 2636 Eglinton Avenue West Toronto

Project #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report

Commercial Property Fire Inspection Survey Form
Report - 1982 VARIOUS TENANTS 2636-2642
Eglinton Avenue West Borough of York ON M6M7779ested by:
Eleanor Goolab

Date Completed: 09/15/2022 08:11:27



OPTA INFORMATION INTELLIGENCE

Commercial Property Fire Inspection Survey Form Report - 1982 VARIOUS TENANTS 2636-2642 Eglinton Avenue West Borough of York ON M6M1T7

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the purchase order relating to the release of this document for complete terms and conditions.



Page 1 (of 4) ONTARIO REGION

Mercantile Risk
Miscellaneous Risk

COMMERCIAL PROPERTY FIRE INSPECTION SURVEY FORM


	: No. 26	36-42 st	reet/Road	Etc E	66 IN 67	ON	AUE	wos	1.		
			e vo	RK			(Formerly)				
					Occupi	ed by	PARIOUS	Tow.	ANTS.		
	wilding !	Dulle (m)	An'.		Additions	/ Ruilr in					
bui idi	ng comp	etely fini	shed & out	of workme	ns hands? Ye	SCO; No	IBC Cod	e: Terr: 88	Ind: 740 C	ons: 4	Prot: 2
_											
				BA	SIC CONSTR	OCTION .	(SECTION	1)			
EXTER	RIOR WAI	<u>:</u>		3			On.	0	BEW		
	NEW	/ Refe	NSEW	pass point di	NSEW rection of wa	II. i.e. N	North, South	East or We	est)		
	(9	, (Ø	,			(3)		Ø		
1	NIDE PE NI	ENT	BEARIN	G	NON-BEARIN	IG	PARTY		APET		anation
(Describe	material	& thicknes	ss of all wall all supports	ls including r	nake-up o	f combustibl	e walls & an	y hre retard	ant impre	gnation.
•	Also, che	ck ou app	ropriate w	arr supports	/2	2º B1	P.				
										PROTEC	men care
			D (); HE	AVY WOOD	(min. 150n	nm x 300r	nm) (); Ul ing a fire-re	PROTECTE:	D STEEL (; PROTEC	TED STEEL
P	rotected	by	mbuselble :	material or	GLASS (2);	COMBUST	IRIF ()	scribe)	ng oi		
F	PANELS O	Wall. N	. O	The Old	s. 45	Mz	E. 35	k V	. 0 %		
FLOO	RS & ROC	F: (Desc	ribe Floor	& Roof Mat	erials Includi	ng Thickr)		
								-		_	
loor evel	% Aut.		Resistive .	& Masonry	Fire Res.	Non-	Combustible		Combustib	le	
rade	Spik. Sec	The	NC313t1+C	a meson j		-		01	0. WO	00 10	IST.
and.		1							100		7
	7971										
		_									
Poof								,		12	7
Roof	USTIBLE	FLR. on 1	owest BAS	SEMENT Lev	el: Yes ();	No (D).	If Yes, Des	ribe & Give			7
Roof COMB	BUSTIBLE	FLR. on I	Lowest BAS		el: Yes ();						<u>, </u>
COMB	-			SEC	CONDARY CO	ONSTRUC	TION - (SEC	TION III)	Percentage		
HEIGI	HT: (Nb	r.) Z si	oreys High	SEC n; Basement:	Yes O; No	ONSTRUC	rion - (SEC	TION III)	Percentage		
HEIGI	HT: (Nb	r.) Z SI	toreys High	SEC n; Basement;	Yes (); No	ONSTRUC' (NI) (describ	rion - (SEC	TION III) mbustible Si	Percentage		
HEIGI VERT	HT: (Nb	r.) Z SI	toreys High	SEC n; Basement;	Yes O; No	ONSTRUC' (NI) (describ	rion - (SEC	TION III) mbustible Si	Percentage		
HEIGI VERT	HT: (Nb	r.) Z SI	toreys High Elevators ((Describe	SEC n; Basement:]; Stairs (Construction	Yes ; No ; Other ; a & Type of E	ONSTRUC (NI) (describe Enclosure	FION - (SEC or.) _/ Co e) (s) & Door (s	TION III) mbustible Si	Percentage		
HEIGI VERT	HT: (Nb	r.) Z Si NINGS: E	toreys High Elevators ((Describe	SEO ; Basement: ; Stairs C Construction	Yes (); No ; Other () & Type of E	ONSTRUC' (NI) (describencies of the control of the	TION - (SEC or.) _/ Co e) (s) & Door (s	mbustible Si	Percentage toreys Without D O O	or Ground	Level Acce
HEIGH VERT	HT: (Nb	r.) Z SI	toreys High Elevators ((Describe	SEO ; Basement: ; Stairs C Construction	Yes (); No); Other () 1 & Type of E N C L O S U	ONSTRUC' (NI) (describencies of the control of the	TION - (SEC or.) _/ Co e) (s) & Door (s	mbustible Si	Percentage	or Ground	Level Acce
HEIGH VERT	HT: (Nb	r.) Z Si NINGS: E	toreys High Elevators ((Describe	SEC n; Basement: Construction	Yes (No Yes (No); Other (No 1 & Type of E N C L O S U	ONSTRUC' (NI) (describencies of the control of the	TION - (SEC or.) _/ Co e) (s) & Door (s	mbustible St	Percentage toreys Without	R(S)	Level Acce
HEIGH VERT	HT: (Nb	for. From	toreys High Elevators ((Describe	SEC n; Basement: Construction	Yes (); No); Other () 1 & Type of E N C L O S U	ONSTRUC' (NI) (describencies of the control of the	TION - (SEC or.) _/ Co e) (s) & Door (s	mbustible St	DOO +	R(S)	Level Acce
HEIGI VERT	HT: (Nb TCAL OP	for. From	toreys High Elevators ((Describe	SEC n; Basement: Construction	Yes (No Yes (No); Other (No 1 & Type of E N C L O S U	ONSTRUC' (NI) (describencies of the control of the	TION - (SEC or.) _/ Co e) (s) & Door (s	rion III) mbustible Si	DOO +	R(S) S.C. S.2	Level Acce
HEIGH VERT	HT: (Nb TCAL OP	In I	toreys High Elevators (Describe To:	SEC Basement: Stairs C Construction E 640 640 640 640 640 640 640	Yes (No Yes (No); Other (No 1 & Type of E N C L O S U	ONSTRUC' (NI) (describenclosure) (RE(S)	TION - (SEC or.) _/ Co e) (s) & Door (s	rion III) mbustible Si i) Fully) Pow, co	DOO + 000 +	R(S) S.C. S.	Level Acce
HEIGI VERT	HT: (Nb TCAL OP	In I	toreys High Elevators (Describe To:	SEC Basement: Stairs Construction E 6 6 6 7 7 7 7 7 7 7 7 7 7	Yes (No Yes (No); Other (No 1 & Type of E N C L O S U	ONSTRUC' (NI) (describenclosure) (RE(S)	TION - (SEC or.) _/ Co e) (s) & Door (s	rion III) mbustible Si	DOO + 000 +	R(S) S.C. S.	Level Acce
HEIGI VERT	HT: (Nb ICAL OP S' way her N AY 2 AY 2 Sasem 1st. F 2nd F 3rd(&	for From SST.	coreys High Elevators (Describe 1: To:	SEC a; Basement; construction E 670 630 630 630 630 630 630 630 63	Yes (No Yes (No); Other (No 1 & Type of E N C L O S U	ONSTRUC' (NI) (describenclosure) (RE(S)	TION - (SEC or.) _/ Co e) (s) & Door (s	rion III) mbustible Si i) Fully) Pow, co	DOO + 000 +	R(S) S.C. S.	Level Acce
HEIGI VERT S'W, S'W,	HT: (Nb TCAL OP S' way her h Ay 2 Ay 2 A: Basem 1st. F 2nd F 3rd(& Separa	In I	toreys High Elevators (Describe To:	SECON; Basement: Construction E 6 6 7 7 7 7 7 7 7 7 7 7 7	Yes (); No); Other () N C L O S U O POPU X	ONSTRUC' (NI) (describenclosure) (RE(S)	TION - (SEC or.) _/ Co e) (s) & Door (s	TION III) mbustible Si i) Fully) Luo (x x x x . Total A	DOO + 000 +	R(S) 54.8 m 54.8 m 54.8 m	Level Acce
HEIGH VERT S'W, S'W,	HT: (Nb TCAL OP S' way her h Ay 2 Ay 2 A: Basem 1st. F 2nd F 3rd(& Separa	In I	coreys High Elevators (Describe To:	SECON; Basement: ; Stairs (Construction E 6 6 7 7 7 7 7 8 6 7 7 8 8 8 8 8 8 8 8 8 8 8	Yes (); No); Other () N C L O S U O POPU X	ONSTRUC' () ((NI)) (describe enclosure (NI)) (NI) (N	TION - (SEC or.) _/ Co e)	TION III) mbustible Si Fully) LUO X X X Total A Combus	DOO + Screen 106	R(S) 54.8 m 54.8 m 54.8 m	Level Acce
HEIGI VERT	HT: (Nb TCAL OP S' way her h Ay 2 Ay 2 A: Basem 1st. F 2nd F 3rd(& Separa	In Strain Wall E: Non-Capacitan Wall E: Non-Capacitan Wall E: Non-Capacitan Wall E: Non-Capacitan Wall E: Non-Capacitan Wall Patent	coreys High Elevators (Describe (Describe To:	SECON; Basement; Stairs Construction E Gyd (3) 2/9; 2/9; cribe) e (desc.) LSE ROOF o	Yes (); No); Other () NCLOSU OCHORNO X X Tibe)	ONSTRUC' (Management of the control	rion - (SEC or.) _/ Co e)	TION III) mbustible Si Fully) LUO X X X Total A Combus (describ	DOO + 000 +	R(S) S.C. S. 54.8 m 54.8 m 4.4 m escribe)	Level Acce

		THE PART OF THE PA	describe & give % of			
ecify OOR	B5T.	101	2 ml			
g:	GYP.	GYP.	64P.			
atitions	"	1	"			
moke eveloped						
lartte pread			Fire Resistive or Nor			
	-	COMMON HA	ZARDS - (SECTION	VII, Items 720-	124)	tructural Conditions 600
Building I	leated? Yes (11 - 11/7 /	INITION MITAL	1200		Controls & Fuel Used:
	Chimpania P 1	Soficiancias If Any	COLIA MAC		RUIT F	DAA THE LONG
Describe			SUCIO MASI	ONANY	TYOU	OPINADY THE BROWN
		- W T. T.	WH & Dejector Cuetal	m (). Circuit i	reakers (W: U	KDINAKI (C); USEU EACIUMAE
		- W T. T.	"C" & Rejector System d Conduit : Other linor : Moderate	m (). Circuit i	reakers (W: U	KDINAKI (C); USEU EACIUMAE
Electrica	CAL: FUSES: T Aluminum I Equipment De	ype "S" ; Type n Wiring ; Rigio fects: None ; M	"C" & Rejector System d Conduit ; Other linor ; Moderate Comments Section (m (; Circuit i (describe) ; Major (;	Serious .	KDINAKI (C); USEU EACIUMAE
Electrica - HOUSEKI	CAL: FUSES: T Aluminum I Equipment Des	ype "S" ; Type n Wiring ; Rigio fects: None ; M	"C" & Rejector System d Conduit : Other linor : Moderate Comments Section (MUNICIPAL PROTECT f Nearest Fire Hall?	Page 3) CTION - (SECT)	Serious (). ON IX) If No - State	Describe Condition: Distance To Fire Hall:
ELECTRICAL ELECTRICAL HOUSEKI FIRE DEP	ARTMENT: Ris	ype "S" ; Type n Wiring ; Rigio fects: None ; M neral Underwriting k Within 2, 5 km Of nts Within 155m of	Comments Section (MUNICIPAL PROTE f Nearest Fire Hall? Risk? Yes (7); No (50mm (7); 200mm	Page 3) CTION - (SECT) And All Par 300mm (E)	Serious (). ON IX) If No - State	Describe Condition: Distance To Fire Hall:
- HOUSEKI - FIRE DEP	ARTMENT: Ris	ype "S" ; Type n Wiring ; Rigio fects: None ; M neral Underwriting k Within 2, 5 km Of nts Within 155m of No ; MAINS - 1	C" & Rejector System Conduit : Other Comments Section (MUNICIPAL PROTECT Risk? Yes : No (50mm : 200mm Describe Deficie	Page 3) CTION - (SECTION), And All Parency (if any);	Serious (). ON IX) If No - State ts Of Building V	Describe Condition: Distance To Fire Hall: Within 155m Of At Least One Isribe) 600 707
- HOUSEKI - FIRE DEP - HYDRAN Circulat	ARTMENT: Risk And TED AREA: COR	ype "S" : Type n Wiring : Rigid fects: None : M neral Underwriting k Within 2, 5 km Of nts Within 155m of No : MAINS - 1 Dead End : Main ccessible At Least Congested/Conflagration	C" & Rejector System Conduit : Other inor : Moderate Comments Section (MUNICIPAL PROTECT Risk? Yes : No (50mm : 200mm ns. Describe Deficie on One Side By Street	Page 3) CTION - (SECT) And All Pares (if any): 15m In Width?	Serious (). ON IX) If No - State ts Of Building V Other (desc	Describe Condition: Distance To Fire Hall: Within 155m Of At Least One Isribe) 600 mm
- HOUSEKI - HOUSEKI - FIRE DEP - HYDRAN - Circulat - ACCESSI - CONGES	ARTMENT: Risk AGE TED AREA: Cor	ype "S" : Type n Wiring : Rigio fects: None : M neral Underwriting k Within 2,5 km O nts Within 155m of No : MAINS - 1 Dead End : Mai ccessible At Least Congested/Conflagration	C" & Rejector System Conduit : Other inor : Moderate Comments Section (MUNICIPAL PROTECT Risk? Yes : No (50mm : 200mm ns. Describe Deficie On One Side By Street On Hazard Prevails?	Page 3) CTION - (SECTION), And All Pare 1; 300mm (Concy (if any); 15m In Width?	Serious (). ON IX) If No - State ts Of Building V Other (description). Yes (V); No (Describe Condition: Distance To Fire Hall: Within 155m Of At Least One Isribe) 600 707
- HOUSEKI - HOUSEKI - FIRE DEP - HYDRAN - Circulati - ACCESSI - CONGES	ARTMENT: Risk AGE TED AREA: Cor	ype "S" : Type n Wiring : Rigio fects: None : M neral Underwriting k Within 2,5 km O nts Within 155m of No : MAINS - 1 Dead End : Mai ccessible At Least Congested/Conflagration	"C" & Rejector System of Conduit : Other inor : Moderate in Comments Section (MUNICIPAL PROTECT IN COMMENT IN	Page 3) CTION - (SECT) (es (); No () And All Par ; 300mm () incy (if any): t 15m In Width? Yes (); No ()	Serious (). Serious (). ON IX) If No - State ts Of Building V Other (description of the control of the cont	Describe Condition: Distance To Fire Hall: Within 155m Of At Least One Isribe) 600 700
- ELECTRIC Electrica - HOUSEKI - FIRE DEP - HYDRAN Circulat - ACCESSI - CONGES - PRIVATE	ARTMENT: Risk TS: Two Hydra Yes (D): N ing (T): and/or BILITY: Risk Ac TED AREA: Cor Cor PROTECTION:	ype "S" : Type n Wiring : Rigid fects: None : M neral Underwriting k Within 2.5 km Of nts Within 155m of No : MAINS - 1 Dead End : Main ccessible At Least Confested/Conflagrationments, Is There Exclusive	C" & Rejector System Conduit : Other inor : Moderate in Comments Section (MUNICIPAL PROTECT Risk? Yes : No (50mm : 200mm Describe Deficie On One Side By Street Private Protection (INTERNAL PROTECT INTERNAL PRO	Page 3) CTION - (SECTION) And All Pares (15 any): 15m In Width? Yes (15 No (15 any): 15m In Width? Yes (15 No (15 any): 15m In Width?	Serious (). Serious (). ON IX) If No - State ts Of Building V Other (desc Yes (V): No (Describe Condition: Distance To Fire Hall: Within 155m Of At Least One Isribe) 600 mm The Condition: Distance To Fire Hall: Within 155m Of At Least One Isribe) 600 mm The Condition of At Least One Isribe 1
- HOUSEKI - HOUSEKI - FIRE DEP - HYDRAN Circulat - ACCESSI - CONGES - PRIVATE	ARTMENT: Risk AND TED AREA: Core PROTECTION:	ype "S" : Type n Wiring : Rigio fects: None : M neral Underwriting k Within 2, 5 km O nts Within 155m of No : MAINS - 1 Dead End : Mai ccessible At Least C ngested/Conflagrationments, Is There Exclusive	Comments Section (MUNICIPAL PROTECTION (Somm (S	Page 3) CTION - (SECTION) And All Pare 15m In Width? Yes ; No ; No ; Or Supplemental Control (SECTION)	Serious (). Serious (). ON IX) If No - State ts Of Building V Other (desc Yes (); No (If Yes, Desc ent To Municip ON XI) ee Occupancy S	Describe Condition: Distance To Fire Hall: Within 155m Of At Least One Isribe) 600 mm The Condition: Distance To Fire Hall: Within 155m Of At Least One Isribe) 600 mm The Condition of the Least One Isribe of the Condition of the Least One Isribe of the Condition of the Co
- HOUSEKI - HOUSEKI - FIRE DEP - HYDRAN - Circulat - ACCESSI - CONGES - PRIVATE - MANUA - WATCH	ARTMENT: Risk AND TED AREA: Core PROTECTION:	ype "S" : Type n Wiring : Rigid fects: None : M neral Underwriting k Within 2, 5 km Or nts Within 155m of No : MAINS - 1 Dead End : Main ccessible At Least Conflagrationments, Is There Exclusive GEQUIPMENT: St Standard : Incl Describe:	C" & Rejector System Conduit : Other inor : Moderate in Comments Section (MUNICIPAL PROTECT Risk? Yes : No (50mm : 200mm ns. Describe Deficie on One Side By Street on Hazard Prevails? Private Protection (INTERNAL PROTECT andard : Non-St. luding Proprietary Sur	Page 3) CTION - (SECT) And All Pares (if any): 15m In Width? Yes ; No ; 15m In Width? Yes ; No ; 15m In Width? CTION - (SECT) And All Pares (if any): 15m In Width? Yes ; No ; 15m In Width?	Serious (). Serious (). ON IX) If No - State ts Of Building V Other (desc Yes (V): No (If Yes, Desc ent To Municip CON XI) Requirements)	Distance To Fire Hall: Nithin 155m Of At Least One Isribe) 600 mm This is a seribe of the Hall: Distance To Fire Hall: Nithin 155m Of At Least One Isribe) 600 mm This is a seribe of the Hall: Distance To Fire Hall: Nithin 155m Of At Least One Isribe) 600 mm This is a seribe of the Hall: Distance To Fire Hall: Nithin 155m Of At Least One Isribe) 600 mm This is a seribe of the Hall: Distance To Fire Hall: Nithin 155m Of At Least One Isribe) 600 mm This is a seribe of the Hall: Distance To Fire Hall: Nithin 155m Of At Least One Isribe) 600 mm This is a seribe of the Hall: Distance To Fire Hall: Nithin 155m Of At Least One Isribe) 600 mm This is a seribe of the Hall: Distance To Fire Hall: Nithin 155m Of At Least One Isribe) 600 mm This is a seribe of the Hall: Distance To Fire Hall: Distan
- ELECTRIC Electrica - HOUSEKI - FIRE DEP - HYDRAN Circulat - ACCESSI - CONGES - PRIVATE - MANUA - WATCH - AUTOM DETECT - PARTIA	ARTMENT: Risk TS: Two Hydra Yes (D): N ing (T): and/or BILITY: Risk Ac TED AREA: Cor Cor PROTECTION: ATIC FIRE ALITY FIGHTING MAN SERVICE:	ype "S" : Type n Wiring : Rigid fects: None : M neral Underwriting k Within 2.5 km Or nts Within 155m of No : MAINS - 1 Dead End : Main ccessible At Least Confessible Conf	C" & Rejector System of Conduit : Other inor : Moderate in Comments Section (MUNICIPAL PROTECTION (Somm : 200mm ins. Describe Deficie on One Side By Street on Hazard Prevails? INTERNAL PROTECTION (INTERNAL PROTECTION (Page 3) CTION - (SECT) (es (); No () And All Pares (); 300mm () to the interpolation (); 15m In Width? Yes (); No () Or Supplementary () (i.e. Minimum Fire Alarm Detector (); 15m In Width?	Serious (). Serious (). ON IX) If No - State ts Of Building V Other (desc Yes (V): No (If Yes, Desc ent To Municip con XI) ee Occupancy S ncluding Centra Requirements) ction Systems, STATION () M ² .	Distance To Fire Hall: Nithin 155m Of At Least One Isribe) 600 mm This is a seribe of the Hall: Distance To Fire Hall: Nithin 155m Of At Least One Isribe) 600 mm This is a seribe of the Hall: Distance To Fire Hall: Nithin 155m Of At Least One Isribe) 600 mm This is a seribe of the Hall: Distance To Fire Hall: Nithin 155m Of At Least One Isribe) 600 mm This is a seribe of the Hall: Distance To Fire Hall: Nithin 155m Of At Least One Isribe) 600 mm This is a seribe of the Hall: Distance To Fire Hall: Nithin 155m Of At Least One Isribe) 600 mm This is a seribe of the Hall: Distance To Fire Hall: Nithin 155m Of At Least One Isribe) 600 mm This is a seribe of the Hall: Distance To Fire Hall: Nithin 155m Of At Least One Isribe) 600 mm This is a seribe of the Hall: Distance To Fire Hall: Distan

- continued

COMMERCIAL PROPERTY FIRE INSPECTION SURVEY FORM OCCUPANCY & SPECIAL HAZARDS - (SECTIONS IV. V. VI & VII)

DEVENDENCE FLUIDS. ONO ZA WATER OXTOR: WITH NO SOTUTO TAK. 26A2 BST. 141.2 569 "ENTA PASHION + TOTATION" NO ACCUSS GAMED - LSTITUPT - ASSUMP STORMED OF STOCK, AND NO OXTINGUISIONS 26A3 IN 23.6 740 "ANTONIO DIOTO CHB" SALES AND MADO A PARTO CARRENTY STUDIO. NO OXTINGUISHOUS. 26A2 IN 12.5 569 "ENTA PASHION + TOTATION" NO ACCUSS GAINOD - ESTITUPTO - ASSUMB RETAIL CLOTAMOS SALUS AND TWO HANDS ORESSTAT- NING. (AS POR SIGN OUTH OBOR) ASSUME NO OXTINGUISHOUS. 26A6 Zami BII "THOMAS MOREOT" LAW OFFICE. 26A6 Zami BII "THOMAS MOREOT" LAW OFFICE. 26B1 CON. SINGLO MARGANOTO - CONDITION OFFICE. 26A7 Zami BII. TAO DUDILING - OND UNITY. TOTAL FLOOR AREA VOLAN TAO DUDILING - OND UNITY. CENERAL UNDERWRITING COMMENTS HAINTENANCE: Excellent (); Gord (); Average (); Poor () (describe)	COUP	ANCY DE	TAILS:	Indicate:	1) Business Name Of Each Tenant, 2) Special Hazards Including Process Operation(s) And
2636 557 2/36 740 "ANTONIO "METOLIR" OFFICES, DANKTOOMS NO STOCKED ROOMS OF DANKTOOMS NO COSSEN PREMINES, MID NON FLAMMAN NO STOCKED ROOMS MID NON FLAMMAN OFFICE ROOMS FLAMMAN 2642 14 23.6 740 "ANTONIO DIDTO CAR" SHIES NAMED AND A OFFICE ROOMS FLAMMAN OFFIC		Control of the Contro		IBC IND.	4) Any Other Exceptional Features Of The Risk Not Discussed Elsewhere, and 5) Any Vacant Section(s).
DROCOSSIN TRAININGS MAD NON FEMTINAS	-			740	"ANTONIO PHOTO LAB! OFFICES, DANKROOMS
DEDROPING FLUIDS. DNO ZA WATON OXTER. WITH NO SOTULCE TAB. 2642 BST. MIZ 369 "FIXED FASHION + TOXTILLE" NO ACCUSS GAMED - ESTIMATO ASSUME STANCE OF 2536 IA 23.6 740 "NATONIO DIOTO CAB." SALES PAIR MINO B PRETO GALBERY STUDIO. NO DITINGUISMOS. 2642 IA 14.7 569 "SN ZA FASHION + TOXTILLE" NO RECUSS GAINOD - ESTIMATO. ASSUME RETAIL CCOTUNG SALES AND TWO MINOS ORESS MA. NO OXTINGUISMOS. 1042 ZAM BASTONE LAW OFFICE. 2636 ZAM BASTONE LAW OFFICE. 2636 ZAM BASTONE LAW OFFICE. 2642 ZAM BASTONE LAW OFFICE. CONTINUE SALES MADEON. LAW OFFICE. CONTINUE OFFICE. CONTINUE OFFICE. CONTINUE OFFICE. CONTINUED OF			-		THE STATE OF THE S
WITH NO SOTUCE TAB.					
2636 14 23.6 740 PASHIND - ASSUMP STANDS OF STOCK, AND NO ASSUMP STANDS OF STOCK, AND NO ASSUMP STANDS OF MATERIAL AND ALLESS AND AND A PROTOCK AND					
CAMUSD - ESTITIOT C ASSUME STARMS OF STOCK MIN NO OXTINGUISIONS PMCTOCARREN STARMS OF COTING SALUS AND TWO MANDS ORESS TARMS OF MING. (AS ROIL SIGN OUTH DOOR) ASSUME WO OXTINGUISHOS. AND OXTINGUISHOS. AND OXTINGUISHOS. AND OXTINGUISHOS. AND OXTINGUISHOS. AND OXTINGUISHOS. AND OXTINGUISHOS. CONSTAR OFFICE. CONSTAR	- 14-		141-	210	
STOCK, PAND NO EXTENSIONS STOCK PANTONIO PHOTO LABS SALES PANTONIO PANTONIO PHOTO LABS SALES PANTONIO PANTONIO PHOTO LABS SALES PANTONIO PANTONIO PHOTO LABS SALES PANTONIO PHOTO LABS SALES PANTONIO PHOTO PASSANDE RETAIL	2612	135/.	199.2	369	
TOTAL FLOOR ATEAN O PROTO CARS' SALLS AND MINO DIRECTOR AND THE TOTAL CONTINUED ON THE TOTAL CARSENS AND THE TOTAL CARSENS AND THE TOTAL CARSENS AND THE TOTAL CONTINUE SALLS AND THE TOTAL CONTINUE SALLS AND THE TOTAL CONTINUES AND THE TOTAL CONTI			-		
PICTO EXEMINES STUDIO - NO DETINGUISHORS: PICTO EXEMINES PASHON + TOTTILOT; NO HECKS CONTING SALIS AND TWO IMARES ORESTANDES ORESS MAN WING	775	177	7.7	240	
Total Floor Area 1666 740 Condition Commercial Food Fastion + Transcor More Cas Total Floor Area 1666 Fastion Fastion + Transcor Food Fastion Fastion Fastion Fastion	-056	10	215.6	140	The state of the s
COTUNG SALUS AND TWO HANDS ORESSTATIONS SALUS AND TWO HANDS ORESSTATIONS OR SERVING AND TWO HANDS ORESSTATIONS OR SERVING AND TWO HANDS OR SERVING AND SERVING AND TWO HANDS HANDERS FOR CONTINUE OF FICE OF FICE OR SERVING AND THE PROPERTY OF TWO HANDS HANDS OR SERVING OF THE PROPERTY OF TWO HANDS HANDS OR SERVING OF THE PROPERTY OF TWO HANDS HANDS OR SERVING OF THE PROPERTY OF TWO HANDS HANDS OR SERVING OF THE PROPERTY OF TWO HANDS OF TWO HANDS HANDS OR SERVING OF THE PROPERTY OF TWO HANDS OR SERVING OR SERVING OF THE PROPERTY OF TWO HANDS OR SERVING OR		,,	10		
CCOTHING SALLS AND TWO IMANDS DRESSMENT WING. AS POR SIGN OUDE DOOR, ASSUME NO SATING AUGUSTUS. 2636 2-44 801 "P.P. C. & WEBSTON-DONITIST. MODICAL OFFICE. 2660 "CON. SINGLO MARGED AND AND OFFICE. 2672 2-44 1412 740 DUUSCUNG - OND MINIT. CENERAL UNDERWRITING COMMENTS - HOUSEKEEPING & MAINTENANCE: - NEIGHBOURHOOD: Isolated : Residential : Commercial : Industrial : Congested/Conflagration Hazard : (de-	1642	11	14:5	369	The state of the s
MING. AS POR SIGN OUDD DOOR.) RSSUMG NO SYTINGUISHMS.					GAINON- ESIMANO ASSUMO KEIME
MING. AS PON SIGN OUDD DOOR.] BSSUMG NO SYTINGUISHMS.	-				CLOTHING SALLS AND TWO HANDS UKESTA
NO SYTINGUISHMS. BIJ "THOMAS MOREOF" - LAW OFFICE - 236 801 "DR. C.F WEBSTON - DOWNIST - MODICAL OFFICE - 66 "CON. SWECE MAGINETOS" - CONSTITUE OFFICE - 242 2 and 1412 740 DWOLLING - OND WINIT. Continued on attached sheet - GENERAL UNDERWRITING COMMENTS - CONTINUED OFFICE - CONTI					KING. (AS POR SIGN OUDA DOOR.) ASSUMO
SI					
Description	7636	2001	1	811	
GENERAL UNDERWRITING COMMENTS	<u> </u>	1	7134		"AR. C.E WEBSTON-DOWTIST. MODICAL OFFICE.
Total Floor Area OCA 740 Commercial Floor Continued on attached sheet - GENERAL UNDERWRITING COMMENTS HOUSEKEEPING & MAINTENANCE: - NEIGHBOURHOOD: Isolated Residential Commercial Industrial Congested Conflagration Hazard (december Continued on attached sheet Continued on at			1	77	"CAMI SINGLE MAKAZINOT - GONOTHAL OPEICO.
Total Floor Area 10645 740 — (Building Owner's Interest) — Continued on attached sheet —— GENERAL UNDERWRITING COMMENTS HOUSEKEEPING & MAINTENANCE: - NEIGHBOURHOOD: Isolated —; Residential —; Commercial —; Industrial —; Congested/Conflagration Hazard — (de-		1.	1	4	
- HOUSEKEEPING & Excellent ; Good ; Average ; Poor (describe)	2642	C-000	194.2	140	DOUGECTOS - OTC STOTT.
- HOUSEKEEPING & Excellent ; Good ; Average ; Poor (describe)		-	-	-	
- HOUSEKEEPING & Excellent ; Good ; Average ; Poor (describe)			1	-	
- HOUSEKEEPING & Excellent ; Good ; Average ; Poor (describe)					
- HOUSEKEEPING & Excellent (); Good (2); Average (); Poor () (describe)					
- HOUSEKEEPING & Excellent (); Good (2); Average (); Poor () (describe)			1		
- HOUSEKEEPING & Excellent (); Good (2); Average (); Poor () (describe)			+	-	
- HOUSEKEEPING & Excellent (); Good (2); Average (); Poor () (describe)		-	-	-	
- HOUSEKEEPING & Excellent (); Good (2); Average (); Poor () (describe)					
- HOUSEKEEPING & Excellent (); Good (2); Average (); Poor () (describe)					
- HOUSEKEEPING & Excellent (); Good (2); Average (); Poor () (describe)					
- HOUSEKEEPING & Excellent ; Good ; Average ; Poor (describe)					
- HOUSEKEEPING & Excellent ; Good ; Average ; Poor (describe)					
- HOUSEKEEPING & Excellent ; Good ; Average ; Poor (describe)	Total I	Toor Ares	1044	740	- (Building Owner's Interest) - Continued on attached sheet -
- HOUSEKEEPING & MAINTENANCE: - NEIGHBOURHOOD: Isolated ; Good ; Average ; Poor (describe)	I OLL I	loot Me	1007	77	
MAINTENANCE: - NEIGHBOURHOOD: Isolated ; Residential ; Commercial ; Industrial ; Congested/Conflagration Hazard ; (de					GENERAL UNDERWRITING COMMENTS
MAINTENANCE: - NEIGHBOURHOOD: Isolated ; Residential ; Commercial ; Industrial ; Congested/Conflagration Hazard ; (de - OPINION OF Excellent ; Good ; Average ; Poor ; Poor ; (describe)			G &	Excellent	C: Good C: Average C: Poor C (describe)
- NEIGHBOURHOOD: Isolated ; Residential ; Commercial ; Industrial ; Congested/Conflagration Hazard ; (de	- HOU	SEKFEDIN	CP.		
- OPINION OF Excellent (); Good (v); Average (); Poor () (describe)			UL.		
- OPINION OF Excellent (); Good (v); Average (); Poor () (describe)			OE:		
- OPINION OF Excellent (); Good (v); Average (); Poor () (describe)	MAI	NTENAN			
	MAI	NTENAN		olated (); Residential (Commercial : Industrial ; Congested/Conflagration Hazard () (de
	MAI	NTENAN		olated _); Residential (; Commercial (; Industrial (; Congested/Conflagration Hazard () (de
	MAI	NTENAN		olated _); Residential (; Commercial (; Industrial (); Congested/Conflagration Hazard () (de
	MAI	NTENAN		iolated [); Residential (; Commercial (; Industrial (; Congested/Conflagration Hazard () (de
MON:	- NEIG	HBOURH	00D: Is		
	MAII - NEIG	HBOURH	00D: Is		
	MAII - NEIG	HBOURH	00D: Is		



EXPOSURE - (SECTION VIII)

WALL	OF BUIL	LDING BEING	RATED		BETWEEN	BLDGS.		FACING WALL OF EXPOSURE							
Direction	Blnk.	Comb. & Non-Comb	Msnry. Up	Msnry. Sp	Distance	Party Wall	Blnk.	Manry. Sp	Msnry. Up	Non- Comb.	Comb.	Occ'y Haz.	Length / Height		
NORTH						X									
SOUTH				(Valence)							-		-		
EAST		AR					1				+	2-10-2			
WEST	IX				0'		IX			1	1	WARRY MARKET			
Requested	by: <u>56</u>	UN ALLI	ANCO	Re Da	eport		Re	evised By	Dt.	(Inspec		1'JHA	ten Up)		
ONT. 2000	Oc - 9/8	11		G G	Dt. Request F AO Service O	Recd, in Office)			45		10				

Page: 39

Project Name: 2636 Eglinton Avenue West Toronto

Project #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report

Commercial Property Fire Rating Form Report - 1982 VARIOUS TENANTS 2636/2642 Eglinton Avenue West Borough of York ON M6M1T7

CON M6M1T7

Requested by:
Eleanor Goolab
Date Completed: 09/15/2022 08:11:27



OPTA INFORMATION INTELLIGENCE

Commercial Property Fire Rating Form Report - 1982 VARIOUS TENANTS 2636/2642 Eglinton Avenue West Borough of York ON M6M1T7

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the purchase order relating to the release of this document for complete terms and conditions.

(carried fwd. overleaf) **

												terms	and co	onaitions.
OK									RATING		1	740 8	8	4 Z
CATIO	BO	R. C	of y	ORK	-	^	AME U	MIOUS	'd. by A-	ANZ	5 F	ILE NO.	700	RANTI
DORECE	263	6bl	42	530	116	TOR	AUE	WEST	'd by A-	ZIMM	02 p	ate Jus	ve	. 1.82
DURESS		9			V-			Rate	ed by	4		ate Ju	vo	2,02
ASIC CO)		(ITEMS 21		-					o. Class M
WALL	Wall Type	Wall Thick.	Dam. Type	RES. Fire Res.	NON	COMB	DETAIL	OF WALL C	ONSTRUCTIO	200	% WALL ERIM	POINTS		CHARGE
300 E	W. /	120	D-	HR	U	9.5	BAI	CK		/	00%	x 0		0
	W.	7	D.	HR							% :	×	=	
	W-	7	D-	HR							<u>%</u> :		-	
30/60	W-		D-	HR							% :			
	W-		D.	HB						-	%			
olumns ir	or adja	ecent to) non-b	earing n	nason	ry walls	: Unprot. n	netal Cor	nb. 🗀		%		_	
									Slow burni		%		=	
	1		MAS.	FLO or F.R.	NON			TEMS 220 - 22			% of Total	-		
LEVEL	DIMEN	NSIONS	Dam, Type	Fire Res.	COME	COMB		MATERI	ALS	FI	Area _	POINTS		
Grade			D-	HR		V	ORO.	WOOD	5015		33%	×)	-	
2001			D.	HR	-	V	4	4	_ 7	3	3.3%	7	-	7
	p St		D.	HR	-						%	× 300	-	300
Roof	-		D.	HA	-	1	7	7	7	- 13	33%	2	-	-
			Build	ding Ba	se × _	1.0	Comb. Mo	difier (ITEM	Bui 230) x .001			NG RATE		. 450 . 450
SECOND	ARY CO	ONSTR	UCTIO	N: (SE	CTION	v III)					_ [CHARGE]	
Mainhai		NIbr C	Storeur	2	Ract	YES	Comb Sto	ries (Withou	t ground leve	l access)	1	10	1	
meight:	(ITEM 300			eren a	To .		Enclosure		Doors		Chge.			
Vertical		s: 1.	-4 B	57 /	1		spear		open				4	
(ITE	M 310)	V	4 1	1 2	1		6YP.		WOOD		0	30	4	
					1					1.				
Area: (IT	EM 320) de Floor	Area_	3.5¢	21.	Z To	tal Area	1064.	Km TEffe	ctive Area	1069	da	24	1	
					/								1	
Combus	tible Co	ncealed	Spaces	IITEM	340)	Roof S	pace; Pero	entrue of to	tal roof area. tal floor area	/%		oci e		
Combus	tible Int	erior Co	nstruct	ion: (ITE	M 350)	Centing	opace, refe	circage or to						
Floo	r Surfaci	ng; Pe	rcentage	e of tota	al floo	r area		economics.	≠ %			NICONO.	-	
Inter	ior Walls anines o	or Pari	titions; s; Perce	Percen entage o	tage o	f total	exterior wal roof area	area	<u>_</u> %			-75		
Walls	tible Int	ercenta	ge of to	tal area	of ext	erior w	alls; Ord. [DAYON SECTION SECTION	.% Spec. Da .% Spec. Da				1	
100					/								-	37.4
Building	Conditi	ion: (IT	TEM 380)	Good [9; A	verage	: Poor			1 10 80 10 10 10 10	Total Street	64%		
Land In .								I Otal Seco	ndary Constr	uction Ch	arges:		=	

No.	Floor	Total	Occ'y Item No.		Oc	cupancy !	escription or and Hazards			Occ' Char	,	Hazard Charges	Sep'd. Onc'y Factor	Occ'y Charge	Comb.	Susc. Cl.	Ind. Code
ammon	Hazerds	OK	FIR	00 -	407	WAT	on He	-	TING.			0_					
ading							72.	1-/	-	1/2	0		dillillilli	125%	173	54	740
636	427.2	40%		PHO	TO PA	ocas.	ING C	76		1,00	7		-	1,00	1	-	
111	police construction		2	W/7	HA	P4076	5740	10.		+	+		_	-	1		
							NON	5//	MUD.	+	+	-	-	-	1		
	-			OXZ	1164	ISHO	7.			120	-		-	125%	MZ	34	56
42	282.4	\$ 27%	58-	CLO	14W6	5704	85. NO	AC	cass	123	~		-	123	1/3	10,	30
81/1	NAME OF TAXABLE PARTY.		36	6 911	vo0	E3711	nATO.	1	SUMO	7—	+		-	+		1	1
					ANDS			_		1 11	-		-	N.C.	12	57	81
436	213.6	6 20%		_	ger o		The second secon			N.	_	_	_	N.C.		-	801
2001			538				FILE	_		N.	_		-	N.C.	22	+	66
							FFICO	-		_	-		-	N.C.		_	740
42	141.	2 13%		DW	RUN	6-00	NO			N.	+		-	10.0.	11-	-	-
2,000.	1064		14	1100				_	_	1	_1				ш -	Building	74
ommo et Occ 1, L2	125 n Hazar supancy Area	charge	O high icable	to the E	Building .	Factor	upancy Ch	arge			15	50%					
otal Se	econdar	y Const	ructio	n Charg	e (proug	nt forwa	ra iroin ov	eriea	11)	T		10					
XPOS	URE:				III/A-2/S	n Charge	able 🖳										
			-	Exposu	CONTRACTOR OF AND	1	Facing Wal										
	1 1440		mb,	Comb.	Comb, Cl.	Lth./Ht.	Nort-Comb			-							
emi Pro																	
erni Pro	4						-		-								
xposu arty W	inicatio (brough	osure Con Charg	harge je (ITEN ard fro	(ITEM 8 832) m over		SIC BUI	LDING RA		.4:			20	= UNPF	ОТЕСТЕ	D BLD(S. RAT	<u> </u>
MUNIC .U.S. Dist. to Dist. to	(brough CIPAL P Prot. CI Hydran Fire Hated B OING A ted Bldg NAL F uishers H. Stdr Auto P	nt forward ROTEC ass nts: Store College Rate: Store College	te x	m overlic (SEC Revise Non S Non S Built (SEC Credit (Describe)	leaf) BAS FION IX ed Prot. Control of the control o	Class —mkmkm Class FECTION ustment I) W. & Conatic Fire	Accessit Congest actor X) Factor	bility	. 43 Good rea: Yes % Co	redit	1(3/)		= Pl = Credit Credit	ROTECTI GRO	ED BLD	G. RAT	E <u>• 8</u>
xposu arty W communication of the communication of	(brough CIPAL P Prot. CI Hydran Fire Hated B OING A ted Bldg NAL F uishers H. Stdr Auto P	nt forward ROTEC ass nts: Store College Rate: Store College	te x	m overlic (SEC Revise Non S Non S Built (SEC Credit (Describe)	leaf) BAS FION IX ed Prot. Control of the control o	Class	Accessit Congest actor X) Factor C. Stdr. Detection	ate belity ted A	. 43 : Good vrea: Yes % Cr stem Std	redit r	10 3 //	% '9% % %	= P	ROTECTI GRO	ED BLD	G. RAT	E <u>• 8</u>
NTER	(brough CIPAL P Prot. CI Hydran Fire Hated B OING A ted Bldg NAL F uishers H. Stdr Auto P	nt forward ROTEC ass nts: Store College Rate: Store College	te x	m overlic (SEC Revise Non S Non S Built (SEC Credit (Describe)	leaf) BAS FION IX ed Prot. Control of the control o	Class	Accessit Congest actor X) Factor C. Stdr. Detection Less	ate belity ted A	. 43 : Good vrea: Yes % Cr stem Std	redit r	Opportion XI	% '9% % %	= P	ROTECTI GRO	ED BLD	G. RAT	E - &
xposu arty W communication of the communication of	(brough CIPAL P Prot. CI Hydran Fire Hated B OING A ted Bldg NAL F uishers H. Stdr Auto P	nt forward ROTEC ass nts: Store College Rate: Store College	te x	m overling (SEC Revise Non S Non S Building (SEC Credit Descrite D	leaf) BAS FION IX ed Prot. Control of the control o	Class — Class Faction Constitution Co	Accessit Congest actor X) Factor C. Stdr. Detection Less	n Sys	. 43 : Good trea: Yes % Cr stem Std	redit r. \Box	10 3 // Poor No No No No	% '9% % %	= Pl	GRO FINA	ED BLD	G. RAT	E - d
Automother GROS	(brough ciPAL Prot. Class Hydrar Bill Expended Bill Bill Bill Bill Bill Bill Bill Bil	ROTEC ass nts: Sto all: Sto ildg. Ra DJUST g. Rate: PROTEC Stdr rinklers rotections. RAT	tr. Str. Str. Str. Str. Str. Str. Str. S	m overi SEC Revise Non S Non S FACT B Buil Credit Descrit Descrit	ribe)	Class — Class Figure 1) Class Figure 1) W. & Conatic Fire	Accessit Congest actor X) Factor C. Stdr. Detection Less — NTENTS 1200 Susc Charg	ATE belity ted A	. 4 coordinates Yes """ """ """ """ """ """ """	redit r	10 3 // Poor No No No No	% 9% 9% 	= Pl	GRO FINA	SS BLD	G. RAT G. RAT	E - COI
NTER SAUTOMOTHER S. P. & Automother GROSS	(brough ciPAL Prot. Class Hydrar Auto. Prot. Stdr. Auto. Prot. Auto. Pro	PHO	te x 1.2 CTION	m overling (SEC Revise Non S Non S Revise Revise Non S Revise Rev	PANCY	Class —	Accessit Congest actor X) Factor C. Stdr. Detection Less 1200 Susc Charg	ATE	. 43 : Good rea: Yes % Cr stem Std ** = TES (SE 1210 **Hazards Adj. -	redit r	10 3 // 2000 No	% 9% 9% 	Credit Credit Credit	GRO FINA	SS BLD	G. RAT G. RAT	E - COI
AUNIC JUS. Dist. to Dist. to Dist	(brough ciPAL Prot. Ci Hydrar Fire Hated Bldg NAL Fuishers H. Stdratic Sp. Auto. PS BLDC	PHO	tr. Darker of the control of the con	m overling (SEC) Revise Non S Non S Non S Credit (Descrite Control Con	PANCY	Class —	Accessit Congest actor X) Factor C. Stdr. Detection Less 1200 Susc Charg	RA'	. 43 Good rea: Yes """ TES (SE 1210 Hazards Adj.	redit r	10 3 // 2000 No	- % - % - % - % - % - % - % - % - % - %	Credit Credit Credit	GRO FINA OB - /.	SS BLD	G. RAT G. RAT	E - S
AUNIC JUS. Dist. to Dist. to Dist	All Expunication (brough ciPAL Prot. Class Fire Hotel Bldg cishers H. Stdratic Sp. Auto. PS BLDC Susc. Class ST	PHOL CLOT Con Charge The forward PROTECT Con Charge Co	te x 1.2	m overling (SEC Revise Non S N	PANCY	Class —	Accessit Congest actor X) Factor C. Stdr. Detection Less 1200 Susc Charg	RATE	. 4 coordinates Yes """ """ """ """ """ """ """	redit r	10 3 // 2000 No	- % - % - % - % - % - % - % - % - % - %	Credit Credit Credit	GRO FINA OB = /.	SS BLD	G. RAT G. RAT	E - CON R/
AUNIC JUS. Dist. to Dist. to Dist	All Expunication (brough ciPAL Prot. Class Hydrar Fire Harded Bldg RNAL Fuishers H. Stdratic Spanics S	PHO	te x 1.2	m overling (SEC Revise Non S Non S Non S Credit Descrit Descriptor Descriptor Descriptor Descrit Descr	PANCY PANCY PANCY	Class —	Accessit Congest actor X) Factor C. Stdr. Detection Less 1200 Susc Charg	RA Sys	. 43 Good rea: Yes -% Cr stem Std	redit r	10 3 // 2000 No	- % - % - % - % - % - % - % - % - % - %	Credit Credit Credit	GRO FINA GRO FINA G	SS BLDG	G. RAT G. RAT	E - 6
AUNIC JU	All Expunication (brough CIPAL Prot. Class Hydran Fire Harded Bldg RNAL Fuishers H. Stdratic Sp. Auto. PS BLDC Susc. Class SZ	PHOL CLOT	transper per (ITEN and from Str. 12 And	m overling (SEC) Revise Non S Non S Non S FACT B Buil Credit Descrit	PANCY	Class —m. In Class FECTION ustment W. & Conatic Fire	Accessit Congest actor X) Factor C. Stdr. Detection Less 1200 Susc Charg	RA O X	. 43 Good rea: Yes -% Cr stem Std	redit r	10 3 // 2000 No	- % - % - % - % - % - % - % - % - % - %	Credit Credit Credit	GRO FINA 08 - /- 08 - /- 08 - /-	SS BLDG	G. RAT G. RAT	E - 6

Page: 42

Project Name: 2636 Eglinton Avenue West Toronto

Project #: 22090803396 P.O. #: CT3639.00

ENVIROSCAN Report

Fire Inspection and Rate Calculation Form Report - 1976 2636-2642 Eglinton Ave. W. (including 1856-1856A Keele St.) Borough of York ON M6M1T7 Requested by:

Eleanor Goolab Date Completed: 09/15/2022 08:11:27



OPTA INFORMATION INTELLIGENCE

Fire Inspection and Rate Calculation Form Report - 1976 2636-2642 Eglinton Ave. W. (including 1856-1856A Keele St.) Borough of York ON M6M1T7

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the purchase order relating to the release of this document for complete terms and conditions.

ESTIMATE



ONTARIO REGION MERCANTILE RISKS


FIRE INSPECTION AND RATE CALCULATION FORM

OCATION:BGAG	USH OF YORK		
DDRESS:	-26 42 EMLINEON AVENUE WEST		
Formerty) M.S.h.	UNING THE STREET	See Attached	Disersm P
AO PLAN - Sheet No	: 13.71.0 ; Block No.: 137196 ; Plan No.: 2638-2642 , NOP []:	Character Charac	Ded.
7/4 1 1 1 201	LA.F.B.	Charges	Deg.
WALLS:	IND PARTY : B.B.MCB., S.CONC., HCB., H.T., B.V., R.C., M.C., AS.C., P.C., FR	NIC.	
	EXPOSED WALL (NOT PARAPETTED) - L., R., F., B.		
	GLASS/METAL PANELS - L		
	STEEL (or ASBESTOS) on STEEL FRAMEWORK, etc.,		
	Metal or Rigid Asbestos clad%; Other%		
HEIGHT:	2 Storey(s); Basement: YES NO .	05	
AREA:	BT		
anen.	1st50 x 75 , 40 , x 47.00 sq.ft.		
	2nd. So x 30 x 40 x - 4365 sq.ft.		
	3rd x		1 -0
	4th x x x sq.ft.		
	FLOOR AREA CHARGE	0.5	
and the second		45	
KEY RATE:	Hydrant Deficiency	- 13	
FOUNDATION:	MASONRY ENCLOSED CONCRETE PAD POSTS		-
ATTACHMENTS:	(Describe) NIL		
ACCESSIBILITY:	Fire fighting restricted by:	-	
ROOF:	Blind Space ft. Used for; Joist 🖸, Other 🗆 (Specify)		-
	Mansard: Left □, Right □, Front □, Back □;		
	Covering: Wood Shingles □; Tarpaper □; Patent ☑; Other □ (Specify)	-	
ELECTRIC WIRING:	Used Exclusively - Type "S" Fuses : Type "C" Fuses & Rejector System :		
	Circuit Breakers : Ordinary Fuses		
	Aluminum Wiring □; Rigid Conduit □; Open □		
FLOORS:	Grade floor CONCRETE . Basement: YES . NO . Steel Supports: YES . NO .		
	Supporting Steel adequately protected: YES NO		
	COLUMNS & BEAMS - BT.Nbr; 1st.Nbr; 2nd.Nbr; 3rd.Nbr; 4th.Nbr	03	
EXPOSED STEEL:	The second of th		
HEATING:	Furnace (Convection) Nbr O.G.C.W.; Quebec Heaters Nbr O.G.C.W.; O.G.C.W.;		
	Hot Water, Steam Nbr3 9.G.C.W.; Fire Resistive Room YES NO	NIL	
/	Suspended Ceiling Units Nbr 0.G.;		
/	Electric Heating: Portable, Permanently installed;		
	Salamanders, Oil Drums, etc. (Describe)	-	+
	Oil Burners - Listed YES NO ; Fuel Oil Tanks - Listed YES NO		-
CHIMNEYS:	SOLID BRICK FROM GROUND Mbr3; LISTED FACTORY BUILT INDE	NIC	No.
	BRACKET Nbr Outside Bldg. Inside Bldg. Supported by floor or roof joists	-	-
	METAL STACKS Nbr GAUGE STEEL Ins., FOUNDATION	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	STOVEPIPE CHIMNEYS Nbr; CLAY, CEMENT & ASBESTOS PIPES Nbr;		
	DEFICIENCIES (Describe):		

Continued -				Charg		Ded.
	(Total broug	ht fwd.)		58		-
DWER:	AIR CONDITIONING, COMPRESSORS, REFRIGERATION, H.P. Sup'vd.	Unsup'vo	i. 🗆;			
	OTHER ELEC. MOTORS, H.P. MANUALLY CONTROLLED YI	S 🗆 NO) [];			-
	PROCESS BOILERS , Nbr O.G.C.W., CLEARANCE					
	In Fire Resistive Room YES NO			-	-	
MORITAZ	STACK CLEARANCE			- resident	-	
TERIOR FINISH:	BT, 1st. 2nd. 3rd.	4th	. 1			
	WALLS WOUNT DICKENT PIGYO WIT			63		03
	CELLINGS PIGHT PIGHT			4.2		02
	PARTITIONS PIGYP PIGYP	1		0.5	-	
ERTICAL	Masonry shafts with Class "B" self-closing doors - Nbr From	То	;			
PENINGS:	Self-closing trap doors inches thick - Nbr From				_	
1061/10 1117	Sub-standard shaft or doors with saif-closing doors - Nbr From From	To		18		
	Other than above or open stairs - Nbr3 From	T To	ST;	1.8		
NTERNAL	EXTINGUIDITE OF THE LAND CO.	etails see			-	
ROTECTION:	STANDPIPE & HOSE Standard : Non-Standard :					
	SPRINKLERED BASEMENT: YES NO , Approved installation Y	ES NO	:			
	AUTOMATIC FIRE DETECTION SYSTEM: Local or otherwise - state					
	Partial Sprinkler System (in Hazardous areas): YES NO			-5		
CCUPANCY &	Item # 210 PUBLIC CHUB pheto tudio			-40	r	
ROCESS:		**************	*********			
	220 BARBER SHEP			0.	-	
			**'		-	
ENANTS &	Item # 344 RETAIL COTHING SALES				5	
ROCESS:	1504 OFFICES		"MISC"	N	1c	•
	430 DWELLINGS		Muse	u	1	
AULTS OF						
MANAGEMENT:						
			96	130		05
	The state of the s	D-4		. 0	Culting out of Discounter	
ESTIMA	-du2 E	Deduction	41	12	6	
211	Less Special Occupancy	Reduction				
estore.	(Where applicable			120	PROCESS CONTRACTOR	
EXPOSURE:	LO'TO SERINKUE REQUENTE	Reta		42		
D-	Co-Insurance Credit: Bldg	neta	91			P-2 0
	late Code(s) IBC Codes: Terr 8.5 Ind 79.4 Cons 4 Prot 2	Contents Extra	No. Co.	80% Cn.	No. Co.	80% Co.
- 1	Building (2 - B/H c B - P)		126	130	88	701
196 196		20	146	124		
794 196		75	201	174	Fs.	limate
569 196	- Sylves - S	20	146	1.14	to M	. The
729 196	BARRER SHOP CONTENTS		166	-	- H	me_
7 ST 34 HILL	Office Contents	71.7	142	124	595	-0175
196	Machinery Curniture & Civeures (Equipment)	20	ME		213	11.
- 196		20	146	125		-
	Dwelling Contents	15	140	120	1	
- 196	Report No.	Initial:	-	0	27-	1.78

APPENDIX III CHAIN OF TITLE

APPENDIX IV CITY DIRECTORY SEARCH



Project Property: 2636 Eglinton Avenue West, York, Ontario

Report Type: City Directory
Order No: 22091500232

Information Source: Polk's Toronto Central West York, Criss Cross Directory (TRL)

Date Completed: September 27, 2022

Polk's Toronto Central West York, Criss Cross Directory (TRL)

PROJECT NUMBER: 22091500232	
Site Address:	2636 Eglinton Avenue West, York, Ontario
Year: 2001	
Site Listing:	-Elizabeth Fashion
Adjacent Properties:	
Eglinton Avenue West (2516-2690)	-All Residential
	2518-Black Inmates & Family Assembly
	-Sam-Cell
	-Small Folkes Multi SVC Agency
	2522-Nana's Hair Palace
	25260-E Lee Fashions
	-Mike's Men's Wear
	2534-L&L Linerie
	2536-Zula's Religious Store
	2538-Usamah Halal Meat & Grocery
	2540-Alnoor Halal Pizza & Chicken
	2542-The Palace of Beauty
	2544-OJ Discount Store
	2562-Cantu Furniture & Interiors Ltd
	2566-Ashley Housen Intl Salons
	2570-Saint Clair Paint & Paper



-Saint Clair The Paint & Paper People 2572-Eglinton Scott Physiotherapy & Rehab -Keelington Pharmacy 2612-Valiant Hardware Ltd 2616-Oakwood Cure & Spice Shop 2624-A S Fabrics 2636-Elizabeth Fashions 2642-Gloria's Beauty Salon 2654-Block Buster Liquidation 2690-TDSB 2517-Tinnel's West Indian Take-Out 2521-Easy Shopping 2525-Pasta Fiorentina 2527-Flordia Pizza -Puccini's Restaurant 2531-Hi Tech Paging -Sun Star Printing 2533-Inner City Wear -Perfect Hair Studio 2535-G T A Dry Cleaners 2537-Costa Verde Barbecue Chicken 2541-Kennedy Gerard M P P Constituency Office 2543-Baf Beauty Supply & Salon 2547-Law Office -Delaware Val Gifts

-Delaware Val Jewellers Ltd



2549-McGuire & Greer 2555-Venezia Travel Agency 2557-Eglinton & Keele Fish Market 2559-Uniform Headquarters 2561-Ther's Beauty Salon 2565-Westend Carpet 2573-New Look Barber & Beauty Salon 2577-Beauty Queen Hair Styles 2579-Rosemond Beauty Salon 2581-King of Discount 2585-Louisiana Parisienne Billiards 2589-Homelife Treasure Realty Ltd 2593-Flower Fair Florist 2595-Furniture Are Us L N C 2597-A & G West Indies Food 2599-York Village Butcher Shop & Deli 2601-Today's Cleaning SVC 2603-Chester's Fried Chicken 2609-Variety & Video 2611-JVL Corp -New York Tavern Steakhouse 2623-TD Bank 2633-Hair Salon 2635-The Snack 2639-Triple Triple Pizza & Chicken 2641-Viv's Island Take Out & Catering 2643-Pan De Ambato



	acce contains a color
	2665-Gem's Beauty Salon
	2667-Communication Message Center
	-Como Refrigeration & Air Conditioning
	-Tone Communication Answering SVC
	-Tracy Plumbing & Heating SVC
	2669-Rising Star Enterprise & Religious Supplies
	2675-York Variety
	2679-Rose Variety
	2681-Braids Unlimited
	2683-Fancy Pride Pastries
	2685-Keelesdale Restaurant
	2687-Nunziata Constituency Office
Avon Drive (1-20)	-All Residential
Bicknell Avenue (240-276)	-All Residential
Cameron Avenue (140-200)	-All Residential
Greenacres Road (All)	-All Residential
Holwood Avenue (70-105)	-All Residential
Keele Street (1798-1880 Even)	-All Residential
	1856-Wally's Newfoundland Products
	-T & B Electronic Services



Keele Street (1815-2057 Odd)	-All Residential
	1947-Church of God
	1977-Zak's Variety
	1997-Can Jam Woodworking
	-Right Windows & Doors
Lane S Eglinton W Yarrow (All)	-Street Not Listed
Lane W Scott S Cameron (All)	-Street Not Listed
Lester Avenue (20-50)	-All Residential
Lonborough Avenue (100-130)	-All Residential
Richardson Avenue (1-16)	-All Residential
	2-Archdiocese of Toronto
	4-Church of the Immaculate Conception
Scott Road (230-300)	-All Residential
Trethewey Drive (1-40)	-All Residential
	2-TDSB
Yarrow Road (40-100)	-All Residential
Yore Road (58-110)	-All Residential
L	



PROJECT NUMBER: 22091500232	
Site Address:	2636 Eglinton Avenue West, York, Ontario
Year: 1995	
Site Listing:	-Antonio Foto Lab
Adjacent Properties:	
Eglinton Avenue West (2516-2690)	-All Residential
	2516-Fish Market
	-Midland Jug Milk
	2518-JP Fashion
	2520-Halal Meat Packers
	-King Culture Records Co
	2522-Golden In Take Out
	2526-E Lee Fashions
	-Per's Plumbing Supplies LTD
	2530-Covoto's Restaurant & Tavern
	-Ruffles' West Indian Restaurant
	2532-Blue Lagoon Restaurant
	2540-Tailors
	-Wendy's
	2542-The Palace of Beauty
	2544-Allen Barbers
	2546-Hair Salon
	2558-Lastrada Investments



2562-Cantu Furniture & Interiors Ltd 2566-Salon -Palace Maid and Maintenance SVC 2568-Bacher Wagman & Assoc 2570-Benab Restaurant 2572-Eglinton Scott Physiotherapy & Rehab 2584-Carmen & Frank's Garage -Auto Parts -Omega Import & Export LTD -Scarboro Subaru 2590-Apak Auto Electric LTD 2594-New World Industries 2600-Medical Laboratory -Drug Mart -Medical Office 2602-Sandy's Fashions & T Shirt SHP 2604-Seven Island Fresh Fish 2610-Gas Bar -Rubinoff & Rubinoff -Sureway Janitorial SVC -Wexline Motors 2612-Valiant Pro Hardware LTD 2620-Banner Protection SVC INC -Mr Beker Convenience Store 2622-Doctor's Office -Southern Reflection Boutique 2624-A S Fabrics



2636-Antonio Foto Lab 2642-First Commerce Capital INC -Doctor's Office 2644-Brimly Bowl 2648-Eastown Restaurant 2654-Gildo Bros Supermarket 2658-What A Video 2690-TDSB 2517-Easy Shopping 2519-Santa Croce Bakery 2521-Universal Sportswear 2527-Puccini's Restaurant 2529-Tru-Tone Cleaners 2531-E Lee Fashions -Glamour Hairstyle 2533-Johnetta -Roma Barber Shop 2535-Eglinton Fruit Market 2537-Costa Verde Barbecue Chicken 2541-Occasions 2543-The Safe Sex Shop 2545-Doctor's Office -Westie Enterprises 2547-Bernard Eastman QC -De Val Jewellers LTD

-Black Forest Steak House



-Peterson D'Andrea -De Val Gifts 2549-Town Group INC 2555-Doctor -Martial Arts -Nappy Hair Shoppe -Natural Health Clinic -Venezia Travel Agency 2557-Eglinton & Keele Fish Market 2561-Ther's Beauty Salon 2563-Doctor's Office 2565-Sweet Dentures 2567-Harvey Warbucks OD 2569-Keelington Pharmacy 2573-New Look Barber & Beauty Salon 2575-Jaguar Unisex Salon -Rafferty's 2577-Beauty Queen Hair Styles 2579-Beauty Salon 2581-Auto Spot -Clarendon Trading Co 2583-Thruway Muffler Center 2585-Parisienne Billiards 2589-Treasure Realty Ltd 2591-Club Sociale Ricreativo 2593-Flower Fair Florist 2595-CB Exclusive Homecooked Foods



2599-York Village Butcher Shop & Deli 2603-Bob Rea MPP York South 2605-Aaron Protection SVC -Shahnaz Herbal INC 2607-Ziansan Food Shop 2609-Variety & Video 2611-York Steakhouse & Tavern 2615-Home Style Burgers -Hub 2623-TD Bank 2625-Sam's Billiards 2627-Rex 2829-Palace Health Club 2633-Mr D Vegetarian & Variety 2635-Bridgetown Bakery & Café 2637-K&K Donuts 2639-Catus Canyon Sports Bar 2641-Paulmac's Pet Food 2643-Bruce McGuire 2665-Buckmart -Gems Beauty 2667-Como Refrigeration & Air Conditioning -Herjat Foods -Tone Communication Answering SVC -Tracy Plumbing & Heating SVC 2669-Magn

2597-A & G West Indies Food



	2671-Nica's Beauty Aid
	2675-York Variety
	2679-Rose Variety
	-Scarboro Farms INC
	2681-Gisini Printing Co
	2683-Fancy Pride Pastries
	2685-Keelesdale Restaurant
	2687-Vanity Pen
Avon Drive (1-20)	-All Residential
Bicknell Avenue (240-276)	-All Residential
Cameron Avenue (140-200)	-All Residential
	174-McFarlane Mobile Wash
	192-Michael Coward Consulting
Greenacres Road (All)	-All Residential
Holwood Avenue (70-105)	-All Residential
	96-Yorkside Roofing & Contracting
Keele Street (1798-1880 Even)	-All Residential
	1856-Hair Styling
	-C&A Newfoundland Meat & Fish
Keele Street (1815-2057 Odd)	-All Residential
L	I .



	1947-Church of God
	1977-4 Seasons Driving School
	-Stop & Eat Burger-Dairy Bar
Lane S Eglinton W Yarrow (All)	-Street Not Listed
Lane W Scott S Cameron (All)	-Street Not Listed
,	
Lester Avenue (20-50)	-All Residential
Lambarrach Arrange (100 120)	-All Residential
Lonborough Avenue (100-130)	-All Residential
	116-Tiny A Paid Co
Richardson Avenue (1-16)	-All Residential
Menardson Avenue (1-10)	
	4-Church of the Immaculate Conception
Scott Road (230-300)	-All Residential
(200 000)	
	277-Masjid E Noor
Trethewey Drive (1-40)	-Street Not Listed
Yarrow Road (40-100)	-All Residential
	91-Flex Hairstyling
Yore Road (58-110)	-All Residential
L	_1

PROJECT NUMBER: 22091500232	



Site Address:	2636 Eglinton Avenue West, York, Ontario
Year: 1991	
Site Listing:	-Antonio Foto Lab
Adjacent Properties:	
Eglinton Avenue West (2516-2690)	-All Residential
	2516-Fish Market
	2518-Custom Tailor
	2520-King Culture Records Co
	2526-Mike's Men's Wear
	2528-Eglinton Cavalry Cross Church
	2530-West Indian Calabash
	2536-Como Refrigeration & Air Conditioning
	2538-CK's Alternative Business Typers' World
	2540-Tailors
	2542-Maria's Coiffures
	2544-Allen Barbers
	2546-Hair Stylist
	2560-2564-Cantu Furniture & Interiors
	2566-Salon
	2568-Bojay Mgmt LTD
	-Dental Office
	2572-Eglinton Scott Physiotherapy & Rehab
	2600-Medical Laboratory



-Discount Prescriptions -Medical Office 2610-Doctor's Office -Dental Office 2612-Valiant Hardware LTD 2620-Mr Beker Convenience Store 2626-Power Coin Laundry 2636-Antonio Foto Laby 2638-Dental Office -Real Estate Office 2642-Super Price Bargain Store 2660-Metro Toronto Ambulance Station 2690-TDSB 2517-Easy Shopping 2519-Santa Croce Bakery 2521-PMI Convenience Store 2525-2527-Puccini's Restaurant 2527-Flordia Pizzeria Pullini 2529-Tru-Tone Dry Cleaners 2533-Roma Barber Shop 2537-Chichelli Importing & Distributing 2539-Orinetal City 2545-Doctor's Office 2547-Doctor's Office -Law Office -De Vries Jewelers



2555-Venezia Travel Agency 2557-Eglinton-Keele Physio and Medical Center 2559-Uniform Headquarters 2563-Dental Surgeon 2565-Denture Clinic 2567-Harvey Warbucks OD 2569-2571-Keelington Pharmacy 2573-Banner Graphics 2575-Gloria's House of Beauty 2577-Beauty Queen Hair Styles 2581-St Jude's Religious Supplies 2585-Parisienne Billiards 2591-Club Sociale Ricreativo 2593-Flower Fair Florist 2595-Bakery 2597-A & G West Indies Food 2599-York Village Butcher Shop 2603-Bob Rea Community Clinic 2609-Variety & Video 2611-York Steakhouse & Tavern 2615-Home Style Burgers 2623-TD Bank 2633-Fashion Palace 2635-Royal Home Foods & Bakery 2637-K&K Donuts 2641-Bakery & Café 2643-Law Office



	2659-CIBC
	2667-Tone Communication Answering SVC
	2669-Magent Security Systems
	2675-York Variety
	2679-Rose Discount Variety
	2681-Gisini Printing Co
	2683-Fancy Pride Pastries
	2685-Keelesdale Restaurant
	2687-Office
Avon Drive (1-20)	-All Residential
	4-A&A Salvage
Bicknell Avenue (240-276)	-All Residential
Cameron Avenue (140-200)	-All Residential
	174-McFarlane Mobile Wash
	192-Michael Coward Consulting
Greenacres Road (All)	-All Residential
Holwood Avenue (70-105)	-All Residential
Keele Street (1798-1880 Even)	-All Residential
	1820-Keelsdale Motor SVC
	1856-C&A Newfoundland Meat & Fish
	-Hair United



Keele Street (1815-2057 Odd)	-All Residential
	1947-Church of God
	1977-Burgers & Dairy Bar
	1993-Veroli Travel & Tours INC
Lane S Eglinton W Yarrow (All)	-Street Not Listed
Lane W Scott S Cameron (All)	-Street Not Listed
Lester Avenue (20-50)	-All Residential
Lonborough Avenue (100-130)	-All Residential
Richardson Avenue (1-16)	-All Residential
	4-Church of the Immaculate Conception
Scott Road (230-300)	-All Residential
	277-Masjid E Noor
Trethewey Drive (1-40)	-All Residential
	2-Borough of York Board of Education
Yarrow Road (40-100)	-All Residential
Yore Road (58-110)	-All Residential



PROJECT NUMBER: 22091500232	
Site Address:	2636 Eglinton Avenue West, York, Ontario
Year: 1985-1986	
Site Listing:	-Antonio Foto Lab
Adjacent Properties:	
Eglinton Avenue West (2516-2690)	-All Residential
	2516-Mama's & Papa's Restaurant
	2518-Pearl's Fashion
	2520-Church
	2522-Derek's Printing
	2524-Del'a Fashions
	2526-Men's Wear
	2528-Eglinton Cavalry Cross Church
	2530-West Indian Calabash
	2534-Cultural Sound
	2536-Ann's Beauty Salon
	2538-CK's Alternative Business
	2540-Tailors
	2542-Maria's Coiffures
	2544-Allen Barbers
	2546-Lottery Agency
	2548-Video Gallery
	2560-2564-Cantu Furniture & Interiors



2568-Bojay Mgmt LTD -Dental Office 2570-Eglinton Medical Labs 2572-Farway Travel SVC -FM Farong & Sons Building Consultants 2600-Medical Laboratory -Discount Prescriptions -Medical Office -Hair Salon 2610-Doctor's Office -Dental Office 2612-Valiant Hardware LTD 2616-Sabrina's Takeout 2620-Mr Beker Convenience Store 2622-Two Oceans Fish Store 2626-Power Coin Laundry 2636-Antonio Foto Laby 2638-Dental Office -Real Estate Office 2642-Super Price Bargain Store 2660-Metro Toronto Ambulance Station 2690-TDSB 2517-Easy Shopping 2519-Bakery 2521-Durham Chair & Store

2566-Salon



2525-2527-Puccini's Restaurant 2529-Tru-Tone Dry Cleaners 2531-A&F Hair Products -Do It Right Dry Cleaners 2533-Barber Shop -Watch Repair 2535-Acrion Taxidermy Sporting Goods 2537-Chichelli Importing & Distributing 2539-Chinese Restaurant 2541-Yarn Mart 2543-Ettore Shoe Store 2547-Law Office 2555-Venezia Travel Agency 2557-Eglinton-Keele Physio and Medical Center 2559-Uniform Headquarters 2561-Erewhon Theatre of Canada 2563-Dental Surgeon 2565-Eglinton Business Machines 2567-Electra Art Lighting 2569-2571-Keelington Pharmacy 2573-Tax Right Systems Co 2575-Gloria's House of Beauty 2577-Beauty Queen Hair Styles 2579-FM Music LTD 2581-A&G West Indies Food 2585-Parisienne Billiards 2589-Treasure Realty LTD



	2593-Flower Fair Florist
	2595-Bakery
	2597-Hair Salon
	2599-York Village Butcher Shop
	2603-Deli
	2609-Variety & Video
	2611-York Steakhouse & Tavern
	2615-Home Style Burgers
	2623-TD Bank
	2631-Beauty Salon
	2633-Market
	2635-Royal Home Bakery
	2637-KSense of Adventure Store & Takeout
	2641-Submarine Takeout
	2643-Law Office
	2659-CIBC
	2665-Beauty Salon
	2671-Barber Shop
	2675-York Variety
	2679-Rose Discount Variety
	2681-Used Clothing Store
	2683-Flea Market
	2685-Keelesdale Restaurant
	2687-Kay's Cleaners
Avon Drive (1-20)	-All Residential
	4-A&A Salvage



Bicknell Avenue (240-276)	-All Residential
Cameron Avenue (140-200)	-All Residential
Greenacres Road (All)	-All Residential
Greenadies Roda (7 m)	7 ti Nesidentiai
Holwood Avenue (70-105)	-All Residential
Keele Street (1798-1880 Even)	-All Residential
	1820-Keelsdale Motor SVC
	1824-Zammit's Eggs
	1856-C&A Newfoundland Meat & Fish
	-Hair United
Keele Street (1815-2057 Odd)	-All Residential
Recie 30 cet (1013 2037 300)	1947-Church of God
	1977-Burgers & Dairy Bar
Lane S Eglinton W Yarrow (All)	-Street Not Listed
Lane W Scott S Cameron (All)	-Street Not Listed
Lester Avenue (20-50)	-All Residential
Lonborough Avenue (100-130)	-All Residential
Londolough Avenue (100-130)	-All Residential



Richardson Avenue (1-16)	-All Residential
	4-Church of the Immaculate Conception
Scott Road (230-300)	-All Residential
	277-Masjid E Noor
Trethewey Drive (1-40)	-All Residential
	2-Borough of York Board of Education
Yarrow Road (40-100)	-All Residential
Yore Road (58-110)	-All Residential

2636 Eglinton Avenue West, York, Ontario
-San Vita Social Club
-All Residential
2518-Shaklee Center
2520-Beauty Salon
2528-Church of God
2530-Social Club



2538-Blue Star Advertising 2540-Tailors & Cleaners 2542-Maria's Coiffures 2544-Frank's Shoe Repair 2546-Smoke & Gift 2548-Photo Studio 2560-2564-Cantu Furniture & Interiors 2566-Salon 2568-Dental Surgeons 2570-Doctor's Office 2572-Pharmacy 2574-Taxright System Co 2600-Medical Laboratory -Discount Prescriptions -Medical Office -Hair Salon 2610-Doctor's Office -Dental Office 2612-Valiant Hardware LTD 2616-Sandwich Bar 2620-Becker's Milk 2622-Pescheria Italia 2624-Butcher 2626-Power Coin Laundry 2636-San Vita Social Club 2638-Dental Office

2534-TV & Radio



2642-Ladies Wear 2654-Darrigo's Supermarket 2660-Metro Toronto Ambulance Station 2690-TDSB 2517-Foocery & Shopping 2519-Bakery 2525-2527-Puccini's Restaurant 2529-Tru-Tone Dry Cleaners 2531-Smoke Shop 2533-Barber Shop -Watch Repair 2537-Chichelli Importing & Distributing 2539-Restaurant 2541-Yarn Mart 2543-Ettore Shoe Store 2547-YMCA 2557-FAL Photo Agency 2559-Uniform Headquarters 2561-Leather Fashions 2563-Grocer 2567-Electra Art Lighting 2569-2571-Alba Fashion Textiles 2573-Anna Fashions 2575-Gloria's House of Beauty 2577-Beauty Queen Hair Styles 2579-Continental Safety Shoes



2581-Tailor
2585-Parisienne Billiards
2589-Realty Office
2593-Flower Fair Florist
2595-Bakery
2597-Hair Salon
2599-Eglinton Furniture
2603-Triffon Pizza
2611-York Steakhouse & Tavern
2615-Fast Food & Donuts
2623-TD Bank
2631-Beauty Salon
2633-Market
2635-Royal Home Bakery
2637-Roma Printing
2639-Clothing Store
2641-Billy's Hamburgers
2643-Law Office
2659-CIBC
2665-Beauty Salon
2669-Delux Plumbing & Heating
2675-Barber Shop
2679-Variety & Deli
2681-Records On Wheels
2685-Keelesdale Restaurant
2687-York Mortgage Brokers



Avon Drive (1-20)	-All Residential
	4-A&A Salvage
Bicknell Avenue (240-276)	-All Residential
Cameron Avenue (140-200)	-All Residential
Currer on Avenue (140 200)	7 II Nesidential
Greenacres Road (All)	-All Residential
Holwood Avenue (70-105)	-All Residential
Keele Street (1798-1880 Even)	-All Residential
	1820-Keelsdale Motor SVC
	1824-Zammit's Eggs
	1856-C&A Newfoundland Meat & Fish
	-Hair United
Keele Street (1815-2057 Odd)	-All Residential
Recie Street (1815-2057 Odd)	1947-First Church of God
	1977-Burgers & Dairy Bar
Lane S Eglinton W Yarrow (All)	-Street Not Listed
Lane W Scott S Cameron (All)	-Street Not Listed
Lester Avenue (20-50)	-All Residential



-All Residential
-All Residential
4-Church of the Immaculate Conception
-All Residential
277-Masjid E Noor
-All Residential
2-Borough of York Board of Education
-All Residential
-All Residential

PROJECT NUMBER: 22091500232	
Site Address:	2636 Eglinton Avenue West, York, Ontario
Year: 1975	
Site Listing:	-Unisex Boutique
Adjacent Properties:	
Eglinton Avenue West (2516-2690)	-All Residential
	2520-Beauty Salon
	2522-Beauty Care & Boutique



2526-Hair Salon -West Indian Supermarket 2528-Physical Therapist 2530-Cantu Furniture 2536-Centannial Pants 2538-Blue Star Advertising 2540-Tailors 2542-Beauty Salon 2544-Shoe Repair 2546-Smoke & Gift 2548-Photo Studio 2560-Studio Bowlerama 2562-Cantu Furniture & Interiors 2564-Papis Jewellery 2568-Dental Surgeon 2570-Doctor's Office 2572-Biaconi Pharmacy 2600-Northwestern Medical Building -Hairstylist 2602-Pescheria Italia 2610-Multi Tenant Medical 2612-Valiant Hardware LTD 2616-Radio & Television 2620-Becker's 2624-Butcher Shop 2636-Unisex Boutique

2524-West Indian Supermarket



-Doctor's Office 2642-Clothing Store 2654-Supermarket 2660-Metro Toronto Ambulance Station 2690-TDSB 2521-Launderama 2525-2527-Flordia Restaurant & Pizza 2529-Tru-Tone Dry Cleaners 2531-Clothing 2533-Medical Lab -Electronics 2537-Cicchelli Importing & Distributing -Discount Variety 2539-New Far East 2541-Optical Lab 2543-Shoe Store 2547-Center Partnership Board 2555-Venezia Travel Agency 2557-Easy Living Center 2559-Music Land 2561-Election Canada 2563-Grocer & Butcher 2567-Electra-Art Light 2569-2571-Alba Fashions Textiles 2573-Taxright Systems

2638-Dental Office



2575-Hair Stylist 2577-Unique Furniture & Upholstering 2579-Eglinton Shoe Store 2581-Tailor 2585-Billiards 2591-Eglinton Furn & App 2593-Italian Canadian Ceramic Imports 2595-Bakery 2597-Hair Stylists 2599-Chap Printing 2603-Pizza 2611-York Tavern 2623-TD Bank 2631-Hairdressing 2633-Variety Store 2635-MF Cleaners 2637-Roma Printing 2639-Clothing Store 2641-Billy's Hamburgers 2643-Law Office -Realty Office -Insurance 2659-CIBC 2665-Hair Stylist 2667-Barber Shop 2669-Upholsterer 2675-Barber Shop



	2681-TV Repairs
	2683-Artex Flooring
	2685-Keelesdale Restaurant
	2687-House of Denim
Avon Drive (1-20)	-All Residential
Bicknell Avenue (240-276)	-All Residential
Cameron Avenue (140-200)	-All Residential
Greenacres Road (AII)	-All Residential
Holwood Avenue (70-105)	-All Residential
Keele Street (1798-1880 Even)	-All Residential
	1820-Keelsdale Motor SVC
	1824-Zammit's Eggs
	1870-Northwest Toronto Tabernacle of God
Keele Street (1815-2057 Odd)	-All Residential
	1947-Church
	1977-Burgers & Dairy Bar
	-Canadian Handicapped Assistance Program
	1993-Law Office
	2055-Zuccato & Tonus Co



Tante o Eginton to Tantett (7 m)	Street Not Listed
Lane W Scott S Cameron (All)	-Street Not Listed
Lester Avenue (20-50)	-All Residential
Lonborough Avenue (100-130)	-All Residential
Richardson Avenue (1-16)	-All Residential
	4-Church of the Immaculate Conception
Scott Road (230-300)	-All Residential
	277-Church
Trethewey Drive (1-40)	-All Residential
	2-York Board of Education
Yarrow Road (40-100)	-All Residential
Yore Road (58-110)	-All Residential
PROJECT NUMBER: 22091500232	
Site Address:	2636 Eglinton Avenue West, York, Ontario
Year: 1970	

-Greenhill Pharmacy

-Street Not Listed



Site Listing:

Lane S Eglinton W Yarrow (All)

Adjacent Properties:	
Eglinton Avenue West (2516-2690)	-All Residential
	2516-2518-Tarnow J Co LTD
	2520-Beauty Salon
	2524-Fruili Importing Co
	2526-Tarnow J Co LTD
	2528-Grocery & Meat
	2540-Tailors
	2542-Beauty Salon
	2544-Shoe Repair
	2546-Smoke & Gift
	2548-Photo Studio
	2560-Studio Bowl
	-Studio Billiards
	2562-IGA Foodliner
	2564-Keelton Cleaners
	2566-Mayfair Drapery & Rug
	2568-Bachelor Sales
	2572-Biaconi Pharmacy
	-Post Office
	2600-Northwestern Medical Building
	2612-ValiantHardware LTD
	2620-Becker's
	2636-Greenhill Pharmacy
	2638-Dental Office



-Doctor's Office 2642-Delta' Fashions 2660-Metro Toronto Ambulance Station 2690-TDSB 2521-Launderama 2525-2527-Flordia Restaurant & Pizza 2529-Tru-Tone Dry Cleaners 2531-Tailor 2533-Beauty Parlor -Jewellery Store -Barber Shop 2539-Mike's Fish N' Chips 2541-Liberty Textile Center 2543-Shoe Store 2545-Clothing Store 2547-YMCA 2555-Venezia Travel Agency 2557-Variety & Stationary 2559-Music Center 2561-York Hardware 2563-Grocer & Butcher 2567-Active Hobby Center 2569-Alba Fashions Textiles 2571-Super Rug Co 2577-National Meat Market 2579-Eglinton Shoe Store



2581-Discount Dept Store 2585-2587-Excelsior Shoe Repair 2589-Quality Bargain Center 2591-Eglinton Furn & App 2593-Wychwood Park Uphol 2595-Dressmaker 2597-Hair Stylists 2599-Best Way Dept Store 2603-York Restaurant 2607-Barber Shop 2609-Gift & Tobacco 2623-TD Bank 2631-Hairdressing 2633-Richard's Open Kitchen 2635-MF Cleaners 2637-Roma Printing 2639-Tropical Furniture Mart 2643-Law Office -Realty Office -Insurance 2659-CIBC 2665-Hair Stylist 2667-Barber Shop 2675-Barber Shop 2679-Variety Store 2681-Angus Franck Co 2683-Centennial Glass & Mirrors



Avon Drive (1-20) -All Residential Bicknell Avenue (240-276) -All Residential Cameron Avenue (140-200) -All Residential Greenacres Road (All) -All Residential Holwood Avenue (70-105) -All Residential Keele Street (1798-1880 Even) -All Residential 1820-Keelsdale Motor SVC 1824-Zammit's Eggs
Avon Drive (1-20) -All Residential Bicknell Avenue (240-276) -All Residential Cameron Avenue (140-200) -All Residential Greenacres Road (All) -All Residential Holwood Avenue (70-105) -All Residential Keele Street (1798-1880 Even) -All Residential 1820-Keelsdale Motor SVC
Bicknell Avenue (240-276) -All Residential Cameron Avenue (140-200) -All Residential Greenacres Road (All) -All Residential Holwood Avenue (70-105) -All Residential Keele Street (1798-1880 Even) -All Residential 1820-Keelsdale Motor SVC
Bicknell Avenue (240-276) -All Residential Cameron Avenue (140-200) -All Residential Greenacres Road (All) -All Residential Holwood Avenue (70-105) -All Residential Keele Street (1798-1880 Even) -All Residential 1820-Keelsdale Motor SVC
Cameron Avenue (140-200) -All Residential Greenacres Road (All) -All Residential Holwood Avenue (70-105) -All Residential Keele Street (1798-1880 Even) -All Residential 1820-Keelsdale Motor SVC
Cameron Avenue (140-200) -All Residential Greenacres Road (All) -All Residential Holwood Avenue (70-105) -All Residential Keele Street (1798-1880 Even) -All Residential 1820-Keelsdale Motor SVC
Greenacres Road (All) -All Residential Holwood Avenue (70-105) -All Residential Keele Street (1798-1880 Even) -All Residential 1820-Keelsdale Motor SVC
Greenacres Road (All) -All Residential Holwood Avenue (70-105) -All Residential Keele Street (1798-1880 Even) -All Residential 1820-Keelsdale Motor SVC
Holwood Avenue (70-105) -All Residential Keele Street (1798-1880 Even) -All Residential 1820-Keelsdale Motor SVC
Holwood Avenue (70-105) -All Residential Keele Street (1798-1880 Even) -All Residential 1820-Keelsdale Motor SVC
Keele Street (1798-1880 Even) -All Residential 1820-Keelsdale Motor SVC
Keele Street (1798-1880 Even) -All Residential 1820-Keelsdale Motor SVC
1820-Keelsdale Motor SVC
1820-Keelsdale Motor SVC
1824-Zammit's Eggs
1856-Barber Shop
-TV Repair
Keele Street (1815-2057 Odd) -All Residential
1819-Doms Texaco SVC
1947-Church
1977-Chiropractors
1993-Law Office
Lane S Eglinton W Yarrow (All) -Street Not Listed



Lane W Scott S Cameron (All)	-Street Not Listed
Lester Avenue (20-50)	-All Residential
Lonborough Avenue (100-130)	-All Residential
Richardson Avenue (1-16)	-All Residential
	**-Church of the Immaculate Conception
Scott Road (230-300)	-All Residential
	277-Church
Trethewey Drive (1-40)	-All Residential
	2-York Board of Education
Yarrow Road (40-100)	-All Residential
Yore Road (58-110)	-Street Not Listed
PROJECT NUMBER: 22091500232	
Site Address:	2636 Eglinton Avenue West, York, Ontario

Site Address:	2636 Eglinton Avenue West, York, Ontario
Year: 1965	
Site Listing:	-Greenhill Pharmacy
Adjacent Properties:	



Eglinton Avenue West (2516-2690)	-All Residential
	2516-2518-Tarnow J Co LTD
	2520-Beauty Salon
	2522-Sign Art Studio
	2524-Beaity Parlor
	2528-Grocery & Meat
	2524-Reak Estate Office
	2536-Kurt's Barber
	2538-Fuel Oil Co LTD
	2540-Tailors & Cleaners
	2542-Beauty Salon
	2544-Shoe Repair
	2546-Smoke & Gift
	2548-Photo Studio
	2560-Studio Bowl
	-Studio Billiards
	2562-IGA Foodliner
	2564-Keelton Cleaners
	2566-Mayfair Drapery & Rug
	2568-Stationary
	2572-Biaconi Pharmacy
	-Post Office
	2600-Northwestern Medical Building
	2610-Beauty Salon
	2612-ValiantHardware LTD
	2620-Becker's



2622-Jewellery & Variety Store 2624-Active Hobby Center 2626-Crosstown Dept Store 2636-Greenhill Pharmacy 2638-Dental Office -Doctor's Office 2642-Clothing Store 2654-Loblaws 2660-Esso 2690-TDSB 2521-Launderama 2525-Dining Room 2527-Flordia Bar and Restaurant 2529-Tru-Tone Dry Cleaners 2531-Tailor 2533-Barber Shop 2535-Tailor 2537-Flower Store 2539-Mike's Fish N' Chips 2541-Liberty Textile Center 2543-Shoe Store 2545-Clothing Store 2547-YMCA 2555-Webb;s Fish & Chips 2557-Variety & Stationary 2559-Accordion Center



2563-Sporting Goods 2567-Butcher 2569-Venezia Travel Agency 2571-Dressmaker 2573-Men's Wear 2575-Ladies Fashions 2577-National Meat Market 2579-Eglinton Shoe Store 2581-Fashion Center 2585-2587-Excelsior Shoe Repair 2589-Quality Bargain Center 2591-Greenacres Hardware 2593-Wychwood Park Uphol 2597-Hair Stylists 2599-Best Way Dept Store 2603-York Restaurant 2607-Barber Shop 2609-Gift & Tobacco 2611-IDEA Appliances 2615-Service Center 2623-TD Bank 2631-Naples Artisan Shop 2633-Chris' Open Kitchen 2635-MF Cleaners 2637-Hairstylists 2643-Law Office

2561-York Hardware



	-Realty Office
	-Insurance
	2659-CIBC
	2665-Farrell Bros
	2667-Barber Shop
	2671-Beauty Salon
	2673-2675-Collegiate Variety
	2679-Real Estate
	2681-Shoe Repair
	2683-Cleaner
	2685-Keelesdale Restaurant
	2687-Genl Time Recorders
Avon Drive (1-20)	-All Residential
Bicknell Avenue (240-276)	-No Listings Within Radius
Cameron Avenue (140-200)	-All Residential
	189-Dental Surgeon
Greenacres Road (All)	-All Residential
Holwood Avenue (70-105)	-All Residential
Keele Street (1798-1880 Even)	-All Residential
	1820-Keelsdale Motor SVC
	1824-Zammit's Eggs



	1856-Barber Shop
	-TV Repair
Keele Street (1815-2057 Odd)	-All Residential
	1819-Jim's Texaco SVC
	1947-Church
	1977-Findlay's Dairy Bar
	-Chiropractor
	1993-Law Office
Lane S Eglinton W Yarrow (All)	-Street Not Listed
Lane W Scott S Cameron (All)	-Street Not Listed
Lester Avenue (20-50)	-All Residential
Lonborough Avenue (100-130)	-All Residential
Richardson Avenue (1-16)	-All Residential
	**-Church of the Immaculate Conception
Scott Road (230-300)	-All Residential
	272-Concrete Contractor
	277-Church
Trethewey Drive (1-40)	-All Residential
	2-York Board of Education



Yarrow Road (40-100)	-All Residential
Yore Road (58-110)	-Street Not Listed

DDOLECT NUMBER, 22004500222	
PROJECT NUMBER: 22091500232	
Site Address:	2636 Eglinton Avenue West, York, Ontario
Year: 1960	
Site Listing:	-Greenhill Pharmacy
Adjacent Properties:	
Eglinton Avenue West (2516-2690)	-All Residential
, ,	STAC Developed City Character
	2516-Reynoldo's Gift Shop
	2518-Tarnow J Co LTD
	2520-Beauty Salon
	2522-Sign Art Studio
	2524-Lawn & Garden Supplies
	2526-Liberty Sewing Center
	2528-Grocery & Meat
	2532-Real Estate Office
	2534-Real Estate
	2536-Kurt's Barber
	2538-Concord Securities LTD
	2540-Tailor



2542-Beauty Salon 2544-Orsema Importing Co 2546-Smoke Shop 2548-Dias Realty LTD 2562-IGA Foodliner 2564-Keelton Cleaners 2566-Mayfair Drapery & Rug 2568-Consumer Gas Co 2570-Kensol's Bargain Center 2572-Biaconi Pharmacy 2600-Northwestern Dispensing Chemists -Hair Stylist -Doctor's Office 2612-York Hardware 2616-Jim's Laundry & Cleaner 2618-Ladies Wear 2622-Fashion Center 2624-Active Hobby Center -Academy Hobby Center 2626-Real Estate -Law Office 2636-Greenhill Pharmacy 2638-Dental Office -Doctor's Office 2642-Clothing Store 2654-Loblaws 2660-Service Station



2690-TDSB 2519-Real Estate 2525-Billiards 2527-Restaurant 2529-Tru-Tone Dry Cleaners 2531-Tailor -Beauty Parlor 2533-Draperies 2535-Fairview Paint & Wallpaper 2537-Flower Store 2539-Mike's Fish N' Chips 2541-Winter Seal of Canada 2543-Shoe Store 2547-YMCA 2555-Webb's Fish & Chips 2557-Smoke & Gift 2559-Accordion Center 2561-Excelsior Shoe Store 2563-Sporting Goods 2567-Grocery & Meat 2569-Venezia Travel Agency 2575-Ladies Sportswear 2577-National Meat Market 2579-Eglinton Shoe Store 2581-Lewis Products LTD 2585-Bo-Bo Cleaners & Launderers



2587-Tele-Service Redg -Channel TV Service Co 2589-Quality Bargain Center 2591-Greenacres Hardware 2593-Wychwood Park Uphol 2595-Mazur's Pharmacy -Post Office 2597-Best Wat Dept Store 2603-York Restaurant 2607-Barber Shop 2609-Restaurant 2611-Peters Television 2615-Service Center 2623-TD Bank 2631-Acres Flower Shop 2633-Chris' Open Kitchen 2635-Jewellery & Gift Shop -Green Acres Beauty Salon 2637-Children's Clothing 2639-Hardware Store 2643-Men's Shop 2659-Canadian Bank of Commerce 2665-TV SVC CTR 2667-Barber Shop 2669-Real Estate Office 2671-Beauty Salon 2673-2675-Collegiate Variety



	2677-2679-Real Estate
	2681-Shoe Repair
	2683-Cleaner
	2685-Cameron's Grill
	2687-Genl Time Recorders
Avon Drive (1-20)	-All Residential
Bicknell Avenue (240-276)	255-Winter & Associates
	-Residential (1 Tenant)
Cameron Avenue (140-200)	-All Residential
Greenacres Road (All)	-All Residential
Holwood Avenue (70-105)	-All Residential
Keele Street (1798-1880 Even)	-All Residential
	1820-Grocer & Butcher
	1822-Keelsdale Motor SVC
	1856-Marjory's Bakery
Keele Street (1815-2057 Odd)	-All Residential
	1819-Texaco SVC
	1947-Church
	1977-Findlay's Dairy Bar
	-Adult Probation SVC for York
	1



Lane S Eglinton W Yarrow (All)	-Street Not Listed
Lane W Scott S Cameron (All)	-Street Not Listed
Lester Avenue (20-50)	-All Residential
Lonborough Avenue (100-130)	-All Residential
Richardson Avenue (1-16)	-All Residential
	1-Margaret's Dressmaking
	9-Town Paving Co
	**-Church of the Immaculate Conception
Scott Road (230-300)	-All Residential
	277-Church
Trethewey Drive (1-40)	-All Residential
	2-York Board of Education
Yarrow Road (40-100)	-All Residential
Yore Road (58-110)	-All Residential
	I .

PROJECT NUMBER: 22091500232	
Site Address:	2636 Eglinton Avenue West, York, Ontario



Year: 1955	
Site Listing:	-Address Not Listed
Adjacent Properties:	
Eglinton Avenue West (2516-2690)	-All Residential
	2528-Grocery
	-Post Office
	2546-Smoke Shop
	2548-Anthony's Fruit Market
	2550-Art Studio
	2562-Laundry & Cleaners
	2564-Specilaty Shop
	-Hat Shoppe
	2566-Academy Hobby Supplies LTD
	2568-Mayfair Drapery
	2570-Real Estate
	2572-Greenhill Pharmacy
	-Law Office
	-Dentist
	-Channel TV SVC
	2574-Crescent Clothing
	2580-Loblaw's Groceteria
	2600-Service Station
	2604-TDSB



2521-Store Fixtures & Chairs

Mr D for TV and Appliances

2525-Perkins Furniture

2527-Fiarview Paint & Wallpaper

2529-Tru-Tone Dry Cleaners

2531-Beauty Parlor

2535-Green Arrow Hardware

2537-Flower Store

2539-Mike's Fish N' Chips

2541-Weather Rite of Canada

2543-Shoe Store

2547-YMCA

2555-Piston Rong Specialty

2557-Smoke & Gift

2559-Wingold Construction Co LTD

2561-Furs

2563-Ladies Shop

2565-Bakery & Deli

2567-Angleo's Food Market

2569-Children's Wardrobe

2573-Cavalier Clothiers

2585-Durable Cleaners

2587-Tele-Service Redg

2589-Real Estate Office

2591-Greenacres Hardware

2593-Wychwood Park Uphol



	2595-Smith's Rexall Drugs
	2597-Starr Bargain House
	2603-Keeton Cleaners
	2607-Eglinton Sporting Goods
	2609-Greenacres Restaurant
	2611-Gordon Electric Appliances
	2615-Service Center
	2623-TD Bank
	2631-Acres Flower Shop
	2633-Chris' Open Kitchen
	2635-Green Acres Beauty Salon
	2637-Children's Clothing
	2639-Hardware Store
	2541-Draperies
	2659-Canadian Bank of Commerce
	2665-Men's Clothing
	2667-Barber Shop
	2669-General Time Recorders
	2671-Beauty Salon
	2673-Real Estate Office
	2675-Collegiate Variety
	2677-Coffee Mat SVC
	2683-Cleaner
	2685-Cameron's Grill
	2687-Bonda Trading Co
Avon Drive (1-20)	16-Residential (1 Tenant)



	18-Residential (1 Tenant)
	20-Residential (1 Tenant)
Bicknell Avenue (240-276)	241-Residential (1 Tenant)
	245-Residential (1 Tenant)
	247-Residential (1 Tenant)
	249-Residential (1 Tenant)
	251-Residential (1 Tenant)
Cameron Avenue (140-200)	-All Residential
Greenacres Road (All)	-All Residential
Holwood Avenue (70-105)	-All Residential
Keele Street (1798-1880 Even)	-All Residential
	1820-Grocer & Butcher
	1822-Keelsdale Motor SVC
	1856-Doctor's Office
	-Children's Clothing
Keele Street (1815-2057 Odd)	-All Residential
	1819-Service Station
	1947-Church
	2053-Tornto Mid-Western Construction
Lane S Eglinton W Yarrow (All)	-Street Not Listed



-Street Not Listed
-All Residential
**-Church
-All Residential
-All Residential
49-Progressive Plumbing & Heating
-All Residential
100-Yore Market

PROJECT NUMBER: 22091500232	
Site Address:	2636 Eglinton Avenue West, York, Ontario
Year: 1950	
Site Listing:	-Address Not Listed



Adjacent Properties:	
Eglinton Avenue West (2516-2690)	-All Residential
	2518-Carload Groceries
	-Post Office
	2550-Artland Studio
	2572-Greenhill Pharmacy
	2604-YTBE
	2583-Wychwood Park Upholstery
	2593-Greenhill Groceries
	2595-Eglinton Sporting Goods
	-Greenacres Restaurant
	2601-British American SVC STN
	2609-Confeectionary
Avon Drive (1-20)	18-Residential (1 Tenant)
	20-Residential (1 Tenant)
Bicknell Avenue (240-276)	241-Residential (1 Tenant)
	245-Residential (1 Tenant)
	247-Residential (1 Tenant)
	249-Residential (1 Tenant)
	251-Residential (1 Tenant)
Cameron Avenue (140-200)	-All Residential



Keele Street (1798-1880 Even) -All Re	sidential sidential Grocer & Butcher
Keele Street (1798-1880 Even) -All Re	sidential
1820-0	
1820-0	
	Grocer & Butcher
1822-k	
	Geelsdale Motor SVC
Keele Street (1815-2057 Odd) -All Re	sidential
1819-5	Service Station
-Taxi	
Lane S Eglinton W Yarrow (All) -Street	Not Listed
Lane W Scott S Cameron (All) -Street	Not Listed
Lester Avenue (20-50) -Street	Not Listed
Lonborough Avenue (100-130) -Street	Not Listed
Richardson Avenue (1-16) -Street	Not Listed
Scott Road (230-300) -All Re	sidential
Trethewey Drive (1-40) -No Lis	tings Within Radius
Yarrow Road (40-100) -All Re	sidential



	49-Progressive Plumbing & Heating
Yore Road (58-110)	-Street Not Listed

6 Eglinton Avenue West, York, Ontario dress Not Listed Residential
dress Not Listed
Residential
Residential
Residential
Residential
8-Wrights Groceries
ot Office
0-Glenview Riding Academy
0-Wishmakers Homes Regd
eenscres LTD
stacres LTD
v Office
4-YTBE
9-Tobacco
Residential (1 Tenant)
Residential (1 Tenant)



Bicknell Avenue (240-276)	241-Residential (1 Tenant)
	245-Residential (1 Tenant)
	247-Residential (1 Tenant)
	249-Residential (1 Tenant)
	251-Residential (1 Tenant)
Cameron Avenue (140-200)	-All Residential
	153-United Brethren in Christ Mission
Greenacres Road (AII)	-Street Not Listed
Holwood Avenue (70-105)	-All Residential
Keele Street (1798-1880 Even)	-All Residential
	1820-Meat Market
	1822-Keelsdale SVC STN
Keele Street (1815-2057 Odd)	-All Residential
	1815-1819-Harold's Auto SVC
Lane S Eglinton W Yarrow (All)	-Street Not Listed
Lane W Scott S Cameron (All)	-Street Not Listed
Lester Avenue (20-50)	-Street Not Listed



Lonborough Avenue (100-130)	-Street Not Listed
Richardson Avenue (1-16)	-Street Not Listed
Scott Road (230-300)	275-Residential (1 Tenant)
	299-Residential (1 Tenant)
Trethewey Drive (1-40)	-No Listings
Yarrow Road (40-100)	-All Residential
Yore Road (58-110)	-Street Not Listed

PROJECT NUMBER: 22091500232	
Site Address:	2636 Eglinton Avenue West, York, Ontario
Year: 1940	
rear: 1940	
Site Listing:	-Address Not Listed
	, tudi ess tiet Listed
Adjacent Properties:	
Eglinton Avenue West (2516-2690)	-All Residential
	2518-Groceries
	-Post Office
	2604-YTBE



	2609-Tobacco
Avon Drive (1-20)	18-Residential (1 Tenant)
	20-Residential (1 Tenant)
Bicknell Avenue (240-276)	241-Residential (1 Tenant)
	245-Residential (1 Tenant)
Cameron Avenue (140-200)	-All Residential
	153-United Brethren in Christ Mission
Greenacres Road (All)	-Street Not Listed
Holwood Avenue (70-105)	-All Residential
Keele Street (1798-1880 Even)	-All Residential
	1818-Confectionary
	1820-Keelsedale SVC STN
Vacla Street /1915 2057 Odd\	-All Residential
Keele Street (1815-2057 Odd)	
	1815-1819-Service Station
Lane S Eglinton W Yarrow (All)	-Street Not Listed
Lane 3 Eginton W fallow (All)	-Street NOT LISTER
Lane W Scott S Cameron (All)	-Street Not Listed
Lane vv Scott S Cameron (All)	-Street NOT LISTER
Lester Avenue (20-50)	-Street Not Listed
Lester Avenue (20-30)	Street Not Listed



Lonborough Avenue (100-130)	-Street Not Listed
Richardson Avenue (1-16)	-Street Not Listed
Scott Road (230-300)	275-Residential (1 Tenant)
	299-Residential (1 Tenant)
Trethewey Drive (1-40)	-No Listings
Yarrow Road (40-100)	-All Residential
Yore Road (58-110)	-No Listings

PROJECT NUMBER: 22091500232	
Site Address:	2636 Eglinton Avenue West, York, Ontario
Year: 1935	
Site Listing:	-Address Not Listed
Adjacent Properties:	
Eglinton Avenue West (2516-2690)	-All Residential
	2548-Pearne Memorial United Church
Avon Drive (1-20)	18-Residential (1 Tenant)



	20-Residential (1 Tenant)
Bicknell Avenue (240-276)	241-Residential (1 Tenant)
	245-Residential (1 Tenant)
Cameron Avenue (140-200)	-All Residential
	153-United Brethren in Christ Mission
Greenacres Road (All)	-Street Not Listed
Holwood Avenue (70-105)	-All Residential
Keele Street (1798-1880 Even)	-All Residential
	1820-Keelsedale SVC STN
	-Confectionary
Keele Street (1815-2057 Odd)	-All Residential
	1819-Service Station
	1987-"Uncle Tom's Cabin"
Lane S Eglinton W Yarrow (All)	-Street Not Listed
Lane W Scott S Cameron (All)	-Street Not Listed
(22 - 2)	
Lester Avenue (20-50)	-Street Not Listed
Lonborough Avenue (100-130)	-Street Not Listed



Richardson Avenue (1-16)	-Street Not Listed
Scott Road (230-300)	275-Residential (1 Tenant)
	299-Residential (1 Tenant)
Trethewey Drive (1-40)	-No Listings
Yarrow Road (40-100)	-All Residential
Yore Road (58-110)	-No Listings

-	,
PROJECT NUMBER: 22091500232	
Site Address:	2636 Eglinton Avenue West, York, Ontario
Year: 1930	
Site Listing:	-Address Not Listed
Adjacent Properties:	
Eglinton Avenue West (2516-2690)	-All Residential
	**-Mount Dennis United Church
Avon Drive (1-20)	18-Absent
	20-Residential (1 Tenant)



Bicknell Avenue (240-276)	241-Residential (1 Tenant)
	245-Residential (1 Tenant)
Cameron Avenue (140-200)	-All Residential
Greenacres Road (All)	-Street Not Listed
Holwood Avenue (70-105)	74-Residential (1 Tenant)
	76-Residential (1 Tenant)
	77 Desidential (4 Towart)
	77-Residential (1 Tenant)
	79-Residential (1 Tenant)
Karla Shuart (1700 1000 From)	No Listing a Milkhin Doding
Keele Street (1798-1880 Even)	-No Listings Within Radius
Keele Street (1815-2057 Odd)	-All Residential
	1815-Auto Wreckers
	1987-Confectionary
Long C Felinter W/Yewen (All)	Chroat Nat Listan
Lane S Eglinton W Yarrow (All)	-Street Not Listed
Lane W Scott S Cameron (All)	-Street Not Listed
Lane w Scott 3 Cameron (An)	-Street Not Listed
Lester Avenue (20-50)	-Street Not Listed
Lester Avenue (20-50)	-street Not Listed
Lonborough Avenue (100-130)	-Street Not Listed
Londorough Avenue (100-130)	Street NOT LISTER



Richardson Avenue (1-16)	-Street Not Listed
Scott Road (230-300)	275-Residential (1 Tenant)
Trethewey Drive (1-40)	-No Listings
Yarrow Road (40-100)	-All Residential
Yore Road (58-110)	-No Listings

Γ	
PROJECT NUMBER: 22091500232	
Site Address:	2636 Eglinton Avenue West, York, Ontario
Year: 1925	
Teal: 1925	
Site Listing:	-Address Not Listed
Adjacent Properties:	
Eglinton Avenue West (2516-2690)	-No Listings Within Radius
Avon Drive (1-20)	-Street Not Listed
Bicknell Avenue (240-276)	-Street Not Listed
Dickrien Avenue (240-270)	-Street Not Listed
Cameron Avenue (140-200)	-Street Not Listed



Greenacres Road (All)	-Street Not Listed
Holwood Avenue (70-105)	-Street Not Listed
Keele Street (1798-1880 Even)	-Street Not Listed
Keele Street (1815-2057 Odd)	-Street Not Listed
Lane S Eglinton W Yarrow (All)	-Street Not Listed
(411)	
Lane W Scott S Cameron (All)	-Street Not Listed
Lester Avenue (20-50)	-Street Not Listed
Lester Avenue (20-50)	-street Not Listeu
Lonborough Avenue (100-130)	-Street Not Listed
Londorough Avenue (100-130)	Street Not Listed
Richardson Avenue (1-16)	-Street Not Listed
, ,	
Scott Road (230-300)	-Street Not Listed
Trethewey Drive (1-40)	-Street Not Listed
Yarrow Road (40-100)	-Street Not Listed
Yore Road (58-110)	-Street Not Listed
·	

-All listings for businesses were listed as they are in the city directory.



-Listings that are residential are listed as "residential" with the number of tenants. The name of the residential tenant is not listed in the above city directory.



APPENDIX V ERIS REPORT



Project Property: 2636-2654 Eglinton Avenue West, Toronto

2636 - 2654 Eglinton Avenue West

York ON M6M 1T7

CT3639.00 **Project No:**

Report Type: RSC Report (Urban)

Order No: 22090803393

Terrapex Environmental Ltd. Requested by:

Date Completed: September 15, 2022

Table of Contents

Table of Contents	2
Executive Summary	
Executive Summary: Report Summary	
Executive Summary: Site Report Summary - Project Property	
Executive Summary: Site Report Summary - Surrounding Properties	3
Executive Summary: Summary By Data Source	37
Map	72
Aerial	
Topographic Map	
Detail Report	75
Unplottable Summary	641
Unplottable Report	
Appendix: Database Descriptions	653
Definitions	662

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Order No: 22090803393

Executive Summary

Property Information:

Project Property: 2636-2654 Eglinton Avenue West, Toronto

2636 - 2654 Eglinton Avenue West York ON M6M 1T7

Order No: 22090803393

Project No: CT3639.00

Order Information:

 Order No:
 22090803393

 Date Requested:
 September 8, 2022

Requested by: Terrapex Environmental Ltd.

Report Type: RSC Report (Urban)

Historical/Products:

ERIS Xplorer <u>ERIS Xplorer</u>

Physical Setting Report (PSR)

PSR

Topographic Map RSC Maps

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.30km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Υ	0	0	0
AMIS	Abandoned Mine Information System	Υ	0	0	0
ANDR	Anderson's Waste Disposal Sites	Υ	0	4	4
AST	Aboveground Storage Tanks	Υ	0	0	0
AUWR	Automobile Wrecking & Supplies	Υ	0	0	0
BORE	Borehole	Υ	0	3	3
CA	Certificates of Approval	Υ	1	8	9
CDRY	Dry Cleaning Facilities	Υ	0	0	0
CFOT	Commercial Fuel Oil Tanks	Υ	0	0	0
CHEM	Chemical Manufacturers and Distributors	Υ	0	0	0
СНМ	Chemical Register	Υ	0	0	0
CNG	Compressed Natural Gas Stations	Υ	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Υ	0	0	0
CONV	Compliance and Convictions	Υ	0	0	0
CPU	Certificates of Property Use	Υ	0	0	0
DRL	Drill Hole Database	Y	0	0	0
DTNK	Delisted Fuel Tanks	Y	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	1	1
EBR	Environmental Registry	Y	0	0	0
ECA	Environmental Compliance Approval	Υ	0	2	2
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	2	19	21
EIIS	Environmental Issues Inventory System	Υ	0	0	0
EMHE	Emergency Management Historical Event	Υ	0	0	0
EPAR	Environmental Penalty Annual Report	Υ	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	0	0
FCON	Federal Convictions	Υ	0	0	0
FCS	Contaminated Sites on Federal Land	Υ	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Υ	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Y	0	0	0
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	6	81	87
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Υ	1	4	5

Database	Name	Searched	Project Property	Boundary to 0.30km	Total
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	8	8
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System	Y	0	0	0
NCPL	(NATES) Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal	Y	0	0	0
NEBI	Sites National Energy Board Pipeline Incidents	Υ	0	0	0
NEBP	National Energy Board Wells	Υ	0	0	0
NEES	National Environmental Emergencies System (NEES)	Υ	0	0	0
NPCB	National PCB Inventory	Υ	0	4	4
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Υ	0	0	0
PAP	Canadian Pulp and Paper	Υ	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	3	3
PINC	Pipeline Incidents	Y	1	16	17
PRT	Private and Retail Fuel Storage Tanks	Y	0	0	0
PTTW	Permit to Take Water	Υ	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Υ	0	0	0
RSC	Record of Site Condition	Υ	0	1	1
RST	Retail Fuel Storage Tanks	Υ	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	5	5
SPL	Ontario Spills	Y	2	28	30
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	8	8
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks Waste Disposal Sites MOE CA Inventory	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory		-	0	0
WWIS	Water Well Information System	Y	2	159	161
	·	Total:	15	354	369

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
1	wwis		2654 EGLINTON AVE. W ON	SSE/0.0	0.01	<u>75</u>
			Well ID: 7227394			
<u>2</u> ·	CA	TRIPLE-TRIPLE PIZZA & CHICKEN	2638 EGLINTON AVENUE WEST YORK CITY ON	ENE/0.0	0.15	<u>79</u>
<u>3</u>	GEN	WITTINGTON PROPERTIES LIMITED	2654 EGLINTON AVENUE WEST TORONTO ON M6M 1T7	W/0.0	0.01	<u>79</u>
<u>3</u>	GEN	WITTINGTON PROPERTIES LIMITED 42-429	2654 EGLINTON AVENUE WEST C/O 1491 YONGE ST. STE 205 TORONTO ON M4T 1Z4	W/0.0	0.01	<u>80</u>
<u>3</u>	HINC		2654 EGLINTON AVENUE WEST TORONTO ON	W/0.0	0.01	<u>80</u>
<u>3</u>	SPL	Enbridge Gas Distribution Inc.	2654 Eglinton Avenue West Toronto ON	W/0.0	0.01	<u>80</u>
<u>3</u>	SPL		2654 Eglinton Ave W Toronto ON	W/0.0	0.01	<u>81</u>
<u>4</u>	PINC	PIPELINE HIT - 4"	2654 EGLINGTON AVENUE WEST,, TORONTO,ON,,CA ON	W/0.0	0.02	<u>81</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
<u>5</u>	GEN	ANTONIO FOTO STUDIO LTD.	2636 EGLINTON AVE. WEST TORONTO ON M6M 1T7	ENE/0.0	0.15	<u>82</u>
<u>5</u>	GEN	ANTONIO FOTO STUDIO LTD	2636 EGLINTON AVENUE WEST TORONTO ON M6M 1T7	ENE/0.0	0.15	<u>82</u>
<u>5</u>	GEN	ANTONIO FOTO STUDIO LTD. 03-220	2636 EGLINTON AVE. WEST TORONTO ON M6M 1T7	ENE/0.0	0.15	<u>82</u>
<u>5</u>	GEN	ANTONIO FOTO STUDIO LIMITED	2636 EGLINTON AVENUE WEST TORONTO ON M6M 1T7	ENE/0.0	0.15	<u>83</u>
<u>5</u>	EHS		2636 Eglinton Ave W Toronto ON M6M1T7	ENE/0.0	0.15	<u>83</u>
<u>6</u>	EHS		2654 Eglinton Avenue West Toronto ON	SW/0.0	0.05	<u>83</u>
7	WWIS		EGLINTON AVE TORONTO ON	SW/0.0	0.05	<u>83</u>
			Well ID: 7298513			

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>8</u>	WWIS		2660 EGLINTON AVENUE WEST NORTH YORK ON	NW/2.0	-0.09	<u>87</u>
			Well ID: 7230839			
<u>9</u>	WWIS		EGLINTON AVE. TORONTO ON	SW/2.1	0.05	<u>91</u>
			Well ID: 7298515			
<u>10</u>	WWIS		2660 EGLINTON AVE. WEST TORONTO ON	W/3.1	0.02	<u>94</u>
			Well ID: 7261369			
<u>11</u>	WWIS		2660 EGLINTON AVE W Toronto ON	W/3.9	0.02	<u>96</u>
			Well ID: 7275998			
<u>12</u>	WWIS		2660 EGLINTON AVE W Toronto ON	WSW/4.1	0.06	100
			Well ID: 7276000			
<u>13</u>	WWIS		2660 EGLINTON AVE W Toronto ON	W/4.1	0.02	104
			Well ID: 7275999			
<u>14</u>	WWIS		2660 EGLINTON AVE W Toronto ON	W/5.9	0.02	108
			Well ID: 7275997			
<u>14</u>	WWIS		2660 EGLINTON AVE W ON	W/5.9	0.02	<u>112</u>
			Well ID: 7275996			
<u>15</u>	WWIS		2650 EGLINGTON AVENUE WEST ON ROAD Toronto ON Well ID: 7154471	SSW/6.5	-0.10	<u>116</u>
<u>16</u>	WWIS		2660 EGLINTON AVENUE WEST NORTH YORK ON	WNW/7.1	0.06	<u>119</u>
			Well ID: 7230840			
<u>17</u>	wwis		1993 KEELE ST. TORONTO ON	ENE/7.2	0.68	122
			Well ID: 7156541			
<u>18</u>	wwis		1858 KEELE ST. TORONTO ON	NNW/8.5	-0.13	<u>126</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7261358			
<u>19</u>	WWIS		EGLINTON AVE W TORONTO ON	W/8.7	0.06	128
			Well ID: 7301931			
<u>20</u>	WWIS		2660 EGLINTON AVE W Toronto ON	W/8.8	0.06	<u>131</u>
			Well ID: 7276021			
<u>21</u>	WWIS		2660 EGLINTON Toronto ON	W/9.0	0.06	<u>135</u>
			Well ID: 7276017			
<u>22</u>	WWIS		ON	NE/9.3	0.57	<u>139</u>
			Well ID: 7202150			
<u>22</u>	WWIS		1858 KEELE ST. TORONO ON	NE/9.3	0.57	<u>140</u>
			Well ID: 7261357			
<u>23</u>	WWIS		2660 EGLINTON AVE W Toronto ON	W/9.7	0.06	142
			Well ID: 7276016			
<u>24</u>	WWIS		2660 EGLINTON AVE. WEST TORONTO ON	W/10.5	-0.04	146
			Well ID: 7261360			
<u>25</u>	wwis		CITY ROW-SOUTH OF 111 YORE RD TORONTO ON	WNW/10.6	0.06	148
			Well ID: 7262341			
<u>26</u>	WWIS		CITY-ROW- SOUTH OF 111 YORE RD TORONTO ON	WNW/12.3	0.06	<u>150</u>
			Well ID: 7262339			
<u>27</u>	WWIS		2660 EGLINTON Toronto ON	W/13.6	-0.04	<u>152</u>
			Well ID: 7276018			
<u>28</u>	WWIS		CITY-ROW SOUTH OF 111 YORE RD TORONTO ON	W/14.0	-0.02	<u>156</u>
			Well ID: 7262338			
<u>29</u>	WWIS		2660 EGLINTON AVE W Toronto ON	WNW/14.7	-0.02	<u>158</u>
			Well ID: 7275995			
<u>30</u>	ECA	Aecon Infrastructure Management Inc., Dragados Canada, Inc., EllisDon Civil	Ltd., and SNC-Lavalin Constructors (Pacific) Inc., carrying on business under the general partnership firm name	ESE/15.7	0.13	<u>163</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			"Crosslinx Transit Solutions Constructors" Eglinton Avenue West and Keele St Toronto ON M2N 7E4			
<u>31</u>	wwis		EGLINGTON AVE W TORONTO ON	W/16.0	-0.04	<u>163</u>
			Well ID: 7301932			
<u>32</u>	WWIS		CITY ROW- SOUTH OF 111 YORE RD TORONTO ON	W/17.0	-0.02	166
			Well ID: 7262340			
<u>33</u>	wwis		2615 EGLINTON AVE Toronto ON	SW/18.2	-0.46	168
			Well ID: 7180622			
<u>34</u>	WWIS		11 YORE RD. TORONTO ON	W/18.9	-0.02	<u>171</u>
			Well ID: 7261353			
<u>35</u>	GEN	METROPOLITAN TORONTO, MUNICPLTY OF	DEPARTMENT OF AMBULANCE SERVICES 2660 EGLINTON AVENUE WEST STATION 19 TORONTO ON M6M 1T7	W/19.2	-0.04	<u>173</u>
<u>35</u>	GEN	METROPOLITAN TORONTO, MUNICPLTY OF26-258	DEPARTMENT OF AMBULANCE SERVICES 2660 EGLINTON AVENUE WEST STATION 19 TORONTO ON M6M 1T7	W/19.2	-0.04	<u>174</u>
<u>35</u>	GEN	DEPARTMENT OF AMBULANCE SERVICES	2660 EGLINTON AVENUE WEST, STATION 19 TORONTO ON M6M 1T7	W/19.2	-0.04	<u>174</u>
<u>35</u>	GEN	CITY OF TORONTO	2660 EGLINTON AVENUE WEST TORONTO ON M6M 1T7	W/19.2	-0.04	<u>174</u>
<u>35</u>	TANK	Imperial Oil Co Ltd	2660 Eglinton Ave W Toronto ON M6M 1T7	W/19.2	-0.04	<u>175</u>
<u>35</u>	TANK	Imperial Oil Co Ltd	2660 Eglinton Ave W Toronto ON M6M 1T7	W/19.2	-0.04	<u>175</u>
<u>35</u>	GEN	CITY OF TORONTO	2660 EGLINTON AVENUE WEST TORONTO ON	W/19.2	-0.04	<u>175</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>35</u>	GEN	CITY OF TORONTO	2660 EGLINTON AVENUE WEST TORONTO ON	W/19.2	-0.04	<u>175</u>
<u>35</u>	GEN	CITY OF TORONTO	2660 EGLINTON AVENUE WEST TORONTO ON	W/19.2	-0.04	<u>176</u>
<u>35</u>	GEN	CITY OF TORONTO	2660 EGLINTON AVENUE WEST TORONTO ON	W/19.2	-0.04	<u>176</u>
<u>35</u>	GEN	Metrolinx	2660 Eglinton Avenue West Toronto ON	W/19.2	-0.04	<u>177</u>
<u>35</u>	GEN	CITY OF TORONTO	2660 EGLINTON AVENUE WEST TORONTO ON M6M 1T7	W/19.2	-0.04	<u>177</u>
<u>35</u>	EASR	NIRO BROS. EXCAVATING & GRADING INC.	2660 Eglinton AVE W York ON M6M 1T7	W/19.2	-0.04	<u>178</u>
<u>35</u>	GEN	Crosslinx Transit Solutions General Partnership	2660 Eglinton Ave W Toronto ON M6M 1T7	W/19.2	-0.04	<u>178</u>
<u>35</u>	GEN	Crosslinx Transit Solutions General Partnership	2660 Eglinton Ave W Toronto ON M6M 1T7	W/19.2	-0.04	<u>178</u>
<u>35</u>	WWIS		2660 EGLINTON Toronto ON Well ID: 7276019	W/19.2	-0.04	<u>179</u>
<u>35</u>	WWIS		2660 EGLINTON AVE. WEST TORONTO ON Well ID: 7261361	W/19.2	-0.04	182
<u>35</u>	GEN	Crosslinx Transit Solutions General Partnership	2660 Eglinton Ave W Toronto ON M6M 1T7	W/19.2	-0.04	184
<u>35</u>	GEN	Crosslinx Transit Solutions General Partnership	2660 Eglinton Ave W Toronto ON M6M 1T7	W/19.2	-0.04	<u>185</u>
<u>36</u>	WWIS		1860 KEELE ST. TORONTO ON	NNE/21.0	0.29	185
			Well ID: 7337213			

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>37</u>	WWIS		SE CORNER KEEL & EGLINTON AVE. WEST TORONTO ON <i>Well ID</i> : 7272526	SSW/21.4	-0.48	189
<u>38</u>	wwis		2660 EGLINTON AVE WEST NORTH YORK ON Well ID: 7230841	W/22.1	-0.38	193
<u>39</u>	wwis		2660 EGLINTON AVE. WEST TORONTO ON	W/23.1	-0.20	<u>196</u>
			Well ID: 7261359			
<u>40</u>	WWIS		EGLINTON AVE W Toronto ON	W/23.6	-0.51	198
			Well ID: 7299820			
<u>41</u>	WWIS		111 YORE RD. TORNOTO ON	NW/23.8	-0.05	202
			Well ID: 7261355			
<u>42</u>	WWIS		2660 EGLINTON AVE W Toronto ON	W/24.0	-0.38	204
			Well ID: 7275993			
<u>42</u>	WWIS		ON	W/24.0	-0.38	208
			Well ID: 7379605			
<u>43</u>	WWIS		2660 EGLINTON AVE W Toronto ON	WSW/25.7	-0.51	208
			Well ID: 7275992			
<u>44</u>	WWIS		2660 EGLINTON AVE. WEST TORONTO ON	W/25.9	-0.51	<u>212</u>
			Well ID: 7261362			
<u>45</u>	EHS		2660 Eglinton Avenue West Toronto ON	W/26.2	-0.51	214
46	WWIS		2660 EGLINTON AVE W	W/26.3	-0.51	214
<u></u>			TORONTO ON			
			Well ID: 7276001			
<u>47</u>	WWIS		2660 EGLINTON AVE. WEST TORONTO ON	WSW/27.1	-0.76	219
			Well ID: 7261363			
<u>48</u>	WWIS		2660 EGLINTON AVE W Toronto ON	W/27.1	-0.51	<u>221</u>
			Well ID: 7276020			

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>49</u>	WWIS		2660 EGLINTON AVE W Toronto ON	W/27.4	-0.51	225
			Well ID: 7276022			
<u>50</u>	wwis		EGLINTON AVE. TORONTO ON	WSW/27.8	-0.81	229
			Well ID: 7298516			
<u>51</u>	WWIS		2615 EGLINTON AVE WEST TORONTO ON	SSW/29.0	-0.84	<u>232</u>
			Well ID: 7261364			
<u>52</u>	wwis		111 YORE ROAD TORONTO ON	WNW/29.0	-0.29	<u>235</u>
			Well ID: 7261356			
<u>53</u>	wwis		KEELE STREET & EGLINTON AVENUE Toronto ON	SW/29.1	-0.93	<u>237</u>
			Well ID: 7253181			
<u>54</u>	wwis		2615 EGLINTON AVE WEST TORONTO ON	SSW/29.1	-0.87	<u>240</u>
			Well ID: 7261348			
<u>55</u>	wwis		SE CORNER KEEL & EGLINTON AVE. W TORONTO ON	SSW/29.4	-0.87	242
			Well ID: 7272523			
<u>56</u>	WWIS		SE CORNER OF KEEL & EGLINTON AVE	SSW/30.2	-0.87	<u>246</u>
			TORONTO ON Well ID: 7272529			
<u>57</u>	wwis		111 YORE RD Toronto ON	NW/30.4	0.00	<u>250</u>
			Well ID: 7188180			
<u>58</u>	wwis		SE CORNER KEELE & EGLINTON AVE. W TORONTO ON Well ID: 7272522	S/30.6	-0.92	<u>253</u>
			Well 15. 1212522			
<u>59</u>	WWIS		EGLINTON AVE. TORONTO ON	WSW/30.9	-1.04	<u>257</u>
			Well ID: 7298517			
<u>60</u>	GEN	Toronto Transit Commission	111 Yore Road Toronto ON	NW/31.1	-0.03	<u>260</u>
<u>60</u>	GEN	Delsan-AIM	111 Yore Rd TORONTO ON M6M 5L8	NW/31.1	-0.03	<u>260</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>60</u>	SPL	Crosslinx Tranit Solutions Constructors (CTSC)	111 Yore Road (near Keele Street and Eglinton Ave West) Toronto ON	NW/31.1	-0.03	<u>260</u>
<u>60</u>	PINC	ENBRIDGE GAS INC	111 YORE RD,,TORONTO,ON,M6M 5L8, CA ON	NW/31.1	-0.03	<u>261</u>
<u>61</u>	SPL	Enbridge Gas Distribution Inc.	2680 Eglinton Ave W Toronto ON	SW/31.2	-0.97	<u>261</u>
<u>62</u>	wwis		2614 EGLINTON AVE W ON Well ID: 7193053	SSW/31.3	-0.87	<u>262</u>
<u>63</u>	CA	C.B. EXCLUSIVE HOME COOK REST.	2595 EGLINTON AVE. WEST YORK CITY ON	SE/32.7	-0.02	<u>270</u>
<u>64</u>	TANK	Aspinall [L E]	2601 Eglinton Ave W Toronto ON M6M 1T3	SSE/32.9	-0.35	<u>271</u>
<u>65</u>	wwis		2615 EGLINTON AVE. WEST TORONTO ON Well ID: 7261365	SSW/33.9	-1.04	<u>271</u>
<u>66</u>	wwis		SE CORNER KEEL ST. & EGLINGTON AVE. W TORONTO ON Well ID: 7272530	SSW/34.0	-1.01	273
<u>66</u>	wwis		ON <i>Well ID:</i> 7379603	SSW/34.0	-1.01	276
<u>67</u>	wwis		2615 EGLINGTON AVE WEST TORONTO ON Well ID: 7180623	SSW/34.6	-1.04	<u>277</u>
<u>68</u>	wwis		SE CORNER OF KEEL & EGLINTON AVE W TORONTO ON Well ID: 7272527	SW/35.4	-1.16	<u>280</u>
<u>69</u>	wwis		EGLINTON ST. / KEELE ST. S ON Well ID: 7227393	S/35.8	-0.88	<u>284</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>70</u>	WWIS		1860 KEELE ST. TORONTO ON	N/36.9	0.43	<u>287</u>
			Well ID: 7337165			
<u>71</u>	WWIS		111 YORE RD Toronto ON	WNW/37.1	-0.61	<u>291</u>
			Well ID: 7188181			
<u>72</u>	WWIS		2615 EGLINGTON AVE Toronto ON	SSW/37.2	-1.03	<u>293</u>
			Well ID: 7180621			
<u>73</u>	WWIS		EGLINTON AVE./ TRETHWAY DR. TORONTO ON	WSW/39.7	-1.12	<u>297</u>
			Well ID: 7298512			
<u>74</u>	WWIS		2615 EGLINTON AVE Toronto ON	SSW/40.3	-1.03	300
			Well ID: 7180626			
<u>75</u>	SPL	CANADA BUILDING MATERIALS COMP	KEELE ST. SOUTH OF EGLINTON MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	SW/40.5	-1.40	<u>303</u>
<u>75</u>	SPL	TORONTO TRANSIT COMMISSION	SOUTHEAST CORNER KEELE/EGLINTON. LANSDOWNE GARAGE 586 LANSDOWNE AVENUE TORONTO CITY ON	SW/40.5	-1.40	304
<u>75</u>	ANDR	2609 Eglinton Ave W Fill	Toronto ON M6M	SW/40.5	-1.40	304
<u>75</u>	SPL	City of Toronto	Keele and Eglinton Ave. West Toronto ON	SW/40.5	-1.40	305
<u>76</u>	wwis		2615 EGLINTON AVE. WEST TORONTO ON	S/41.9	-1.03	305
			Well ID: 7261349			
<u>77</u>	CA	CHESTER FRIED CHICKEN	2603 EGLINTON AVENUE WEST YORK CITY ON	SSE/42.0	-0.87	<u>307</u>
<u>78</u>	SPL	unknown <unofficial></unofficial>	2611 Eglinton Avenue West Toronto ON	S/42.2	-1.04	308
<u>78</u>	PINC	QX LTD O/A QX LOCATES	2611 EGLINTON AVE W,,YORK,ON,M6M 1T3,CA ON	S/42.2	-1.04	308

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
70	wwis		SE CORNER KEEL ST. & EGLINTON	SW/42.4	-1.16	309
<u>79</u>	WWIG		AVE. TORONTO ON Well ID: 7272528	J.,,	0	<u></u>
<u>79</u>	wwis		ON Well ID: 7379604	SW/42.4	-1.16	312
<u>80</u>	WWIS		SW CORNER KEELE & EGLINTON AVE. W TORONTO ON Well ID: 7272549	WSW/43.7	-1.41	313
<u>81</u>	EHS		1864 keele York ON M6M 3X5	N/44.9	0.84	<u>317</u>
<u>82</u>	TANK	Rowell [R W]	2615 Eglinton Ave W Toronto ON M6M 1T3	SSW/46.1	-1.15	<u>317</u>
			COAS Full at a Access West	SSW/46.1	-1.15	- 040
<u>82</u>	EHS		2615 Eglinton Avenue West Toronto ON	33W/40.1	-1.15	318
<u>82</u>	GEN	Toronto Transit Commission	2615 Eglinton Ave W Toronto ON	SSW/46.1	-1.15	318
<u>83</u>	wwis		EGLINTON AVE. / KEELE ST. TORONTO ON	WSW/46.7	-1.48	318
			Well ID: 7298509			
<u>83</u>	wwis		EGLINTON AVE ON	WSW/46.7	-1.48	<u>321</u>
			Well ID: 7298511			
<u>84</u>	WWIS		2615 EGLINTON AVE Toronto ON	SSW/46.7	-1.39	325
			Well ID: 7180627			
<u>85</u>	WWIS		2615 EGLINTON AVE WEST TORONTO ON	SW/47.7	-1.39	327
			Well ID: 7261347			
<u>86</u>	wwis		SE CORNER KEEL & EGLINTON AVE W TORONTO ON	SSW/48.9	-1.06	330
			Well ID: 7272531			

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>87</u>	WWIS		2615 EGLINTON AVE. WEST TORONTO ON	S/49.0	-1.11	<u>334</u>
			Well ID: 7261368			
<u>88</u>	WWIS		11 YORE RD TORONTO ON	NW/54.2	-0.05	336
			Well ID: 7261354			
<u>89</u>	WWIS		1864 KEELE ST. TORONTO ON	N/56.6	1.31	338
			Well ID: 7337152			
<u>90</u>	wwis		2615 EGLINTON AVE. WEST TORONTO ON	SSW/56.6	-1.37	<u>341</u>
			Well ID: 7261366			
<u>91</u>	WWIS		111 YORE RD Toronto ON	NW/56.7	-0.05	343
			Well ID: 7188179			
92	WWIS		2615 EGLINTON AVE. WEST TORONTO ON	SSW/57.2	-1.37	<u>346</u>
			Well ID: 7261367			
93	WWIS		ON	WSW/57.9	-1.86	348
			Well ID: 7272741			
94	WWIS		2615 EGLINTON AVE Toronto ON	SSW/59.3	-1.60	352
			Well ID: 7180625			
<u>94</u>	WWIS		2615 EGLINTON AVE Toronto ON	SSW/59.3	-1.60	<u>355</u>
			Well ID: 7180624			
<u>95</u>	WWIS		2615 EGLINTON AVE Toronto ON	SSW/60.3	-1.60	<u>358</u>
			Well ID: 7180628			
<u>96</u>	WWIS		ON	WSW/60.8	-1.89	<u>361</u>
			Well ID: 7272742			
<u>97</u>	SPL	Crosslinx Transit Solutions (CTS)	Toronto ON	WSW/61.5	-1.89	<u>365</u>
<u>98</u>	wwis		TRETHEWEY DRIVE	W/61.7	-1.08	365
-			Toronto ON Well ID: 7289117			
			WGII ID. 1203111			

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>99</u>	WWIS		EGLINGTON AVE. TORONTO ON	W/61.8	-1.10	<u>368</u>
			Well ID: 7298518			
100	wwis		ON	SSW/62.1	-1.37	<u>371</u>
			Well ID: 7185114			
<u>101</u>	WWIS		EGLINTON AVE WEST Toronto ON	WSW/63.1	-1.26	<u>372</u>
			Well ID: 7276452			
102	WWIS			W/63.3	-1.29	375
102	WWW		ON			<u></u>
			Well ID: 7202149			
103	WWIS		2688 EGLINTON AVE W Toronto ON	W/63.6	-1.29	<u>376</u>
			Well ID: 7201493			
104	WWIS		TRETHEWEY DRIVE Toronto ON	W/64.0	-1.29	378
			Well ID: 7289119			
105	WWIS			W/64.2	-1.29	381
100	VVVIO		ON		0	<u></u>
			Well ID: 7276453			
106	WWIS		TRETHEWAY DRIVE Toronto ON	WSW/64.4	-1.55	383
			Well ID: 7289116			
<u>107</u>	PES	VALIANT HARDWARE LTD	2612 EGLINTON AVE W TORONTO ON M6M 1T4	ENE/64.8	2.84	386
<u>107</u>	PES	VALIANT HARDWARE LTD	2612 EGLINTON AVE W TORONTO ON M6M1T4	ENE/64.8	2.84	<u>387</u>
<u>107</u>	PES	VALIANT HARDWARE LTD	2612 EGLINTON AVE W TORONTO ON M6M1T4	ENE/64.8	2.84	<u>387</u>
<u>108</u>	WWIS		15 EGLINGTON AVE W TORONTO ON	WSW/65.1	-1.57	387
			Well ID: 7301929			
<u>109</u>	WWIS		TRETHEWEY DRIVE Toronto ON	W/65.1	-1.10	<u>391</u>
			Well ID: 7289118			

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
110	EHS		2623 Eglinton Avenue West Toronto ON	SW/65.2	-2.08	<u>393</u>
<u>110</u>	GEN	TD Canada Trust	2623 Eglinton Avenue West Toronto ON	SW/65.2	-2.08	394
<u>111</u>	wwis		THRETHWAY DRIVE Toronto ON Well ID: 7276445	WSW/65.8	-1.26	<u>394</u>
112	wwis		TRETHEWAY DRIVE Toronto ON Well ID: 7276446	WSW/66.1	-1.57	<u>397</u>
113	wwis		EGLINTON AVE WEST Toronto ON Well ID: 7276449	W/72.8	-1.56	<u>401</u>
114	BORE		ON	W/73.3	-1.57	<u>404</u>
<u>115</u>	WWIS		EGLINTON AVE WEST Toronto ON Well ID: 7276448	W/73.8	-1.56	406
<u>116</u>	wwis		ON Well ID: 7272745	WSW/75.1	-2.20	<u>409</u>
<u>117</u>	wwis		ON <i>Well ID:</i> 7356458	WSW/75.8	-1.85	412
118	wwis		EGLINTON AVE WEST Toronto ON Well ID: 7276451	WSW/77.2	-2.01	413
<u>119</u>	WWIS		2688 EGLINTON AVE W Toronto ON Well ID: 7201492	W/77.6	-1.57	<u>417</u>
<u>120</u>	wwis		ON Well ID: 7272824	WSW/78.2	-2.01	<u>419</u>
<u>121</u>	wwis		EGLINTON AVE WEST Toronto ON	WSW/78.6	-1.85	423
			Well ID: 7276450			

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>122</u>	EHS		2623 Eglinton Ave W Toronto ON M6M1T6	SW/79.9	-2.31	426
123	GEN	Metrolinx	2688 Eglinton Ave W Toronto ON	WSW/80.1	-2.01	<u>427</u>
124	WWIS		ON Well ID: 7272743	WSW/80.7	-2.45	<u>427</u>
125	GEN	YORK BOARD OF EDUCATION	EDUCATION ADMINISTRATION CENTRE 2 TRETHWEY DRIVE TORONTO ON M6M 4A8	WNW/83.2	-0.92	430
<u>125</u>	GEN	YORK BOARD OF EDUCATION	EDUCATION ADMINISTRATION CENTRE 2 TRETHEWEY DRIVE YORK ON M6M 4A8	WNW/83.2	-0.92	431
125	GEN	YORK BOARD OF EDUCATION 43-110	EDUCATION ADMINISTRATION CENTRE 2 TRETHWEY DRIVE TORONTO ON M6M 4A8	WNW/83.2	-0.92	<u>431</u>
<u>126</u>	NPCB	BD. OF EDUCATION CITY OF YORK	2 TRETHEWEY DRIVE TRETHEWEY DRIVE TORONTO ON M6M 4A8	WNW/83.2	-0.92	431
126	GEN	YORK BOARD OF EDUCATION	2 TRETHEWEY DR. TORONTO ON M6M 4A8	WNW/83.2	-0.92	431
127	WWIS		ON <i>Well ID:</i> 7272749	WSW/84.1	-2.04	432
128	WWIS		ON <i>Well ID:</i> 7212577	SSW/86.2	-2.27	435
128	WWIS		ON Well ID: 7212579	SSW/86.2	-2.27	<u>436</u>
<u>129</u>	WWIS		ON <i>Well ID</i> : 7272740	WSW/86.5	-2.45	437
<u>130</u>	WWIS		ON	SW/86.5	-2.71	441

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7259790			
<u>131</u>	WWIS		EGLINTON AVE WEST Toronto ON Well ID: 7276447	WSW/86.9	-2.45	442
132	GEN	Gam X-Ray Limited	2600 Eglington Avenue West Suite 104 Toronto ON M6M1T5	ENE/89.2	4.61	445
<u>132</u>	RSC	873815 Ontario Limited	2600 EGLINTON AVE W, TORONTO, ON, M6M 1T5 Toronto ON M6M 1T5	ENE/89.2	4.61	446
132	INC		2600 Eglinton Avenue West, Toronto ON	ENE/89.2	4.61	446
132	INC		2600 EGLINTON AVE W, TORONTO ON	ENE/89.2	4.61	447
133	WWIS		ON <i>Well ID</i> : 7214948	WSW/90.4	-2.72	447
134	WWIS		ON <i>Well ID:</i> 7272748	WSW/90.6	-2.46	448
135	WWIS		ON <i>Well ID</i> : 7272746	WSW/92.0	-2.72	452
<u>136</u>	SPL		2631 eglington ave w Toronto ON	SW/92.1	-2.67	455
<u>136</u>	INC		2631 EGLINTON AVE W, TORONTO ON	SW/92.1	-2.67	<u>456</u>
<u>137</u>	wwis		ON <i>Well ID</i> : 7272747	WSW/95.4	-2.74	<u>456</u>
<u>138</u>	WWIS		ON <i>Well ID</i> : 7272744	WSW/96.4	-2.92	<u>460</u>
<u>139</u>	BORE		ON	W/98.0	-2.16	463

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>140</u>	BORE		ON	WSW/100.6	-2.46	465
<u>141</u>	SCT	Scott Framing	302 Scott Rd York ON M6M 3V4	E/101.5	4.63	<u>466</u>
142	wwis		YARROW RD/ EGLINGTON AVE W Toronto ON Well ID: 7171538	W/101.7	-2.77	<u>466</u>
143	EHS		2635 Eglinton Avenue West York ON M6M 1T6	WSW/102.2	-3.14	<u>469</u>
144	WWIS		EGLINTON AVE W Toronto ON Well ID: 7276002	WSW/102.4	-3.09	<u>469</u>
<u>145</u>	wwis		EGLINGTON AVENUE WEST/ SCOTT ROAD Toronto ON Well ID: 7177982	E/107.6	5.10	<u>472</u>
146	WWIS		EGLINTON AVE. TORONTO ON Well ID: 7298510	WSW/111.2	-3.10	476
147	SPL		2639 Eglinton Ave. West Toronto ON	WSW/111.4	-3.62	479
148	WWIS		215 FEET WEST OF TRETHEWAY DR ON EGLINTON AVE W TORONTO ON Well ID: 7265771	WSW/113.4	-3.33	<u>480</u>
149	GEN	Dr Gayle Wagman & Dr Michelle Crystal	2568 Eglinton Ave West Toronto ON M6M 1T4	ENE/115.7	6.25	483
149	GEN	Dr Gayle Wagman & Dr Michelle Crystal Dental Office	2568 Eglinton Ave West Toronto ON M6M 1T4	ENE/115.7	6.25	483
149	GEN	Dr Gayle Wagman & Dr Michelle Crystal Dental Office	2568 Eglinton Ave West Toronto ON M6M 1T4	ENE/115.7	6.25	484

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
149	GEN	Dr Gayle Wagman & Dr Michelle Crystal Dental Office	2568 Eglinton Ave West Toronto ON M6M 1T4	ENE/115.7	6.25	484
<u>150</u>	WWIS		2641 EGLINTON AVE. WEST TORONTO ON	WSW/117.8	-3.56	<u>484</u>
<u>151</u>	wwis		Well ID: 7261346 EGLINTON AVENUE WEST & KEELE STREET APROX. 200FT WEST OF KEELE STREET Toronto ON Well ID: 7287372	WSW/118.1	-3.83	<u>486</u>
<u>152</u>	WWIS		EGLINTON AVE. TORONTO ON Well ID: 7298514	WSW/118.5	-3.56	490
<u>153</u>	GEN	Metrolinx	2641 Eglinton Avenue West Toronto ON	WSW/119.0	-3.83	493
<u>154</u>	WWIS		EGLINTON AVE W Toronto ON	WSW/119.5	-3.62	<u>494</u>
<u>155</u>	WWIS		Well ID: 7276009 2641-2643 EGLINGTON AVE Toronto ON	SW/119.5	-3.89	<u>497</u>
<u>156</u>	WWIS		Well ID: 7196174 EGLINTON AVE W Toronto ON	WSW/120.4	-3.89	<u>501</u>
			Well ID: 7276007			
<u>157</u>	WWIS		EGLINTON AVE W Toronto ON Well ID: 7276003	WSW/120.8	-3.83	<u>504</u>
157	wwis		EGLINGTON AVE W TORONTO ON	WSW/120.8	-3.83	<u>507</u>
158	WWIS		Well ID: 7301930 EGLINTON AVE W Toronto ON	WSW/121.4	-3.83	<u>510</u>
			Well ID: 7276004			
<u>159</u>	WWIS		2641 EGLINGTNO AVE WEST TORONTO ON	WSW/121.4	-3.89	<u>514</u>
<u>160</u>	WWIS		Well ID: 7261351 EGLINTON AVE W Toronto ON	WSW/121.7	-3.83	<u>516</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7276005			
<u>161</u>	wwis		EGLINTON AVE W Toronto ON	WSW/121.7	-3.89	<u>520</u>
			Well ID: 7276006			
<u>162</u>	WWIS		2641 EGLINTON AVE WEST TORONTO ON	SW/123.7	-3.89	<u>523</u>
			Well ID: 7261352			
<u>163</u>	WWIS		EGLINTON AVE W TORONTO ON	WSW/124.3	-3.83	<u>525</u>
			Well ID: 7301933			
<u>164</u>	WWIS		YARROW RD Toronto ON	SW/127.3	-4.28	<u>528</u>
			Well ID: 7276012			
<u>165</u>	WWIS		2643 EGLINTON AVE. WEST TORONTO ON	WSW/127.8	-4.00	532
			Well ID: 7261345			
<u>166</u>	WWIS		YARROW ROAD Toronto ON	WSW/128.2	-4.22	<u>534</u>
			Well ID: 7276015			
<u>167</u>	WWIS		2641-2643 EGLINGTON AVE. Toronto ON	WSW/128.2	-4.09	<u>538</u>
			Well ID: 7196178			
168	ECA	City of Toronto	Keele Street Cameron Avenue, Bicknell Avenue Toronto ON M5V 3C6	SSW/129.5	-3.10	<u>541</u>
<u>169</u>	WWIS		2641-2643 EGLINGTON AVE Toronto ON	WSW/129.5	-4.22	<u>541</u>
			Well ID: 7196176			
<u>170</u>	WWIS		2641-2643 EGLINGTON AVE Toronto ON	WSW/130.7	-4.22	<u>544</u>
			Well ID: 7196175			
<u>171</u>	WWIS		YARROW RD Toronto ON	WSW/132.1	-4.22	<u>548</u>
			Well ID: 7276013			
<u>172</u>	WWIS		YARROW ROAD Toronto ON	WSW/132.8	-4.22	<u>551</u>
			Well ID: 7276008			
<u>173</u>	wwis		EGLINTON/YARROW RD. TORONTO ON	WSW/133.3	-4.22	555

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7153850			
<u>174</u>	WWIS		RAYYOW RD Toronto ON	WSW/134.6	-4.51	<u>558</u>
			Well ID: 7276010			
<u>175</u>	SPL	Enbridge Gas Distribution Inc.	1842 Keele Street Toronto ON	SSW/134.6	-3.08	<u>561</u>
<u>175</u>	PINC	PIPELINE HIT - 1/2"	1842 KEELE STREET,,TORONTO,ON, M6M 3X4,CA ON	SSW/134.6	-3.08	<u>562</u>
<u>176</u>	CA	TORONTO CITY - YORK CIVIC CENTRE	EGLINTON AVE/YARROW RD. TORONTO ON	WSW/134.9	-4.22	<u>562</u>
<u>176</u>	SPL	Crosslinx Transit Solutions Constructors., as general partner for and on behalf	of SNC-Lavalin Constructors (Pacific) Inc. Limited Partnership Yarrow Road w of Eglington Ave W & Keele St Toronto ON	WSW/134.9	-4.22	<u>563</u>
<u>176</u>	PINC	ENBRIDGE GAS INC	EGLINTON AVE W & YARROW RD,, TORONTO,ON,M6M 4E4,CA ON	WSW/134.9	-4.22	<u>563</u>
<u>177</u>	wwis		YARROW RD Toronto ON Well ID: 7276011	SW/135.1	-4.28	<u>564</u>
<u>177</u>	wwis		ON	SW/135.1	-4.28	<u>567</u>
<u>178</u>	wwis		Well ID: 7379606 2641-2643 EGLINGTON AVENUE Toronto ON Well ID: 7196177	WSW/136.5	-4.22	<u>568</u>
<u>179</u>	WWIS		2643 EGLINTON AVE WEST TORONTO ON	WSW/136.8	-4.51	<u>571</u>
180	GEN	YORK BOARD OF EDUCATION	Well ID: 7261350 YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVE. WEST YORK ON M6M 4A8	W/137.4	-3.06	<u>573</u>
180	GEN	YORK BOARD OF EDUCATION 43-153	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVE. WEST YORK ON M6M 4A8	W/137.4	-3.06	<u>573</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
180	GEN	YORK BOARD OF EDUCATION	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST YORK ON M6M 1T9	W/137.4	-3.06	<u>574</u>
180	GEN	TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	W/137.4	-3.06	<u>574</u>
<u>180</u>	GEN	CITY OF TORONTO	2690 EGLINTON AVENUE WEST YORK MEMORIAL COLLEGIATE INSTITUTE TORONTO ON M6M 1T9	W/137.4	-3.06	<u>574</u>
180	GEN	TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON	W/137.4	-3.06	<u>575</u>
180	GEN	TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON	W/137.4	-3.06	<u>576</u>
180	GEN	TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON	W/137.4	-3.06	<u>576</u>
180	GEN	TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	W/137.4	-3.06	<u>576</u>
<u>180</u>	GEN	TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON	W/137.4	-3.06	<u>577</u>
180	GEN	TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	W/137.4	-3.06	<u>577</u>
180	GEN	TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	W/137.4	-3.06	<u>578</u>
<u>180</u>	GEN	TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE	W/137.4	-3.06	<u>578</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			WEST TORONTO ON M6M 1T9			
180	GEN	TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	W/137.4	-3.06	<u>579</u>
180	GEN	TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	W/137.4	-3.06	<u>580</u>
<u>180</u>	SPL	Toronto District School Board	2690 Eglinton Avenue West Toronto ON	W/137.4	-3.06	<u>581</u>
<u>180</u>	SPL		2690 Eglinton Avenue West Toronto ON	W/137.4	-3.06	<u>581</u>
180	GEN	TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	W/137.4	-3.06	<u>582</u>
180	GEN	TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	W/137.4	-3.06	583
<u>180</u>	EHS		2690 Eglinton Avenue West Toronto ON M6M	W/137.4	-3.06	584
<u>181</u>	SPL	Enbridge Gas Distribution Inc.	1961 Keele St Toronto ON M6M 3X9	S/137.8	-3.06	<u>584</u>
<u>181</u>	HINC		1961 KEELE STREET TORONTO ON M6M 3X9	S/137.8	-3.06	<u>585</u>
182	ANDR	Keele-Cameron Trash Site	Toronto ON M6M	SSW/138.5	-3.00	<u>585</u>
<u>183</u>	EHS		2562 EGLINTON AVENUE WEST TORONTO ON	ENE/143.4	7.67	<u>586</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
183	GEN	Emery-Keelesdale Nurse Practitioner Led Clinic Inc	102-2562 Eglinton Ave W Toronto ON	ENE/143.4	7.67	<u>586</u>
183	GEN	Emery-Keelesdale Nurse Practitioner Led Clinic	102-2562 Eglinton Ave W Toronto ON M6M1T4	ENE/143.4	7.67	<u>586</u>
183	GEN	Emery-Keelesdale Nurse Practitioner Led Clinic	102-2562 Eglinton Ave W Toronto ON M6M1T4	ENE/143.4	7.67	<u>587</u>
183	GEN	Emery-Keelesdale Nurse Practitioner Led Clinic	102-2562 Eglinton Ave W Toronto ON M6M1T4	ENE/143.4	7.67	<u>587</u>
183	GEN	Emery-Keelesdale Nurse Practitioner Led Clinic Satellite	102-2562 Eglinton Ave W Toronto ON M6M1T4	ENE/143.4	7.67	<u>587</u>
183	EHS		2562 Eglinton Ave W Toronto ON M6M1T4	ENE/143.4	7.67	588
183	GEN	Emery-Keelesdale Nurse Practitioner Led Clinic Satellite	102-2562 Eglinton Ave W Toronto ON M6M1T4	ENE/143.4	7.67	<u>588</u>
183	GEN	Emery-Keelesdale Nurse Practitioner Led Clinic Satellite	102-2562 Eglinton Ave W Toronto ON M6M1T4	ENE/143.4	7.67	<u>588</u>
<u>183</u>	EHS		2562 Eglinton Avenue West York ON M6M 1T4	ENE/143.4	7.67	588
<u>183</u>	GEN	Emery-Keelesdale Nurse Practitioner Led Clinic Satellite	102-2562 Eglinton Ave W Toronto ON M6M1T4	ENE/143.4	7.67	<u>589</u>
<u>184</u>	PINC	PIPELINE HIT-1/2"	297 SCOTT RD,,TORONTO,ON,M6M 3V5, CA ON	E/149.8	6.60	<u>589</u>
185	EHS		to be confirmed Toronto ON	W/155.0	-2.42	<u>589</u>
186	SPL	PRIVATE RESIDENCE	1872 KEELE STREET, RESIDENCE OF THE WILLIAMS FAMILY. FURNACE OIL TANK TORONTO CITY ON M6M 3X6	NNW/156.5	4.35	<u>590</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>187</u>	wwis		2690 EGLINGTON AVE. WEST	WSW/167.8	-5.10	<u>590</u>
			TORONTO ON Well ID: 7153849			
188	HINC		10 GREENACRES ROAD TORONTO ON M6M 4A7	NW/172.7	2.98	<u>593</u>
<u>189</u>	INC		12 GREENACRES RD, TORONTO ON	NW/183.7	2.52	<u>593</u>
<u>190</u>	CA	MASJID E NOOR	277 SCOTT ROAD, LOT 65 TORONTO ON M6M 3V3	ESE/186.9	6.13	<u>594</u>
<u>190</u>	GEN	Anjuman-E-Islahul Muslemin of Toronto	277 Scott Rd. Toronto ON M6M3V3	ESE/186.9	6.13	<u>594</u>
<u>190</u>	GEN	Anjuman-E-Islahul Muslemin of Toronto	277 Scott Rd. Toronto ON M6M3V3	ESE/186.9	6.13	<u>595</u>
<u>191</u>	SPL		53 Yarrow Rd <unofficial> Toronto ON M6M 4E4</unofficial>	SSW/187.3	-4.16	<u>595</u>
<u>191</u>	HINC		53 YARROW ROAD TORONTO ON M6M 4E4	SSW/187.3	-4.16	<u>595</u>
192	PINC	CO RELEASE	2537 EGLINTON AVENUE WEST,, TORONTO,ON,M6M 1T2,CA ON	E/188.7	10.17	<u>596</u>
<u>193</u>	SPL	Enbridge Energy Distribution Inc.	69 Yore Road Toronto ON	NE/189.6	6.95	<u>596</u>
<u>193</u>	PINC	ENBRIDGE GAS INC	69 YORE RD,,TORONTO,ON,M6M 1W8, CA ON	NE/189.6	6.95	<u>597</u>
194	SCT	GISINI PRINTING CO.	2681 EGLINTON AVE W YORK ON M6M 1T8	WSW/192.1	-6.07	<u>597</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
195	SPL	VIP Construction <unofficial></unofficial>	7 Green Acres Road <unofficial> Toronto ON M6M 4A6</unofficial>	NNW/194.4	4.66	<u>597</u>
196	HINC		7 GREENACRES ROAD TORONTO ON M6M 4A6	NNW/194.6	4.66	<u>598</u>
<u>197</u>	EHS		2681 - 2685 Eglinton Avenue West Toronto ON	WSW/199.4	-6.17	<u>598</u>
<u>198</u>	EHS		Location 2 Toronto ON	NE/205.3	7.54	<u>599</u>
<u>199</u>	PINC	MEGNA REAL ESTATE	65 YORE RD,,TORONTO,ON,M6M 1W8, CA ON	NE/206.2	7.54	<u>599</u>
<u>200</u>	wwis		KEELE ST (B/W HOLWOOD AVE AND CAMERON AVE) ON Well ID: 7204804	S/209.3	-3.26	<u>599</u>
201	EHS		2544 Eglinton Avenue West Toronto ON	ENE/226.8	12.87	<u>602</u>
202	TANK	Chappell [A T]	1820 Keele St Toronto ON M6M 3X1	S/228.2	-4.10	602
<u>203</u>	WWIS		2700 EGLINTON AVENUE WEST Toronto ON Well ID: 7260483	WSW/234.6	-7.62	603
<u>204</u>	SPL		near 145 Cameron Avenue Toronto ON	ESE/237.3	9.56	606
<u>205</u>	SPL	Enbridge Gas Distribution Inc.	9 Richardson Avenue, York Toronto ON	ENE/237.3	11.05	607
<u>205</u>	PINC	ENBRIDGE GAS INC	9 RICHARDSON AVE,,TORONTO,ON, M6M 3R5,CA ON	ENE/237.3	11.05	607
206	TANK	Curson [James]	1819 Keele St Toronto ON M6M 3X3	S/239.8	-2.95	608

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>207</u>	SPL	Enbridge Gas Distribution Inc.	2536 EGLINTON AVENUE WEST <unofficial> Toronto ON</unofficial>	ENE/242.1	14.76	608
208	wwis		2700 EGLINTON AVENUE Toronto ON	WSW/247.5	-8.00	608
209	EHS		Well ID: 7260482 Eglinton Ave W Toronto ON	WSW/253.0	-8.07	<u>612</u>
<u>210</u>	ANDR	Coronation Park Dump	Toronto ON M6M	W/253.0	-6.84	<u>612</u>
<u>211</u>	PINC	DOM MERIDIAN CONSTRUCTION LTD	229 BICKNELL AVE,,TORONTO,ON,M6M 4H2,CA ON	SW/253.3	-6.12	<u>613</u>
<u>211</u>	SPL	Enbridge Gas Distribution Inc.	229 Vicknell, Ave. York Toronto ON	SW/253.3	-6.12	<u>613</u>
212	TANK		1815 Keele St Toronto ON M6M 3X3	S/254.6	-3.09	<u>613</u>
213	wwis		2700 EGLINTON AVENUE WEST Toronto ON Well ID: 7260481	WSW/257.1	-8.24	<u>614</u>
214	ANDR	North Auto Wrecker	Toronto ON M5P	S/259.3	-3.03	<u>617</u>
215	wwis		ON Well ID: 7278897	SSW/263.0	-5.28	618
216	EHS		2701 Eglinton Avenue West Toronto ON M6M 1T9	WSW/264.0	-8.35	<u>619</u>
216	EHS		2701 Eglinton Ave W York ON M6M 1V2	WSW/264.0	-8.35	<u>619</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
217	SPL		225 Bicknell Ave Toronto ON	SW/268.9	-5.98	<u>619</u>
217	SPL	Enbridge Gas Distribution Inc.	225 Bicknell Ave, North York Toronto ON	SW/268.9	-5.98	<u>620</u>
217	PINC	DOM MERIDIAN CONSTRUCTION LTD	225 BICKNELL AVE,,TORONTO,ON,M6M 4H2,CA ON	SW/268.9	-5.98	<u>620</u>
218	SPL	Enbridge Gas Distribution Inc.	1807 Keele St Toronto ON	SSE/269.8	-2.60	621
<u>218</u>	PINC	PIPELINE HIT - 1/2"	1807 KEELE ST,,TORONTO,ON,M6M 3X3, CA ON	SSE/269.8	-2.60	621
219	SPL		35 Yore Rd, York Toronto ON	ENE/270.4	10.34	622
<u>219</u>	PINC	ENBRIDGE GAS INC	35 YORE RD,,TORONTO,ON,M6M 1W6, CA ON	ENE/270.4	10.34	622
220	INC		2518 Eglinton Avenue West , Toronto ON	ENE/279.9	18.22	623
220	INC		2-2518-A Eglinton Avenue West, Toronto ON	ENE/279.9	18.22	<u>623</u>
221	SPL	Enbridge Gas Distribution Inc.	2518 Eglinton Ave. W. <unofficial> Toronto ON</unofficial>	ENE/280.0	18.22	624
222	PINC	DOM MERIDIAN CONSTRUCTION LTD	219 BICKNELL AVE,,TORONTO,ON,M6M 4H2,CA ON	SW/284.6	-6.14	624
223	CA	FISH POT	2516 EGLINTON AVENUE WEST YORK CITY ON	ENE/285.1	18.52	625
<u>223</u>	CA	FISH POT	2516 EGLINTON AVENUE WEST YORK CITY ON	ENE/285.1	18.52	625

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>224</u>	GEN	METROPOLITAN TORONTO POLICE	NO.12 DIVISION, 2696 EGLINTON AVE., WEST C/O 590 JARVIS ST., OPERATIONAL PLNNG. TORONTO ON M6M 1T9	W/286.0	-7.16	625
224	GEN	METROPOLITAN TORONTO POLICE	NO.12 DIVISION, 2696 EGLINTON AVE., WEST C/O 40 COLLEGE ST., OPERATIONAL PLNNG. TORONTO ON M6M 1T9	W/286.0	-7.16	<u>626</u>
224	GEN	METROPOLITAN TORONTO POLICE 26-222	NO.12 DIVISION, 2696 EGLINTON AVE., WEST C/O 40 COLLEGE ST., OPERATIONAL PLNNG. TORONTO ON M6M 1T9	W/286.0	-7.16	<u>626</u>
224	GEN	METRO(OUT OF BUS)	NO.12 DIVISION, 2696 EGLINTON AVE., WEST C/O 40 COLLEGE ST., OPERATIONAL PLNNG. TORONTO ON M6M 1T9	W/286.0	-7.16	<u>626</u>
<u>224</u>	GEN	METROPOLITAN POLICE(OUT OF BUSINESS)	NO.12 DIVISION 2696 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	W/286.0	-7.16	<u>626</u>
<u>224</u>	GEN	METRO PRKS AND PROPERTY DEPT. 26-611	2696 EGLINTON AVE. W., YORK C/O 365 BAY STREET, 8TH FLOOR TORONTO ON M6M 1T9	W/286.0	-7.16	627
224	GEN	TORONTO, CORPORATION OF THE CITY OF	2696 EGLINTON AVENUE WEST TORONTO ON M6M 1V1	W/286.0	-7.16	627
224	GEN	City of Toronto	2696 Eglinton Ave. W Toronto ON M6M 1T9	W/286.0	-7.16	<u>627</u>
224	GEN	City of Toronto	2696 Eglinton Ave. W Toronto ON M6M 1T9	W/286.0	-7.16	628
224	GEN	City of Toronto	2696 Eglinton Ave. W Toronto ON M6M 1T9	W/286.0	-7.16	<u>628</u>
224	GEN	City of Toronto	2696 Eglinton Ave. W Toronto ON M6M 1T9	W/286.0	-7.16	628

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
225	TANK	York Township Police	2696 Eglinton Ave W Toronto ON M6M 1T9	W/286.0	-7.16	<u>628</u>
226	PINC	QINGDAO DC LEATHER PRODUCTS CO LTD	1801 KEELE ST,,TORONTO,ON,M6M 3X3, CA ON	SSE/288.0	-2.66	629
227	EHS		2696 Eglinton Ave W Toronto ON M6M1T9	W/290.4	-7.03	<u>629</u>
228	EHS		2515 Eglinton Ave West Toronto ON M6M 1T2	E/291.7	18.94	629
<u>229</u>	GEN	YORK BOARD OF EDUCATION	C.E. WEBSTER JUNIOR PUBLIC SCHOOL 1900 KEELE STREET YORK ON M6M 3X7	NNW/293.1	8.43	630
229	GEN	YORK BOARD OF EDUCATION 43-414	C.E. WEBSTER JUNIOR PUBLIC SCHOOL 1900 KEELE STREET YORK ON M6M 3X7	NNW/293.1	8.43	<u>630</u>
<u>229</u>	GEN	YORK BOARD OF EDUCATION (OUT OF BUSINESS)	C.E. WEBSTER JUNIOR PUBLIC SCHOOL 1900 KEELE STREET YORK ON M6M 3X7	NNW/293.1	8.43	<u>630</u>
229	SPL		1900 Keele Street, York Toronto ON	NNW/293.1	8.43	630
229	INC		1900 KEELE STREET, TORONTO ON	NNW/293.1	8.43	<u>631</u>
<u>229</u>	INC	TORONTO DISTRICT SCHOOL BOARD-(ED & BPV)	1900 KEELE ST,,TORONTO,ON,M6M 3X7, CA ON	NNW/293.1	8.43	632
229	GEN	TORONTO DISTRICT SCHOOL BOARD	CHARLES E WEBSTER JPS 1900 KEELE ST TORONTO ON M6M 3X7	NNW/293.1	8.43	632
229	GEN	TORONTO DISTRICT SCHOOL BOARD	CHARLES E WEBSTER JPS 1900 KEELE ST TORONTO ON M6M 3X7	NNW/293.1	8.43	632
229	GEN	TORONTO DISTRICT SCHOOL BOARD	CHARLES E WEBSTER JPS 1900 KEELE ST	NNW/293.1	8.43	<u>633</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			TORONTO ON M6M 3X7			
229	GEN	University Health Network	1900 Keele Street Toronto ON M6M 3X7	NNW/293.1	8.43	<u>633</u>
230	SCT	SUN LIGHT BAKERY LTD.	2512 EGLINTON AVE W YORK ON M6M 1T1	ENE/297.4	19.94	<u>633</u>
230	SCT	SUN LIGHT BAKERY LIMITED	2512 Eglinton Ave W Toronto ON M6M 1T1	ENE/297.4	19.94	634
230	SCT	Sunlight Bakery Ltd.	2512 Eglinton Ave W Toronto ON M6M 1T1	ENE/297.4	19.94	<u>634</u>
231	wwis		ON <i>Well ID:</i> 7363176	E/297.9	19.38	<u>634</u>
232	PINC	DOM MERIDIAN CONSTRUCTION LTD	215 BICKNELL AVE,,TORONTO,ON,M6M 4H2,CA ON	SSW/299.6	-5.95	635
233	CA	DENN-AIR	2700 EGLINTON AVE. WEST YORK CITY ON	W/299.8	-9.05	635
233	CA	DENN-AIR	2700 EGLINTON AVENUE WEST YORK CITY ON	W/299.8	-9.05	<u>636</u>
233	NPCB	CITY OF YORK	PARKS & RECREATION DEPARTMENT; 2700 EGLINTON AVENU TORONTO ON M6M 1V1	W/299.8	-9.05	<u>636</u>
233	NPCB	CORPORATION OF THE BOROUGH OF YORK	PARKS & RECREATION DEPARTMENT; 2700 EGLINTON AVENU TORONTO ON M6N 1V1	W/299.8	-9.05	<u>636</u>
233	GEN	YORK, CORPORATION OF THE CITY OF 43-498	2700 EGLINTON AVENUE WEST CITY OF YORK ON M6M 1V1	W/299.8	-9.05	<u>636</u>
233	GEN	YORK, CORPORATION OF THE CITY OF	2700 EGLINTON AVENUE WEST CITY OF YORK ON M6M 1V1	W/299.8	-9.05	<u>637</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
233	GEN	CITY OF TORONTO	2700 EGLINTON AVE., WEST TORONTO ON M6M 1V1	W/299.8	-9.05	<u>637</u>
233	NPCB	CITY OF YORK	PARKS & RECREATION DEPARTMENT 2700 EGLINTON AVENUE WEST TORONTO ON M6M 1V1	W/299.8	-9.05	<u>638</u>
233	GEN	City of Toronto	2700 Eglinton Ave W Toronto ON M6M 1V1	W/299.8	-9.05	<u>638</u>
233	GEN	City of Toronto	2700 Eglinton Ave W Toronto ON M6M 1V1	W/299.8	-9.05	<u>638</u>
233	GEN	City of Toronto	2700 Eglinton Ave W Toronto ON M6M 1V1	W/299.8	-9.05	<u>639</u>
233	GEN	City of Toronto	2700 Eglinton Ave W Toronto ON M6M 1V1	W/299.8	-9.05	<u>639</u>

Executive Summary: Summary By Data Source

ANDR - Anderson's Waste Disposal Sites

A search of the ANDR database, dated 1860s-Present has found that there are 4 ANDR site(s) within approximately 0.30 kilometers of the project property.

Site 2609 Eglinton Ave W Fill	Address Toronto ON M6M	Distance (m) 40.5	<u>Map Key</u> <u>75</u>
Keele-Cameron Trash Site	Toronto ON M6M	138.5	<u>182</u>
Coronation Park Dump	Toronto ON M6M	253.0	<u>210</u>
North Auto Wrecker	Toronto ON M5P	259.3	<u>214</u>

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 3 BORE site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	<u>Map Key</u>
	ON	73.3	<u>114</u>
	ON	98.0	<u>139</u>
	ON	100.6	<u>140</u>

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 9 CA site(s) within approximately 0.30 kilometers of the project property.

Site TRIPLE-TRIPLE PIZZA & CHICKEN	Address 2638 EGLINTON AVENUE WEST YORK CITY ON	Distance (m) 0.0	Map Key 2
C.B. EXCLUSIVE HOME COOK REST.	2595 EGLINTON AVE. WEST YORK CITY ON	32.7	<u>63</u>
CHESTER FRIED CHICKEN	2603 EGLINTON AVENUE WEST YORK CITY ON	42.0	<u>77</u>
TORONTO CITY - YORK CIVIC CENTRE	EGLINTON AVE/YARROW RD. TORONTO ON	134.9	<u>176</u>
MASJID E NOOR	277 SCOTT ROAD, LOT 65 TORONTO ON M6M 3V3	186.9	<u>190</u>
FISH POT	2516 EGLINTON AVENUE WEST YORK CITY ON	285.1	223
FISH POT	2516 EGLINTON AVENUE WEST YORK CITY ON	285.1	223
DENN-AIR	2700 EGLINTON AVE. WEST YORK CITY ON	299.8	233
DENN-AIR	2700 EGLINTON AVENUE WEST YORK CITY ON	299.8	233

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011- Jul 31, 2022 has found that there are 1 EASR site(s) within approximately 0.30 kilometers of the project property.

Site	<u>Address</u>	Distance (m)	Map Key
NIRO BROS. EXCAVATING & GRADING INC.	2660 Eglinton AVE W York ON M6M 1T7	19.2	<u>35</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011- Jul 31, 2022 has found that there are 2 ECA site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
Aecon Infrastructure Management Inc., Dragados Canada, Inc., EllisDon Civil	Ltd., and SNC-Lavalin Constructors (Pacific) Inc., carrying on business under the general partnership firm name "Crosslinx Transit Solutions Constructors" Eglinton Avenue West and Keele St Toronto ON M2N 7E4	15.7	<u>30</u>
City of Toronto	Keele Street Cameron Avenue, Bicknell Avenue Toronto ON M5V 3C6	129.5	<u>168</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Mar 31, 2022 has found that there are 21 EHS site(s) within approximately 0.30 kilometers of the project property.

Site	Address 2636 Eglinton Ave W Toronto ON M6M1T7	Distance (m) 0.0	<u>Map Key</u> <u>5</u>
	2654 Eglinton Avenue West Toronto ON	0.0	<u>6</u>
	2660 Eglinton Avenue West Toronto ON	26.2	<u>45</u>
	1864 keele York ON M6M 3X5	44.9	<u>81</u>
	2615 Eglinton Avenue West Toronto ON	46.1	<u>82</u>

<u>Address</u>	Distance (m)	Map Key
2623 Eglinton Avenue West Toronto ON	65.2	<u>110</u>
2623 Eglinton Ave W Toronto ON M6M1T6	79.9	<u>122</u>
2635 Eglinton Avenue West York ON M6M 1T6	102.2	<u>143</u>
2690 Eglinton Avenue West Toronto ON M6M	137.4	<u>180</u>
2562 Eglinton Avenue West York ON M6M 1T4	143.4	<u>183</u>
2562 Eglinton Ave W Toronto ON M6M1T4	143.4	<u>183</u>
2562 EGLINTON AVENUE WEST TORONTO ON	143.4	<u>183</u>
to be confirmed Toronto ON	155.0	<u>185</u>
2681 - 2685 Eglinton Avenue West Toronto ON	199.4	<u>197</u>
Location 2 Toronto ON	205.3	<u>198</u>
2544 Eglinton Avenue West Toronto ON	226.8	<u>201</u>

<u>Site</u>

Site	Address Eglinton Ave W Toronto ON	<u>Distance (m)</u> 253.0	<u>Map Key</u> <u>209</u>
	2701 Eglinton Avenue West Toronto ON M6M 1T9	264.0	<u>216</u>
	2701 Eglinton Ave W York ON M6M 1V2	264.0	<u>216</u>
	2696 Eglinton Ave W Toronto ON M6M1T9	290.4	227
	2515 Eglinton Ave West Toronto ON M6M 1T2	291.7	<u>228</u>

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Apr 30, 2022 has found that there are 87 GEN site(s) within approximately 0.30 kilometers of the project property.

Site	<u>Address</u>	Distance (m)	Map Key
WITTINGTON PROPERTIES LIMITED	2654 EGLINTON AVENUE WEST TORONTO ON M6M 1T7	0.0	<u>3</u>
WITTINGTON PROPERTIES LIMITED 42-429	2654 EGLINTON AVENUE WEST C/O 1491 YONGE ST. STE 205 TORONTO ON M4T 1Z4	0.0	<u>3</u>
ANTONIO FOTO STUDIO LTD.	2636 EGLINTON AVE. WEST TORONTO ON M6M 1T7	0.0	<u>5</u>
ANTONIO FOTO STUDIO LTD	2636 EGLINTON AVENUE WEST TORONTO ON M6M 1T7	0.0	<u>5</u>
ANTONIO FOTO STUDIO LTD. 03-220	2636 EGLINTON AVE. WEST TORONTO ON M6M 1T7	0.0	<u>5</u>

Site	<u>Address</u>	Distance (m)	Map Key
ANTONIO FOTO STUDIO LIMITED	2636 EGLINTON AVENUE WEST TORONTO ON M6M 1T7	0.0	<u>5</u>
METROPOLITAN TORONTO, MUNICPLTY OF	DEPARTMENT OF AMBULANCE SERVICES 2660 EGLINTON AVENUE WEST STATION 19 TORONTO ON M6M 1T7	19.2	<u>35</u>
METROPOLITAN TORONTO, MUNICPLTY OF26-258	DEPARTMENT OF AMBULANCE SERVICES 2660 EGLINTON AVENUE WEST STATION 19 TORONTO ON M6M 1T7	19.2	<u>35</u>
DEPARTMENT OF AMBULANCE SERVICES	2660 EGLINTON AVENUE WEST, STATION 19 TORONTO ON M6M 1T7	19.2	<u>35</u>
CITY OF TORONTO	2660 EGLINTON AVENUE WEST TORONTO ON M6M 1T7	19.2	<u>35</u>
CITY OF TORONTO	2660 EGLINTON AVENUE WEST TORONTO ON	19.2	<u>35</u>
CITY OF TORONTO	2660 EGLINTON AVENUE WEST TORONTO ON	19.2	<u>35</u>
CITY OF TORONTO	2660 EGLINTON AVENUE WEST TORONTO ON	19.2	<u>35</u>
CITY OF TORONTO	2660 EGLINTON AVENUE WEST TORONTO ON	19.2	<u>35</u>
Metrolinx	2660 Eglinton Avenue West Toronto ON	19.2	<u>35</u>
CITY OF TORONTO	2660 EGLINTON AVENUE WEST TORONTO ON M6M 1T7	19.2	<u>35</u>

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
Crosslinx Transit Solutions General Partnership	2660 Eglinton Ave W Toronto ON M6M 1T7	19.2	<u>35</u>
Crosslinx Transit Solutions General Partnership	2660 Eglinton Ave W Toronto ON M6M 1T7	19.2	<u>35</u>
Crosslinx Transit Solutions General Partnership	2660 Eglinton Ave W Toronto ON M6M 1T7	19.2	<u>35</u>
Crosslinx Transit Solutions General Partnership	2660 Eglinton Ave W Toronto ON M6M 1T7	19.2	<u>35</u>
Toronto Transit Commission	111 Yore Road Toronto ON	31.1	<u>60</u>
Delsan-AIM	111 Yore Rd TORONTO ON M6M 5L8	31.1	<u>60</u>
Toronto Transit Commission	2615 Eglinton Ave W Toronto ON	46.1	<u>82</u>
TD Canada Trust	2623 Eglinton Avenue West Toronto ON	65.2	110
Metrolinx	2688 Eglinton Ave W Toronto ON	80.1	123
YORK BOARD OF EDUCATION	EDUCATION ADMINISTRATION CENTRE 2 TRETHWEY DRIVE TORONTO ON M6M 4A8	83.2	<u>125</u>
YORK BOARD OF EDUCATION	EDUCATION ADMINISTRATION CENTRE 2 TRETHEWEY DRIVE YORK ON M6M 4A8	83.2	<u>125</u>

Site YORK BOARD OF EDUCATION 43- 110	Address EDUCATION ADMINISTRATION CENTRE 2 TRETHWEY DRIVE TORONTO ON M6M 4A8	Distance (m) 83.2	<u>Map Key</u> <u>125</u>
YORK BOARD OF EDUCATION	2 TRETHEWEY DR. TORONTO ON M6M 4A8	83.2	<u>126</u>
Gam X-Ray Limited	2600 Eglington Avenue West Suite 104 Toronto ON M6M1T5	89.2	<u>132</u>
Dr Gayle Wagman & Dr Michelle Crystal Dental Office	2568 Eglinton Ave West Toronto ON M6M 1T4	115.7	<u>149</u>
Dr Gayle Wagman & Dr Michelle Crystal	2568 Eglinton Ave West Toronto ON M6M 1T4	115.7	<u>149</u>
Dr Gayle Wagman & Dr Michelle Crystal Dental Office	2568 Eglinton Ave West Toronto ON M6M 1T4	115.7	<u>149</u>
Dr Gayle Wagman & Dr Michelle Crystal Dental Office	2568 Eglinton Ave West Toronto ON M6M 1T4	115.7	<u>149</u>
Metrolinx	2641 Eglinton Avenue West Toronto ON	119.0	<u>153</u>
YORK BOARD OF EDUCATION	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVE. WEST YORK ON M6M 4A8	137.4	<u>180</u>
YORK BOARD OF EDUCATION 43- 153	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVE. WEST YORK ON M6M 4A8	137.4	<u>180</u>
YORK BOARD OF EDUCATION	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST YORK ON M6M 1T9	137.4	<u>180</u>
TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	137.4	<u>180</u>

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
CITY OF TORONTO	2690 EGLINTON AVENUE WEST YORK MEMORIAL COLLEGIATE INSTITUTE TORONTO ON M6M 1T9	137.4	<u>180</u>
TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON	137.4	<u>180</u>
TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON	137.4	<u>180</u>
TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON	137.4	<u>180</u>
TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	137.4	<u>180</u>
TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON	137.4	<u>180</u>
TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	137.4	<u>180</u>
TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	137.4	<u>180</u>
TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	137.4	<u>180</u>
TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	137.4	<u>180</u>
TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	137.4	<u>180</u>

Site TORONTO DISTRICT SCHOOL BOARD	Address YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	<u>Distance (m)</u> 137.4	<u>Map Key</u> <u>180</u>
TORONTO DISTRICT SCHOOL BOARD	YORK MEMORIAL COLLEGIATE INSTITUTE 2690 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	137.4	<u>180</u>
Emery-Keelesdale Nurse Practitioner Led Clinic Inc	102-2562 Eglinton Ave W Toronto ON	143.4	<u>183</u>
Emery-Keelesdale Nurse Practitioner Led Clinic	102-2562 Eglinton Ave W Toronto ON M6M1T4	143.4	<u>183</u>
Emery-Keelesdale Nurse Practitioner Led Clinic	102-2562 Eglinton Ave W Toronto ON M6M1T4	143.4	<u>183</u>
Emery-Keelesdale Nurse Practitioner Led Clinic	102-2562 Eglinton Ave W Toronto ON M6M1T4	143.4	<u>183</u>
Emery-Keelesdale Nurse Practitioner Led Clinic Satellite	102-2562 Eglinton Ave W Toronto ON M6M1T4	143.4	<u>183</u>
Emery-Keelesdale Nurse Practitioner Led Clinic Satellite	102-2562 Eglinton Ave W Toronto ON M6M1T4	143.4	<u>183</u>
Emery-Keelesdale Nurse Practitioner Led Clinic Satellite	102-2562 Eglinton Ave W Toronto ON M6M1T4	143.4	<u>183</u>
Emery-Keelesdale Nurse Practitioner Led Clinic Satellite	102-2562 Eglinton Ave W Toronto ON M6M1T4	143.4	<u>183</u>
Anjuman-E-Islahul Muslemin of Toronto	277 Scott Rd. Toronto ON M6M3V3	186.9	<u>190</u>
Anjuman-E-Islahul Muslemin of Toronto	277 Scott Rd. Toronto ON M6M3V3	186.9	<u>190</u>

Site	<u>Address</u>	Distance (m)	Map Key
METROPOLITAN TORONTO POLICE	NO.12 DIVISION, 2696 EGLINTON AVE., WEST C/O 590 JARVIS ST., OPERATIONAL PLNNG. TORONTO ON M6M 1T9	286.0	<u>224</u>
METROPOLITAN TORONTO POLICE	NO.12 DIVISION, 2696 EGLINTON AVE., WEST C/O 40 COLLEGE ST., OPERATIONAL PLNNG. TORONTO ON M6M 1T9	286.0	224
METROPOLITAN TORONTO POLICE 26-222	NO.12 DIVISION, 2696 EGLINTON AVE., WEST C/O 40 COLLEGE ST., OPERATIONAL PLNNG. TORONTO ON M6M 1T9	286.0	224
METRO(OUT OF BUS)	NO.12 DIVISION, 2696 EGLINTON AVE., WEST C/O 40 COLLEGE ST., OPERATIONAL PLNNG. TORONTO ON M6M 1T9	286.0	<u>224</u>
METROPOLITAN POLICE(OUT OF BUSINESS)	NO.12 DIVISION 2696 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	286.0	<u>224</u>
METRO PRKS AND PROPERTY DEPT. 26-611	2696 EGLINTON AVE. W., YORK C/O 365 BAY STREET, 8TH FLOOR TORONTO ON M6M 1T9	286.0	<u>224</u>
TORONTO, CORPORATION OF THE CITY OF	2696 EGLINTON AVENUE WEST TORONTO ON M6M 1V1	286.0	<u>224</u>
City of Toronto	2696 Eglinton Ave. W Toronto ON M6M 1T9	286.0	<u>224</u>
City of Toronto	2696 Eglinton Ave. W Toronto ON M6M 1T9	286.0	<u>224</u>
City of Toronto	2696 Eglinton Ave. W Toronto ON M6M 1T9	286.0	<u>224</u>
City of Toronto	2696 Eglinton Ave. W Toronto ON M6M 1T9	286.0	<u>224</u>

<u>Site</u>	Address	Distance (m)	Map Key
YORK BOARD OF EDUCATION	C.E. WEBSTER JUNIOR PUBLIC SCHOOL 1900 KEELE STREET YORK ON M6M 3X7	293.1	<u>229</u>
YORK BOARD OF EDUCATION 43- 414	C.E. WEBSTER JUNIOR PUBLIC SCHOOL 1900 KEELE STREET YORK ON M6M 3X7	293.1	<u>229</u>
YORK BOARD OF EDUCATION(OUT OF BUSINESS)	C.E. WEBSTER JUNIOR PUBLIC SCHOOL 1900 KEELE STREET YORK ON M6M 3X7	293.1	229
TORONTO DISTRICT SCHOOL BOARD	CHARLES E WEBSTER JPS 1900 KEELE ST TORONTO ON M6M 3X7	293.1	<u>229</u>
TORONTO DISTRICT SCHOOL BOARD	CHARLES E WEBSTER JPS 1900 KEELE ST TORONTO ON M6M 3X7	293.1	<u>229</u>
TORONTO DISTRICT SCHOOL BOARD	CHARLES E WEBSTER JPS 1900 KEELE ST TORONTO ON M6M 3X7	293.1	<u>229</u>
University Health Network	1900 Keele Street Toronto ON M6M 3X7	293.1	<u>229</u>
YORK, CORPORATION OF THE CITY OF 43-498	2700 EGLINTON AVENUE WEST CITY OF YORK ON M6M 1V1	299.8	233
YORK, CORPORATION OF THE CITY OF	2700 EGLINTON AVENUE WEST CITY OF YORK ON M6M 1V1	299.8	233
CITY OF TORONTO	2700 EGLINTON AVE., WEST TORONTO ON M6M 1V1	299.8	233
City of Toronto	2700 Eglinton Ave W Toronto ON M6M 1V1	299.8	<u>233</u>

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
City of Toronto	2700 Eglinton Ave W Toronto ON M6M 1V1	299.8	233
City of Toronto	2700 Eglinton Ave W Toronto ON M6M 1V1	299.8	<u>233</u>
City of Toronto	2700 Eglinton Ave W Toronto ON M6M 1V1	299.8	<u>233</u>

HINC - TSSA Historic Incidents

A search of the HINC database, dated 2006-June 2009* has found that there are 5 HINC site(s) within approximately 0.30 kilometers of the project property.

Site	Address 2654 EGLINTON AVENUE WEST TORONTO ON	Distance (m) 0.0	Map Key 3
	1961 KEELE STREET TORONTO ON M6M 3X9	137.8	<u>181</u>
	10 GREENACRES ROAD TORONTO ON M6M 4A7	172.7	188
	53 YARROW ROAD TORONTO ON M6M 4E4	187.3	<u>191</u>
	7 GREENACRES ROAD TORONTO ON M6M 4A6	194.6	<u>196</u>

INC - Fuel Oil Spills and Leaks

A search of the INC database, dated Feb 28, 2022 has found that there are 8 INC site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	Address 2600 Eglinton Avenue West, Toronto ON	Distance (m) 89.2	<u>Map Key</u> <u>132</u>
	2600 EGLINTON AVE W, TORONTO ON	89.2	<u>132</u>
	2631 EGLINTON AVE W, TORONTO ON	92.1	<u>136</u>
	12 GREENACRES RD, TORONTO ON	183.7	<u>189</u>
	2518 Eglinton Avenue West , Toronto ON	279.9	220
	2-2518-A Eglinton Avenue West, Toronto ON	279.9	<u>220</u>
TORONTO DISTRICT SCHOOL BOARD-(ED & BPV)	1900 KEELE ST,,TORONTO,ON,M6M 3X7, CA ON	293.1	229
	1900 KEELE STREET, TORONTO ON	293.1	<u>229</u>

NPCB - National PCB Inventory

A search of the NPCB database, dated 1988-2008* has found that there are 4 NPCB site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
BD. OF EDUCATION CITY OF YORK	2 TRETHEWEY DRIVE TRETHEWEY DRIVE TORONTO ON M6M 4A8	83.2	<u>126</u>
CITY OF YORK	PARKS & RECREATION DEPARTMENT; 2700 EGLINTON AVENU TORONTO ON M6M 1V1	299.8	233

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
CITY OF YORK	PARKS & RECREATION DEPARTMENT 2700 EGLINTON AVENUE WEST TORONTO ON M6M 1V1	299.8	<u>233</u>
CORPORATION OF THE BOROUGH OF YORK	PARKS & RECREATION DEPARTMENT; 2700 EGLINTON AVENU TORONTO ON M6N 1V1	299.8	<u>233</u>

PES - Pesticide Register

A search of the PES database, dated Oct 2011- Jul 31, 2022 has found that there are 3 PES site(s) within approximately 0.30 kilometers of the project property.

Site VALIANT HARDWARE LTD	Address 2612 EGLINTON AVE W TORONTO ON M6M 1T4	Distance (m) 64.8	<u>Map Key</u> <u>107</u>
VALIANT HARDWARE LTD	2612 EGLINTON AVE W TORONTO ON M6M1T4	64.8	<u>107</u>
VALIANT HARDWARE LTD	2612 EGLINTON AVE W TORONTO ON M6M1T4	64.8	<u>107</u>

PINC - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2021 has found that there are 17 PINC site(s) within approximately 0.30 kilometers of the project property.

Site PIPELINE HIT - 4"	Address 2654 EGLINGTON AVENUE WEST,, TORONTO,ON,,CA ON	Distance (m) 0.0	Map Key 4
ENBRIDGE GAS INC	111 YORE RD,,TORONTO,ON,M6M 5L8,CA ON	31.1	<u>60</u>
QX LTD O/A QX LOCATES	2611 EGLINTON AVE W,,YORK,ON,M6M 1T3,CA ON	42.2	<u>78</u>

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
PIPELINE HIT - 1/2"	1842 KEELE STREET,,TORONTO,ON,M6M 3X4,CA ON	134.6	<u>175</u>
ENBRIDGE GAS INC	EGLINTON AVE W & YARROW RD,, TORONTO,ON,M6M 4E4,CA ON	134.9	<u>176</u>
PIPELINE HIT-1/2"	297 SCOTT RD,,TORONTO,ON,M6M 3V5, CA ON	149.8	<u>184</u>
CO RELEASE	2537 EGLINTON AVENUE WEST,, TORONTO,ON,M6M 1T2,CA ON	188.7	<u>192</u>
ENBRIDGE GAS INC	69 YORE RD,,TORONTO,ON,M6M 1W8,CA ON	189.6	<u>193</u>
MEGNA REAL ESTATE	65 YORE RD,,TORONTO,ON,M6M 1W8,CA ON	206.2	<u>199</u>
ENBRIDGE GAS INC	9 RICHARDSON AVE,,TORONTO,ON,M6M 3R5,CA ON	237.3	<u>205</u>
DOM MERIDIAN CONSTRUCTION LTD	229 BICKNELL AVE,,TORONTO,ON,M6M 4H2,CA ON	253.3	<u>211</u>
DOM MERIDIAN CONSTRUCTION LTD	225 BICKNELL AVE,,TORONTO,ON,M6M 4H2,CA ON	268.9	<u>217</u>
PIPELINE HIT - 1/2"	1807 KEELE ST,,TORONTO,ON,M6M 3X3, CA ON	269.8	<u>218</u>
ENBRIDGE GAS INC	35 YORE RD,,TORONTO,ON,M6M 1W6,CA ON	270.4	<u>219</u>

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
DOM MERIDIAN CONSTRUCTION LTD	219 BICKNELL AVE,,TORONTO,ON,M6M 4H2,CA ON	284.6	222
QINGDAO DC LEATHER PRODUCTS CO LTD	1801 KEELE ST,,TORONTO,ON,M6M 3X3, CA ON	288.0	<u>226</u>
DOM MERIDIAN CONSTRUCTION LTD	215 BICKNELL AVE,,TORONTO,ON,M6M 4H2,CA ON	299.6	<u>232</u>

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Jul 2022 has found that there are 1 RSC site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
873815 Ontario Limited	2600 EGLINTON AVE W, TORONTO, ON, M6M 1T5 Toronto ON M6M 1T5	89.2	<u>132</u>

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 5 SCT site(s) within approximately 0.30 kilometers of the project property.

Site	<u>Address</u>	Distance (m)	Map Key
Scott Framing	302 Scott Rd York ON M6M 3V4	101.5	<u>141</u>
GISINI PRINTING CO.	2681 EGLINTON AVE W YORK ON M6M 1T8	192.1	<u>194</u>
SUN LIGHT BAKERY LTD.	2512 EGLINTON AVE W YORK ON M6M 1T1	297.4	<u>230</u>
Sunlight Bakery Ltd.	2512 Eglinton Ave W Toronto ON M6M 1T1	297.4	<u>230</u>

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
SUN LIGHT BAKERY LIMITED	2512 Eglinton Ave W Toronto ON M6M 1T1	297.4	<u>230</u>

SPL - Ontario Spills

A search of the SPL database, dated 1988-Sep 2020; Dec 2020-Mar 2021 has found that there are 30 SPL site(s) within approximately 0.30 kilometers of the project property.

Site Enbridge Gas Distribution Inc.	Address 2654 Eglinton Avenue West Toronto ON	Distance (m) 0.0	Map Key 3
	2654 Eglinton Ave W Toronto ON	0.0	<u>3</u>
Crosslinx Tranit Solutions Constructors (CTSC)	111 Yore Road (near Keele Street and Eglinton Ave West) Toronto ON	31.1	<u>60</u>
Enbridge Gas Distribution Inc.	2680 Eglinton Ave W Toronto ON	31.2	<u>61</u>
CANADA BUILDING MATERIALS COMP	KEELE ST. SOUTH OF EGLINTON MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	40.5	<u>75</u>
TORONTO TRANSIT COMMISSION	SOUTHEAST CORNER KEELE/EGLINTON. LANSDOWNE GARAGE 586 LANSDOWNE AVENUE TORONTO CITY ON	40.5	<u>75</u>
City of Toronto	Keele and Eglinton Ave. West Toronto ON	40.5	<u>75</u>
unknown <unofficial></unofficial>	2611 Eglinton Avenue West Toronto ON	42.2	<u>78</u>
Crosslinx Transit Solutions (CTS)	Toronto ON	61.5	<u>97</u>

Site	<u>Address</u>	Distance (m)	Map Key
	2631 eglington ave w Toronto ON	92.1	<u>136</u>
	2639 Eglinton Ave. West Toronto ON	111.4	<u>147</u>
Enbridge Gas Distribution Inc.	1842 Keele Street Toronto ON	134.6	<u>175</u>
Crosslinx Transit Solutions Constructors., as general partner for and on behalf	of SNC-Lavalin Constructors (Pacific) Inc. Limited Partnership Yarrow Road w of Eglington Ave W & Keele St Toronto ON	134.9	<u>176</u>
Toronto District School Board	2690 Eglinton Avenue West Toronto ON	137.4	<u>180</u>
	2690 Eglinton Avenue West Toronto ON	137.4	<u>180</u>
Enbridge Gas Distribution Inc.	1961 Keele St Toronto ON M6M 3X9	137.8	<u>181</u>
PRIVATE RESIDENCE	1872 KEELE STREET, RESIDENCE OF THE WILLIAMS FAMILY. FURNACE OIL TANK TORONTO CITY ON M6M 3X6	156.5	<u>186</u>
	53 Yarrow Rd <unofficial> Toronto ON M6M 4E4</unofficial>	187.3	<u>191</u>
Enbridge Energy Distribution Inc.	69 Yore Road Toronto ON	189.6	<u>193</u>
VIP Construction <unofficial></unofficial>	7 Green Acres Road <unofficial> Toronto ON M6M 4A6</unofficial>	194.4	<u>195</u>

Site	<u>Address</u>	Distance (m)	Map Key
	near 145 Cameron Avenue Toronto ON	237.3	<u>204</u>
Enbridge Gas Distribution Inc.	9 Richardson Avenue, York Toronto ON	237.3	<u>205</u>
Enbridge Gas Distribution Inc.	2536 EGLINTON AVENUE WEST <unofficial> Toronto ON</unofficial>	242.1	<u>207</u>
Enbridge Gas Distribution Inc.	229 Vicknell, Ave. York Toronto ON	253.3	<u>211</u>
	225 Bicknell Ave Toronto ON	268.9	<u>217</u>
Enbridge Gas Distribution Inc.	225 Bicknell Ave, North York Toronto ON	268.9	<u>217</u>
Enbridge Gas Distribution Inc.	1807 Keele St Toronto ON	269.8	<u>218</u>
	35 Yore Rd, York Toronto ON	270.4	<u>219</u>
Enbridge Gas Distribution Inc.	2518 Eglinton Ave. W. <unofficial> Toronto ON</unofficial>	280.0	<u>221</u>
	1900 Keele Street, York Toronto ON	293.1	<u>229</u>

TANK - Anderson's Storage Tanks

A search of the TANK database, dated 1915-1953* has found that there are 8 TANK site(s) within approximately 0.30 kilometers of the project property.

Site Imperial Oil Co Ltd	Address 2660 Eglinton Ave W	<u>Distance (m)</u> 19.2	Map Key 35
inpondi On Oo Ed	Toronto ON M6M 1T7	10.2	<u>33</u>
Imperial Oil Co Ltd	2660 Eglinton Ave W Toronto ON M6M 1T7	19.2	<u>35</u>
Aspinall [L E]	2601 Eglinton Ave W Toronto ON M6M 1T3	32.9	<u>64</u>
Rowell [R W]	2615 Eglinton Ave W Toronto ON M6M 1T3	46.1	<u>82</u>
Chappell [A T]	1820 Keele St Toronto ON M6M 3X1	228.2	<u>202</u>
Curson [James]	1819 Keele St Toronto ON M6M 3X3	239.8	<u>206</u>
	1815 Keele St Toronto ON M6M 3X3	254.6	<u>212</u>
York Township Police	2696 Eglinton Ave W Toronto ON M6M 1T9	286.0	<u>225</u>

WWIS - Water Well Information System

A search of the WWIS database, dated Jan 31, 2022 has found that there are 161 WWIS site(s) within approximately 0.30 kilometers of the project property.

Site	<u>Address</u>	Distance (m)	Map Key
	2654 EGLINTON AVE. W ON	0.0	1
	Well ID: 7227394		
	EGLINTON AVE TORONTO ON	0.0	<u>7</u>

<u>Site</u>	Address Well ID: 7298513	Distance (m)	Map Key
	2660 EGLINTON AVENUE WEST NORTH YORK ON	2.0	<u>8</u>
	Well ID: 7230839		
	EGLINTON AVE. TORONTO ON	2.1	9
	Well ID: 7298515		
	2660 EGLINTON AVE. WEST TORONTO ON	3.1	<u>10</u>
	Well ID: 7261369		
	2660 EGLINTON AVE W Toronto ON	3.9	<u>11</u>
	Well ID: 7275998		
	2660 EGLINTON AVE W Toronto ON	4.1	<u>12</u>
	Well ID: 7276000		
	2660 EGLINTON AVE W Toronto ON	4.1	<u>13</u>
	Well ID: 7275999		
	2660 EGLINTON AVE W Toronto ON	5.9	<u>14</u>
	Well ID: 7275997		
	2660 EGLINTON AVE W ON	5.9	<u>14</u>
	Well ID: 7275996		
	2650 EGLINGTON AVENUE WEST ON ROAD Toronto ON Well ID: 7154471	6.5	<u>15</u>
	2660 EGLINTON AVENUE WEST NORTH YORK ON	7.1	<u>16</u>
	Well ID: 7230840		
	1993 KEELE ST. TORONTO ON	7.2	<u>17</u>

Well ID: 7156541

S	i	t	6
·	ı	L	c

<u>Address</u>	Distance (m)	<u>Map Key</u>
1858 KEELE ST. TORONTO ON	8.5	<u>18</u>
Well ID: 7261358		
EGLINTON AVE W TORONTO ON	8.7	<u>19</u>
Well ID: 7301931		
2660 EGLINTON AVE W Toronto ON	8.8	<u>20</u>
Well ID: 7276021		
2660 EGLINTON Toronto ON	9.0	<u>21</u>
Well ID: 7276017		
ON	9.3	<u>22</u>
Well ID: 7202150		
1858 KEELE ST. TORONO ON	9.3	<u>22</u>
Well ID: 7261357		
2660 EGLINTON AVE W Toronto ON	9.7	<u>23</u>
Well ID: 7276016		
2660 EGLINTON AVE. WEST TORONTO ON	10.5	<u>24</u>
Well ID: 7261360		
CITY ROW-SOUTH OF 111 YORE RD TORONTO ON	10.6	<u>25</u>
Well ID: 7262341		
CITY-ROW- SOUTH OF 111 YORE RD TORONTO ON	12.3	<u>26</u>
Well ID: 7262339		
2660 EGLINTON Toronto ON	13.6	<u>27</u>
Well ID: 7276018		
CITY-ROW SOUTH OF 111 YORE RD TORONTO ON	14.0	<u>28</u>

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
	Well ID: 7262338		
	2660 EGLINTON AVE W Toronto ON	14.7	<u>29</u>
	Well ID: 7275995		
	EGLINGTON AVE W TORONTO ON	16.0	<u>31</u>
	Well ID : 7301932		
	CITY ROW- SOUTH OF 111 YORE RD TORONTO ON	17.0	<u>32</u>
	Well ID : 7262340		
	2615 EGLINTON AVE Toronto ON	18.2	<u>33</u>
	Well ID: 7180622		
	11 YORE RD. TORONTO ON	18.9	<u>34</u>
	Well ID: 7261353		
	2660 EGLINTON Toronto ON	19.2	<u>35</u>
	Well ID: 7276019		
	2660 EGLINTON AVE. WEST TORONTO ON	19.2	<u>35</u>
	Well ID : 7261361		
	1860 KEELE ST. TORONTO ON	21.0	<u>36</u>
	Well ID : 7337213		
	SE CORNER KEEL & EGLINTON AVE. WEST TORONTO ON Well ID: 7272526	21.4	<u>37</u>
	2660 EGLINTON AVE WEST NORTH YORK ON	22.1	<u>38</u>
	Well ID: 7230841		

2660 EGLINTON AVE. WEST TORONTO ON

Well ID: 7261359

23.1

<u>39</u>

c	i٠	^
J	Iι	c

Address EGLINTON AVE W Toronto ON	Distance (m) 23.6	Map Key 40
Well ID: 7299820		
111 YORE RD. TORNOTO ON	23.8	<u>41</u>
Well ID: 7261355		
2660 EGLINTON AVE W Toronto ON	24.0	<u>42</u>
Well ID: 7275993		
ON	24.0	<u>42</u>
Well ID: 7379605		
2660 EGLINTON AVE W Toronto ON	25.7	<u>43</u>
Well ID: 7275992		
2660 EGLINTON AVE. WEST TORONTO ON	25.9	<u>44</u>
Well ID: 7261362		
2660 EGLINTON AVE W TORONTO ON	26.3	<u>46</u>
Well ID: 7276001		
2660 EGLINTON AVE. WEST TORONTO ON	27.1	<u>47</u>
Well ID: 7261363		
2660 EGLINTON AVE W Toronto ON	27.1	<u>48</u>
Well ID: 7276020		
2660 EGLINTON AVE W Toronto ON	27.4	<u>49</u>
Well ID: 7276022		
EGLINTON AVE. TORONTO ON	27.8	<u>50</u>
Well ID: 7298516		
2615 EGLINTON AVE WEST TORONTO ON	29.0	<u>51</u>

Address Well ID: 7261364	Distance (m)	<u>Map Key</u>
111 YORE ROAD TORONTO ON	29.0	<u>52</u>
Well ID: 7261356		
KEELE STREET & EGLINTON AVENUE Toronto ON	29.1	<u>53</u>
Well ID: 7253181		
2615 EGLINTON AVE WEST TORONTO ON	29.1	<u>54</u>
Well ID : 7261348		
SE CORNER KEEL & EGLINTON AVE. W TORONTO ON	29.4	<u>55</u>
Well ID: 7272523		
SE CORNER OF KEEL & EGLINTON AVE W TORONTO ON	30.2	<u>56</u>
Well ID: 7272529		
111 YORE RD Toronto ON	30.4	<u>57</u>
Well ID: 7188180		
SE CORNER KEELE & EGLINTON AVE. W TORONTO ON	30.6	<u>58</u>
Well ID: 7272522		
EGLINTON AVE. TORONTO ON	30.9	<u>59</u>
Well ID: 7298517		
2614 EGLINTON AVE W ON	31.3	<u>62</u>
Well ID: 7193053		
2615 EGLINTON AVE. WEST TORONTO ON	33.9	<u>65</u>
Well ID: 7261365		
SE CORNER KEEL ST. & EGLINGTON AVE. W TORONTO ON <i>Well ID</i> : 7272530	34.0	<u>66</u>

<u>Site</u>

Site	<u>Address</u>	Distance (m)	Map Key
	ON	34.0	<u>66</u>
	Well ID : 7379603		
	2615 EGLINGTON AVE WEST TORONTO ON	34.6	<u>67</u>
	Well ID: 7180623		
	SE CORNER OF KEEL & EGLINTON AVE W TORONTO ON	35.4	<u>68</u>
	Well ID: 7272527		
	EGLINTON ST. / KEELE ST. S ON	35.8	<u>69</u>
	Well ID: 7227393		
	1860 KEELE ST. TORONTO ON	36.9	<u>70</u>
	Well ID : 7337165		
	111 YORE RD Toronto ON	37.1	<u>71</u>
	Well ID : 7188181		
	2615 EGLINGTON AVE Toronto ON	37.2	<u>72</u>
	Well ID : 7180621		
	EGLINTON AVE./ TRETHWAY DR.	39.7	73

2615 EGLINGTON AVE WEST TORONTO ON	34.6	<u>67</u>
Well ID: 7180623		
SE CORNER OF KEEL & EGLINTON AVE W TORONTO ON	35.4	<u>68</u>
Well ID: 7272527		
EGLINTON ST. / KEELE ST. S ON	35.8	<u>69</u>
Well ID: 7227393		
1860 KEELE ST. TORONTO ON	36.9	<u>70</u>
Well ID: 7337165		
111 YORE RD Toronto ON	37.1	<u>71</u>
Well ID: 7188181		
2615 EGLINGTON AVE Toronto ON	37.2	<u>72</u>
Well ID: 7180621		
EGLINTON AVE./ TRETHWAY DR. TORONTO ON	39.7	<u>73</u>
Well ID: 7298512		
2615 EGLINTON AVE Toronto ON	40.3	<u>74</u>
Well ID: 7180626		
2615 EGLINTON AVE. WEST TORONTO ON	41.9	<u>76</u>
Well ID: 7261349		
SE CORNER KEEL ST. & EGLINTON AVE. TORONTO ON	42.4	<u>79</u>
Well ID: 7272528		
ON	42.4	<u>79</u>

Address Well ID: 7379604	Distance (m)	<u>Map Key</u>
SW CORNER KEELE & EGLINTON AVE. W TORONTO ON	43.7	<u>80</u>
Well ID : 7272549		
EGLINTON AVE. / KEELE ST. TORONTO ON	46.7	<u>83</u>
Well ID: 7298509		
EGLINTON AVE ON	46.7	<u>83</u>
Well ID: 7298511		
2615 EGLINTON AVE Toronto ON	46.7	<u>84</u>
Well ID: 7180627		
2615 EGLINTON AVE WEST TORONTO ON	47.7	<u>85</u>
Well ID: 7261347		
SE CORNER KEEL & EGLINTON AVE W TORONTO ON	48.9	<u>86</u>
Well ID: 7272531		
2615 EGLINTON AVE. WEST TORONTO ON	49.0	<u>87</u>
Well ID: 7261368		
11 YORE RD TORONTO ON	54.2	<u>88</u>
Well ID: 7261354		
1864 KEELE ST. TORONTO ON	56.6	<u>89</u>
Well ID: 7337152		
2615 EGLINTON AVE. WEST TORONTO ON	56.6	<u>90</u>
Well ID: 7261366		
111 YORE RD Toronto ON	56.7	<u>91</u>
Well ID: 7188179		

<u>Site</u>

Site	<u>Address</u>	Distance (m) M	ap Key
	2615 EGLINTON AVE. WEST TORONTO ON	57.2	<u>92</u>
	Well ID: 7261367		
		57.9	
	ON	57.9	<u>93</u>
	Well ID: 7272741		
	2615 EGLINTON AVE Toronto ON	59.3	<u>94</u>
	Well ID: 7180625		
	2615 EGLINTON AVE Toronto ON	59.3	94
	Well ID: 7180624		
	2615 EGLINTON AVE Toronto ON	60.3	<u>95</u>
	Well ID: 7180628		
		60.8	
	ON	60.6	<u>96</u>
	Well ID: 7272742		
	TRETHEWEY DRIVE Toronto ON	61.7	<u>98</u>
	Well ID: 7289117		
	EGLINGTON AVE. TORONTO ON	61.8	<u>99</u>
	Well ID: 7298518		
		00.4	
	ON	62.1	<u>100</u>
	Well ID: 7185114		
	EGLINTON AVE WEST Toronto ON	63.1	<u>101</u>
	Well ID: 7276452		

63.3

63.6

102

103

Order No: 22090803393

ON

Well ID: 7202149

2688 EGLINTON AVE W Toronto ON

<u>Site</u>	Address Well ID: 7201493	Distance (m)	Map Key
	TRETHEWEY DRIVE Toronto ON	64.0	<u>104</u>
	Well ID: 7289119		
	ON	64.2	<u>105</u>
	Well ID: 7276453		
	TRETHEWAY DRIVE Toronto ON	64.4	<u>106</u>
	Well ID: 7289116		
	15 EGLINGTON AVE W TORONTO ON	65.1	<u>108</u>
	Well ID: 7301929		
	TRETHEWEY DRIVE Toronto ON	65.1	<u>109</u>
	Well ID: 7289118		
	THRETHWAY DRIVE Toronto ON	65.8	<u>111</u>
	Well ID: 7276445		
	TRETHEWAY DRIVE Toronto ON	66.1	<u>112</u>
	Well ID: 7276446		
	EGLINTON AVE WEST Toronto ON	72.8	<u>113</u>
	Well ID: 7276449		
	EGLINTON AVE WEST Toronto ON	73.8	<u>115</u>
	Well ID: 7276448		
	ON	75.1	<u>116</u>
	Well ID: 7272745		

75.8

<u>117</u>

Order No: 22090803393

ON

Well ID: 7356458

_	_	
c	-	-
	п	е

<u>Address</u>	Distance (m)	Map Key
EGLINTON AVE WEST Toronto ON	77.2	<u>118</u>
Well ID: 7276451		
2688 EGLINTON AVE W Toronto ON	77.6	<u>119</u>
Well ID: 7201492		
ON	78.2	<u>120</u>
Well ID: 7272824		
EGLINTON AVE WEST Toronto ON	78.6	<u>121</u>
Well ID: 7276450		
ON	80.7	<u>124</u>
Well ID: 7272743		
ON	84.1	<u>127</u>
Well ID: 7272749		
	86.2	128
ON Well ID: 7212577		
WGII 10. 1212311		
ON	86.2	<u>128</u>
Well ID: 7212579		
ON	86.5	<u>129</u>
Well ID: 7272740		
ON	86.5	<u>130</u>
ON Well ID: 7259790		
EGLINTON AVE WEST Toronto ON	86.9	<u>131</u>
Well ID: 7276447		
	90.4	422
ON	00.т	<u>133</u>

Site	Address Well ID: 7214948	Distance (m)	Map Key
	ON Well ID: 7272748	90.6	134
	ON	92.0	<u>135</u>
	Well ID: 7272746		
	ON Well ID: 7272747	95.4	<u>137</u>
		96.4	138
	ON Well ID: 7272744		
	YARROW RD/ EGLINGTON AVE W Toronto ON	101.7	142
	Well ID: 7171538	400.4	
	EGLINTON AVE W Toronto ON Well ID: 7276002	102.4	<u>144</u>
	EGLINGTON AVENUE WEST/ SCOTT ROAD Toronto ON	107.6	145
	Well ID: 7177982		
	EGLINTON AVE. TORONTO ON	111.2	<u>146</u>
	Well ID: 7298510		

215 FEET WEST OF TRETHEWAY DR ON

EGLINTON AVE W TORONTO ON Well ID: 7265771

TORONTO ON Well ID: 7261346

2641 EGLINTON AVE. WEST

EGLINTON AVENUE WEST & KEELE

STREET APROX. 200FT WEST OF KEELE

113.4

117.8

118.1

STREET Toronto ON Well ID: 7287372 148

150

151

c	i۴۸
J	ιιe

<u>Address</u>	Distance (m)	Map Ke
EGLINTON AVE. TORONTO ON	118.5	<u>152</u>
Well ID: 7298514		
EGLINTON AVE W Toronto ON	119.5	<u>154</u>
Well ID: 7276009		
2641-2643 EGLINGTON AVE Toronto ON	119.5	<u>155</u>
Well ID: 7196174		
EGLINTON AVE W Toronto ON	120.4	<u>156</u>
Well ID: 7276007		
EGLINTON AVE W Toronto ON	120.8	<u>157</u>
Well ID: 7276003		
EGLINGTON AVE W TORONTO ON	120.8	<u>157</u>
Well ID: 7301930		
EGLINTON AVE W Toronto ON	121.4	<u>158</u>
Well ID: 7276004		
2641 EGLINGTNO AVE WEST TORONTO ON	121.4	<u>159</u>
Well ID: 7261351		
EGLINTON AVE W Toronto ON	121.7	<u>160</u>
Well ID: 7276005		
EGLINTON AVE W Toronto ON	121.7	<u>161</u>
Well ID: 7276006		
2641 EGLINTON AVE WEST TORONTO ON	123.7	<u>162</u>
Well ID: 7261352		
EGLINTON AVE W TORONTO ON	124.3	<u>163</u>


<u>Site</u>	Address Well ID: 7301933	<u>Distance (m)</u>	Map Key
	YARROW RD Toronto ON	127.3	<u>164</u>
	Well ID: 7276012		
	2643 EGLINTON AVE. WEST TORONTO ON	127.8	<u>165</u>
	Well ID: 7261345		
	YARROW ROAD Toronto ON	128.2	<u>166</u>
	Well ID: 7276015		
	2641-2643 EGLINGTON AVE. Toronto ON	128.2	<u>167</u>
	Well ID: 7196178		
	2641-2643 EGLINGTON AVE Toronto ON	129.5	<u>169</u>
	Well ID: 7196176		
	2641-2643 EGLINGTON AVE Toronto ON	130.7	<u>170</u>
	Well ID: 7196175		
	YARROW RD Toronto ON	132.1	<u>171</u>
	Well ID: 7276013		
	YARROW ROAD Toronto ON	132.8	<u>172</u>
	Well ID: 7276008		
	EGLINTON/YARROW RD. TORONTO ON	133.3	<u>173</u>
	Well ID: 7153850		
	RAYYOW RD Toronto ON	134.6	<u>174</u>
	Well ID: 7276010		
	YARROW RD	135.1	<u>177</u>

Toronto ON Well ID: 7276011

S	i	t	6
·	ı	L	C

<u>Address</u>	Distance (m)	Map Key
ON	135.1	<u>177</u>
Well ID: 7379606		
2641-2643 EGLINGTON AVENUE Toronto ON	136.5	<u>178</u>
Well ID: 7196177		
2643 EGLINTON AVE WEST TORONTO ON	136.8	<u>179</u>
Well ID: 7261350		
2690 EGLINGTON AVE. WEST TORONTO ON	167.8	<u>187</u>
Well ID: 7153849		
KEELE ST (B/W HOLWOOD AVE AND CAMERON AVE) ON	209.3	<u>200</u>
Well ID : 7204804		
2700 EGLINTON AVENUE WEST Toronto ON	234.6	<u>203</u>
Well ID: 7260483		
2700 EGLINTON AVENUE Toronto ON	247.5	208
Well ID: 7260482		
2700 EGLINTON AVENUE WEST Toronto ON	257.1	<u>213</u>
Well ID: 7260481		
	263.0	215
ON		
Well ID : 7278897		
ON	297.9	<u>231</u>
ON		

Well ID: 7363176



Local Road

Rail

Service Road; Traffic Circle; Ramp

Eris Sites with Lower Elevation


Eris Sites with Unknown Elevation

Aircraft Roads

Hospital

Native Reservation

Park (City/County)



Aerial Year: 2021

Address: 2636 - 2654 Eglinton Avenue West, York, ON

Order Number: 22090803393





Topographic Map

Address: 2636 - 2654 Eglinton Avenue West, ON

Source: ESRI World Topographic Map

Order Number: 22090803393



Detail Report

SSE/0.0	129.9 / 0.01	2654 EGLINTON AVE ON	. W	wwis
Monitoring Observation Wells		Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor:	12-Sep-2014 00:00:00 TRUE 7201	
		Form Version: Owner: County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	7 YORK AND TORONT	
	SSE/0.0 7227394 Monitoring Observation Wells Z187604 A150890 YORK BOROUGH	7227394 Monitoring Observation Wells Z187604 A150890	T227394 Flowing (Y/N): Flow Rate: Monitoring Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	T227394 Flowing (Y/N): Flow Rate: Monitoring Data Entry Status: Data Src: Observation Wells Date Received: Selected Flag: Abandonment Rec: Z187604 A150890 Form Version: Owner: County: County: Concession: Concession: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:

 $https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/722\graver2394.pdf$

Order No: 22090803393

Additional Detail(s) (Map)

PDF URL (Map):

Well Completed Date: 2014/08/15 Year Completed: 2014 Depth (m): 27.432

Latitude: 43.6904525798291 Longitude: -79.4742937390784 722\7227394.pdf Path:

Bore Hole Information

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Bore Hole ID: 1005124144 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 17 622957.00 Code OB: East83: Code OB Desc: 4838624.00 North83: Open Hole: Org CS: G83dd Cluster Kind: UTMRC:

Date Completed: 15-Aug-2014 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Remarks: Location Method:

Elevrc Desc: Location Source Date:

Overburden and Bedrock

Materials Interval

Formation ID: 1005355171

Layer: 2 Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 15.0 Formation End Depth: 25.0

Overburden and Bedrock

Formation End Depth UOM:

Materials Interval

Formation ID: 1005355169

ft

Layer:

Color:

General Color:

Mat1:28Most Common Material:SANDMat2:11

Mat2 Desc: GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 5.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1005355170

Layer: 2 **Color:** 6

General Color: **BROWN** Mat1: 28 Most Common Material: SAND Mat2: 06 Mat2 Desc: SILT Mat3: 81 Mat3 Desc: SANDY Formation Top Depth: 5.0 15.0 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1005355174

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3:

Mat3 Desc:

Formation Top Depth: 45.0 Formation End Depth: 75.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1005355175

 Layer:
 7

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 75.0 **Formation End Depth:** 90.0

Formation End Depth: 90.0 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1005355173

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 84

 Mat2 Desc:
 SILTY

Mat3: Mat3 Desc:

Formation Top Depth: 35.0 Formation End Depth: 45.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1005355172

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 84

 Mat2 Desc:
 SILTY

Mat3: Mat3 Desc:

Formation Top Depth: 25.0 Formation End Depth: 35.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1005355184

Layer: 3 **Plug From:** 75.0

Plug To: 4.0
Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1005355183

 Layer:
 2

 Plug From:
 78.0

 Plug To:
 75.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1005355182

 Layer:
 1

 Plug From:
 90.0

 Plug To:
 78.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:1005355181Method Construction Code:6Method Construction:Boring

Other Method Construction:

Pipe Information

Pipe ID: 1005355168

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1005355178

 Layer:
 1

 Material:
 5

Open Hole or Material:PLASTICDepth From:80.0Depth To:0.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1005355179

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 90.0

 Screen End Depth:
 80.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

Order No: 22090803393

2.5

Screen Diameter:

Water Details

Water ID: 1005355177

Layer: Kind Code: Kind:

Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

 Hole ID:
 1005355176

 Diameter:
 8.25

 Depth From:
 40.0

 Depth To:
 0.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Links

 Bore Hole ID:
 1005124144
 Tag No:
 A150890

 Depth M:
 27.432
 Contractor:
 7201

 Year Completed:
 2014
 Posts:
 72377237

 Year Completed:
 2014
 Path:
 722\7227394.pdf

 Well Completed Dt:
 2014/08/15
 Latitude:
 43.6904525798291

 Audit No:
 Z187604
 Longitude:
 -79.4742937390784

2 1 of 1 ENE/0.0 130.0 / 0.15 TRIPLE-TRIPLE PIZZA & CHICKEN 2638 EGLINTON AVENUE WEST

YORK CITY ON

Certificate #:8-3426-96-Application Year:96Issue Date:9/11/1996Approval Type:Industrial airStatus:Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code:

Project Description:KITCHEN EXHAUSTContaminants:Other Organic Compounds

Emission Control: No Controls

3 1 of 5 W/0.0 129.9 / 0.01 WITTINGTON PROPERTIES LIMITED

2654 FOLINTON AVENUE WEST GEN

Generator No: ON1304402 SIC Code: 7411

SIC Description: INVEST. DEALERS
Approval Years: 92,93,97,98,99,00,01

PO Box No: Country: CO Admin:
CT. DEALERS
Choice of Contact:
Phone No Admin:
Contam Facility:

Contam. Facility: MHSW Facility:

Status:

2654 EGLINTON AVENUE WEST TORONTO ON M6M 1T7

Order No: 22090803393

Detail(s)

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Map Key Number of Direction/ Elev/Diff Site DΒ Records Distance (m) (m) W/0.0 129.9 / 0.01 3 2 of 5 **WITTINGTON PROPERTIES LIMITED 42-429 GEN**

> YONGE ST. STE 205 **TORONTO ON M4T 1Z4**

2654 EGLINTON AVENUE WEST C/O 1491

Generator No: ON1304402 SIC Code: 7411

SIC Description: **INVEST. DEALERS**

Approval Years: 94,95,96

PO Box No: Country:

Status: Co Admin:

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 221

LIGHT FUELS Waste Class Desc:

3 of 5 W/0.0 129.9 / 0.01 2654 EGLINTON AVENUE WEST 3 **HINC** TORONTO ON

FS INC 0701-00126 External File Num: Fuel Occurrence Type: Pipeline Strike 1/9/2007 Date of Occurrence: Fuel Type Involved: Natural Gas

Status Desc: Completed - Causal Analysis(End) Incident/Near-Miss Occurrence (FS) Job Type Desc:

Commercial (e.g. restaurant, business unit, etc) Oper. Type Involved:

Service Interruptions: Yes Property Damage: Yes Fuel Life Cycle Stage: Utilization

Root Cause: Equipment/Material/Component:No Procedures:No Root Cause: Maintenance:No Design:No Training:No

Management:No Human Factors:Yes

Reported Details:

Gaseous Fuel Fuel Category: Occurrence Type: Incident

Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) Affiliation:

County Name: Toronto

Approx. Quant. Rel: Nearby body of water: Enter Drainage Syst.: Approx. Quant. Unit: **Environmental Impact:**

3

129.9 / 0.01 Enbridge Gas Distribution Inc.

2654 Eglinton Avenue West

Toronto ON

Material Group:

Discharger Report:

Health/Env Conseq:

0586-AD4RF7 Ref No: Site No:

W/0.0

8/23/2016 Incident Dt: Year:

4 of 5

Incident Cause: Incident Event: Leak/Break

Contaminant Code:

NATURAL GAS (METHANE) Contaminant Name: Contaminant Limit 1:

Contam Limit Freq 1: Contaminant UN No

Environment Impact: Nature of Impact:

Client Type: Sector Type: Miscellaneous Industrial

Agency Involved: Nearest Watercourse:

2654 Eglinton Avenue West Site Address:

Site District Office: Site Postal Code: Site Region:

Site Municipality: Toronto

Site Lot:

Order No: 22090803393

SPL

Direction/ Elev/Diff Site DΒ Map Key Number of (m)

Records Distance (m)

Receiving Medium: Site Conc: Receiving Env: Air Northing: MOE Response: Easting: Dt MOE Arvl on Scn:

Site Geo Ref Accu: MOE Reported Dt: 8/23/2016 Site Map Datum:

TSSA - Fuel Safety Branch - Hydrocarbon Fuel Dt Document Closed: SAC Action Class:

Release/Spill

Incident Reason: Operator/Human Error Source Type: Site Name: Opposite of the address PL strike<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Incident Summary: TSSA FSB: 4" PL Strike, not made safe.

0 L Contaminant Qty:

W/0.0 5 of 5 129.9 / 0.01 2654 Ealinton Ave W 3 SPL

Toronto ON

Ref No: 3721-BREHG9 Discharger Report: Site No: Material Group: NA

2020/07/11 Health/Env Conseq: Incident Dt: 2 - Minor Environment Year: Client Type:

Incident Cause: Sector Type: Miscellaneous Industrial

Incident Event: Leak/Break Agency Involved: Contaminant Code: Nearest Watercourse:

TRANSFORMER OIL (N.O.S.) 2654 Eglinton Ave W Contaminant Name: Site Address:

Toronto - District Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code:

Contaminant UN No n/a Site Region: Central

Site Municipality: Toronto Environment Impact:

Nature of Impact: Site Lot: Receiving Medium: Site Conc: Receiving Env: I and Northing: MOE Response: No Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu:

2020/07/11 MOE Reported Dt: Site Map Datum: **Dt Document Closed:** SAC Action Class:

Land Spills **Equipment Failure** Transformer Incident Reason: Source Type: Site Name: Transformer<UNOFFICIAL>

Site County/District:

Site Geo Ref Meth: Incident Summary: Toronto Hydro - 5L to Vault, Possible Drain Contaminant Qty: 5 I

W/0.0 1 of 1 129.9 / 0.02 PIPELINE HIT - 4" 2654 EGLINGTON AVENUE WEST,, TORONTO,

ON,,CA

PINC

Order No: 22090803393

ON Incident Id: Pipe Material:

Incident No: Fuel Category: 1928782 Incident Reported Dt: 8/24/2016 Health Impact:

FS-Pipeline Incident **Environment Impact:** Type: Status Code: Property Damage: Pipeline Damage Reason Est Tank Status: Service Interrupt:

Task No: Enforce Policy: Spills Action Centre: Public Relation: Fuel Type: Pipeline System: Fuel Occurrence Tp: PSIG:

Attribute Category: Date of Occurrence: Occurrence Start Dt: Regulator Location:

Depth: Method Details:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Customer Acct Name:

Incident Address: Operation Type: Pipeline Type: Regulator Type: Summary:

PIPELINE HIT - 4" 2654 EGLINGTON AVENUE WEST,,TORONTO,ON,,CA

Affiliation: Occurrence Desc: Damage Reason:

Reported By:

Notes:

1 of 5 ENE/0.0 130.0 / 0.15 ANTONIO FOTO STUDIO LTD. 5 **GEN**

Status:

2636 EGLINTON AVE. WEST **TORONTO ON M6M 1T7**

Generator No: ON0723200 SIC Code:

SIC Description: Approval Years:

5951 PHOTO. EQUIP./SUP.

86,87,88,89,90 PO Box No:

Co Admin: Choice of Contact:

Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Country:

Waste Class: 264

Waste Class Desc: PHOTOPROCESSING WASTES

5 2 of 5 ENE/0.0 130.0 / 0.15 ANTONIO FOTO STUDIO LTD **GEN**

2636 EGLINTON AVENUE WEST

TORONTO ON M6M 1T7

ON0723200 Generator No:

SIC Code: SIC Description: 92,93,97,98

Approval Years: PO Box No: Country:

Co Admin: 5951 PHOTO. EQUIP./SUP. Choice of Contact:

Phone No Admin: Contam. Facility: MHSW Facility:

Status:

Detail(s)

Waste Class: 264

Waste Class Desc: PHOTOPROCESSING WASTES

5 3 of 5 ENE/0.0 130.0 / 0.15 ANTONIO FOTO STUDIO LTD. 03-220 **GEN**

2636 EGLINTON AVE. WEST **TORONTO ON M6M 1T7**

Status:

ON0723200 Generator No:

SIC Code: 5951

SIC Description: PHOTO. EQUIP./SUP. Approval Years: 94,95,96

PO Box No: Country:

Co Admin: Choice of Contact:

Phone No Admin: Contam. Facility: MHSW Facility:

Order No: 22090803393

Detail(s)

Waste Class: 264

PHOTOPROCESSING WASTES Waste Class Desc:

Map Key	Number Record			Site		DB
<u>5</u>	4 of 5	ENE/0.0	130.0 / 0.15	ANTONIO FOTO STUD 2636 EGLINTON AVEN TORONTO ON M6M 1	IUE WEST	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON0723200 5951 PHOTO. EQUIP./SUP. 99,00,01		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
Detail(s)						
Waste Class Waste Class		264 PHOTOPROCI	ESSING WASTES			
<u>5</u>	5 of 5	ENE/0.0	130.0 / 0.15	2636 Eglinton Ave W Toronto ON M6M1T7		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional In	: ed: te Name: g Size:	20170329010 C Standard Report 03-APR-17 29-MAR-17		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -79.474155 43.690629	
<u>6</u>	1 of 1	SW/0.0	129.9 / 0.05	2654 Eglinton Avenue West Toronto ON		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional In	: ed: te Name: g Size:	20120606029 C Site Report 07-JUN-12 06-JUN-12		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -79.47447 43.690457	
7	1 of 1	SW/0.0	129.9 / 0.05	EGLINTON AVE TORONTO ON		wwis
Well ID: Construction	n Date:	7298513		Flowing (Y/N): Flow Rate:		
Use 1st: Use 2nd:		Dewatering		Data Entry Status: Data Src:		
Final Well Status: Water Type:		Dewatering		Date Received: Selected Flag:	03-Nov-2017 00:00:00 TRUE	
Casing Mate Audit No:	eriai:	Z251353 A220851		Abandonment Rec: Contractor:	3413 7	
Tag: Constructn Elevation (m		A220001		Form Version: Owner: County:	YORK AND TORONT	
Elevation (if Elevatin Reli Depth to Be Well Depth: Overburden, Pump Rate:	abilty: drock: /Bedrock:			County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:	TORIC TORONT	

Static Water Level:

Zone: Clear/Cloudy: UTM Reliability:

TORONTO CITY Municipality:

Site Info:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7298513.pdf PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2017/03/29 2017 Year Completed: Depth (m): 32.004

Latitude: 43.6904012244476 Longitude: -79.474493574067 Path: 729\7298513.pdf

Bore Hole Information

Bore Hole ID: 1006788076 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 17 622941.00 Code OB: East83: Code OB Desc: North83: 4838618.00 Open Hole: UTM83

Org CS: Cluster Kind: UTMRC:

Date Completed: **UTMRC Desc:** margin of error: 30 m - 100 m 29-Mar-2017 00:00:00 Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

Overburden and Bedrock **Materials Interval**

Formation ID: 1006879737

6 Layer: 2 Color: General Color: **GREY** 17 Mat1: Most Common Material: SHALE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 98.0 105.0 Formation End Depth: Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

1006879735 Formation ID:

Layer: 2 Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT

Mat2: Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 84.0 Formation End Depth: 93.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006879732

Layer: 1 Color: 6 **BROWN** General Color: Mat1: 11 Most Common Material: **GRAVEL**

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006879733

2 Layer: Color: General Color: **GREY** 05 Mat1: CLAY Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

6.0 Formation Top Depth: Formation End Depth: 27.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006879734

3 Layer: Color: General Color: **GREY** Mat1: 05 CLAY Most Common Material: Mat2: 06 Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 27.0 Formation End Depth: 84.0

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006879736

5 Layer:

2 Color: General Color: **GREY**

Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 93.0 Formation End Depth: 98.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1006879738 Formation ID:

Layer:

Color: General Color:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 105.0

Formation End Depth: ft Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

1006879745 Plug ID:

Layer: Plug From: 0.0 20.0 Plug To: Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

1006879746 Plug ID:

Layer: 20.0 Plug From: 105.0 Plug To: Plug Depth UOM: ft

Method of Construction & Well

1006879744 **Method Construction ID:**

Method Construction Code:

Rotary (Convent.) **Method Construction:**

Other Method Construction:

Pipe Information

Pipe ID: 1006879731

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006879741

Layer: Material: 5

Open Hole or Material: **PLASTIC** Depth From: 0.0 25.0 Depth To: Casing Diameter: 4.0 Casing Diameter UOM: inch ft Casing Depth UOM:

Construction Record - Screen

Screen ID: 1006879742

Layer: 1 Slot:

10 Screen Top Depth: 25.0 Screen End Depth: 105.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006879740

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

1006879739 Hole ID:

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006788076 Tag No: A220851 Depth M: 32.004 Contractor: 3413

2017 Path: Year Completed: 729\7298513.pdf Well Completed Dt: 2017/03/29 Latitude: 43.6904012244476 Audit No: Z251353 Longitude: -79.474493574067

NW/2.0 2660 EGLINTON AVENUE WEST 1 of 1 129.8 / -0.09 8

NORTH YORK ON

WWIS

Order No: 22090803393

7230839 Well ID:

Construction Date:

Monitoring and Test Hole Use 1st:

Use 2nd: Test Hole

Final Well Status: Casing Material:

Water Type:

Audit No:

Abandonment Rec: Z196664 Contractor: 7241

Flowing (Y/N):

Date Received:

Selected Flag:

Data Entry Status:

03-Nov-2014 00:00:00

TRUE

Flow Rate:

Data Src:

Tag: A171261 **Form Version:** 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

YORK AND TORONT

Elevation (iii).

Elevatin Reliability:

Depth to Bedrock:

Well Depth:

Concession:

Concession Name:

Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:
Static Water Level: Zone:
Clear/Cloudy: UTM Reliability:

Clear/Cloudy: UTM F
Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2014/10/14

 Year Completed:
 2014

 Depth (m):
 4.572

Latitude: 43.6906987476521 **Longitude:** -79.4745232563913

Path:

Bore Hole Information

Bore Hole ID: 1005198311 Elevation: DP2BR: Elevro:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622938.00

 Code OB Desc:
 North83:
 4838651.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 14-Oct-2014 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

Order No: 22090803393

Remarks: Location Method:
Elevrc Desc:
Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1005396189

Layer: Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT 28 Mat2: Mat2 Desc: SAND Mat3: 05 CLAY Mat3 Desc: Formation Top Depth: 8.0 Formation End Depth: 15.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1005396188

 Layer:
 3

 Color:
 6

 General Color:
 BROWN

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3:

Mat3 Desc:

Formation Top Depth: 2.0
Formation End Depth: 8.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1005396187

Layer: 2 **Color:** 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 0.25
Formation End Depth: 2.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1005396186

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

 Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 0.25 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1005396197

 Layer:
 1

 Plug From:
 15.0

 Plug To:
 4.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1005396198

Layer: 2

4.0 Plug From: Plug To: 0.0 Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

1005396196 **Method Construction ID:** D

Method Construction Code:

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1005396185 0

Casing No: Comment:

Alt Name:

Construction Record - Casing

1005396192 Casing ID:

Layer: Material: 5

Open Hole or Material: **PLASTIC** Depth From: 0.0 Depth To: 5.0 Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM:

Construction Record - Screen

Screen ID: 1005396193

Layer: 1 .10 Slot: 5.0 Screen Top Depth: Screen End Depth: 15.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.25

Water Details

1005396191 Water ID:

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1005396190

Diameter: 8.0 0.0 Depth From: Depth To: 15.0 Hole Depth UOM: ft Hole Diameter UOM: inch

<u>Links</u>

Bore Hole ID: 1005198311 Tag No: A171261 Depth M: 4.572 Contractor: 7241 Year Completed: 2014 Path: 723\7230839.pdf 43.6906987476521 Well Completed Dt: 2014/10/14 Latitude: Z196664 -79.4745232563913 Audit No: Longitude:

9 1 of 1 SW/2.1 129.9 / 0.05 EGLINTON AVE.
TORONTO ON WWIS

 Well ID:
 7298515
 Flowing (Y/N):

Construction Date: Flow Rate: Use 1st: Dewatering Data Entry Status:

Use 2nd:

Final Well Status:

Dewatering

Data Src:

Date Received:

03-Nov-2017 00:00:00

Water Type: Selected Flag: TRUE Casing Material: Abandonment Rec:

Casing Material:

Audit No: Z251354 Contractor: 3413

Tag: A220850 Form Version: 7
Constructn Method: Owner:

 Elevation (m):
 County:
 YORK AND TORONT

 Elevatn Reliabilty:
 Lot:

Depth to Bedrock: Concession:
Well Depth: Concession Name:
Overburden/Bedrock: Easting NAD83:
Pump Boto: Name: Nada Name: Name

Pump Rate:Northing NAD83:Static Water Level:Zone:Clear/Cloudy:UTM Reliability:

Municipality: YORK BOROUGH Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7298515.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2017/03/29

 Year Completed:
 2017

 Depth (m):
 27.7368

 Latitude:
 43.6903743876181

 Longitude:
 -79.4745066627244

 Path:
 729\7298515.pdf

Bore Hole Information

 Bore Hole ID:
 1006788082
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622940.00

 Code OB Desc:
 North83:
 4838615.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed:29-Mar-2017 00:00:00UTMRC Desc:margin of error : 30 m - 100 mRemarks:Location Method:digit

Order No: 22090803393

Elevrc Desc: Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1006879858 Formation ID:

Layer: Color: **BROWN** General Color: Mat1: 11 Most Common Material: **GRAVEL**

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

0.0 Formation Top Depth: Formation End Depth: 6.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006879862

Layer:

Color: General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 91.0 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1006879859 Formation ID:

Layer: Color: 2 General Color: **GREY** 05 Mat1: Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6.0 Formation End Depth: 25.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006879860

Layer: 3 2 Color: **GREY** General Color: Mat1: 05 Most Common Material: CLAY Mat2: 06 SILT Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 25.0 Formation End Depth: 85.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006879861

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 85.0 Formation End Depth: 91.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006879870

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 91.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006879869

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006879868

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006879857

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006879865

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0

31.0 Depth To: Casing Diameter: 4.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

1006879866 Screen ID:

Layer: 1 Slot: 10 31.0 Screen Top Depth: Screen End Depth: 91.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006879864

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

1006879863 Hole ID:

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006788082 Tag No: A220850 Depth M: 27.7368 Contractor: 3413

Year Completed: Path: 2017 729\7298515.pdf 2017/03/29 Well Completed Dt: Latitude: 43.6903743876181 Longitude: Audit No: Z251354 -79.4745066627244

10 1 of 1 W/3.1129.9 / 0.02 2660 EGLINTON AVE. WEST **WWIS** TORONTO ON

Well ID: 7261369

Construction Date: Use 1st:

Use 2nd: Final Well Status: Abandoned-Other

Water Type:

Casing Material:

Audit No:

Z232434 Tag:

Constructn Method: Elevation (m):

Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate:

Flowing (Y/N): Flow Rate:

Data Entry Status: Data Src:

12-Apr-2016 00:00:00 Date Received:

TRUE Selected Flag: Abandonment Rec: Yes Contractor: 6946 Form Version:

Owner:

County: YORK AND TORONT

Order No: 22090803393

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

Elevation:

17 622928.00

4838631.00

margin of error: 30 m - 100 m

Order No: 22090803393

UTM83

wwr

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

UTM Reliability:

Static Water Level:

Clear/Cloudy:

Municipality: Site Info:

YORK BOROUGH

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/02/29 2016 Year Completed:

Depth (m):

Latitude: 43.6905203872922 Longitude: -79.4746518613569

Path:

Bore Hole Information

Bore Hole ID: 1005929296

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 29-Feb-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006023352

Layer: Plug From: 0.0 Plug To: 14.0 Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

1006023351

Method Construction Code: Method Construction:

Other Method Construction:

Pipe Information

Pipe ID: 1006023345

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006023349

Layer: 1 Material: 5

Open Hole or Material:
Depth From:
Depth To:
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM:
Casing Depth UOM:

PLASTIC
14.0
2.0
inch
ft

Construction Record - Screen

Screen ID: 1006023350

Layer: Slot:

Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM:
Screen Diameter UOM:
inch

Water Details

Water ID: 1006023348

Layer: Kind Code: Kind:

Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006023347

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

Bore Hole ID: 1005929296 **Tag No:**

Depth M:

 Year Completed:
 2016

 Well Completed Dt:
 2016/02/29

 Audit No:
 Z232434

Contractor: 6946

 Path:
 726\7261369.pdf

 Latitude:
 43.6905203872922

 Longitude:
 -79.4746518613569

11 1 of 1 W/3.9 129.9 / 0.02 2660 EGLINTON AVE W Toronto ON WWIS

Well ID: 7275998

Construction Date:
Use 1st: Dewatering

Use 2nd:
Final Well Status: Dewatering

Water Type: Casing Material:

 Audit No:
 Z245155

 Tag:
 A215341

Constructn Method: Elevation (m): Elevatn Reliabilty: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:

Date Received: 29-Nov-2016 00:00:00
Selected Flag: TRUE

Selected Flag: TRUE Abandonment Rec:

Contractor: 3413 Form Version: 7

Owner:

County: YORK AND TORONT

Lot:

Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

Static Water Level: Zone:
Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7275998.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2016/09/20

 Year Completed:
 2016

 Depth (m):
 27.7368

 Latitude:
 43.6905838895917

 Longitude:
 -79.4746874766509

 Path:
 727√275998.pdf

Bore Hole Information

 Bore Hole ID:
 1006298948
 Elevation:

 DP2BR:
 Elevrc:

Spatial Status: Elevic: 2one: 1

 Code OB:
 East83:
 622925.00

 Code OB Desc:
 North83:
 4838638.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 20-Sep-2016 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

Order No: 22090803393

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006458588

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 55.0 Formation End Depth: 62.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458591

 Layer:
 6

 Color:
 2

 General Color:
 GREY

Mat1: 17
Most Common Material: SH

Mat2: Mat2 Desc: Mat3: SHALE

Mat3 Desc:Formation Top Depth:90.0Formation End Depth:91.0Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458586

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 14.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458590

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 88.0 Formation End Depth: 90.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458587

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 14.0
Formation End Depth: 55.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458589

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 62.0 Formation End Depth: 88.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458599

 Layer:
 2

 Plug From:
 2.5

 Plug To:
 91.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458598

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 2.5

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006458597

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006458585

Casing No:

Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1006458594

Layer:

Material:5Open Hole or Material:PLASTICDepth From:0.0Depth To:25.0Casing Diameter:4.0

Casing Diameter UOM: inch
Casing Depth UOM: ft

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Construction Record - Screen

1006458595 Screen ID:

Layer: Slot: 10 25.0 Screen Top Depth: Screen End Depth: 91.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006458593

Layer: Kind Code:

Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

1006458592 Hole ID:

Diameter: 8.0 0.0 Depth From: Depth To: 91.0 Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006298948 Tag No: A215341 Depth M: 27.7368 Contractor: 3413

Year Completed: 2016 Path: 727\7275998.pdf Well Completed Dt: 2016/09/20 Latitude: 43.6905838895917 Audit No: Z245155 Longitude: -79.4746874766509

12 1 of 1 WSW/4.1 129.9 / 0.06 2660 EGLINTON AVE W **WWIS Toronto ON**

Flowing (Y/N):

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

UTM Reliability:

Northing NAD83:

29-Nov-2016 00:00:00

YORK AND TORONT

Order No: 22090803393

TRUE

3413

Flow Rate:

Data Src:

Well ID: 7276000

Construction Date:

Use 1st: Dewatering Use 2nd:

Final Well Status: Dewatering

Water Type:

Casing Material:

Audit No: Z245174

A215353 Tag:

Constructn Method:

Elevation (m):

Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276000.pdf

Elevation:

17 622931.00

4838618.00

margin of error: 30 m - 100 m

Order No: 22090803393

UTM83

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

Additional Detail(s) (Map)

 Well Completed Date:
 2016/09/15

 Year Completed:
 2016

 Depth (m):
 27.5334984

 Latitude:
 43.6904028801649

 Longitude:
 -79.4746176151404

 Path:
 727\7276000.pdf

Bore Hole Information

Bore Hole ID: 1006298954

DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 15-Sep-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006458648

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 89.0

Formation End Depth: 90.33300018310547

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458647

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 87.0
Formation End Depth: 89.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458646

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 62.0 Formation End Depth: 87.0 Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006458645

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 27.0 Formation End Depth: 62.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458644

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

 Mat2 Desc:

 Mat3:
 85

 Mat3 Desc:
 SOFT

 Formation Top Depth:
 15.0

Formation Top Depth: 15.0 Formation End Depth: 27.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458643

Layer: 1 **Color:** 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11

Mat2 Desc: GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 15.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458656

Layer: 2 **Plug From:** 25.0

Plug To: 90.33300018310547

Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458655

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006458654

Method Construction Code:

Method Construction:Other MethodOther Method Construction:AIR ROTARY

Pipe Information

Pipe ID: 1006458642

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006458651

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 25.0

 Casing Diameter:
 4.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Screen

Screen ID: 1006458652

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 90.33300018310547

Screen Material: 5 Screen Depth UOM: ft

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006458650

Layer: Kind Code: Kind:

Water Found Depth: ft Water Found Depth UOM:

Hole Diameter

Hole ID: 1006458649 Diameter: 8.0 Depth From: 0.0

90.33300018310547 Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006298954 Tag No: A215353 Depth M: 27.5334984 Contractor: 3413

Path: 727\7276000.pdf Year Completed: 2016 Well Completed Dt: 2016/09/15 Latitude: 43.6904028801649 Audit No: Z245174 Longitude: -79.4746176151404

2660 EGLINTON AVE W 1 of 1 W/4.1 129.9 / 0.02 13 **WWIS Toronto ON**

Flowing (Y/N):

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

Northing NAD83:

UTM Reliability:

29-Nov-2016 00:00:00

YORK AND TORONT

Order No: 22090803393

TRUE

3413

Flow Rate:

Data Src:

Well ID: 7275999

Construction Date: Use 1st: Dewatering

Use 2nd:

Final Well Status:

Dewatering

Water Type:

Casing Material:

Audit No: Z245154 A215334 Tag:

Constructn Method:

Elevation (m): Elevatn Reliabilty:

Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level:

Clear/Cloudy: YORK BOROUGH Municipality:

Site Info:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7275999.pdf PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/09/12 2016 Year Completed: Depth (m): 27.72156

Latitude: 43.6905205528532 Longitude: -79.4746642654892

Path: 727\7275999.pdf

Bore Hole Information

 Bore Hole ID:
 1006298951
 Elevation:

 DP2BR:
 Elevrc:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622927.00

 Code OB Desc:
 North83:
 4838631.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 12-Sep-2016 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006458616

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 57.0
Formation End Depth: 62.0
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006458619

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 89.0

Formation End Depth: 90.94999694824219

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458617

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 62.0 Formation End Depth: 87.0 Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006458615

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

 Mat2 Desc:
 85

 Mat3 Desc:
 SOFT

 Formation Top Depth:
 15.0

 Formation End Depth:
 57.0

Overburden and Bedrock Materials Interval

Formation End Depth UOM:

Formation ID: 1006458614

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 15.0
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006458618

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 87.0 Formation End Depth: 89.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458627

Layer: 2 **Plug From:** 25.0

Plug To: 90.94999694824219

Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458626

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006458625

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006458613

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006458622

Layer: 1 Material: 5 Open Hole or Material: **PLASTIC** Depth From: 0.0 2.5 Depth To: Casing Diameter: 4.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006458623

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 2.5

Screen End Depth: 90.94999694824219

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water Details

Water ID: 1006458621

Layer: Kind Code: Kind:

Direction/ Elev/Diff Site DΒ Map Key Number of Records Distance (m) (m)

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006458620 Diameter: 8.0 0.0 Depth From:

Depth To: 90.94999694824219

Hole Depth UOM: Hole Diameter UOM: inch

Links

Bore Hole ID: 1006298951 Tag No: A215334 Depth M: 27.72156 Contractor: 3413

Path: 727\7275999.pdf Year Completed: 2016 2016/09/12 Well Completed Dt: Latitude: 43.6905205528532 Audit No: Z245154 -79.4746642654892 Longitude:

1 of 2 W/5.9 129.9 / 0.02 2660 EGLINTON AVE W 14 **WWIS**

Well ID: 7275997

Construction Date:

Use 1st: Use 2nd:

Final Well Status:

Water Type:

Casing Material:

Audit No: Z245156 Tag:

Constructn Method: Elevation (m):

Elevatn Reliabilty: Depth to Bedrock:

Well Depth: Overburden/Bedrock: Pump Rate:

Static Water Level:

Municipality:

Dewatering

A215340

Clear/Cloudy:

YORK BOROUGH Site Info:

Toronto ON

Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:

Date Received: 29-Nov-2016 00:00:00

Selected Flag: TRUE

Abandonment Rec:

Contractor: 3413 Form Version:

Owner:

County: YORK AND TORONT Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7275997.pdf

Additional Detail(s) (Map)

Well Completed Date: 2016/09/22 Year Completed: 2016

27.742896000000002 Depth (m): 43.6905842207049 Latitude: Longitude: -79.4747122849423 727\7275997.pdf Path:

Bore Hole Information

Bore Hole ID: 1006298945 DP2BR:

Spatial Status: Code OB: Code OB Desc: Elevation: Elevrc:

Zone:

East83: 622923.00 North83: 4838638.00

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

UTM83

wwr

margin of error: 30 m - 100 m

Order No: 22090803393

Open Hole: Cluster Kind:

22-Sep-2016 00:00:00

Date Completed: Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

1006458573 Formation ID:

Layer: Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 14.0 Formation End Depth: 55.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458575

Layer: Color: 2 General Color: **GREY** Mat1: 05 CLAY Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 62.0 Formation End Depth: 84.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458576

Layer: 5 Color: **GREY** General Color: 06 Mat1: Most Common Material: SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 84.0 Formation End Depth: 90.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

1006458577 Formation ID:

Layer: 2 Color: General Color: **GREY** Mat1: 17 Most Common Material: SHALE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 90.0

Formation End Depth: 91.0199966430664

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

1006458574 Formation ID:

Layer: 3 Color: 2 General Color: **GREY** Mat1: 06 SILT Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

55.0 Formation Top Depth: Formation End Depth: 62.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006458572

Layer: 1 Color: 6

General Color: **BROWN** Mat1: 28 Most Common Material: SAND Mat2: 05 Mat2 Desc: CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 14.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

1006458584 Plug ID:

2 Layer: 2.5 Plug From:

Plug To: 91.0199966430664

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458583

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 2.5

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006458582

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006458571

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006458580

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006458581

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 91.0199966430664

Screen Material:5Screen Depth UOM:ftScreen Diameter UOM:inchScreen Diameter:4.0

Water Details

Water ID: 1006458579

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006458578

Diameter:8.0Depth From:0.0

Depth To: 91.0199966430664

Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

 Bore Hole ID:
 1006298945
 Tag No:
 A215340

 Depth M:
 27.74289600000002
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727/7275997.pdf

 Well Completed Dt:
 2016/09/22
 Latitude:
 43.6905842207049

 Audit No:
 Z245156
 Longitude:
 -79.4747122849423

14 2 of 2 W/5.9 129.9 / 0.02 2660 EGLINTON AVE W

Well ID: 7275996 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st:DewateringData Entry Status:Use 2nd:Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245157
 Contractor:
 3413

 Tag:
 A215339
 Form Version:
 7

Constructn Method: Form version: 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT Elevatn Reliability: Lot:

Depth to Bedrock: Concession:
Well Depth: Concession Name:
Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7275996.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2016/09/25

 Year Completed:
 2016

 Depth (m):
 27.870912

 Latitude:
 43.6905842207049

 Longitude:
 -79.4747122849423

 Path:
 727\7275996.pdf

Bore Hole Information

 Bore Hole ID:
 1006298942
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622923.00

 Code OB Desc:
 North83:
 4838638.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC:

Date Completed: 25-Sep-2016 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

Order No: 22090803393

Remarks: Location Method: www

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Elevrc Desc:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006458544

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 12.0 Formation End Depth: 56.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458546

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 62.0 Formation End Depth: 78.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458545

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 08

Mat2 Desc: FINE SAND

Mat3:

Mat3 Desc:

Formation Top Depth: 56.0 Formation End Depth: 62.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458543

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

05 Mat2: Mat2 Desc: CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 2.0 12.0 Formation End Depth: Formation End Depth UOM:

Overburden and Bedrock **Materials Interval**

Formation ID: 1006458547

Layer: 6 Color: 2 General Color: **GREY** Mat1: 11 Most Common Material: **GRAVEL**

Mat2: 31

Mat2 Desc:

COARSE GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 78.0 Formation End Depth: 86.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458542

Layer: 2 Color: **GREY** General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc:

Mat3: 60

Mat3 Desc: **CEMENTED**

Formation Top Depth: 0.0 Formation End Depth: 2.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1006458549 Formation ID:

Layer: 8 Color: General Color: **GREY** Mat1: 17 Most Common Material: SHALE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

90.0 Formation Top Depth:

91.44000244140625 Formation End Depth:

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Order No: 22090803393

Formation ID: 1006458548

 Layer:
 7

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 86.0 Formation End Depth: 90.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458556

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 2.5

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458557

Layer: 2 **Plug From**: 2.5

Plug To: 91.44000244140625

Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006458555

Method Construction Code:

Method Construction:Other MethodOther Method Construction:AIR ROTARY

Pipe Information

Pipe ID: 1006458541

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006458552

Layer: 1

Material: 5
Open Hole or Material: PLASTIC

Depth From:0.0Depth To:2.5Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Screen ID: 1006458553 Layer: 1 10 Slot: 25.0 Screen Top Depth: Screen End Depth: 91.44000244140625 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0 Water Details Water ID: 1006458551 Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: ft Hole Diameter Hole ID: 1006458550 Diameter: 8.0 0.0 Depth From: Depth To: 91.44000244140625 Hole Depth UOM: ft Hole Diameter UOM: inch <u>Links</u> Bore Hole ID: 1006298942 Tag No: A215339 Contractor: Depth M: 27.870912 3413 Year Completed: 2016 Path: 727\7275996.pdf 43.6905842207049 Well Completed Dt: 2016/09/25 Latitude: Z245157 -79.4747122849423 Audit No: Longitude: 15 1 of 1 SSW/6.5 129.8 / -0.10 2650 EGLINGTON AVENUE WEST ON ROAD **WWIS Toronto ON** Well ID: 7154471 Flowing (Y/N): **Construction Date:** Flow Rate: Data Entry Status: Use 1st: Monitoring Use 2nd: Data Src: Final Well Status: Observation Wells 15-Nov-2010 00:00:00 Date Received: Water Type: Selected Flag: TRUE Casing Material: Abandonment Rec: Z122939 7075 Audit No: Contractor: Tag: A096202 Form Version: Constructn Method: Owner: Elevation (m): County: YORK AND TORONT Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7154471.pdf

Northing NAD83:

UTM Reliability:

Order No: 22090803393

Zone:

YORK BOROUGH

Pump Rate:

Clear/Cloudy:

Municipality:

Site Info:

Static Water Level:

Additional Detail(s) (Map)

 Well Completed Date:
 2010/10/14

 Year Completed:
 2010

 Depth (m):
 10.0584

 Latitude:
 43.6903465573098

 Longitude:
 -79.4744453267963

 Path:
 715\7154471.pdf

Bore Hole Information

Bore Hole ID: 1003406294

DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 14-Oct-2010 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1003532236

Layer: 2 2 Color: **GREY** General Color: Mat1: 34 Most Common Material: TILL 06 Mat2: Mat2 Desc: SILT Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 10.0 Formation End Depth: 33.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1003532235

Layer: 6 Color: **BROWN** General Color: 28 Mat1: Most Common Material: SAND Mat2: 11 **GRAVEL** Mat2 Desc: Mat3: 68 DRY Mat3 Desc: Formation Top Depth: 0.0 Formation End Depth: 10.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Elevation: Elevrc:

Zone: 17

 East83:
 622945.00

 North83:
 4838612.00

 Org CS:
 UTM83

UTMRC: 3

UTMRC Desc: margin of error: 10 - 30 m

Order No: 22090803393

Location Method: wwr

Sealing Record

Plug ID: 1003532238

 Layer:
 1

 Plug From:
 0.5

 Plug To:
 21.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003532239

 Layer:
 2

 Plug From:
 21.0

 Plug To:
 22.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1003532244

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1003532234

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1003532241

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.5

 Depth To:
 23.0

 Casing Diameter:
 2.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Screen

Screen ID: 1003532242

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 23.0

 Screen End Depth:
 33.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 2.0

Water Details

Water ID: 1003532240

Layer: Kind Code:

Kind:

Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1003532237

 Diameter:
 8.0

 Depth From:
 0.0

 Depth To:
 33.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

<u>Links</u>

 Bore Hole ID:
 1003406294
 Tag No:
 A096202

 Depth M:
 10.0584
 Contractor:
 7075

 Year Completed:
 2010
 Path:
 715/7154471.pdf

 Well Completed Dt:
 2010/10/14
 Latitude:
 43.6903465573098

 Audit No:
 Z122939
 Longitude:
 -79.4744453267963

16 1 of 1 WNW/7.1 130.0 / 0.06 2660 EGLINTON AVENUE WEST NORTH YORK ON WWIS

Flowing (Y/N):

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

UTM Reliability:

Northing NAD83:

03-Nov-2014 00:00:00

YORK AND TORONT

Order No: 22090803393

TRUE

7241

Flow Rate:

Data Src:

Well ID: 7230840

Construction Date:
Use 1st: Monitoring and Test Hole

Use 2nd: Monitoring and Test Hor

Final Well Status: Test Hole

Water Type:

Casing Material:

 Audit No:
 Z196665

 Tag:
 A171260

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2014/10/14

 Year Completed:
 2014

 Depth (m):
 4.572

Latitude: 43.690683560646 **Longitude:** -79.4747345835714

Path:

Bore Hole Information

 Bore Hole ID:
 1005198314
 Elevation:

 DP2BR:
 Elevrc:

Spatial Status: Zone: 17

Code OB: East83: 622921.00

Location Method:

wwr

Order No: 22090803393

 Code OB Desc:
 North83:
 4838649.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 14-Oct-2014 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1005396203

Layer: 2 Color: General Color: **GREY** 06 SILT Most Common Material: Mat2: 28 SAND Mat2 Desc: 05 Mat3: Mat3 Desc: CLAY Formation Top Depth: 8.0 Formation End Depth: 15.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1005396201

Layer: 2 **Color:** 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11
Mat2 Desc: GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 0.25
Formation End Depth: 2.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1005396200

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 0.25
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1005396202

 Layer:
 3

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 2.0
Formation End Depth: 8.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1005396211

 Layer:
 1

 Plug From:
 15.0

 Plug To:
 4.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1005396213

Layer: 3

Plug From: Plug To:

Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1005396212

 Layer:
 2

 Plug From:
 4.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1005396210

Method Construction Code: D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1005396199

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Order No: 22090803393

Casing ID: 1005396206

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 5.0

 Casing Diameter:
 2.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Screen

Screen ID: 1005396207

 Layer:
 1

 Slot:
 .10

 Screen Top Depth:
 5.0

 Screen End Depth:
 15.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 2.25

Water Details

Water ID: 1005396205

Layer: Kind Code: Kind:

Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1005396204

 Diameter:
 8.0

 Depth From:
 0.0

 Depth To:
 15.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

<u>Links</u>

 Bore Hole ID:
 1005198314
 Tag No:
 A171260

 Depth M:
 4.572
 Contractor:
 7241

 Year Completed:
 2014
 Path:

 Well Completed Dt:
 2014/10/14
 Latitude:
 43.690683560646

 Audit No:
 Z196665
 Longitude:
 -79.4747345835714

17 1 of 1 ENE/7.2 130.6 / 0.68 1993 KEELE ST.
TORONTO ON WWIS

Order No: 22090803393

Well ID: 7156541 **Flowing (Y/N):**

Construction Date: Flow Rate:
Use 1st: Monitoring Data Entry Status:

 Use 2nd:
 Data Src:

 Final Well Status:
 0

 Date Received:
 17-Dec-2010 00:00:00

Water Type: Selected Flag: TRUE Casing Material: Abandonment Rec:

 Audit No:
 Z099576
 Contractor:
 7075

 Tag:
 A105958
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty:
Depth to Bedrock:
Concession:
Well Depth:
Concession Name:
Overburden/Bedrock:
Easting NAD83:
Pump Rate:
Northing NAD83:
Static Water Level:
Zone:

Clear/Cloudy: 2016. UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7156541.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2010/10/20

 Year Completed:
 2010

 Depth (m):
 25.146

 Latitude:
 43.6907369618993

 Longitude:
 -79.4740135442812

 Path:
 715√7156541.pdf

Bore Hole Information

Bore Hole ID: 1003439514 Elevation:

DP2BR: Elevro:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622979.00

 Code OB Desc:
 North83:
 4838656.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 3

 Date Completed:
 20-Oct-2010 00:00:00
 UTMRC Desc:
 margin of error : 10 - 30 m

Remarks: Location Method: W

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1003636358

3 Layer: Color: General Color: **GREY** Mat1: 06 SILT Most Common Material: Mat2: 28 Mat2 Desc: SAND Mat3: 11 Mat3 Desc: **GRAVEL** Formation Top Depth: 13.0 Formation End Depth: 60.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1003636356

Layer: 1

6 Color: General Color: **BROWN** Mat1: 01 Most Common Material: FILL Mat2: 28 SAND Mat2 Desc: Mat3: 79 Mat3 Desc: **PACKED** Formation Top Depth: 0.0 Formation End Depth: 5.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1003636359

Layer: 4 2 Color: **GREY** General Color: 28 SAND Most Common Material: 06 Mat2: Mat2 Desc: SILT 80 Mat3: Mat3 Desc: **POROUS** Formation Top Depth: 60.0 Formation End Depth: 82.5 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1003636357

Layer: 2 **Color:** 6

BROWN General Color: 28 Mat1: Most Common Material: SAND Mat2: 06 Mat2 Desc: SILT Mat3: 80 **POROUS** Mat3 Desc: Formation Top Depth: 5.0

Formation End Depth: 13.0 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003636362

 Layer:
 2

 Plug From:
 4.0

 Plug To:
 70.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003636361

 Layer:
 1

 Plug From:
 1.0

 Plug To:
 4.0

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1003636363

ft

 Layer:
 3

 Plug From:
 70.0

 Plug To:
 71.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1003636368

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1003636355

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1003636365

Layer: 1 Material: 5

Open Hole or Material:
Depth From:
Depth To:
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM:

PLASTIC
0.5
72.5
2.0
inch

Construction Record - Screen

Screen ID: 1003636366

Layer:

Slot:

Screen Top Depth:72.5Screen End Depth:82.5Screen Material:5Screen Depth UOM:ftScreen Diameter UOM:inchScreen Diameter:2.0

Water Details

Water ID: 1003636364

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1003636360

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

 Bore Hole ID:
 1003439514
 Tag No:
 A105958

 Depth M:
 25.146
 Contractor:
 7075

 Year Completed:
 2010
 Path:
 715\7156541.pdf

 Well Completed Dt:
 2010/10/20
 Latitude:
 43.6907369618993

 Audit No:
 Z099576
 Longitude:
 -79.4740135442812

18 1 of 1 NNW/8.5 129.8 / -0.13 1858 KEELE ST.
TORONTO ON WWIS

Data Src:

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Abandonment Rec:

Concession Name: Easting NAD83:

Northing NAD83:

UTM Reliability:

12-Apr-2016 00:00:00

YORK AND TORONT

TRUE

Yes

7

17

Order No: 22090803393

6946

Well ID: 7261358 Flowing (Y/N):

Construction Date: Flow Rate:
Use 1st: Data Entry Status:

Use 2nd:

Final Well Status: Abandoned-Other Water Type:

Casing Material:

Audit No: Z232334

Tag: Constructn Method: Elevation (m):

Elevation (iii).
Elevatin Reliability:
Depth to Bedrock:
Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

PDF URL (Map):

Municipality: YORK BOROUGH

Site Info:

Additional Detail(s) (Map)

Well Completed Date: 2016/02/29 Year Completed: 2016

 Depth (m):

 Latitude:
 43.6907787613859

 Longitude:
 -79.4744467776278

Longitude: Path:

Bore Hole Information

Bore Hole ID:1005929263Elevation:DP2BR:Elevrc:Spatial Status:Zone:

 Code OB:
 East83:
 622944.00

 Code OB Desc:
 North83:
 4838660.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 29-Feb-2016 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

Remarks: Location Method: ww

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006022964

 Layer:
 1

 Layer:
 1

 Plug From:
 12.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006022963

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006022957

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006022961

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 12.0

 Casing Diameter:
 2.0

 Casing Diameter UOM:
 inch

Casing Depth UOM:

Construction Record - Screen

Screen ID: 1006022962

ft

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006022960

Layer: Kind Code: Kind:

DΒ Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006022959

Diameter: Depth From: Depth To:

Hole Depth UOM: ft inch Hole Diameter UOM:

Links

Bore Hole ID: 1005929263

Contractor: Depth M: 6946

2016 Path: 726\7261358.pdf Year Completed: Well Completed Dt: 2016/02/29 43.6907787613859 Latitude: Audit No: Z232334 Longitude: -79.4744467776278

19 1 of 1 W/8.7 130.0 / 0.06 **EGLINTON AVE W WWIS TORONTO ON**

Tag No:

Flowing (Y/N):

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner: County:

Lot:

Zone:

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

Northing NAD83:

UTM Reliability:

Elevation:

21-Dec-2017 00:00:00

YORK AND TORONT

Order No: 22090803393

TRUE

7607

Flow Rate:

Data Src:

Well ID: 7301931

Construction Date:

Use 1st: Use 2nd:

Final Well Status: Dewatering

Water Type:

Casing Material:

Audit No: Z254860 A223709 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty:

Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level:

Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2017/11/27 Year Completed: 2017 Depth (m): 27

43.6905847173647 Latitude: Longitude: -79.4747494973801

Path:

Bore Hole Information

Bore Hole ID: 1006926251 DP2BR:

Spatial Status: Code OB:

Elevrc: Zone:

622920.00 East83: Code OB Desc: North83: 4838638.00

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

UTM83

cnrev

margin of error: 30 m - 100 m

Order No: 22090803393

Open Hole: Cluster Kind:

Date Completed: 27-Nov-2017 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1007090081

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

 Mat1:
 02

 Most Common Material:
 TOPSOIL

 Mat2:
 12

 Mat2 Desc:
 STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 3.0 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1007090084

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 05

 Mat2 Desc:
 CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 25.0 Formation End Depth: 27.0 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1007090083

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3: Mat3 Desc:

129

Formation Top Depth: 10.0
Formation End Depth: 25.0
Formation End Depth UOM: m

erisinfo.com | Environmental Risk Information Services

Overburden and Bedrock

Materials Interval

Formation ID: 1007090082

Layer: 2 **Color:** 6

 General Color:
 BROWN

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 3.0
Formation End Depth: 10.0
Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007090091

 Layer:
 2

 Plug From:
 8.0

 Plug To:
 27.0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007090090

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 8.0

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1007090089

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1007090080

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1007090087

Layer: 1 Material: 5

Material: 5

Open Hole or Material: PLASTIC

 Open Hole or Material:
 PLAST

 Depth From:
 0.0

 Depth To:
 9.0

 Casing Diameter:
 10.0

 Casing Diameter UOM:
 cm

 Casing Depth UOM:
 m

Order No: 22090803393

Construction Record - Screen

Screen ID: 1007090088

 Layer:
 1

 Slot:
 .5

 Screen Top Depth:
 9.0

 Screen End Depth:
 27.0

 Screen Material:
 5

 Screen Depth UOM:
 m

Water Details

Screen Diameter UOM:

Screen Diameter:

Water ID: 1007090086

cm

10.0

Layer: Kind Code: Kind:

Water Found Depth:
Water Found Depth UOM:

Hole Diameter

Hole ID: 1007090085

Diameter: Depth From: Depth To:

Hole Depth UOM: m
Hole Diameter UOM: cm

<u>Links</u>

 Bore Hole ID:
 1006926251
 Tag No:
 A223709

 Depth M:
 27
 Contractor:
 7607

 Year Completed:
 2017
 Path:

 Well Completed Dt:
 2017/11/27
 Latitude:
 43.6905847173647

 Audit No:
 Z254860
 Longitude:
 -79.4747494973801

130.0 / 0.06

Well ID: 7276021

1 of 1

Construction Date:

Use 1st: Dewatering

Use 2nd:

20

Final Well Status: Dewatering

Water Type:

Casing Material:

 Audit No:
 Z230289

 Tag:
 A215337

Constructn Method: Elevation (m):

Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate:

Static Water Level: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

2660 EGLINTON AVE W

Toronto ON

Flowing (Y/N): Flow Rate: Data Entry Status:

Data Src:

Date Received: 29-Nov-2016 00:00:00

WWIS

Order No: 22090803393

Selected Flag: TRUE

Abandonment Rec:

Contractor: 3413 Form Version: 7

Owner:

County: YORK AND TORONT

Lot: Concession:

Concession:
Concession Name:
Easting NAD83:
Northing NAD83:

Zone:

UTM Reliability:

W/8.8

PDF URL (Map):

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276021.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2016/09/12

 Year Completed:
 2016

 Depth (m):
 26.93

 Latitude:
 43.6906118853248

 Longitude:
 -79.4747612170852

 Path:
 727√276021.pdf

Bore Hole Information

Bore Hole ID: 1006298843

DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 12-Sep-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006459124

Layer: 2 Color: General Color: **GREY** 05 Mat1: Most Common Material: CLAY 28 Mat2: Mat2 Desc: SAND Mat3: 66 Mat3 Desc: **DENSE** Formation Top Depth: 1.0 Formation End Depth: 3.0 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1006459125

Layer: 3 Color: 2 General Color: **GREY** Mat1: 05 CLAY Most Common Material: Mat2: 81 SANDY Mat2 Desc: Mat3: 84 SILTY Mat3 Desc: Formation Top Depth: 3.0 Formation End Depth: 4.0 Formation End Depth UOM: m

 Elevrc:

 Zone:
 17

 East83:
 622919.00

 North83:
 4838641.00

Org CS: UTM83
UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393

Location Method: ww

Overburden and Bedrock

Materials Interval

Formation ID: 1006459123

Layer:

Color: 6

General Color: BROWN
Mat1: 02
Most Common Material: TOPSOIL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 1.0 Formation End Depth UOM: m

Overburden and Bedrock Materials Interval

Formation ID: 1006459127

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

 Mat3:
 66

 Mat3 Desc:
 DENSE

 Formation Top Depth:
 5.0

 Formation End Depth:
 20.0

 Formation End Depth UOM:
 m

Overburden and Bedrock

Materials Interval

Formation ID: 1006459126

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

 Mat3:
 84

 Mat3 Desc:
 SILTY

 Formation Top Depth:
 4.0

 Formation End Depth:
 5.0

 Formation End Depth UOM:
 m

Overburden and Bedrock

Materials Interval

Formation ID: 1006459128

Layer: 6 **Color:** 6

 General Color:
 BROWN

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 05

Order No: 22090803393

 Mat2 Desc:
 CLAY

 Mat3:
 28

 Mat3 Desc:
 SAND

 Formation Top Depth:
 20.0

Formation End Depth: 26.93000030517578

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006459135

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 6.0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006459136

Layer: 2 **Plug From:** 6.0

Plug To: 26.93000030517578

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006459134

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006459122

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006459131

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:6.5Casing Diameter:4.0Casing Diameter UOM:cmCasing Depth UOM:m

Construction Record - Screen

Screen ID: 1006459132

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 6.5

Screen End Depth: 26.93000030517578

Screen Material: 5
Screen Depth UOM: m

Screen Diameter UOM: cm Screen Diameter: 4.5

Water Details

Water ID: 1006459130

Layer: Kind Code: Kind:

Water Found Depth:
Water Found Depth UOM:

Hole Diameter

 Hole ID:
 1006459129

 Diameter:
 8.0

 Depth From:
 0.0

Depth To: 26.93000030517578

Hole Depth UOM: m
Hole Diameter UOM: cm

Links

 Bore Hole ID:
 1006298843
 Tag No:
 A215337

 Depth M:
 26.93
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276021.pdf

 Well Completed Dt:
 2016/09/12
 Latitude:
 43.6906118853248

 Audit No:
 Z230289
 Longitude:
 -79.4747612170852

21 1 of 1 W/9.0 130.0 / 0.06 2660 EGLINTON Toronto ON WWIS

Well ID: 7276017 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st:DewateringData Entry Status:Use 2nd:Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material:Abandonment Rec:Audit No:Z245162Contractor:3413

 Audit No:
 2240162
 Contractor:
 3413

 Tag:
 A215328
 Form Version:
 7

Constructn Method: Owner:
Elevation (m): County: YORK AND TORONT

Elevator (III).

Elevator Reliabilty:

Depth to Bedrock:

Concession:

Well Depth: Concession Name:
Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:

Static Water Level: Zone:
Clear/Cloudy: UTM Reliability:

Municipality VODI/ DODOUCU

Municipality: YORK BOROUGH
Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276017.pdf

Order No: 22090803393

Additional Detail(s) (Map)

 Well Completed Date:
 2016/09/05

 Year Completed:
 2016

 Depth (m):
 28.4226

Latitude: 43.6906390532837 **Longitude:** -79.4747729368006

UTMRC:

Order No: 22090803393

Path: 727\7276017.pdf

Bore Hole Information

Cluster Kind:

 Bore Hole ID:
 1006298831
 Elevation:

 DP2BR:
 Elevrc:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622918.00

 Code OB Desc:
 North83:
 4838644.00

 Open Hole:
 Org CS:
 UTM83

Date Completed: 05-Sep-2016 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

Remarks: Location Method: wwr Elevro Desc:

Overburden and Bedrock

Materials Interval

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Formation ID: 1006459060

 Layer:
 1

 Color:
 2

 General Color:
 GREY

Mat1: Most Common Material:

Mat2: Mat2 Desc: Mat3: 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0
Formation End Depth: 1.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459067

Layer: 8

Color: General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 93.25

Formation End Depth:

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459062

 Layer:
 3

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

Most Common Material: SAND Mat2: 11 GRAVEL GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 5.0
Formation End Depth: 12.0
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006459061

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 05

 Mat2 Desc:
 CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 1.0
Formation End Depth: 5.0
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006459063

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 12.0 Formation End Depth: 58.0 Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006459066

 Layer:
 7

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 88.0 Formation End Depth: 93.25 Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Order No: 22090803393

Formation ID: 1006459064

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 58.0 Formation End Depth: 62.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459065

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 62.0 Formation End Depth: 88.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006459074

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006459075

 Layer:
 2

 Plus From:
 25.0

Plug From: 25.0

Plug To: 90.38999938964844

Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006459073

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006459059

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006459070

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:2.5Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006459071

Layer: 1 10 Slot: Screen Top Depth: 2.5 Screen End Depth: 93.25 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006459069

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006459068

Diameter:8.0Depth From:0.0

Depth To: 90.38999938964844

Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

 Bore Hole ID:
 1006298831
 Tag No:
 A215328

 Depth M:
 28.4226
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276017.pdf

 Well Completed Dt:
 2016/09/05
 Latitude:
 43.6906390532837

 Audit No:
 Z245162
 Longitude:
 -79.4747729368006

22 1 of 2 NE/9.3 130.5 / 0.57 WWIS

Yes

Order No: 22090803393

Well ID: 7202150 Flowing (Y/N):

Construction Date: Flow Rate:
Use 1st: Data Entry Status:
Use 2nd: Data Src:

Final Well Status: Date Received: 28-May-2013 00:00:00

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Selected Flag:

County:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

UTM Reliability:

Lot:

Zone:

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

TRUE

17 622968.00

4838669.00

margin of error: 30 m - 100 m

Order No: 22090803393

UTM83

YORK AND TORONT

Water Type: Casing Material:

Abandonment Rec: C20464 7215 Audit No: Contractor: A139597 Tag: Form Version: 8 Owner:

Constructn Method: Elevation (m): Elevatn Reliabilty:

Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: Site Info:

YORK BOROUGH

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7202150.pdf PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2012/10/23 Year Completed: 2012

Depth (m):

Latitude: 43.6908557941689 Longitude: -79.4741470230694 720\7202150.pdf Path:

Bore Hole Information

Bore Hole ID: 1004313581 DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind: Date Completed: 23-Oct-2012 00:00:00 Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Links

Bore Hole ID: 1004313581 Tag No: A139597 7215 Depth M: Contractor:

720\7202150.pdf Year Completed: 2012 Path: Well Completed Dt: 2012/10/23 Latitude: 43.6908557941689 C20464 -79.4741470230694 Audit No: Longitude:

2 of 2 NE/9.3 130.5 / 0.57 1858 KEELE ST. 22 **WWIS TORONO ON**

7261357 Well ID:

Construction Date: Use 1st:

Use 2nd: Final Well Status: Abandoned-Other Water Type:

Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:

12-Apr-2016 00:00:00 Date Received:

Selected Flag: TRUĖ

Casing Material:

Audit No: Z232335

Tag: Constructn Method:

Elevation (m): Elevatn Reliabilty: Depth to Bedrock:

Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/02/29 Year Completed: 2016

Depth (m):

 Latitude:
 43.6908557941689

 Longitude:
 -79.4741470230694

Path:

Bore Hole Information

Bore Hole ID: 1005929260

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 29-Feb-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006022923

 Layer:
 1

 Plug From:
 10.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006022922

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Abandonment Rec: Yes Contractor: 6946 Form Version: 7

Owner:

County: YORK AND TORONT

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevro:

Zone: 17

East83: 622968.00
North83: 4838669.00
Org CS: UTM83
UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393

Location Method: wv

Pipe ID: 1006022916

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006022920

Layer: 1
Material: 5
Ones Hele or Meterial: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:10.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006022921

Layer: Slot:

Screen Top Depth: Screen End Depth:

Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006022919

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM:

Hole Diameter

Hole ID: 1006022918

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

<u>Links</u>

Bore Hole ID: 1005929260 **Tag No:**

ft

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7261357.pdf

 Well Completed Dt:
 2016/02/29
 Latitude:
 43.6908557941689

 Audit No:
 Z232335
 Longitude:
 -79.4741470230694

23 1 of 1 W/9.7 130.0 / 0.06 2660 EGLINTON AVE W Toronto ON WWIS

Well ID: 7276016 Flowing (Y/N):
Construction Date: Flow Rate:

Use 1st: Dewatering

Use 2nd:

Final Well Status: Dewatering

Water Type:

Casing Material:

Audit No: 7245163 Tag: A215323

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock:

Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276016.pdf

Additional Detail(s) (Map)

2016/10/23 Well Completed Date: Year Completed: 2016 Depth (m): 27.6606

43.6905848829153 Latitude: Longitude: -79.4747619015263 Path: 727\7276016.pdf

Bore Hole Information

Bore Hole ID: 1006298828

DP2BR: Spatial Status: Code OB:

Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 23-Oct-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1006459045 Formation ID:

Layer: 2 Color: General Color: **GREY**

Mat1:

Most Common Material:

Mat2: Mat2 Desc:

Mat3: 60

CEMENTED Mat3 Desc: Formation Top Depth: 0.0

Formation End Depth: 1.0 Data Entry Status:

Data Src:

29-Nov-2016 00:00:00 Date Received:

TRUE Selected Flag:

Abandonment Rec:

3413 Contractor: Form Version: 7

Owner:

County: YORK AND TORONT

> 17 622919.00

4838638.00

margin of error: 30 m - 100 m

UTM83

wwr

Lot: Concession: Concession Name:

Easting NAD83: Northing NAD83:

Zone:

Elevation:

Elevro:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

UTM Reliability:

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006459048

Layer: 2 Color: General Color: **GREY** Mat1: 06 SILT Most Common Material: Mat2: 69

Mat2 Desc: FINE-GRAINED

Mat3: Mat3 Desc:

58.0 Formation Top Depth: Formation End Depth: 63.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459046

Layer: Color: General Color: **BROWN** Mat1: 28 SAND Most Common Material: Mat2: 05 Mat2 Desc: CLAY

Mat3: Mat3 Desc:

1.0 Formation Top Depth: Formation End Depth: 12.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459049

Layer: 5 Color: 2 General Color: **GREY** 05 Mat1: Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

63.0 Formation Top Depth: Formation End Depth: 87.0

Formation End Depth UOM:

Overburden and Bedrock Materials Interval

1006459050 Formation ID:

Layer: 6 Color: 2 General Color: **GREY** Mat1: 06 SILT Most Common Material:

Order No: 22090803393

Mat2: 69

Mat2 Desc: FINE-GRAINED

Mat3: Mat3 Desc:

Formation Top Depth: 87.0
Formation End Depth: 90.75
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006459047

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 12.0
Formation End Depth: 58.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006459058

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 90.75

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006459057

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006459056

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006459044

Casing No: Comment:

Alt Name:

Construction Record - Casing

Casing ID: 1006459053

Layer: Material: 5

PLASTIC Open Hole or Material: Depth From: 0.0 Depth To: 25.0 Casing Diameter: 4.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

1006459054 Screen ID:

Layer: Slot: 10 Screen Top Depth: 25.0 Screen End Depth: 90.75 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

1006459052 Water ID:

ft

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM:

Hole Diameter

1006459051 Hole ID: Diameter: 8.0

Depth From: 0.0 Depth To: 90.75 Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006298828 Tag No: A215323 Depth M: 27.6606 Contractor: 3413

727\7276016.pdf Year Completed: 2016 Path: Well Completed Dt: 2016/10/23 Latitude: 43.6905848829153 Audit No: Z245163 Longitude: -79.4747619015263

1 of 1 W/10.5 129.9 / -0.04 2660 EGLINTON AVE. WEST 24 **WWIS** TORONTO ON

Well ID: 7261360

Construction Date: Use 1st:

Use 2nd:

Final Well Status:

Abandoned-Other

Water Type: Casing Material:

Audit No: Z232342

Tag:

Constructn Method:

Elevation (m): Elevatn Reliabilty: Flowing (Y/N): Flow Rate: Data Entry Status:

Data Src:

Date Received: 12-Apr-2016 00:00:00

Selected Flag: TRUE Abandonment Rec: Yes Contractor: 6946 Form Version:

Owner:

County: YORK AND TORONT

Lot:

Order No: 22090803393

Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2016/02/29

 Year Completed:
 2016

Depth (m):

Latitude: 43.6905307125455 **Longitude:** -79.4747508662705

Path:

Bore Hole Information

Bore Hole ID: 1005929269 **DP2BR:**

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 29-Feb-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006023020

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 14.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006023019

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006023013

Casing No: 0

Comment: Alt Name: Concession:

Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevro:

Zone: 17 **East83**: 622920.00

North83: 4838632.00 Org CS: UTM83 UTMRC: 4

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method: wwr

Construction Record - Casing

Casing ID: 1006023017

Layer: Material: 5

Open Hole or Material: **PLASTIC** Depth From: 0.0 14.0 Depth To: Casing Diameter: 2.0 Casing Diameter UOM: inch ft Casing Depth UOM:

Construction Record - Screen

Screen ID: 1006023018

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter:

Water Details

Water ID: 1006023016

ft

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM:

Hole Diameter

1006023015 Hole ID:

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1005929269

Depth M:

25

Year Completed: 2016 Well Completed Dt: 2016/02/29 Audit No: Z232342

Tag No:

6946 Contractor:

Path: 726\7261360.pdf Latitude: 43.6905307125455 Longitude: -79.4747508662705

Well ID: 7262341

1 of 1

Construction Date:

Monitoring and Test Hole Use 1st:

Use 2nd:

Final Well Status: Abandoned-Other

Water Type: Casing Material:

Audit No: Z232482 CITY ROW-SOUTH OF 111 YORE RD

TORONTO ON

Flowing (Y/N): Flow Rate: Data Entry Status:

Data Src:

Date Received: 29-Apr-2016 00:00:00 **WWIS**

Order No: 22090803393

TRUE Selected Flag: Abandonment Rec: Yes 6946 Contractor:

WNW/10.6

130.0 / 0.06

7

Order No: 22090803393

Tag: Form Version: Constructn Method: Owner:

YORK AND TORONT Elevation (m): County:

Elevatn Reliabilty: Lot: Concession: Depth to Bedrock: Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83: Northing NAD83: Pump Rate: Static Water Level: Zone: UTM Reliability:

Clear/Cloudy: YORK BOROUGH Municipality:

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

2016/03/23 Well Completed Date: Year Completed: 2016

Depth (m): 43.6906842228478 Latitude: Longitude: -79.4747842002378

Path:

Bore Hole Information

Bore Hole ID: 1005952972 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: Code OB: East83: 622917.00 4838649.00 Code OB Desc: North83: UTM83 Open Hole: Org CS: Cluster Kind: UTMRC:

23-Mar-2016 00:00:00 UTMRC Desc: Date Completed: margin of error: 30 m - 100 m

Remarks: Location Method: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006071961 Layer: 100.0 Plug From: 0.0 Plug To: Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006071960

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

1006071952 Pipe ID:

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006071956

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:100.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006071957

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006071955

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006071954

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

Bore Hole ID: 1005952972

Depth M:

 Year Completed:
 2016

 Well Completed Dt:
 2016/03/23

 Audit No:
 Z232482

Tag No:

Contractor: 6946

 Path:
 726\7262341.pdf

 Latitude:
 43.6906842228478

 Longitude:
 -79.4747842002378

Order No: 22090803393

26 1 of 1 WNW/12.3 130.0 / 0.06 CITY-ROW- SOUTH OF 111 YORE RD TORONTO ON WWIS

Well ID: 7262339

Construction Date:
Use 1st: Monitoring and Test Hole

262339 Flowing (Y/N):
Flow Rate:
onitoring and Test Hole Data Entry Status:

Use 2nd: 0 Data Src:

Final Well Status: Abandoned-Other

Water Type:

Casing Material:

Audit No: Z232481

Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock:

Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/03/23 Year Completed: 2016

Depth (m):

Latitude: 43.6906755531374 **Longitude:** -79.4748092367122

Path:

Bore Hole Information

Bore Hole ID: 1005952966

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 23-Mar-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006071941

Layer: 1
Plug From: 100.0
Plug To: 0.0
Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006071940

Method Construction Code: Method Construction: Other Method Construction: **Date Received:** 29-Apr-2016 00:00:00

Selected Flag: TRUE Abandonment Rec: Yes Contractor: 6946 Form Version: 7

Owner:

County: YORK AND TORONT

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 17 **East83:** 622

East83: 622915.00
North83: 4838648.00
Org CS: UTM83
UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393

Location Method: wwr

Pipe Information

Pipe ID: 1006071932

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006071936

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:100.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006071937

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006071935

Layer: Kind Code: Kind:

Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006071934

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

<u>Links</u>

Bore Hole ID: 1005952966

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7262339.pdf

 Well Completed Dt:
 2016/03/23
 Latitude:
 43.6906755531374

 Audit No:
 Z232481
 Longitude:
 -79.4748092367122

27 1 of 1 W/13.6 129.9 / -0.04 2660 EGLINTON Toronto ON WWIS

Tag No:

Well ID: 7276018 **Flowing (Y/N):**

Construction Date: Flow Rate:
Use 1st: Domestic Data Entry Status:

Use 2nd:

Dolliestic

Data Entry St.

Data Entry St.

Data Entry St.

Final Well Status:DewateringDate Received:29-Nov-2016 00:00:00Water Type:Selected Flag:TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245161
 Contractor:
 3413

 Tag:
 A215329
 Form Version:
 7

 Constructn Method:
 Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliabilty:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Lot:

Concession:

Concession Name:

Easting NAD83:

Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:
Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276018.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2016/10/05

 Year Completed:
 2016

 Depth (m):
 27.3558

 Latitude:
 43.6906127130582

 Longitude:
 -79.4748232378454

 Path:
 727√276018.pdf

Bore Hole Information

Bore Hole ID: 1006298834 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622914.00

 Code OB Desc:
 North83:
 4838641.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 05-Oct-2016 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

 Remarks:
 Location Method:
 wwr

Order No: 22090803393

Remarks: Location Method Elevro Desc:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

опрыст общисти.

Location Source Date:

Overburden and Bedrock

Materials Interval

Formation ID: 1006459077

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

Mat1:

Most Common Material:

Mat2: Mat2 Desc:

Mat3: 60

CEMENTED Mat3 Desc:

Formation Top Depth: 0.0 0.5 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459080

Layer: 2 Color: General Color: **GREY** 06 Mat1: Most Common Material: SILT Mat2:

Mat2 Desc: FINE-GRAINED

Mat3:

Mat3 Desc:

Formation Top Depth: 56.0 Formation End Depth: 61.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459079

Layer: 3 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 11 **GRAVEL** Mat2 Desc: Mat3: 12 Mat3 Desc: **STONES** Formation Top Depth: 10.0 Formation End Depth: 56.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006459081

5 Layer: Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 61.0 87.0

Formation End Depth: Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006459082

Layer: 6 2 Color:

General Color: **GREY** Mat1: 06 Most Common Material:

SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 87.0 Formation End Depth: 89.75 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

1006459078 Formation ID:

Layer: Color: General Color: **BROWN** Mat1: 28 Most Common Material: SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.5 Formation End Depth: 10.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

1006459090 Plug ID:

Layer: Plug From: 0.0 89.75 Plug To: Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006459089

Layer: Plug From: 0.0 25.0 Plug To: Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006459088

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006459076

Casing No:

Comment: Alt Name:

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Construction Record - Casing

1006459085 Casing ID:

Layer: Material:

PLASTIC Open Hole or Material: Depth From: 0.0 25.0 Depth To: Casing Diameter: 4.0 Casing Diameter UOM: inch ft Casing Depth UOM:

Construction Record - Screen

1006459086 Screen ID:

Layer: Slot: 10 25.0 Screen Top Depth: Screen End Depth: 89.75 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006459084

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006459083

Diameter: 8.0 Depth From: 0.0 89.75 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006298834 Tag No: A215329 Depth M: 27.3558 Contractor: 3413

Year Completed: 2016 Path: 727\7276018.pdf Well Completed Dt: 2016/10/05 Latitude: 43.6906127130582 -79.4748232378454 Audit No: Z245161 Longitude:

W/14.0 129.9 / -0.02 CITY-ROW SOUTH OF 111 YORE RD 28 1 of 1 **WWIS TORONTO ON**

Flowing (Y/N):

Data Entry Status:

Date Received:

Flow Rate:

Data Src:

Well ID: 7262338 **Construction Date:**

Use 1st: Monitoring and Test Hole

Use 2nd:

Final Well Status: Abandoned-Other

Water Type:

Casing Material:

Audit No: Z232480

TRUE Selected Flag: Abandonment Rec: Yes Contractor: 6946

29-Apr-2016 00:00:00

Form Version: 7

Tag:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Concession:

Zone:

Zone:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

17

wwr

622913.00

4838647.00 UTM83

margin of error: 30 m - 100 m

Order No: 22090803393

Concession Name:

Easting NAD83:

Northing NAD83:

UTM Reliability:

Constructn Method:

Owner: Elevation (m): County: YORK AND TORONT Lot:

Elevatn Reliabilty: Depth to Bedrock:

Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy: YORK BOROUGH Municipality:

PDF URL (Map):

Site Info:

Additional Detail(s) (Map)

Well Completed Date: 2016/03/23 2016 Year Completed:

Depth (m): Latitude: 43.6906668834214 Longitude: -79.4748342731795 Path:

Bore Hole Information

Bore Hole ID: Elevation: 1005952963 DP2BR: Elevrc:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 23-Mar-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

1006071931 Plug ID:

Layer: Plug From: 32.0 0.0 Plug To: Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006071930

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006071922

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006071926

Layer: 1 Material: 5

Open Hole or Material:

Depth From:

Depth To:

Casing Diameter:

Casing Diameter UOM:

Casing Depth UOM:

PLASTIC

32.0

2.0

inch

tt

Construction Record - Screen

Screen ID: 1006071927

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth HOM:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006071925

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006071924

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

Bore Hole ID: 1005952963 **Tag No:**

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7262338.pdf

 Well Completed Dt:
 2016/03/23
 Latitude:
 43.690668834214

 Audit No:
 Z232480
 Longitude:
 -79.4748342731795

WWIS

Order No: 22090803393

29 1 of 1 WNW/14.7 129.9 / -0.02 2660 EGLINTON AVE W

Toronto ON

Well ID:7275995Flowing (Y/N):Construction Date:Flow Rate:Use 1st:DewateringData Entry Status:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Data Src:

Use 2nd:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Water Type:

Casing Material:

Audit No: Z245158 A215338 Tag:

Constructn Method: Elevation (m):

Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: Site Info:

YORK BOROUGH

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7275995.pdf

Additional Detail(s) (Map)

Well Completed Date: 2016/09/15 Year Completed: 2016 Depth (m): 27.770328 Latitude: 43.6907734031203 Longitude: -79.4747198978638 727\7275995.pdf Path:

Bore Hole Information

Bore Hole ID: 1006298939

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 15-Sep-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method:

Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006458513

Layer: Color: **BROWN** General Color: 28 Mat1: Most Common Material: SAND Mat2: 05 Mat2 Desc: CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 2.0 Formation End Depth: 12.0 Formation End Depth UOM: ft

Selected Flag: Abandonment Rec:

Contractor: 3413 Form Version: 7

Owner:

YORK AND TORONT County:

> 17 622922.00

4838659.00

margin of error: 30 m - 100 m

Order No: 22090803393

UTM83

TRUE

Lot: Concession:

Concession Name: Easting NAD83: Northing NAD83:

Zone:

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

UTM Reliability:

Overburden and Bedrock

Materials Interval

1006458512 Formation ID:

Layer: 2 Color: General Color: **GREY**

Mat1:

Most Common Material:

Mat2:

Mat2 Desc: Mat3:

CEMENTED Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 2.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1006458516 Formation ID:

Layer: 5 Color: 2 General Color: **GREY** Mat1: 05 CLAY Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

60.0 Formation Top Depth: Formation End Depth: 88.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458517

Layer: 6 Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 69

Mat2 Desc: **FINE-GRAINED**

Mat3: Mat3 Desc:

Formation Top Depth: 88.0 90.0 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1006458518 Formation ID:

Layer: 7 Color: General Color: **GREY** Mat1: 17 SHALE Most Common Material:

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 90.0

Formation End Depth: 91.11000061035156

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458515

Layer:

Color:

General Color:

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3:

Mat3 Desc:

Formation Top Depth: 55.0
Formation End Depth: 60.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458514

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 12.0
Formation End Depth: 55.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458526

Layer: 2 **Plug From:** 25.0

Plug To: 91.11000061035156

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458525

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method of Construction & Well

Use

Method Construction ID: 1006458524

Method Construction Code: 2

Method Construction:

Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006458511

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006458521

Layer:
Material:

Material:5Open Hole or Material:PLASTICDepth From:0.0Depth To:25.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006458522

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 91.11000061035156

Screen Material:5Screen Depth UOM:ftScreen Diameter UOM:inchScreen Diameter:4.0

Water Details

Water ID: 1006458520

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006458519

Diameter:8.0Depth From:0.0

Depth To: 91.11000061035156

Hole Depth UOM: ft
Hole Diameter UOM: inch

<u>Links</u>

 Bore Hole ID:
 1006298939
 Tag No:
 A215338

 Depth M:
 27.770328
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7275995.pdf

 Well Completed Dt:
 2016/09/15
 Latitude:
 43.6907734031203

 Audit No:
 Z245158
 Longitude:
 -79.4747198978638

Order No: 22090803393

130.0 / 0.13 Aecon Infrastructure Management Inc., **30** 1 of 1 ESE/15.7 **ECA** Dragados Canada, Inc., EllisDon Civil

Ltd., and SNC-Lavalin Constructors (Pacific) Inc., carrying on business under the general partnership firm name "Crosslinx Transit

Solutions Constructors"

Eglinton Avenue West and Keele St Toronto ON

21-Dec-2017 00:00:00

Order No: 22090803393

TRUE

M2N 7E4

Approval No: 0148-BJ6S53 MOE District: Metro Toronto

Approval Date: 2019-11-25 City:

Approved Longitude: -79.47389 Status: Latitude: ECA 43.690411 Record Type:

IDS Geometry X: Link Source: SWP Area Name: **Toronto** Geometry Y: Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS

MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type:

Business Name: Aecon Infrastructure Management Inc., Dragados Canada, Inc., EllisDon Civil Ltd., and SNC-Lavalin Constructors

(Pacific) Inc., carrying on business under the general partnership firm name "Crosslinx Transit Solutions

Constructors'

Address: Eglinton Avenue West and Keele St

Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0720-BJ5REE-14.pdf

PDF Site Location:

W/16.0 129.9 / -0.04 **EGLINGTON AVE W** 31 1 of 1 **WWIS TORONTO ON**

Well ID: 7301932 Flowing (Y/N): Construction Date: Flow Rate:

Data Entry Status: Use 1st: Use 2nd: Data Src:

Final Well Status: Dewatering Date Received:

Water Type: Selected Flag: Casing Material: Abandonment Rec:

Z254856 7607 Audit No: Contractor:

Tag: A223696 Form Version: 7 Constructn Method: Owner: YORK AND TORONT

Elevation (m): County: Elevatn Reliabilty: Lot: Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone: Clear/Cloudy: UTM Reliability:

YORK BOROUGH Municipality:

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2017/11/26 Year Completed: 2017 Depth (m): 27

Latitude: 43.6905678745833 -79.4748367826768 Longitude:

Path:

Bore Hole Information

1006926373 Bore Hole ID: Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

622913.00

UTM83

4838636.00

margin of error: 30 m - 100 m

Order No: 22090803393

Zone:

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 26-Nov-2017 00:00:00

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1007090095

Layer: Color: 2 General Color: **GREY** Mat1: 06 SILT Most Common Material: Mat2: 28 SAND Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 25.0 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

1007090096 Formation ID:

4 Layer: Color: **GREY** General Color: Mat1: 06 Most Common Material: SILT Mat2: 05 Mat2 Desc: CLAY Mat3: 79 Mat3 Desc: **PACKED** Formation Top Depth: 25.0 Formation End Depth: 27.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1007090094

Layer: 2 Color: 6

BROWN General Color: 06 Mat1: Most Common Material: SILT Mat2: 11 Mat2 Desc: **GRAVEL** Mat3: Mat3 Desc: LOOSE 3.0

Formation Top Depth:

Formation End Depth: 10.0 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1007090093

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

 Mat1:
 02

 Most Common Material:
 TOPSOIL

 Mat2:
 12

 Mat2 Desc:
 STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 3.0 Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007090103

 Layer:
 2

 Plug From:
 8.0

 Plug To:
 27.0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007090102

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 8.0

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1007090101

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1007090092

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1007090099

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 9.0

Order No: 22090803393

10.0 Casing Diameter: Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1007090100

Layer: Slot: .5 Screen Top Depth: 9.0 27.0 Screen End Depth: Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: 10.0

Water Details

Water ID: 1007090098

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: m

Hole Diameter

Hole ID: 1007090097

Diameter: Depth From: Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

Links

Bore Hole ID: 1006926373 A223696 Tag No: Depth M:

2017 Year Completed:

Well Completed Dt: 2017/11/26 Audit No: Z254856

Contractor: 7607

Path:

Latitude: 43.6905678745833 Longitude: -79.4748367826768

Flowing (Y/N):

Date Received:

Selected Flag:

Form Version:

Data Entry Status:

Abandonment Rec:

Flow Rate:

Data Src:

W/17.0 129.9 / -0.02 CITY ROW- SOUTH OF 111 YORE RD **32** 1 of 1 **WWIS TORONTO ON**

7262340 Well ID:

Construction Date:

Use 1st: Monitoring and Test Hole

Use 2nd:

Final Well Status: Abandoned-Other

Water Type: Casing Material:

Z232483

Audit No:

Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

Owner: County:

Contractor:

YORK AND TORONT

Order No: 22090803393

29-Apr-2016 00:00:00

TRUE

Yes

7

6946

Zone:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

17

622910.00

UTM83

4838646.00

margin of error: 30 m - 100 m

Order No: 22090803393

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/03/23 Year Completed: 2016

Depth (m):

Latitude: 43.6906583792387 **Longitude:** -79.4748717138016

Path:

Bore Hole Information

 Bore Hole ID:
 1005952969
 Elevation:

 DP2BR:
 Elevrc:

Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 23-Mar-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006071951

 Layer:
 1

 Plug From:
 64.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006071950

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006071942

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006071946

Layer: 1

Material: 5

Open Hole or Material: **PLASTIC** Depth From: 0.0 64.0 Depth To: Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006071947

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006071945

Layer: Kind Code:

Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006071944

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1005952969

Depth M:

Year Completed: 2016 2016/03/23 Well Completed Dt: Audit No: Z232483

Tag No: Contractor:

6946

Path: 726\7262340.pdf Latitude: 43.6906583792387 Longitude: -79.4748717138016

33 1 of 1 SW/18.2 129.4 / -0.46 **2615 EGLINTON AVE WWIS Toronto ON**

Well ID: 7180622 Flowing (Y/N): Construction Date: Flow Rate: Data Entry Status:

Use 1st:

Use 2nd: Final Well Status: 0 Water Type:

Casing Material:

Audit No: Z147051

Tag: A123831

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock:

Data Src: 10-May-2012 00:00:00 Date Received: Selected Flag: TRUE

Abandonment Rec:

Contractor: 7241 Form Version:

Owner: County:

Lot: Concession: YORK AND TORONT

Order No: 22090803393

Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2012/02/27

 Year Completed:
 2012

 Depth (m):
 4.572

 Latitude:
 43.6902225329735

 Longitude:
 -79.4745973703177

Path:

Bore Hole Information

Bore Hole ID: 1003758801

DP2BR: Spatial Status: Code OB: Code OB Desc:

Open Hole: Cluster Kind:

Date Completed: 27-Feb-2012 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004302521

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3: Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 15.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004302520

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 01

Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 17

East83: 622933.00
North83: 4838598.00
Org CS: UTM83
UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393

Location Method: wwr

FILL Most Common Material: Mat2: 28 SAND Mat2 Desc: 06 Mat3: Mat3 Desc: SILT Formation Top Depth: 0.0 Formation End Depth: 10.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302529

 Layer:
 3

 Plug From:
 4.0

 Plug To:
 15.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302527

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302528

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 4.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004302526

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1004302519

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004302524

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 5.0

 Casing Diameter:
 2.0

 Casing Diameter UOM:
 inch

Casing Depth UOM:

Construction Record - Screen

Screen ID: 1004302525

ft

Layer: Slot: 10 Screen Top Depth: 5.0 Screen End Depth: 15.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.25

Water Details

1004302523 Water ID:

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

1004302522 Hole ID:

Diameter: 4.5 Depth From: 0.0 15.0 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1003758801 Tag No: A123831 Depth M: 4.572 Contractor: 7241

2012 Year Completed:

Well Completed Dt: 2012/02/27 Latitude: 43.6902225329735 Audit No: Z147051 Longitude: -79.4745973703177

1 of 1 W/18.9 129.9 / -0.02 11 YORE RD. 34 **WWIS** TORONTO ON

Path:

Order No: 22090803393

Well ID: 7261353 Flowing (Y/N):

Construction Date: Flow Rate: Use 1st: Data Entry Status:

Use 2nd: Data Src:

12-Apr-2016 00:00:00 Final Well Status: Abandoned-Other Date Received: Selected Flag: TRUE Water Type:

Casing Material: Abandonment Rec: Yes Z140379 Audit No: 6946 Contractor: Tag: A136139 Form Version: 7

Constructn Method: Owner: County: YORK AND TORONT Elevation (m): Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83: Static Water Level: Zone: UTM Reliability:

Clear/Cloudy: Municipality: YORK BOROUGH

Zone:

East83:

North83:

Org CS: UTMRC:

UTMRC Desc:

Location Method:

17

622908.00

4838646.00 UTM83

margin of error: 30 m - 100 m

Order No: 22090803393

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/02/29 Year Completed: 2016

Depth (m):

Latitude: 43.6906587103124 **Longitude:** -79.4748965221258

Path:

Bore Hole Information

 Bore Hole ID:
 1005929248
 Elevation:

 DP2BR:
 Elevrc:

Spatial Status: Code OB: Code OB Desc: Open Hole:

Date Completed: 29-Feb-2016 00:00:00

Remarks: Elevrc Desc:

Cluster Kind:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006022685

Layer:

 Plug From:
 14.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006022684

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006022678

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006022682

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From:0.0Depth To:14.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006022683

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006022681

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006022680

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

<u>Links</u>

Bore Hole ID: 1005929248

Depth M:

35

Year Completed: 2016
Well Completed Dt: 2016/02/29
Audit No: Z140379

1 of 19

 Tag No:
 A136139

 Contractor:
 6946

TORONTO ON M6M 1T7

 Path:
 726\7261353.pdf

 Latitude:
 43.6906587103124

 Longitude:
 -79.4748965221258

METROPOLITAN TORONTO, MUNICPLTY OF

DEPARTMENT OF AMBULANCE SERVICES 2660 EGLINTON AVENUE WEST STATION 19

Generator No: ON0127607 SIC Code: 8631

SIC Description: AMBULANCE SERVICES

Approval Years: AMBULANCE \$ 86,87,88,89,90

PO Box No: Country: 27607 Status:
Co Admin:
Chaire of 6

129.9 / -0.04

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 150

Waste Class Desc: INERT INORGANIC WASTES

W/19.2

GEN

Мар Кеу	Numbe Record		Elev/Diff) (m)	Site	DB
<u>35</u>	2 of 19	W/19.2	129.9 / -0.04	METROPOLITAN TORONTO, MUNICPLTY OF26- 258 DEPARTMENT OF AMBULANCE SERVICES 2660 EGLINTON AVENUE WEST STATION 19 TORONTO ON M6M 1T7	GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country:	tion:	ON0127607 8631 AMBULANCE SERVICES 92,93,94,95,96,97		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		150 INERT INORGANIC WASTES			
<u>35</u>	3 of 19	W/19.2	129.9 / -0.04	DEPARTMENT OF AMBULANCE SERVICES 2660 EGLINTON AVENUE WEST, STATION 19 TORONTO ON M6M 1T7	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON0127607 8631 AMBULANCE SERVICES 98		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class: Waste Class Desc:		150 INERT INORGANIC WASTES			
<u>35</u>	4 of 19	W/19.2	129.9 / -0.04	CITY OF TORONTO 2660 EGLINTON AVENUE WEST TORONTO ON M6M 1T7	GEN
Generator No: SIC Code:		ON0127607		Status: Co Admin:	
SIC Code. SIC Description: Approval Years: PO Box No: Country:		02,03,04,05,06,07,08		Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		262 DETERGENTS/S	OAPS		
Waste Class: Waste Class Desc:		251 OIL SKIMMINGS & SLUDGES			
Waste Class: Waste Class Desc:		150 INERT INORGAN	IIC WASTES		
Waste Class: Waste Class Desc:		312 PATHOLOGICAL	WASTES		

Order No: 22090803393

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) W/19.2 Imperial Oil Co Ltd 35 5 of 19 129.9 / -0.04 **TANK** 2660 Eglinton Ave W **Toronto ON M6M 1T7** Permit Date: 1949 Permit Type: User Type: Gasoline service station Installation Type: gasoline service station Installation Size: Installation Config.: Imperial Oil Ltd seeks approval for a gas station NE cor Eglinton & Trethewey Dr. Held over. No. Tanks Installed: Units of Measure: Value/Tank (\$): Capacity(gal): Reference: York Township Council Minutes 16 May 1949 Location Desc: Eglinton & Trethewey **35** 6 of 19 W/19.2 129.9 / -0.04 Imperial Oil Co Ltd **TANK** 2660 Eglinton Ave W **Toronto ON M6M 1T7** Permit Date: 5/25/1949 Permit Type: Gasoline service station User Type: Installation Type: gas station Installation Size: Installation Config.: gas station No. Tanks Installed: Units of Measure: Value/Tank (\$): 0 Capacity(gal): Reference: York Township General Purposes Committee 25 May 1949 Location Desc: NE corner Eglinton & Trethewey 35 7 of 19 W/19.2 129.9 / -0.04 **CITY OF TORONTO GEN** 2660 EGLINTON AVENUE WEST **TORONTO ON** ON0127607 Generator No: Status: Co Admin: SIC Code: 913190, 621911 SIC Description: Choice of Contact: Approval Years: 2013 Phone No Admin: PO Box No: Contam. Facility: MHSW Facility: Country: Detail(s) Waste Class: Waste Class Desc: DETERGENTS/SOAPS Waste Class: Waste Class Desc: **OIL SKIMMINGS & SLUDGES** Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES Waste Class: **INERT INORGANIC WASTES** Waste Class Desc:

129.9 / -0.04

CITY OF TORONTO

2660 EGLINTON AVENUE WEST

GEN

Order No: 22090803393

W/19.2

35

8 of 19

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m)

(m)

ON0127607 Generator No: 913190, 621911 SIC Code:

SIC Description: Other Municipal Protective Services, Ambulance (except Air Ambulance) Services

Approval Years: 2009

PO Box No: Country:

Status: Co Admin:

Choice of Contact:

TORONTO ON

Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class:

INERT INORGANIC WASTES Waste Class Desc:

Waste Class:

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

Waste Class: 262

DETERGENTS/SOAPS Waste Class Desc:

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

35 9 of 19 W/19.2 129.9 / -0.04 **CITY OF TORONTO** 2660 EGLINTON AVENUE WEST

GEN

GEN

Order No: 22090803393

TORONTO ON

ON0127607 Generator No: SIC Code: 913190, 621911

SIC Description: Other Municipal Protective Services, Ambulance (except Air Ambulance) Services

2010

Approval Years: PO Box No: Country:

Status: Co Admin:

Choice of Contact:

Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 251

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

Waste Class:

INERT INORGANIC WASTES Waste Class Desc:

Waste Class: 262

Waste Class Desc: **DETERGENTS/SOAPS**

Waste Class:

Waste Class Desc: PATHOLOGICAL WASTES

10 of 19 W/19.2 129.9 / -0.04 35

CITY OF TORONTO

2660 EGLINTON AVENUE WEST

TORONTO ON

Generator No: ON0127607 SIC Code: 913190, 621911

SIC Description: Other Municipal Protective Services,

Ambulance (except Air Ambulance) Services

Approval Years:

PO Box No: Country:

Status: Co Admin: Choice of Contact:

Contam. Facility:

Phone No Admin: MHSW Facility:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Detail(s)

Waste Class:

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

251

Waste Class:

Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 150

Waste Class Desc: **INERT INORGANIC WASTES**

Waste Class:

DETERGENTS/SOAPS Waste Class Desc:

35 11 of 19 W/19.2 129.9 / -0.04 Metrolinx GEN 2660 Eglinton Avenue West

Status:

Co Admin:

Choice of Contact:

Phone No Admin: Contam. Facility:

2660 EGLINTON AVENUE WEST

Order No: 22090803393

MHSW Facility:

Toronto ON

ON7353546 Generator No: 485110 SIC Code:

SIC Description:

Approval Years:

PO Box No: Country:

2013

Detail(s)

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class:

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

Waste Class: 221

LIGHT FUELS Waste Class Desc:

CITY OF TORONTO 12 of 19 W/19.2 129.9 / -0.04 35 **GEN**

Status:

Phone No Admin:

Contam. Facility: MHSW Facility:

TORONTO ON M6M 1T7

Generator No: ON0127607 SIC Code: 913190, 621911

SIC Description: Ambulance (except Air Ambulance) Services

Approval Years:

PO Box No: Country:

Co Admin: Other Municipal Protective Services, Choice of Contact:

Detail(s)

Waste Class: PATHOLOGICAL WASTES Waste Class Desc:

Waste Class:

Waste Class Desc: **INERT INORGANIC WASTES**

251 Waste Class:

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

Waste Class:

Waste Class Desc: DETERGENTS/SOAPS

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

13 of 19 W/19.2 129.9 / -0.04 NIRO BROS. EXCAVATING & GRADING INC. 35

2660 Eglinton AVE W York ON M6M 1T7

R-004-3595897603 **MOE District:** Approval No: Metro Toronto Status: REGISTERED Municipality: York 2016-05-18 Latitude: 43.69055556 Date:

Record Type: **EASR MOFA** Link Source:

Project Type: Waste Management System

Full Address: Approval Type:

SWP Area Name: Toronto

14 of 19

PDF URL:

35

SIC Code:

PDF Site Location:

EASR-Waste Management System

129.9 / -0.04

Crosslinx Transit Solutions General Partnership

-79.47472222

EASR

GEN

GEN

Order No: 22090803393

2660 Eglinton Ave W **Toronto ON M6M 1T7**

Generator No: ON8972671 Status:

W/19.2

OTHER HEAVY AND CIVIL ENGINEERING SIC Description:

237990

CONSTRUCTION 2016

Approval Years: PO Box No:

Canada Country:

Longitude:

Geometry X:

Geometry Y:

Co Admin: **Brent Spencer** Choice of Contact: CO_OFFICIAL

Phone No Admin: 416 679 6116 Ext.53920

Crosslinx Transit Solutions General Partnership

Contam. Facility: MHSW Facility: No

Detail(s)

Waste Class: 252

WASTE OILS & LUBRICANTS Waste Class Desc:

Waste Class:

15 of 19

OTHER SPECIFIED INORGANICS Waste Class Desc:

W/19.2

2660 Eglinton Ave W

129.9 / -0.04

Toronto ON M6M 1T7

Generator No: ON8972671 Status: Registered Co Admin:

SIC Code:

35

SIC Description: Approval Years:

As of Dec 2018

PO Box No: Country: Canada Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 141 I

Waste Class Desc: Inorganic wastes from pigment manufacturing

Waste Class: 146 L

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class: 251 L

Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class:

Waste Class Desc: Waste crankcase oils and lubricants

WWIS

Order No: 22090803393

16 of 19 W/19.2 129.9 / -0.04 2660 EGLINTON 35 **Toronto ON**

Well ID: 7276019 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status: Use 2nd:

Data Src: Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Selected Flag: **TRUE** Water Type: Abandonment Rec:

Casing Material: Z245160 3413 Audit No: Contractor: 7

A215331 Form Version: Tag: Constructn Method: Owner:

Elevation (m): YORK AND TORONT County: Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276019.pdf

Additional Detail(s) (Map)

2016/10/22 Well Completed Date: Year Completed: 2016 Depth (m): 27.243024 Latitude: 43.6905593703987 -79.4748742232366

Longitude: Path: 727\7276019.pdf

Bore Hole Information

Bore Hole ID: 1006298837 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 17 Code OB: East83: 622910.00 4838635.00 Code OB Desc: North83: Open Hole: Org CS: UTM83 Cluster Kind: **UTMRC:**

Date Completed: 22-Oct-2016 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Remarks: Location Method: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

1006459095 Formation ID:

Layer: Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 54.0
Formation End Depth: 60.0
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006459097

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 85.0

Formation End Depth: 89.37999725341797

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459092

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

Mat1:

Most Common Material:

Mat2: Mat2 Desc:

Mat3: 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0 Formation End Depth: 0.5 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459094

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 54.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459096

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 60.0 Formation End Depth: 85.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459093

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

Most Common Material:SANDMat2:11Mat2 Desc:GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 0.5
Formation End Depth: 10.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006459105

 Layer:
 2

Plug From: 25.0

Plug To: 89.37999725341797

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006459104

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006459103

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006459091

Casing No: 0

Comment:

Alt Name:

Construction Record - Casing

Casing ID: 1006459100

Layer: 1

Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:25.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006459101

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 89.37999725341797

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water Details

Water ID: 1006459099

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006459098

Diameter:8.0Depth From:0.0

Depth To: 89.37999725341797

Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

 Bore Hole ID:
 1006298837
 Tag No:
 A215331

 Depth M:
 27.243024
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276019.pdf

 Well Completed Dt:
 2016/10/22
 Latitude:
 43.6905593703987

 Audit No:
 Z245160
 Longitude:
 -79.4748742232366

35 17 of 19 W/19.2 129.9 / -0.04 2660 EGLINTON AVE. WEST

TORONTO ON

WWIS

Order No: 22090803393

Well ID: 7261361 Flowing (Y/N):
Construction Date: Flow Rate:
Use 1st: Data Entry Status:

Use 2nd:

Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material:

Audit No: Z232340

Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:

Abandonment Rec: Yes Contractor: 6946 7 Form Version:

Owner: County: Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:

Bore Hole Information

1005929272 Bore Hole ID:

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 29-Feb-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

1006023028 Plug ID:

Layer: Plug From: 0.0 Plug To: 14.0 Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006023027

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006023021

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006023025

Layer: 5 Material:

East83: North83: Org CS: **UTMRC**:

Elevation:

Elevrc:

Zone:

UTMRC Desc: unknown UTM

UTM83

Order No: 22090803393

Location Method: wwr

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Open Hole or Material: **PLASTIC** Depth From: 0.0 Depth To: 14.0 Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006023026

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006023024

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006023023

Diameter: Depth From: Depth To:

35

Hole Depth UOM: ft Hole Diameter UOM: inch

18 of 19

Toronto ON M6M 1T7

129.9 / -0.04

SIC Code: SIC Description:

Generator No:

Approval Years: As of Jul 2020 PO Box No: Canada Country:

Co Admin: Choice of Contact:

2660 Eglinton Ave W

Crosslinx Transit Solutions General Partnership

Registered

GEN

Order No: 22090803393

Phone No Admin: Contam. Facility: MHSW Facility:

Status:

Detail(s)

Waste Class: 146 L

Waste Class Desc: Other specified inorganic sludges, slurries or solids

W/19.2

ON8972671

Waste Class: 141 L

Waste Class Desc: Inorganic wastes from pigment manufacturing

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

Waste Class:

Waste Class Desc: Waste oils/sludges (petroleum based)

19 of 19 W/19.2 129.9 / -0.04 Crosslinx Transit Solutions General Partnership 35

2660 Eglinton Ave W Toronto ON M6M 1T7 **GEN**

Order No: 22090803393

ON8972671 Generator No: Status: Registered

SIC Code: Co Admin: SIC Description:

Choice of Contact: Phone No Admin:

Approval Years: As of Nov 2021 PO Box No: Contam. Facility: Country: Canada MHSW Facility:

Detail(s)

Waste Class: 251 I

Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class: 146 I

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class:

Waste Class Desc: Pathological wastes

Waste Class:

Waste Class Desc: Waste crankcase oils and lubricants

Waste Class: 141 L

Waste Class Desc: Inorganic wastes from pigment manufacturing

NNE/21.0 1860 KEELE ST. **36** 1 of 1 130.2 / 0.29 **WWIS TORONTO ON**

Well ID: 7337213 Flowing (Y/N): Construction Date:

Flow Rate:

Use 1st: Monitoring Data Entry Status: Use 2nd: Data Src:

Final Well Status: **Observation Wells**

Date Received: 26-Jun-2019 00:00:00 TRUE Water Type: Selected Flag:

Casing Material: Abandonment Rec:

T8S5Q78M

6607 Audit No: Contractor: A271860 Tag: Form Version: 9

Constructn Method: Owner:

YORK AND TORONT Elevation (m): County:

Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone: Clear/Cloudy: UTM Reliability:

YORK BOROUGH Municipality:

Site Info: BH 101

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7337213.pdf PDF URL (Map):

Additional Detail(s) (Map)

2019/05/31 Well Completed Date: Year Completed: 2019 Depth (m): 15.1

Latitude: 43.6909554654314 Longitude: -79.4741941292887 733\7337213.pdf Path:

DB Map Key Number of Direction/ Elev/Diff Site (m)

Records

Distance (m)

Elevation:

17

622964.00

UTM83

wwr

4838680.00

margin of error: 30 m - 100 m

Order No: 22090803393

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

Bore Hole Information

Bore Hole ID: 1007507193

DP2BR: Spatial Status: Code OB:

Code OB Desc: Open Hole: Cluster Kind: Date Completed:

31-May-2019 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1007507825

3 Layer: Color: **BROWN** General Color: Mat1: 28 SAND Most Common Material: Mat2: 06 Mat2 Desc: SILT Mat3: 66 Mat3 Desc: **DENSE**

Formation Top Depth: 4.5

11.699999809265137 Formation End Depth:

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1007507824

Layer: Color: 6 **BROWN** General Color: 28 Mat1: SAND Most Common Material: Mat2: 06 Mat2 Desc: SILT Mat3: LOOSE Mat3 Desc:

0.6000000238418579 Formation Top Depth:

Formation End Depth: 4.5 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

1007507823 Formation ID:

Layer: Color: 6 General Color: **BROWN** Mat1: 28 SAND Most Common Material:

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

 Mat3:
 01

 Mat3 Desc:
 FILL

 Formation Top Depth:
 0.0

Formation End Depth: 0.6000000238418579

Formation End Depth UOM: m

Overburden and Bedrock Materials Interval

Formation ID: 1007507826

Layer: Color: 2 General Color: **GREY** 06 Mat1: Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND Mat3: 85 SOFT Mat3 Desc:

 Formation Top Depth:
 11.699999809265137

 Formation End Depth:
 15.100000381469727

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007508209

Layer: Plug From:

Plug To:
Plug Depth UOM:

<u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID: 1007508357

Layer: 1
Plug From: 0.0

Plug To: 0.30000001192092896

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007508358

Layer: 2

 Plug From:
 0.30000001192092896

 Plug To:
 11.800000190734863

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1007507494

Method Construction Code:6Method Construction:Boring

Other Method Construction:

Pipe Information

Pipe ID: 1007507342

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1007507934

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 12.100000381469727

 Casing Diameter:
 5.099999904632568

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1007508018

Layer: 1 **Slot:** 10

 Screen Top Depth:
 12.100000381469727

 Screen End Depth:
 15.100000381469727

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 6.400000095367432

Results of Well Yield Testing

Pump Test ID: 1007507343

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: m
Rate UOM: LPM

Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:

Flowing:

Hole Diameter

 Hole ID:
 1007508116

 Diameter:
 21.0

 Depth From:
 0.0

 Depth To:
 15.100000381469727

Hole Depth UOM: m Hole Diameter UOM: cm

<u>Links</u>

 Bore Hole ID:
 1007507193
 Tag No:
 A271860

 Depth M:
 15.1
 Contractor:
 6607

 Year Completed:
 2019
 Path:
 733\7337213.pdf

 Well Completed Dt:
 2019/05/31
 Latitude:
 43.6909554654314

 Audit No:
 T8S5Q78M
 Longitude:
 -79.4741941292887

37 1 of 1 SSW/21.4 129.4 / -0.48 SE CORNER KEEL & EGLINTON AVE. WEST

Well ID: 7272526

Construction Date: Flow Rate:
Use 1st: Dewatering Data Entry St

Use 1st: Dewatering Use 2nd:

Final Well Status: Dewatering

Water Type: Casing Material:

 Audit No:
 Z232860

 Tag:
 A202796

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2016/08/17

 Year Completed:
 2016

 Depth (m):
 28.22448

 Latitude:
 43.6902027100538

 Longitude:
 -79.4744613819254

Path:

Bore Hole Information

Bore Hole ID: 1006261161

DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:

Cluster Kind:
Date Completed: 17-Aug-2016 00:00:00

Date Completed: Remarks:

Elevrc Desc: Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006337510

Layer: 2

TORONTO ON

Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:

Date Received: 03-Oct-2016 00:00:00

Selected Flag: TRUE

Abandonment Rec:

Contractor: 7238 Form Version: 7

Owner: County: Lot:

ounty: YORK AND TORONT

Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

2011e.

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

Zone:

UTM Reliability:

UTMRC Desc: margin of error : 30 m - 100 m wwr

17 622944.00

4838596.00

Order No: 22090803393

UTM83

2 Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 SAND Mat2 Desc: Mat3: 12 Mat3 Desc: **STONES** Formation Top Depth: 12.0 Formation End Depth: 38.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337512

Layer: 2 Color: General Color: **GREY** 28 SAND Most Common Material: Mat2: 06 Mat2 Desc: SILT 05 Mat3: Mat3 Desc: CLAY Formation Top Depth: 56.0 78.0 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006337514

Layer: 6 Color: General Color: **GREY** Mat1: 11 Most Common Material: **GRAVEL** Mat2: 28 Mat2 Desc: SAND Mat3: 06 Mat3 Desc: SILT Formation Top Depth: 86.0 Formation End Depth: 90.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337513

Layer: 5 Color: 2 General Color: **GREY** Mat1: 06 SILT Most Common Material: Mat2: 05 Mat2 Desc: CLAY Mat3: 11 Mat3 Desc: **GRAVEL** Formation Top Depth: 78.0 Formation End Depth: 86.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337515

Layer: Color: 2 General Color: **GREY** Mat1: 11 Most Common Material: **GRAVEL** Mat2: 12 **STONES** Mat2 Desc: Mat3: 06 Mat3 Desc: SILT

Formation End Depth: 92.5999984741211

90.0

Formation End Depth UOM: ft

Overburden and Bedrock

Formation Top Depth:

Materials Interval

Formation ID: 1006337511

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 38.0 Formation End Depth: 56.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337509

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 01

 Most Common Material:
 FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 12.0

Annular Space/Abandonment

Formation End Depth UOM:

Sealing Record

Plug ID: 1006337523

Layer: 1

Plug From: 82.5999984741211

Plug To: 20.0 Plug Depth UOM: tt

Annular Space/Abandonment

Sealing Record

Plug ID: 1006337524

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006337522

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006337508

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006337519

Layer: 1
Material: 5

Open Hole or Material: PLASTIC

Depth From: 22.600000381469727

Depth To:3.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006337520

Layer: 1 **Slot:** 20

Screen Top Depth: 92.5999984741211

Screen End Depth: 8.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.25

Water Details

Water ID: 1006337518

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006337517 **Diameter:** 8.0

Depth From: 8.0

Depth To: 92.5999984741211

Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole Diameter

 Hole ID:
 1006337516

 Diameter:
 10.0

 Depth From:
 0.0

 Depth To:
 8.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Links

 Bore Hole ID:
 1006261161
 Tag No:
 A202796

 Depth M:
 28.22448
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727/7272526.pdf

 Well Completed Dt:
 2016/08/17
 Latitude:
 43.6902027100538

 Audit No:
 Z232860
 Longitude:
 -79.4744613819254

38 1 of 1 W/22.1 129.5 / -0.38 2660 EGLINTON AVE WEST NORTH YORK ON WWIS

Flowing (Y/N):

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

Northing NAD83:

UTM Reliability:

03-Nov-2014 00:00:00

YORK AND TORONT

Order No: 22090803393

TRUE

7241

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner: County:

Lot:

Zone:

Flow Rate:

Data Src:

Well ID: 7230841

Construction Date:

Use 1st: Monitoring and Test Hole

Use 2nd: 0 Final Well Status: Test Hole

Water Type:

Casing Material:

Audit No: Z196663 **Tag:** A171985

Constructn Method: Elevation (m): Elevatn Reliabilty:

Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level:

Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2014/10/14

 Year Completed:
 2014

 Depth (m):
 4.572

 Latitude:
 43.6905870349501

 Longitude:
 -79.474923155436

Path:

Bore Hole Information

Bore Hole ID: 1005198317 **DP2BR:**

Spatial Status: Code OB: 005198317

Zone: 17
East83: 622906.00

Elevation:

Elevrc:

 Code OB:
 East83:
 622906.00

 Code OB Desc:
 North83:
 4838638.00

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

UTM83

wwr

margin of error: 30 m - 100 m

Order No: 22090803393

Open Hole: Cluster Kind:

14-Oct-2014 00:00:00 Date Completed:

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

1005396216 Formation ID:

Layer: Color: General Color: **BROWN** 28 Mat1: Most Common Material: SAND Mat2: 11 Mat2 Desc: **GRAVEL**

Mat3: Mat3 Desc:

Formation Top Depth: 0.25 Formation End Depth: 2.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1005396215

Layer: Color: 8 General Color: **BLACK**

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 0.25 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1005396218

Layer: Color: 2 **GREY** General Color: 05 Mat1: Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 9.0 Formation End Depth: 15.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

1005396217 Formation ID:

Layer: 6 Color: General Color: **BROWN** Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

2.0 Formation Top Depth: Formation End Depth: 9.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

1005396227 Plug ID: Layer: 2 Plug From: 4.0 0.0

Plug To: Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1005396226

Layer: Plug From: 15.0 Plug To: 4.0 Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

1005396225 **Method Construction ID:**

Method Construction Code:

Method Construction: Direct Push

Other Method Construction:

Pipe Information

1005396214 Pipe ID:

Casing No:

Comment: Alt Name:

Construction Record - Casing

1005396221 Casing ID:

Layer: 1 Material: 5

Open Hole or Material: **PLASTIC** Depth From: 0.0 Depth To: 5.0 Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Construction Record - Screen

Screen ID: 1005396222

Layer: Slot: .10 5.0 Screen Top Depth: Screen End Depth: 15.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.25

Water Details

Water ID: 1005396220

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

1005396219 Hole ID:

Diameter: 8.0 Depth From: 0.0 Depth To: 15.0 Hole Depth UOM: inch Hole Diameter UOM:

Links

Bore Hole ID: 1005198317 Tag No: A171985 4.572 Contractor: Depth M: 7241

Year Completed: 2014 Path: Well Completed Dt: 2014/10/14 43.6905870349501 Latitude: Audit No: Z196663 -79.474923155436 Longitude:

129.7/-0.20

Well ID: 7261359

1 of 1

Construction Date:

Use 1st: Use 2nd:

39

Final Well Status: Abandoned-Other

W/23.1

Water Type: Casing Material:

Audit No: Z232435

Tag:

Constructn Method: Elevation (m):

Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

2660 EGLINTON AVE. WEST **TORONTO ON**

Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:

12-Apr-2016 00:00:00 Date Received:

WWIS

Order No: 22090803393

Selected Flag: TRUE Abandonment Rec: Yes 6946 Contractor: Form Version: 7

Owner:

YORK AND TORONT County: Lot:

Concession:

Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Elevation:

17 622909.00

4838625.00

margin of error : 30 m - 100 m

Order No: 22090803393

UTM83

Elevrc:

Zone:

East83:

North83:

Org CS:

UTMRC: UTMRC Desc:

Location Method:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/02/29 Year Completed: 2016

Depth (m):

 Latitude:
 43.6904695278972

 Longitude:
 -79.4748889086531

Path:

Bore Hole Information

Bore Hole ID: 1005929266

DP2BR: Spatial Status: Code OB: Code OB Desc:

Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 29-Feb-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006023003

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 14.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006023002

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006022996

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006023000

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 14.0

2.0 Casing Diameter: Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006023001

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006022999

Layer: Kind Code: Kind:

Water Found Depth:

ft Water Found Depth UOM:

Hole Diameter

Hole ID: 1006022998

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1005929266

Depth M:

2016 Year Completed: Well Completed Dt: 2016/02/29 Audit No: Z232435

Tag No:

Contractor: 6946 Path: 726\7261359.pdf Latitude: 43.6904695278972 -79.4748889086531 Longitude:

W/23.6 129.4 / -0.51 **EGLINTON AVE W** 40 1 of 1 **WWIS Toronto ON**

7299820 Well ID:

Construction Date:

Use 1st: Dewatering

Use 2nd:

Final Well Status: Abandoned-Other

Water Type:

Casing Material:

Z254855 Audit No: A215328 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N):

Flow Rate: Data Entry Status: Data Src:

27-Nov-2017 00:00:00 Date Received:

TRUE Selected Flag: Abandonment Rec: Yes Contractor: 7607 Form Version: 7

Owner: YORK AND TORONT County: Lot:

Order No: 22090803393

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7299820.pdf

Additional Detail(s) (Map)

Well Completed Date: 2017/11/03 Year Completed: 2017

Depth (m):

Latitude: 43.6905420309305 Longitude: -79.4749242960485 Path: 729\7299820.pdf

Bore Hole Information

1006822910 Bore Hole ID: Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 17 622906.00 Code OB: East83: Code OB Desc: North83: 4838633.00 Open Hole: Org CS: UTM83 UTMRC: Cluster Kind:

Date Completed: 03-Nov-2017 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Location Method: Remarks: cnrev

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006920379

Layer:

Color: General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: Formation End Depth:

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1006920378

Layer:

Color: General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth:
Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006920386

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 2.0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006920387

 Layer:
 2

 Plug From:
 2.0

 Plug To:
 17.0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006920391

 Layer:
 3

 Plug From:
 23.0

 Plug To:
 27.0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006920389

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 3.0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006920388

 Layer:
 3

 Plug From:
 17.0

 Plug To:
 27.0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006920390

 Layer:
 2

 Plug From:
 3.0

 Plug To:
 23.0

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006920385
Method Construction Code:

Method Construction:
Other Method Construction:

Pipe Information

Pipe ID: 1006920377

Casing No: Comment:

Alt Name:

Construction Record - Casing

Casing ID: 1006920382

Layer: Material:

Open Hole or Material:

Depth From:
Depth To:
Casing Diameter:
Casing Diameter UOM:

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1006920383

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter:

Water Details

Water ID: 1006920381

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

Hole ID: 1006920380

Diameter: Depth From: Depth To:

Hole Depth UOM:

Hole Diameter UOM: cm

<u>Links</u>

 Bore Hole ID:
 1006822910
 Tag No:
 A215328

 Depth M:
 Contractor:
 7607

Year Completed: 2017 **Path:** 729\7299820.pdf

 Well Completed Dt:
 2017/11/03
 Latitude:
 43.6905420309305

 Audit No:
 Z254855
 Longitude:
 -79.4749242960485

41 1 of 1 NW/23.8 129.8 / -0.05 111 YORE RD.

TORNOTO ON

WWIS

Order No: 22090803393

Well ID: 7261355 **Flowing (Y/N)**:

Construction Date: Flow Rate:
Use 1st: Data Entry Statu

Use 1st:
Use 2nd:
Data Entry Status:
Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

 Water Type:
 Selected Flag:
 TRUE

 Casing Material:
 Abandonment Rec:
 Yes

 Audit No:
 Z140380
 Contractor:
 6946

 Tag:
 A136140
 Form Version:
 7

Construct Method: Owner:

Floration (m): YORK AND TORONT

 Elevation (m):
 County:
 YORK AND TORONT

 Elevatn Reliabilty:
 Lot:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Concession:

Concession Name:

Easting NAD83:

Pump Rate:
Static Water Level:

Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH
Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/02/29 Year Completed: 2016

Depth (m):

 Latitude:
 43.6908802538296

 Longitude:
 -79.4746303305536

Path:

Bore Hole Information

 Bore Hole ID:
 1005929254
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622929.00

 Code OB Desc:
 North83:
 4838671.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 29-Feb-2016 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Location Source Date:
Improvement Location Source:

Improvement Location Method:
Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006022814

Layer: 1 Plug From: 14.0

Plug To: 0.0

Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006022813

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006022807

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006022811

Layer: 1 **Material:** 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:14.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006022812

Layer:

Slot:

Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM:
Screen Diameter UOM:
inch

Screen Diameter:

Water Details

Water ID: 1006022810

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006022809

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Map Key Number of Direction/ Elev/Diff Site DΒ Distance (m) (m)

Records

1005929254 Bore Hole ID:

Depth M:

Links

Year Completed: 2016 2016/02/29 Well Completed Dt: Audit No: Z140380

A136140 Tag No: Contractor: 6946

Path: 726\7261355.pdf 43.6908802538296 Latitude: Longitude: -79.4746303305536

WWIS

Order No: 22090803393

W/24.0 129.5 / -0.38 2660 EGLINTON AVE W 42 1 of 2

Toronto ON

Well ID: 7275993 Flowing (Y/N): **Construction Date:**

Flow Rate: Use 1st: Data Entry Status: Domestic Use 2nd: Data Src:

29-Nov-2016 00:00:00 Final Well Status: Dewatering Date Received: TRUE

Water Type: Selected Flag: Casing Material: Abandonment Rec:

Audit No: Z245159 3413 Contractor: Tag: A215325 Form Version: 7

Constructn Method: Owner: Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Concession Name: Well Depth: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83: Static Water Level: Zone:

UTM Reliability: Clear/Cloudy:

YORK BOROUGH Municipality: Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7275993.pdf

Additional Detail(s) (Map)

Well Completed Date: 2016/10/20 Year Completed: 2016 Depth (m): 27.047952

Latitude: 43.6905873660122 -79.4749479637314 Longitude: Path: 727\7275993.pdf

Bore Hole Information

Bore Hole ID: 1006298933 Elevation:

DP2BR: Elevrc: Spatial Status: Zone: 17

East83: 622904.00 Code OB: Code OB Desc: North83: 4838638.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC:

margin of error: 30 m - 100 m Date Completed: 20-Oct-2016 00:00:00 UTMRC Desc:

Location Method: Remarks:

Location Source Date:

Elevrc Desc:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006458453

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

Mat1:

Most Common Material:

Mat2: Mat2 Desc:

Mat3: 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0 Formation End Depth: 0.5 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458457

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 62.0 Formation End Depth: 85.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458456

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 54.0
Formation End Depth: 62.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458458

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 85.0

Formation End Depth: 88.73999786376953

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458455

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 54.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458454

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 0.5
Formation End Depth: 10.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458466

 Layer:
 2

 Plug From:
 2.5

Plug To: 88.73999786376953

Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458465

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 2.5

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006458464

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Alt Name:

Pipe ID: 1006458452

Casing No: Comment:

Construction Record - Casing

Casing ID: 1006458461

Layer: 1 Material: 5

Open Hole or Material:
Depth From:
Depth To:
Casing Diameter:
Casing Depth UOM:

PLASTIC
0.0
0.0
2.5
4.0
inch
Casing Depth UOM:

Construction Record - Screen

Screen ID: 1006458462 **Layer:** 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 88.73999786376953

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water Details

Water ID: 1006458460

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006458459

Diameter:8.0Depth From:0.0

Depth To: 85.73999786376953

Hole Depth UOM: ft
Hole Diameter UOM: inch

<u>Links</u>

 Bore Hole ID:
 1006298933
 Tag No:
 A215325

 Depth M:
 27.047952
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7275993.pdf

 Well Completed Dt:
 2016/10/20
 Latitude:
 43.6905873660122

 Audit No:
 Z245159
 Longitude:
 -79.4749479637314

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	L	DB
42	2 of 2	W/24.0	129.5 / -0.38		IV/IA	// 0

ON

WWIS

Order No: 22090803393

Well ID: 7379605 Flowing (Y/N):

Construction Date: Flow Rate: Use 1st: Data Entry Status: Yes

Use 2nd: Data Src: Final Well Status: 02-Feb-2021 00:00:00 Date Received: Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec: Audit No: Z352430 Contractor: 6875

Form Version: Tag: Owner:

Constructn Method: YORK AND TORONT Elevation (m): County: Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

YORK BOROUGH Municipality: Site Info:

Bore Hole Information

Bore Hole ID: 1008628855 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 17 Code OB: East83: 622904.00 Code OB Desc: North83: 4838638.00 Org CS: UTM83 Open Hole: Cluster Kind: UTMRC:

Date Completed: 16-Dec-2020 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc: Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Links

Bore Hole ID: 1008628855 Tag No: Contractor: 6875 Depth M:

Year Completed: Path: 2020

Well Completed Dt: 2020/12/16 Latitude: 43.6905873660122 Audit No: Z352430 Longitude: -79.4749479637314

43 1 of 1 WSW/25.7 129.4 / -0.51 2660 EGLINTON AVE W **WWIS Toronto ON**

Well ID: 7275992 Flowing (Y/N): **Construction Date:** Flow Rate:

Use 1st: Dewatering Data Entry Status: Use 2nd: Data Src: 29-Nov-2016 00:00:00 Final Well Status: Dewatering Date Received:

Water Type: Selected Flag: TRUE Casing Material: Abandonment Rec:

Audit No: Z245151 Contractor: 3413 A215335 7 Form Version:

Owner: Constructn Method:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty:
Depth to Bedrock:
Concession:
Well Depth:
Concession Name:
Overburden/Bedrock:
Easting NAD83:
Pump Rate:
Northing NAD83:

Static Water Level: Zone:
Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7275992.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2016/09/10

 Year Completed:
 2016

 Depth (m):
 26.977848

 Latitude:
 43.6903885206613

 Longitude:
 -79.4748909617914

 Path:
 727√275992.pdf

Bore Hole Information

Bore Hole ID: 1006298930 Elevation:

DP2BR: Elevrc: Spatial Status: Zone:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622909.00

 Code OB Desc:
 North83:
 4838616.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 10-Sep-2016 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

Order No: 22090803393

Remarks: Location Method: W

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006458438

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

Mat1:

Most Common Material: Mat2: Mat2 Desc:

Mat3: 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0 Formation End Depth: 1.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458439

Layer: 2

Color: 6

General Color: BROWN Mat1: 28
Most Common Material: SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 1.0
Formation End Depth: 16.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458442

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 54.0
Formation End Depth: 65.0
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006458441

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 24.0 Formation End Depth: 54.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458440

 Layer:
 3

 Color:
 6

 General Color:
 BROWN

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 16.0 Formation End Depth: 24.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458443

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 65.0

Formation End Depth: 88.51000213623047

Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458450

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 2.5

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458451

Layer: 2 **Plug From:** 2.5

Plug To: 88.51000213623047

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006458449

Method Construction Code:

Method Construction: Other Method Construction: AIR ROTARY

Pipe Information

Pipe ID: 1006458437

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006458446

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 2.5

 Casing Diameter:
 4.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Map Key Number of Direction/ Elev/Diff Site

Records

Distance (m)

(m)

DΒ

Construction Record - Screen

Screen ID: 1006458447 Layer:

Slot: 10 Screen Top Depth: 25.0

88.51000213623047 Screen End Depth:

Screen Material: 5 Screen Depth UOM: inch Screen Diameter UOM: Screen Diameter: 4.0

Water Details

Water ID: 1006458445

Layer: Kind Code: Kind:

Water Found Depth: ft

Water Found Depth UOM:

Hole Diameter

Hole ID: 1006458444

Diameter: 8.0 Depth From: 0.0

Depth To: 88.51000213623047

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006298930 A215335 Tag No: Depth M: 26.977848 Contractor: 3413

Path: 727\7275992.pdf Year Completed: 2016 Well Completed Dt: 2016/09/10 Latitude: 43.6903885206613 Audit No: Z245151 Longitude: -79.4748909617914

44 1 of 1 W/25.9 129.4 / -0.51 **WWIS**

Well ID: 7261362

Construction Date:

Use 1st: Use 2nd:

Final Well Status: Abandoned-Other

Water Type:

Casing Material:

Audit No: Z232341

Tag:

Constructn Method:

Elevation (m):

Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

2660 EGLINTON AVE. WEST **TORONTO ON**

Flowing (Y/N): Flow Rate: Data Entry Status:

Data Src:

Date Received: 12-Apr-2016 00:00:00

Selected Flag: TRUE Abandonment Rec: Yes Contractor: 6946 Form Version:

Owner:

YORK AND TORONT County:

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation:

17 622906.00

4838625.00

margin of error: 30 m - 100 m

Order No: 22090803393

UTM83

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/02/29 Year Completed: 2016

 Depth (m):

 Latitude:
 43.6904700244984

 Longitude:
 -79.474926121023

Path:

Bore Hole Information

Bore Hole ID: 1005929275 **DP2BR:**

Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 29-Feb-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006023036

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 15.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006023035

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006023029

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006023033

Layer: 1
Material: 5

Open Hole or Material:PLASTICDepth From:0.0

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m) 15.0 Depth To: Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft Construction Record - Screen 1006023034 Screen ID: Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: Water Details Water ID: 1006023032 Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: ft Hole Diameter Hole ID: 1006023031 Diameter: Depth From: Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch **Links** Bore Hole ID: 1005929275 Tag No: Depth M: Contractor: 6946 Year Completed: 2016 Path: Well Completed Dt: 2016/02/29 Latitude: 43.6904700244984 Audit No: Z232341 Longitude: -79.474926121023 45 1 of 1 W/26.2 129.4 / -0.51 2660 Eglinton Avenue West **EHS Toronto ON** Order No: 20140307037 Nearest Intersection: Status: С Municipality: Report Type: Standard Report Client Prov/State: ON Report Date: 18-MAR-14 Search Radius (km): .25 07-MAR-14 -79.474958 Date Received: X: Previous Site Name: Y:

Lot/Building Size:

Additional Info Ordered: Topographic Maps 43.690541

Order No: 22090803393

129.4 / -0.51 2660 EGLINTON AVE W 46 1 of 1 W/26.3**WWIS** TORONTO ON

Well ID: 7276001 Flowing (Y/N): **Construction Date:** Flow Rate:

Use 1st: Dewatering

Use 2nd:

Final Well Status: Dewatering

Water Type:

Casing Material:

Audit No: 7230288 Tag: A215349

Constructn Method: Elevatn Reliabilty:

Elevation (m):

Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate:

Static Water Level:

Clear/Cloudy: Municipality:

PDF URL (Map):

Site Info:

YORK BOROUGH

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276001.pdf

Elevation:

Elevro:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

Additional Detail(s) (Map)

2016/09/28 Well Completed Date: Year Completed: 2016 29.2608 Depth (m):

43.6904881916377 Latitude: Longitude: -79.4749380689073 Path: 727\7276001.pdf

Bore Hole Information

Bore Hole ID: 1006298960

DP2BR: Spatial Status: Code OB:

Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 28-Sep-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1006458702 Formation ID:

Layer: 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 11 GRAVEL Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 10.0 20.0 Formation End Depth:

Data Entry Status:

Date Received:

29-Nov-2016 00:00:00 TRUE

Selected Flag:

Abandonment Rec:

3413 Contractor: Form Version: 7

Owner:

Data Src:

County: YORK AND TORONT

17

622905.00

UTM83

wwr

4838627.00

margin of error: 30 m - 100 m

Lot: Concession:

Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006458707

 Layer:
 9

 Color:
 8

 General Color:
 BLACK

 Mat1:
 17

 Most Common Material:
 SHALE

Mat2: Mat2 Desc:

Mat3:73Mat3 Desc:HARDFormation Top Depth:92.5Formation End Depth:96.0Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458699

Layer: 1

Color:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc:

Mat3: 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0 Formation End Depth: 0.5 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458703

Layer: 5 Color: 2 General Color: **GREY** 05 Mat1: Most Common Material: CLAY Mat2: 28 Mat2 Desc: SAND Mat3: 66 DENSE Mat3 Desc: Formation Top Depth: 20.0 Formation End Depth: 40.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458701

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: 11

Mat2 Desc: GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 2.5
Formation End Depth: 10.0
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006458705

 Layer:
 7

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3: Mat3 Desc:

Formation Top Depth: 60.0 Formation End Depth: 72.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458704

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc:

 Mat3 Desc:
 66

 Mat3 Desc:
 DENSE

 Formation Top Depth:
 40.0

 Formation End Depth:
 60.0

 Formation End Depth UOM:
 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458700

Layer: 2 **Color:** 6

 General Color:
 BROWN

 Mat1:
 11

 Most Common Material:
 GRAVEL

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3:

Mat3 Desc:

Formation Top Depth: 0.5
Formation End Depth: 2.5
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458706

 Layer:
 8

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3:

Mat3 Desc:

Formation Top Depth: 72.0 Formation End Depth: 92.5 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458715

 Layer:
 2

 Plug From:
 22.0

 Plug To:
 96.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458714

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 22.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006458713

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006458698

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006458710

Layer: 1

Material:5Open Hole or Material:PLASTICDepth From:0.0Depth To:25.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

• •	umber of ecords	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Screen ID: Layer: Slot: Screen Top Depti Screen End Depti Screen Material: Screen Depth UO Screen Diameter:	h: M: UOM:	1006458711 1 10 25.0 96.0 5 ft inch 4.5				
Water Details						
Water ID: Layer: Kind Code: Kind: Water Found Dep		1006458709				
Water Found Dep	oth UOM:	ft				
Hole Diameter						
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UC		1006458708 8.0 0.0 96.0 ft inch				
<u>Links</u>						
Bore Hole ID: Depth M: Year Completed: Well Completed I Audit No:	1006296 29.2608 2016 2016/09 Z23028	9/28		Tag No: Contractor: Path: Latitude: Longitude:	A215349 3413 727\7276001.pdf 43.6904881916377 -79.4749380689073	
47 10	f 1	WSW/27.1	129.1 / -0.76	2660 EGLINTON AVE TORONTO ON	E. WEST	wwis
Well ID: Construction Dat Use 1st: Use 2nd: Final Well Status Water Type: Casing Material: Audit No: Tag: Constructn Methe Elevation (m): Elevatn Reliabilty Depth to Bedrock Well Depth: Overburden/Bedr Pump Rate: Static Water Leve Clear/Cloudy: Municipality: Site Info:	: Abando Z23233 od: :: :: ::: :::::::::::::::::::::::	ned-Other		Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	12-Apr-2016 00:00:00 TRUE Yes 6946 7 YORK AND TORONT	

 $https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\3.pdf$

Order No: 22090803393

PDF URL (Map):

Zone:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

17 622906.00

4838621.00

margin of error: 30 m - 100 m

Order No: 22090803393

UTM83

Additional Detail(s) (Map)

2016/02/29 Well Completed Date: 2016 Year Completed:

Depth (m):

43.690434021282

Latitude: Longitude: -79.4749270335078 Path: 726\7261363.pdf

Bore Hole Information

1005929278 Bore Hole ID: Elevation: DP2BR: Elevrc:

Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind: Date Completed: 29-Feb-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

1006023044 Plug ID:

Layer: 0.0 Plug From: Plug To: 14.0 Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006023043

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006023037

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006023041

Layer: Material: 5 Open Hole or Material:

PLASTIC Depth From: 0.0 14.0 Depth To: Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006023042

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: Screen Diameter UOM:

inch

Screen Diameter:

Water Details

Water ID: 1006023040

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006023039

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1005929278 Tag No:

W/27.1

Depth M: Contractor: 6946

Year Completed: Path: 726\7261363.pdf 2016 Well Completed Dt: 2016/02/29 Latitude: 43.690434021282 Audit No: Z232339 Longitude: -79.4749270335078

129.4 / -0.51

Well ID: 7276020

Construction Date:

1 of 1

Use 1st: Dewatering

Use 2nd:

48

Final Well Status: Dewatering

Water Type:

Casing Material:

Audit No: Z230290

A215350 Tag: Constructn Method:

Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: YORK BOROUGH Site Info:

2660 EGLINTON AVE W

Toronto ON

Flowing (Y/N): Flow Rate: Data Entry Status:

Data Src:

Date Received: 29-Nov-2016 00:00:00

TRUE Selected Flag:

Abandonment Rec:

Contractor: 3413 Form Version:

Owner:

YORK AND TORONT County:

Lot: Concession:

Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

WWIS

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe mapping/downloads/2Water/Wells pdfs/727\7276020.pdf

Additional Detail(s) (Map)

Well Completed Date: 2016/07/14 Year Completed: 2016 Depth (m): 19.812

Latitude: 43.6905516938525 Longitude: -79.4749736844878 727\7276020.pdf Path:

Bore Hole Information

Bore Hole ID: 1006298840 Elevation: DP2BR: Elevrc:

Spatial Status: 17 Zone: 622902.00 Code OB: East83: Code OB Desc: North83: 4838634.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC:

14-Jul-2016 00:00:00 Date Completed: UTMRC Desc: margin of error: 30 m - 100 m

Remarks: Location Method: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006459107

Layer:

Color: 6 **BROWN** General Color: Mat1: 28 SAND Most Common Material: 28 Mat2: SAND Mat2 Desc: Mat3: 02 Mat3 Desc: **TOPSOIL** Formation Top Depth: 0.0 2.0 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1006459112 Formation ID: 6

Layer: Color: **GREY** General Color: Mat1: 05 Most Common Material: CLAY Mat2: 84 Mat2 Desc: SILTY Mat3: 12 Mat3 Desc: **STONES** Formation Top Depth: 40.0

Order No: 22090803393

50.0

Formation End Depth:

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006459110

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

 Mat2 Desc:
 STONES

Mat3: Mat3 Desc:

Formation Top Depth: 5.5
Formation End Depth: 20.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459109

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 13

Most Common Material: BOULDERS

73

Mat2: Mat2 Desc:

Mat3: Mat3 Desc:

Mat3 Desc:HARDFormation Top Depth:4.5Formation End Depth:5.5Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459113

Layer: Color: 2 General Color: **GREY** 05 Mat1: Most Common Material: CLAY Mat2: 28 Mat2 Desc: SAND Mat3: 84 SILTY Mat3 Desc: Formation Top Depth: 50.0 Formation End Depth: 65.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006459108

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 11

 Most Common Material:
 GRAVEL

 Mat2:
 05

 Mat2 Desc:
 CLAY

 Mat3:
 74

 Mat3 Desc:
 LAYERED

 Formation Top Depth:
 2.0

 Formation End Depth:
 4.5

 Formation End Depth UOM:
 ft

Overburden and Bedrock Materials Interval

Formation ID: 1006459111

Layer: 5 Color: 2 **GREY** General Color: Mat1: 05 Most Common Material: CLAY Mat2: 84 Mat2 Desc: SILTY Mat3: 12 **STONES** Mat3 Desc: Formation Top Depth: 20.0 Formation End Depth: 40.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006459120

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006459121

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 65.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006459119

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006459106

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006459116

Layer: 1 Material: 5

Open Hole or Material:
Depth From:
Depth To:
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM:

PLASTIC
0.0
4.0
inch
ft

Construction Record - Screen

Screen ID: 1006459117

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

 Screen End Depth:
 65.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 4.5

Water Details

Water ID: 1006459115

ft

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM:

Hole Diameter

Hole ID: 1006459114

 Diameter:
 8.0

 Depth From:
 0.0

 Depth To:
 65.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Links

 Bore Hole ID:
 1006298840
 Tag No:
 A215350

 Depth M:
 19.812
 Contractor:
 3413

 Depth M:
 19.812
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276020.pdf

 Well Completed Dt:
 2016/07/14
 Latitude:
 43.6905516938525

 Audit No:
 Z230290
 Longitude:
 -79.4749736844878

49 1 of 1 W/27.4 129.4 / -0.51 2660 EGLINTON AVE W Toronto ON WWIS

Order No: 22090803393

Well ID: 7276022 Flowing (Y/N):
Construction Date: Flow Rate:

n Date: Flow Rate: Dewatering Data Entry Status: Data Src:

Final Well Status:DewateringDate Received:29-Nov-2016 00:00:00Water Type:Selected Flag:TRUE

Water Type: Selected Flag:
Casing Material: Abandonment Rec:

 Audit No:
 Z230291
 Contractor:
 3413

 Tag:
 A215330
 Form Version:
 7

Constructn Method: Owner:
Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot:

Use 1st:

Use 2nd:

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Concession:

Zone:

Elevation:

622902.00

wwr

4838633.00 UTM83

margin of error: 30 m - 100 m

Order No: 22090803393

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

Concession Name:

Easting NAD83:

UTM Reliability:

Northing NAD83:

Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate:

Static Water Level: Clear/Cloudy:

Municipality:

Site Info:

YORK BOROUGH

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276022.pdf

Additional Detail(s) (Map)

Well Completed Date: 2016/07/13 Year Completed: 2016 Depth (m): 19.812

Latitude: 43.6905426930483 Longitude: -79.4749739126026 Path: 727\7276022.pdf

Bore Hole Information

Bore Hole ID: 1006298846

DP2BR: Spatial Status:

Code OB:

Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 13-Jul-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1006459138 Formation ID:

Layer: Color: 2 General Color: **GREY** Mat1: 11 Most Common Material: **GRAVEL** Mat2: 02 **TOPSOIL** Mat2 Desc: Mat3: 28

Mat3 Desc: SAND Formation Top Depth: 0.0 Formation End Depth: 2.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459143

Layer: 6 Color: General Color: **GREY**

05 Mat1: Most Common Material: CLAY Mat2: 81 Mat2 Desc: SANDY Mat3: 84 SILTY Mat3 Desc: Formation Top Depth: 60.0 Formation End Depth: 65.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459141

Layer: Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 28 SAND Mat2 Desc: Mat3: 84 SILTY Mat3 Desc: Formation Top Depth: 40.0 Formation End Depth: 45.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459142

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 84

 Mat2 Desc:
 SILTY

Mat3:

Mat3 Desc:

Formation Top Depth: 45.0 Formation End Depth: 60.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459139

2 Layer: 6 Color: **BROWN** General Color: 05 Mat1: Most Common Material: CLAY Mat2: 11 **GRAVEL** Mat2 Desc: Mat3: 66 **DENSE** Mat3 Desc: Formation Top Depth: 2.0 Formation End Depth: 20.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459140

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc:

Mat3:66Mat3 Desc:DENSEFormation Top Depth:20.0Formation End Depth:40.0Formation End Depth UOM:ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006459151

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 65.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006459150

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006459149

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006459137

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006459146

Layer:

Material:5Open Hole or Material:PLASTICDepth From:0.0Depth To:27.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Construction Record - Screen

Screen ID: 1006459147

Layer: Slot: 10 27.0 Screen Top Depth: Screen End Depth: 65.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.5

Water Details

Water ID: 1006459145

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

1006459144 Hole ID:

Diameter: 8.0 Depth From: 0.0 Depth To: 65.0 Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006298846 Tag No: A215330 Depth M: 19.812 Contractor: 3413

Year Completed: 2016 Path: 727\7276022.pdf Well Completed Dt: 2016/07/13 Latitude: 43.6905426930483 Audit No: Z230291 Longitude: -79.4749739126026

50 1 of 1 WSW/27.8 129.1 / -0.81 EGLINTON AVE. **WWIS** TORONTO ON

Well ID: 7298516

Construction Date:

Use 1st: Dewatering Use 2nd:

Final Well Status: Dewatering

Water Type:

Casing Material:

Audit No: Z251357

A220852 Tag:

Constructn Method:

Elevation (m):

Elevatn Reliabilty: Depth to Bedrock:

Well Depth: Overburden/Bedrock:

Pump Rate:

Static Water Level: Clear/Cloudy:

Municipality: **TORONTO CITY**

Site Info:

Flowing (Y/N): Flow Rate:

Data Entry Status:

Data Src:

Date Received:

TRUE Selected Flag:

Abandonment Rec:

Contractor: 3413 Form Version:

Owner:

County:

YORK AND TORONT Lot:

03-Nov-2017 00:00:00

Order No: 22090803393

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

PDF URL (Map):

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7298516.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2017/03/30

 Year Completed:
 2017

 Depth (m):
 26.8224

 Latitude:
 43.6903526829793

 Longitude:
 -79.4749042783937

 Path:
 729\7298516.pdf

Bore Hole Information

Bore Hole ID: 1006788085

DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 30-Mar-2017 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006879916

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 25.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

 Formation ID:
 1006879917

 Layer:
 3

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3 Desc:

Mat3:

Formation Top Depth: 25.0 Formation End Depth: 81.0 Formation End Depth UOM: ft Elevation: Elevrc:

Zone: 17

East83: 622908.00
North83: 4838612.00
Org CS: UTM83
UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393

Location Method: ww

Overburden and Bedrock

Materials Interval

Formation ID: 1006879915

Layer: 1
Color: 6

General Color: BROWN
Mat1: 11
Most Common Material: GRAVEL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006879918

 Layer:
 4

 Color:
 2

 General Color:
 GREY

Mat1:

Most Common Material:

Mat2: 06
Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 81.0 Formation End Depth: 88.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006879926

 Layer:
 2

 Plug From:
 20.0

Plug To: 88.0
Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006879925

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006879924

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Alt Name:

Pipe ID: 1006879914

Casing No: Comment:

Construction Record - Casing

Casing ID: 1006879921

Layer: 1 Material: 5 PLASTIC Open Hole or Material: Depth From: 0.0 Depth To: 28.0 Casing Diameter: 4.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006879922

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 28.0

 Screen End Depth:
 88.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 4.0

Water Details

Water ID: 1006879920

Layer: Kind Code: Kind:

Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006879919

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

<u>Links</u>

 Bore Hole ID:
 1006788085
 Tag No:
 A220852

 Depth M:
 26.8224
 Contractor:
 3413

 Year Completed:
 2017
 Path:
 729\7298516.pdf

 Well Completed Dt:
 2017/03/30
 Latitude:
 43.6903526829793

 Audit No:
 Z251357
 Longitude:
 -79.4749042783937

51 1 of 1 SSW/29.0 129.0 / -0.84 2615 EGLINTON AVE WEST TORONTO ON WWIS

Order No: 22090803393

Well ID: 7261364 **Flowing (Y/N):**

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Construction Date:

Use 1st: Use 2nd:

Final Well Status: Abandoned-Other

Water Type: Casing Material:

Audit No: Z232347

Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock:

Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

Municipality:

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: Year Completed:

Depth (m):

43.6901233585718 Latitude: Longitude: -79.4745874761156

YORK BOROUGH

2016/02/29

2016

Path:

Bore Hole Information

Bore Hole ID: 1005929281

DP2BR: Spatial Status: Code OB: Code OB Desc:

Open Hole: Cluster Kind:

Date Completed: 29-Feb-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006023081

Layer: 0.0 Plug From: Plug To: 70.0 Plug Depth UOM:

Method of Construction & Well

Method Construction ID: 1006023080 Flow Rate: Data Entry Status:

Data Src:

12-Apr-2016 00:00:00 Date Received:

Selected Flag: TRUE Abandonment Rec: Yes Contractor: 6946 Form Version: 7

Owner: County: Lot:

YORK AND TORONT

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 17 622934.00 East83:

North83: 4838587.00 Org CS: UTM83 **UTMRC**:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method:

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006023074

Casing No: Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006023078

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:70.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006023079

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth LIOM:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006023077

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006023076

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

Bore Hole ID: 1005929281 **Tag No:**

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7261364.pdf

 Well Completed Dt:
 2016/02/29
 Latitude:
 43.6901233585718

 Audit No:
 Z232347
 Longitude:
 -79.4745874761156

52 1 of 1 WNW/29.0 129.6 / -0.29 111 YORE ROAD TORONTO ON WWIS

Well ID: 7261356

Construction Date:

Use 1st: Use 2nd:

Final Well Status: Abandoned-Other

Water Type:

Casing Material:
Audit No: Z140378

Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/02/29 Year Completed: 2016

Depth (m):

 Latitude:
 43.6908123861071

 Longitude:
 -79.4749422607218

Path:

Bore Hole Information

Bore Hole ID: 1005929257

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 29-Feb-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006022903

 Layer:
 1

 Plug From:
 14.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Flowing (Y/N): Flow Rate:

Data Entry Status:

Data Src: Date Received:

Selected Flag: TRUE Abandonment Rec: Yes Contractor: 6946 Form Version: 7

Owner:

County: YORK AND TORONT

12-Apr-2016 00:00:00

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:

Elevation: Elevrc:

Zone: 17
East83: 622904.00
North83: 4838663.00
Ora CS: UTM83

Org CS: U'UTMRC: 4

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method: www

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006022902

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006022896

Casing No: Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006022900

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:14.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006022901

Layer: Slot:

Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM:
Screen Diameter UOM:
inch

Screen Diameter:

Water Details

Water ID: 1006022899

Layer: Kind Code: Kind:

Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006022898

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

Bore Hole ID: 1005929257 **Tag No:**

6946 Depth M: Contractor:

Year Completed: 2016 Path: 726\7261356.pdf 2016/02/29 43.6908123861071 Well Completed Dt: Latitude: Z140378 -79.4749422607218 Audit No: Longitude:

1 of 1 SW/29.1 129.0 / -0.93 **KEELE STREET & EGLINTON AVENUE 53 WWIS**

Well ID: 7253181

Construction Date:

Use 1st: Monitoring

Use 2nd: Final Well Status: **Observation Wells**

Water Type: Casing Material:

Audit No: Z194272 Tag: A194320

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2015/08/28 Year Completed: 2015 28.956 Depth (m):

Latitude: 43.6901800123025 Longitude: -79.474784572091

Path:

Bore Hole Information

Bore Hole ID: 1005822849 DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 28-Aug-2015 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1005844853 **Toronto ON**

Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:

Date Received: 01-Dec-2015 00:00:00

Selected Flag: TRUE

Abandonment Rec:

Contractor: 6032 Form Version: Owner:

County: YORK AND TORONT

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 17 East83: 622918.00 North83: 4838593.00

UTM83 Org CS: UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method:

Layer: 2 Color: 6 **BROWN** General Color: 28 Mat1: Most Common Material: SAND 06 Mat2: Mat2 Desc: SILT Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 4.0 43.0 Formation End Depth: Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1005844854

Layer: 3 Color: 6

General Color: **BROWN** Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND Mat3: **GRAVEL** Mat3 Desc: Formation Top Depth: 43.0 Formation End Depth: 78.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1005844855

Layer: 2 Color: **GREY** General Color: Mat1: 28 SAND Most Common Material: Mat2: 06 Mat2 Desc: SILT Mat3: 11 Mat3 Desc: **GRAVEL** Formation Top Depth: 78.0 Formation End Depth: 95.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1005844852

ft

Layer: Color: General Color: **BLACK** Mat1: 01 **FILL** Most Common Material:

Mat2: Mat2 Desc:

77 Mat3:

LOOSE Mat3 Desc: Formation Top Depth: 0.0 Formation End Depth: 4.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1005844863

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 5.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1005844865

Layer: 4

 Plug From:
 80.0

 Plug To:
 83.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1005844864

 Layer:
 3

 Plug From:
 5.0

 Plug To:
 80.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1005844862

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1005844861

Method Construction Code:

Method Construction: Boring

Other Method Construction:

Pipe Information

Pipe ID: 1005844851

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1005844858

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:85.0

1.7999999523162842 Casing Diameter:

Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1005844859

Layer: Slot: .01 Screen Top Depth: 85.0 95.0 Screen End Depth: Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.0

Water Details

1005844857 Water ID:

Layer: Kind Code: 8 Kind: Untested Water Found Depth: 32.0 ft Water Found Depth UOM:

Hole Diameter

Hole ID: 1005844856 8.0 Diameter:

Depth From: 0.0 100.0 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1005822849 A194320 Tag No: Depth M: 28.956 Contractor: 6032

Year Completed: 2015

Path: Well Completed Dt: 2015/08/28 Latitude: 43.6901800123025 Audit No: Z194272 Longitude: -79.474784572091

SSW/29.1 129.0 / -0.87 2615 EGLINTON AVE WEST 1 of 1 54 **WWIS TORONTO ON**

Order No: 22090803393

Well ID: 7261348 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Data Entry Status: Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

TRUE Water Type: Selected Flag: Casing Material: Yes Abandonment Rec: Audit No: Z232346 Contractor:

6946 A108644 Tag: Form Version: 7 Constructn Method: Owner:

YORK AND TORONT Elevation (m): County: Elevatn Reliabilty: Lot: Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Zone:

Static Water Level:

Zone:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

17

622939.00

UTM83

4838587.00

margin of error: 30 m - 100 m

Order No: 22090803393

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/02/29 Year Completed: 2016

Depth (m):

 Latitude:
 43.6901225307178

 Longitude:
 -79.4745254558665

Path:

Bore Hole Information

 Bore Hole ID:
 1005929233
 Elevation:

 DP2BR:
 Elevrc:

Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 29-Feb-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006022597

 Layer:
 1

Plug From: 15.0
Plug To: 0.0
Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006022596

Method Construction Code: Method Construction:

Other Method Construction:

Pipe Information

Pipe ID: 1006022590

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006022594

Layer: 1

Material: 5

Open Hole or Material: **PLASTIC** Depth From: 0.0 15.0 Depth To: Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006022595

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006022593

Layer: Kind Code:

Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

1006022592 Hole ID:

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1005929233 Depth M:

Year Completed: 2016 2016/02/29 Well Completed Dt: Audit No: Z232346

Tag No: A108644 Contractor: 6946

Path: 726\7261348.pdf Latitude: 43.6901225307178 Longitude: -79.4745254558665

Order No: 22090803393

55 1 of 1 SSW/29.4 129.0 / -0.87 SE CORNER KEEL & EGLINTON AVE. W **WWIS** TORONTO ON

Well ID: 7272523 Flowing (Y/N):

Construction Date: Flow Rate: Data Entry Status: Use 1st: Dewatering Use 2nd: Data Src:

Final Well Status: 03-Oct-2016 00:00:00 Dewatering Date Received: Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

Audit No: Z232877 Contractor: 7238 Tag: A202819 Form Version:

Constructn Method: Owner: Elevation (m): County: YORK AND TORONT Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession: Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

Well Depth: Concession Name:
Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:
Static Water Level: Zone:

Static Water Level: Zone: Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2016/08/22

 Year Completed:
 2016

 Depth (m):
 27.432

Latitude: 43.6901305380512 Longitude: -79.4744508033813

Path:

Bore Hole Information

 Bore Hole ID:
 1006261152
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622945.00

 Code OB Desc:
 North83:
 4838588.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 22-Aug-2016 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

 Remarks:
 Location Method:
 wwr

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006337303

2 Layer: Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 SAND Mat2 Desc: Mat3: 12 **STONES** Mat3 Desc: Formation Top Depth: 6.0

Overburden and Bedrock

Formation End Depth: Formation End Depth UOM:

Materials Interval

Formation ID: 1006337306

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

Order No: 22090803393

41.0

Most Common Material: SILT Mat2: 28 SAND Mat2 Desc: Mat3: 11 Mat3 Desc: **GRAVEL** Formation Top Depth: 0.08 Formation End Depth: 88.0 Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

1006337304 Formation ID:

Layer: 3 Color: General Color: **GREY** Mat1: 10

COARSE SAND Most Common Material:

Mat2: 06 Mat2 Desc: SILT Mat3: 77 Mat3 Desc: LOOSE Formation Top Depth: 41.0 60.0 Formation End Depth: Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006337302

Layer: Color: 6 **BROWN** General Color: Mat1: 01 Most Common Material: **FILL**

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337305

Layer: 2 Color: **GREY** General Color: Mat1: 06 SILT Most Common Material: Mat2: 05 Mat2 Desc: CLAY Mat3: 12 **STONES** Mat3 Desc: Formation Top Depth: 60.0 Formation End Depth: 80.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337307

Layer: 6 Color: 2 General Color: **GREY** 28 Mat1: Most Common Material: SAND Mat2: 06 Mat2 Desc: SILT Mat3: **GRAVEL** Mat3 Desc: Formation Top Depth: 88.0 90.0 Formation End Depth: Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006337314

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction: BORING

Pipe Information

Pipe ID: 1006337301

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006337311

Layer: 1

Material: 5

Open Hole or Material:PLASTICDepth From:22.0Depth To:3.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006337312

Layer: 1

 Slot:
 20

 Screen Top Depth:
 90.0

 Screen End Depth:
 22.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 4.25

Water Details

Water ID: 1006337310

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

 Hole ID:
 1006337308

 Diameter:
 10.0

 Depth From:
 0.0

 Depth To:
 8.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Hole Diameter

Hole ID: 1006337309

 Diameter:
 8.0

 Depth From:
 8.0

 Depth To:
 90.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Links

 Bore Hole ID:
 1006261152
 Tag No:

 Depth M:
 27.432
 Contractor:

 Year Completed:
 2016
 Path:

 Well Completed Dt:
 2016/08/22
 Latitude:

 Audit No:
 Z232877
 Longitude:

56 1 of 1 SSW/30.2 129.0 / -0.87 SE CORNER OF KEEL & EGLINTON AVE W

Well ID: 7272529

Construction Date:

Use 1st: Dewatering Use 2nd:

Final Well Status: Dewatering

Water Type:

Casing Material:

 Audit No:
 Z232880

 Tag:
 A202820

Constructn Method:
Elevation (m):

Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate:

Static Water Level: Clear/Cloudy:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2016/08/25

 Year Completed:
 2016

 Depth (m):
 28.0416

 Latitude:
 43.6901133643401

 Longitude:
 -79.4745132799973

Path:

TORONTO ON

A202819

727\7272523.pdf

43.6901305380512

-79.4744508033813

Order No: 22090803393

7238

Flowing (Y/N):
Flow Rate:
Data Entry Status:
Data Src:

Date Received: 03-Oct-2016 00:00:00

Selected Flag: TRUE

Abandonment Rec:

Contractor: 7238 Form Version: 7

Owner:

County: YORK AND TORONT

Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation:

17

wwr

622940.00

4838586.00 UTM83

margin of error: 30 m - 100 m

Order No: 22090803393

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

Bore Hole Information

Bore Hole ID: 1006261176

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 25-Aug-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006337624

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 11

 Most Common Material:
 GRAVEL

 Mat2:
 10

Mat2 Desc: COARSE SAND

 Mat3:
 85

 Mat3 Desc:
 SOFT

 Formation Top Depth:
 78.0

 Formation End Depth:
 92.0

 Formation End Depth UOM:
 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337622

Layer: 3 Color: 2 General Color: **GREY** Mat1: 28 SAND Most Common Material: Mat2: 06 Mat2 Desc: SILT Mat3: 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 39.0 Formation End Depth: 60.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337623

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 05

 Mat2 Desc:
 CLAY

 Mat3:
 11

 Mat3 Desc:
 GRAVEL

 Formation Top Depth:
 60.0

 Formation End Depth:
 78.0

 Formation End Depth UOM:
 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337621

Layer: 2 Color: **GREY** General Color: Mat1: 06 Most Common Material: SILT 28 Mat2: Mat2 Desc: SAND Mat3: 66 Mat3 Desc: **DENSE** Formation Top Depth: 6.0 Formation End Depth: 39.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337620

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 01

 Most Common Material:
 FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006337633

 Layer:
 2

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006337632

Layer: 1

 Plug From:
 20.0

 Plug To:
 92.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006337631

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction: BORING

Pipe Information

Pipe ID: 1006337619

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006337628

Layer: 1

Material: 5

Open Hole or Material:PLASTICDepth From:22.0Depth To:3.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006337629

 Layer:
 1

 Slot:
 20

 Screen Top Depth:
 92.0

 Screen End Depth:
 22.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 4.25

Water Details

Water ID: 1006337627

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

 Hole ID:
 1006337625

 Diameter:
 10.0

 Depth From:
 0.0

 Depth To:
 8.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Hole Diameter

 Hole ID:
 1006337626

 Diameter:
 8.0

 Depth From:
 8.0

 Depth To:
 92.0

 Hole Depth UOM:
 ft

Hole Diameter UOM: inch

Links

 Bore Hole ID:
 1006261176
 Tag No:
 A202820

 Depth M:
 28.0416
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272529.pdf

 Well Completed Dt:
 2016/08/25
 Latitude:
 43.6901133643401

 Audit No:
 Z232880
 Longitude:
 -79.4745132799973

57 1 of 1 NW/30.4 129.9 / 0.00 111 YORE RD Toronto ON WWIS

Well ID: 7188180 Flowing (Y/N):
Construction Date: Flow Rate:

Use 1st: Test Hole Data Entry Status:
Use 2nd: Data Src:

Final Well Status:Test HoleDate Received:27-Sep-2012 00:00:00Water Type:Selected Flag:TRUE

Casing Material: Selected Flag: TRO

 Audit No:
 Z146137
 Contractor:
 7215

 Tag:
 A136140
 Form Version:
 7

Constructn Method:

Elevation (m):

Owner:

County:

YORK AND TORONT

Elevation (iii).

Elevation (iii).

Elevation (iii).

Lot:

Depth to Bedrock:

Well Depth:

Concession:

Concession Name:

Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:

Static Water Level: Zone:
Clear/Cloudy: UTM Reliability:

Jear/Cloudy: UTW Relia

Municipality: YORK BOROUGH Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7188180.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2012/07/25

 Year Completed:
 2012

 Depth (m):
 3.9624

 Latitude:
 43.6909432594445

 Longitude:
 -79.4746287333687

 Path:
 718\7188180.pdf

Bore Hole Information

 Bore Hole ID:
 1004166639
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622929.00

 Code OB Desc:
 North83:
 4838678.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 25-Jul-2012 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

Order No: 22090803393

Remarks: Location Method: wwr

Elevrc Desc: Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004459878

Layer: 1 Color: 6

General Color: BROWN

Mat1: 01

Most Common Material: FILL

Mat2: 02

Mat2 Desc: TOPSOIL

Mat3: 28

Mat3 Desc: SAND

Overburden and Bedrock

Formation End Depth UOM:

Formation Top Depth:

Formation End Depth:

Materials Interval

Formation ID: 1004459879

0.0

5.0

ft

Layer: 2 Color: 2 General Color: **GREY** Mat1: 28 Most Common Material: SAND Mat2: 05 Mat2 Desc: CLAY Mat3: 06 SILT Mat3 Desc: Formation Top Depth: 5.0 Formation End Depth: 13.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004459886

 Layer:
 1

 Plug From:
 13.0

 Plug To:
 2.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004459888

 Layer:
 3

 Plug From:
 1.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004459887

 Layer:
 2

 Plug From:
 2.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004459885

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1004459877

Casing No: Comment:

Alt Name:

Construction Record - Casing

Casing ID: 1004459882

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:3.0Depth To:0.0

Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004459883

Layer: 1 Slot: 10 Screen Top Depth: 13.0 Screen End Depth: 3.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.0

Water Details

Water ID: 1004459881

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004459880

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

Bore Hole ID: 1004166639 **Tag No:** A136140

7215 Depth M: 3.9624 Contractor:

Year Completed: 2012 Path: 718\7188180.pdf 2012/07/25 43.6909432594445 Well Completed Dt: Latitude: Z146137 -79.4746287333687 Audit No: Longitude:

S/30.6 129.0 / -0.92 SE CORNER KEELE & EGLINTON AVE. W **58** 1 of 1 **WWIS**

Well ID: 7272522

Construction Date: Use 1st: Use 2nd:

Final Well Status: Dewatering

Water Type: Casing Material:

Audit No: Z232876 Tag: A202797

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/08/18 Year Completed: 2016 27.98064 Depth (m):

Latitude: 43.6901298757113 Longitude: -79.474401187179

Path:

Bore Hole Information

Bore Hole ID: 1006261149 DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 18-Aug-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 1006337240 TORONTO ON

Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:

Date Received: 03-Oct-2016 00:00:00

Selected Flag: TRUE Abandonment Rec: Yes Contractor: 7238 Form Version: Owner:

County: YORK AND TORONT

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 17 East83: 622949.00

North83: 4838588.00 UTM83 Org CS: UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method:

Layer: 5

Color:

General Color:

06 Mat1: Most Common Material: SILT 05 Mat2: Mat2 Desc: CLAY Mat3: 11 Mat3 Desc: **GRAVEL** Formation Top Depth: 76.0 85.0 Formation End Depth:

Overburden and Bedrock

Formation End Depth UOM:

Materials Interval

Formation ID: 1006337239

Layer: 4

Color:

General Color:

Mat1: 28 Most Common Material: SAND Mat2: 06 Mat2 Desc: SILT Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 55.0 Formation End Depth: 76.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337241

Layer: 6

Color:

General Color:

Mat1: 1

Most Common Material: GRAVEL Mat2: 10

Mat2 Desc: COARSE SAND

 Mat3:
 06

 Mat3 Desc:
 SILT

 Formation Top Depth:
 85.0

Formation End Depth: 91.80000305175781

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006337236

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 01

 Most Common Material:
 FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 11.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337237

Layer: Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT 28 Mat2: Mat2 Desc: SAND Mat3: 12 **STONES** Mat3 Desc: Formation Top Depth: 11.0 Formation End Depth: 38.0

Overburden and Bedrock Materials Interval

Formation End Depth UOM:

Formation ID: 1006337238

ft

Layer: 3

Color:

General Color:

Mat1: 10

Most Common Material:COARSE SANDMat2:08Mat2 Desc:FINE SAND

Mat3: 77
Mat3 Desc: LOOSE
Formation Top Depth: 38.0
Formation End Depth: 55.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006337248

Layer:

Plug From: 91.80000305175781

Plug To: 20.0 Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006337249

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006337247

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006337235

Casing No:
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1006337245

Layer: 1
Material: 5
Open Hole or Material: PLASTIC

Depth From: 21.799999237060547

Depth To:3.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006337246

Layer: 1

Slot:

 Screen Top Depth:
 91.80000305175781

 Screen End Depth:
 21.799999237060547

Screen Material:5Screen Depth UOM:ftScreen Diameter UOM:inchScreen Diameter:4.25

Water Details

Water ID: 1006337244

Layer: Kind Code: Kind:

Hole Diameter

 Hole ID:
 1006337242

 Diameter:
 10.0

 Depth From:
 0.0

 Depth To:
 8.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Hole Diameter

Hole ID: 1006337243 **Diameter:** 8.0

Depth From: 8.0

Depth To: 91.80000305175781

Hole Depth UOM: ft
Hole Diameter UOM: inch

<u>Links</u>

Bore Hole ID: 1006261149 **Tag No:** A202797

Depth M: 27.98064 **Contractor**: 7238

 Year Completed:
 2016
 Path:
 727\7272522.pdf

 Well Completed Dt:
 2016/08/18
 Latitude:
 43.6901298757113

 Audit No:
 Z232876
 Longitude:
 -79.474401187179

59 1 of 1 WSW/30.9 128.9 / -1.04 EGLINTON AVE.
TORONTO ON WWIS

Well ID: 7298517 **Flowing (Y/N):**

Construction Date: Flow Rate:
Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 03-Nov-2017 00:00:00

Water Type: Selected Flag: TRUE

Casing Material:Abandonment Rec:Audit No:Z251359Contractor:3413

Tag: A220854 Form Version: 7
Constructn Method: Owner:

 Elevation (m):
 County:
 YORK AND TORONT

 Elevatn Reliability:
 Lot:

Depth to Bedrock:Concession:Well Depth:Concession Name:Overburden/Bedrock:Easting NAD83:

Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

Additional Detail(s) (Map)

 Well Completed Date:
 2017/04/03

 Year Completed:
 2017

 Depth (m):
 26.8224

 Latitude:
 43.6903170108269

 Longitude:
 -79.4749299990714

 Path:
 729\7298517.pdf

Bore Hole Information

 Bore Hole ID:
 1006788088
 Elevation:

 DP2BR:
 Elevrc:

 DP2BR:
 Elevro:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622906.00

 Code OB Desc:
 North83:
 483608.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 03-Apr-2017 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

 Remarks:
 Location Method:
 wwr

Order No: 22090803393

Elevrc Desc:

Location Source Date:
Improvement Location Source:
Improvement Location Method:

Source Revision Comment:

Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 1006879973

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 80.0 Formation End Depth: 88.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006879970

Layer: 1 Color: 6

General Color: BROWN
Mat1: 11
Most Common Material: GRAVEL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006879972

SILT

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 26.0 Formation End Depth: 80.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006879971

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 26.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006879980

Layer: 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006879981

 Layer:
 2

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 88.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006879979

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006879969

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006879976

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:28.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006879977

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 28.0

Screen End Depth:88.0Screen Material:5Screen Depth UOM:ftScreen Diameter UOM:inchScreen Diameter:4.0

Water Details

	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Water ID: Layer: Kind Code: Kind: Water Found De Water Found De		1006879975 ft				
Hole Diameter						
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOI Hole Diameter U		1006879974 ft inch				
Hole Diameter C	JOM.	inon				
Links Bore Hole ID: Depth M: Year Completed Well Completed Audit No:		03		Tag No: Contractor: Path: Latitude: Longitude:	A220854 3413 729\7298517.pdf 43.6903170108269 -79.4749299990714	
<u>60</u> 1	of 4	NW/31.1	129.9/-0.03	Toronto Transit Comi 111 Yore Road Toronto ON	mission	GEN
Generator No: SIC Code: SIC Description Approval Years PO Box No: Country:				Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>60</u> 2	of 4	NW/31.1	129.9 / -0.03	Delsan-AIM 111 Yore Rd TORONTO ON M6M 5	iL8	GEN
Generator No: SIC Code: SIC Description Approval Years PO Box No: Country:	CONTRA	IER SPECIALTY TRA	ADE	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	CO_OFFICIAL No No	
<u>Detail(s)</u>						
Waste Class: Waste Class De	esc:	251 OIL SKIMMINGS &	SLUDGES			
60 3	of 4	NW/31.1	129.9 / -0.03		tions Constructors (CTSC) Keele Street and Eglinton	SPL
Ref No: Site No: Incident Dt: Year:	3670-B48 NA 2018/09/			Discharger Report: Material Group: Health/Env Conseq: Client Type:	2 - Minor Environment Corporation	

Agency Involved:

Incident Cause: Sector Type:

Incident Event: Operator/Human error

Contaminant Code: 41

Contaminant Name: DIESEL FUEL AND WATER MIXTURE

Nearest Watercourse:

Site Address: 111 Yore Road (near Keele Street and Eglinton

Miscellaneous Industrial

Ave West)

Contaminant Limit 1: Site District Office: Toronto - District

Contam Limit Freq 1: Site Postal Code:

 Contaminant UN No 1:
 n/a
 Site Region:
 Central

 Environment Impact:
 Site Municipality:
 Toronto

 Nature of Impact:
 Site Lot:

Receiving Medium: Site Conc:

Receiving Env:Land; Source Water ZoneNorthing:4838700.54MOE Response:NoEasting:622907.75

 Dt MOE Arvl on Scn:
 Site Geo Ref Accu:

 MOE Reported Dt:
 2018/09/05

 Site Map Datum:

Dt Document Closed: SAC Action Class: Land Spills

Incident Reason: Operator/Human Error Source Type: Container/Drum/Tote

Site Name: Combined catch basin<UNOFFICIAL>
Site County/District:

Site Geo Ref Meth:
Incident Summary: Crosslinx Transit: water diesel mixture into combined sewer

Contaminant Qty: 20 L

60 4 of 4 NW/31.1 129.9 / -0.03 ENBRIDGE GAS INC

111 YORE RD,,TORONTO,ON,M6M 5L8,CA

ON

 Incident Id:
 Pipe Material:

 Incident No:
 2837744
 Fuel Category:

 Incident Reported Dt:
 4/28/2020
 Health Impact:

Type: FS-Pipeline Incident Environment Impact:
Status Code: Property Damage:
Tank Status: Pipeline Damage Reason Est Service Interrupt:

 Tank Status:
 Pipeline Damage Reason Est
 Service Interrupt:

 Task No:
 Enforce Policy:

 Spills Action Centre:
 Public Relation:

 Fuel Type:
 Pipeline System:

 Fuel Occurrence Tp:
 PSIG:

Fuel Occurrence Tp: PS
Date of Occurrence: At

Date of Occurrence:Attribute Category:Occurrence Start Dt:Regulator Location:Depth:Method Details:

Customer Acct Name: ENBRIDGE GAS INC

Incident Address: 111 YORE RD,,TORONTO,ON,M6M 5L8,CA

Operation Type:
Pipeline Type:
Regulator Type:
Summary:
Reported By:
Affiliation:

Occurrence Desc: Damage Reason:

Notes:

61

SW/31.2 128.9 / -0.97 Enbridge Gas Distribution Inc.

2680 Eglinton Ave W

Toronto ON

Ref No: 3465-9VDLN6

 Site No:
 NA

 Incident Dt:
 4/8/2015

 Year:
 Leak/Break

1 of 1

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:

erisinfo.com | Environmental Risk Information Services

Incident Event:

PINC

SPL

Number of Direction/ Elev/Diff Site DΒ Map Key

Toronto

Order No: 22090803393

Records Distance (m)

Contaminant Code: Nearest Watercourse: 35 Contaminant Name: NATURAL GAS (METHANE) Site Address: 2680 Eglinton Ave W

(m)

Contaminant Limit 1: Site District Office: Contam Limit Freg 1: Site Postal Code:

Contaminant UN No 1: Site Region: Site Municipality: **Environment Impact:**

Nature of Impact: Air Site Lot: Receiving Medium: Site Conc: Receiving Env: Northing: MOE Response: Ν Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: **MOE** Reported Dt: 4/8/2015 Site Map Datum:

Air Spills - Gases and Vapours Dt Document Closed: SAC Action Class:

Incident Reason: Operator/Human Error Source Type: Site Name: Enbridge Gasline: 1" plastic gas service<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Incident Summary: TSSA: gasline damage 0 other - see incident description Contaminant Qty:

129.0 / -0.87 SSW/31.3 2614 EGLINTON AVE W **62** 1 of 1 **WWIS**

7193053 Well ID: Flowing (Y/N): **Construction Date:** Flow Rate:

Use 1st: Test Hole Data Entry Status:

Use 2nd: Data Src:

Final Well Status: 06-Dec-2012 00:00:00 0 Date Received: TRUE

Water Type: Selected Flag:

Casing Material: Abandonment Rec:

Audit No: Z161035 Contractor: 1663 Tag: A116163 Form Version: 7 Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone: Clear/Cloudy: UTM Reliability:

YORK BOROUGH Municipality:

Site Info: **KYYLE**

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7193053.pdf

Additional Detail(s) (Map)

Well Completed Date: 2012/04/17 Year Completed: 2012 Depth (m): 29.8704

Latitude: 43.6901041979611 -79.4745011041319 Longitude: Path: 719\7193053.pdf

Bore Hole Information

Bore Hole ID: 1004216825 Elevation:

DP2BR: Elevrc:

Spatial Status: 17 Zone: Code OB: East83: 622941.00 Code OB Desc: North83: 4838585.00

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

UTM83

wwr

margin of error : 30 m - 100 m

Order No: 22090803393

Open Hole: Cluster Kind:

Date Completed: 17-Apr-2012 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004548069

Layer: Color: General Color: **GREY** Mat1: 28 Most Common Material: SAND Mat2: 05 Mat2 Desc: CLAY Mat3: 84 SILTY Mat3 Desc: Formation Top Depth: 85.0 Formation End Depth: 92.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004548068

 Layer:
 7

 Color:
 2

 General Color:
 GREY

 Mat1:
 09

Most Common Material: MEDIUM SAND

Mat2: 08

Mat2 Desc: FINE SAND

Mat3: Mat3 Desc:

Formation Top Depth: 83.0 Formation End Depth: 85.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004548063

Layer: Color: **GREY** General Color: 05 Mat1: Most Common Material: CLAY Mat2: 06 SILT Mat2 Desc: Mat3: 28 Mat3 Desc: SAND Formation Top Depth: 10.0 Formation End Depth: 58.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

1004548066 Formation ID:

Layer: 5 2 Color: General Color: **GREY** Mat1: 28 Most Common Material: SAND

Mat2:

Mat2 Desc:

Mat3: 84 SILTY Mat3 Desc: Formation Top Depth: 68.0 Formation End Depth: 0.08 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1004548070 Formation ID:

Layer: 9 Color: General Color: **GREY** Mat1: 17 SHALE Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

92.0 Formation Top Depth: Formation End Depth: 98.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004548065

Layer: 4 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 63.0 68.0 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1004548062 Formation ID:

Layer: Color: 6

General Color: **BROWN** Mat1: 01 **FILL** Most Common Material:

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 10.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004548064

Layer: 2 Color: General Color: **GREY** 28 Mat1: SAND Most Common Material: Mat2: 06 Mat2 Desc: SILT Mat3: 05 CLAY Mat3 Desc: Formation Top Depth: 58.0 Formation End Depth: 63.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004548067

Layer: 6 Color: 2 General Color: **GREY** Mat1: 05 CLAY Most Common Material: Mat2: 06 SILT Mat2 Desc: Mat3: 28 Mat3 Desc: SAND Formation Top Depth: 0.08 Formation End Depth: 83.0 Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004548103

 Layer:
 2

 Plug From:
 38.0

 Plug To:
 92.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004548102

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 38.0

 Plug Depth UOM:
 ft

Method of Construction & Well

Use

Method Construction ID: 1004548101

Method Construction Code: 2

Method Construction:

Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1004548060

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004548073

Layer: 1 Material: 5

Open Hole or Material: PLASTIC Depth From: 0.0

Depth To: 68.0
Casing Diameter: 5.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 1004548074

 Layer:
 2

 Material:
 1

 Open Hole or Material:
 STEEL

 Depth From:
 89.0

 Depth To:
 92.0

 Casing Diameter:
 5.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Screen

Screen ID: 1004548075

 Layer:
 1

 Slot:
 12

 Screen Top Depth:
 68.0

 Screen End Depth:
 89.0

 Screen Material:
 1

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 6.0

Results of Well Yield Testing

Pump Test ID: 1004548061

Pump Set At: 75.0

 Static Level:
 7.599999904632568

 Final Level After Pumping:
 64.30000305175781

Recommended Pump Depth:

Pumping Rate: 6.0

Flowing Rate:

Recommended Pump Rate:

Levels UOM:ftRate UOM:GPMWater State After Test Code:1Water State After Test:CLEARPumping Test Method:0Pumping Duration HR:1

Pumping Duration MIN:

Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 1004548083
Test Type: Recovery

Test Duration: 4

Test Level: 44.400001525878906

30

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004548084Test Type:Draw Down

Test Duration: 5

Test Level: 23.200000762939453

Test Level UOM: ft

Draw Down & Recovery

 Pump Test Detail ID:
 1004548097

 Test Type:
 Draw Down

 Test Duration:
 50

 Test Level:
 53.0

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:1004548079Test Type:Recovery

Test Duration: 2

Test Level: 50.20000076293945

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004548099Test Type:Recovery

Test Duration: 60

Test Level: 19.700000762939453

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004548086Test Type:Draw Down

Test Duration: 10

Test Level: 33.70000076293945

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1004548089
Test Type: Recovery

Test Duration: 15

Test Level: 31.799999237060547

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1004548093
Test Type: Recovery

Test Duration: 25

Test Level: 26.899999618530273

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:1004548098Test Type:Draw Down

Test Duration: 60

Test Level: 53.900001525878906

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004548078Test Type:Draw Down

 Test Duration:
 2

 Test Level:
 18.5

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:1004548091Test Type:Recovery

Test Duration: 20

Test Level: 29.059999465942383

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004548077Test Type:Recovery

Test Duration: 1

Test Level: 54.599998474121094

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004548081Test Type:Recovery

Test Duration: 3

Test Level: 50.20000076293945

Test Level UOM: ft

Draw Down & Recovery

 Pump Test Detail ID:
 1004548090

 Test Type:
 Draw Down

 Test Duration:
 20

 Test Level:
 40.5

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:1004548092Test Type:Draw Down

Test Duration: 25

Test Level: 43.20000076293945

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004548080Test Type:Draw Down

Test Duration: 3

Test Level: 20.100000381469727

Test Level UOM: ft

Draw Down & Recovery

 Pump Test Detail ID:
 1004548082

 Test Type:
 Draw Down

 Test Duration:
 4

 Test Level:
 22.5

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1004548085

 Test Type:
 Recovery

 Test Duration:
 5

 Test Level:
 42.5

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:1004548094Test Type:Draw Down

Test Duration: 30

Test Level: 45.70000076293945

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004548096Test Type:Draw Down

Test Duration: 40

Test Level: 49.900001525878906

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004548076Test Type:Draw Down

Test Duration: 1

Test Level: 16.299999237060547

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1004548087
Test Type: Recovery

Test Duration: 10

Test Level: 35.70000076293945

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004548088Test Type:Draw Down

Test Duration: 15

Test Level: 37.400001525878906

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004548095Test Type:Recovery

Test Duration: 30

Test Level: 25.399999618530273

Test Level UOM:

Water Details

Water ID: 1004548072

 Layer:
 1

 Kind Code:
 8

 Kind:
 Untested

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

 Hole ID:
 1004548071

 Diameter:
 8.5

 Depth From:
 0.0

 Depth To:
 92.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

<u>Links</u>

 Bore Hole ID:
 1004216825
 Tag No:
 A116163

 Depth M:
 29.8704
 Contractor:
 1663

 Year Completed:
 2012
 Path:
 719\7193053.pdf

 Well Completed Dt:
 2012/04/17
 Latitude:
 43.6901041979611

 Audit No:
 Z161035
 Longitude:
 -79.4745011041319

63 1 of 1 SE/32.7 129.9 / -0.02 C.B. EXCLUSIVE HOME COOK REST.

2595 EGLINTON AVE. WEST

YORK CITY ON

Certificate #: 8-3157-93-Application Year: 93

Issue Date: 5/28/1993
Approval Type: Industrial air
Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code:

Project Description: RESTAURANT KITCHEN EXHAUST FAN

Contaminants: Odour/Fumes Emission Control: Panel Filter CA

1 of 1 SSE/32.9 129.5 / -0.35 Aspinall [L E]

2601 Eglinton Ave W Toronto ON M6M 1T3

17

Order No: 22090803393

TANK

Permit Date: 3/21/1949

Permit Type:

64

User Type: Gasoline service station Installation Type: garage, gas pump, tank Installation Size:

Installation Config.: garage, gas pump, tank

No. Tanks Installed: Units of Measure:

0

Value/Tank (\$): Capacity(gal):

Reference: York Township General Purposes Committee 21 Mar 1949

Location Desc: 2601 Eglinton Ave

65 1 of 1 SSW/33.9 128.9 / -1.04 2615 EGLINTON AVE. WEST TORONTO ON WWIS

Well ID: 7261365 Flowing (Y/N):

Construction Date: Flow Rate:
Use 1st: Data Entry Status:
Use 2nd: Data Src:

Final Well Status:Abandoned-OtherDate Received:12-Apr-2016 00:00:00Water Type:Selected Flag:TRUE

 Water Type:
 Selected Flag:
 TRUE

 Casing Material:
 Abandonment Rec:
 Yes

 Audit No:
 Z232336
 Contractor:
 6946

 Tag:
 Form Version:
 7

Constructn Method: Owner:
Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty:
Depth to Bedrock:
Concession:
Well Depth:
Concession Name:
Overburden/Bedrock:
Easting NAD83:
Pump Rate:
Northing NAD83:

Pump Rate:Northing NAD83:Static Water Level:Zone:Clear/Cloudy:UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/02/29 Year Completed: 2016

 Depth (m):

 Latitude:
 43.690088348738

 Longitude:
 -79.4746628130499

Path:

Bore Hole Information

Bore Hole ID: 1005929284 Elevation:

DP2BR: Elevrc: Spatial Status: Zone:

 Code OB:
 East83:
 622928.00

 Code OB Desc:
 North83:
 4838583.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

UTMRC Desc:

Location Method:

margin of error: 30 m - 100 m

Date Completed: 29-Feb-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006029828

Layer:

Plug From: Plug To:

Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006023088

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006023082

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006023086

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 15.0

 Casing Diameter:
 2.0

 Casing Diameter UOM:
 inch

Casing Diameter UOM: included in the Casing Depth UOM:

Construction Record - Screen

Screen ID: 1006023087

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006023085

Layer:

Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

1006023084 Hole ID:

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1005929284

Depth M:

Year Completed: 2016 Well Completed Dt: 2016/02/29 Audit No: Z232336

Tag No: Contractor:

Flowing (Y/N):

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Elevation:

Elevrc:

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83: Northing NAD83:

UTM Reliability:

Flow Rate:

Data Src:

6946 Path: 726\7261365.pdf Latitude: 43.690088348738 -79.4746628130499 Longitude:

03-Oct-2016 00:00:00

YORK AND TORONT

TRUE

7238

7

WWIS

Order No: 22090803393

SE CORNER KEEL ST. & EGLINGTON AVE. W 66 1 of 2 SSW/34.0 128.9 / -1.01 TORONTO ON

Well ID: 7272530

Construction Date:

Use 1st: Dewatering

Use 2nd:

Final Well Status: Dewatering

Water Type:

Casing Material:

Audit No: Z232878 A202818 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock:

Well Depth: Overburden/Bedrock: Pump Rate:

Static Water Level: Clear/Cloudy:

Municipality: **TORONTO CITY**

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/08/23 2016 Year Completed: Depth (m): 27.432

43.6900785201221 Latitude: Longitude: -79.4746010210016

Path:

Bore Hole Information

Bore Hole ID: 1006261179 DP2BR:

Spatial Status: Zone: 17

East83:

North83:

Org CS: UTMRC:

UTMRC Desc:

Location Method:

622933.00

4838582.00 UTM83

margin of error: 30 m - 100 m

Order No: 22090803393

Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 23-Aug-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006337673

3 Layer: Color:

General Color:

Mat1: Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

39.0 Formation Top Depth: Formation End Depth: 59.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337674

Laver:

Color:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 59.0 Formation End Depth: 79.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337671

Layer:

Color:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

0.0 Formation Top Depth: Formation End Depth: 6.0 Formation End Depth UOM: ft

DB Map Key Number of Direction/ Elev/Diff

Records

Distance (m)

(m)

Site

Overburden and Bedrock

Materials Interval

Formation ID: 1006337675

Layer:

Color:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 79.0 Formation End Depth: 90.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1006337672 Formation ID:

Layer:

Color:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6.0 Formation End Depth: 39.0 Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

1006337682 **Method Construction ID:**

Method Construction Code:

Rotary (Convent.) Method Construction:

Other Method Construction: BORING

Pipe Information

Pipe ID: 1006337670

Casing No:

Comment: Alt Name:

Construction Record - Casing

1006337679 Casing ID:

Layer: 1

Material: 5

Open Hole or Material: **PLASTIC** Depth From: 22.0 Depth To: 3.0 4.0 Casing Diameter: Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006337680

Layer: Slot: 20 Screen Top Depth: 90.0 Screen End Depth: 22.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.25

Water Details

Water ID: 1006337678

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

1006337677 Hole ID: Diameter: 8.0 Depth From: 8.0 Depth To: 90.0 Hole Depth UOM: inch Hole Diameter UOM:

Hole Diameter

Hole ID: 1006337676 10.0 Diameter: Depth From: 0.0

8.0 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006261179 A202818 Tag No: Depth M: 27.432 Contractor: 7238

Path: 727\7272530.pdf Year Completed: 2016 Well Completed Dt: 2016/08/23 Latitude: 43.6900785201221 Audit No: Z232878 Longitude: -79.4746010210016

2 of 2 SSW/34.0 128.9 / -1.01 66 **WWIS** ON

Order No: 22090803393

Well ID: 7379603 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Yes Use 2nd: Data Src: Final Well Status: Date Received: 02-Feb-2021 00:00:00

TRUE Water Type: Selected Flag: Casing Material: Abandonment Rec:

Audit No: Z352429 Contractor: 6875 Tag: Form Version:

Constructn Method: Owner: YORK AND TORONT Elevation (m): County:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Lot:

Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

Clear/Cloudy: Municipality:

YORK BOROUGH

Site Info:

UTM Reliability:

Bore Hole Information

Bore Hole ID: DP2BR:

1008628849

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 20-Dec-2020 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

<u>Links</u>

Bore Hole ID: 1008628849

Depth M:

67

Year Completed: 2020

2020/12/20 Well Completed Dt: Z352429 Audit No:

Elevation: Elevrc:

Zone: 17

622933.00 East83: North83: 4838582.00 UTM83 Org CS: UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Location Method: wwr

Tag No:

Contractor: 6875

Path:

128.9 / -1.04

Latitude: 43.6900785201221 Longitude: -79.4746010210016

WWIS

Order No: 22090803393

Well ID: 7180623

1 of 1

Construction Date:

Use 1st: Monitoring and Test Hole Use 2nd: 0

Test Hole

Final Well Status: Water Type:

Casing Material:

Audit No: Z146551 Tag: A123782 Constructn Method:

Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level: Clear/Cloudy:

YORK BOROUGH Municipality: Site Info:

PDF URL (Map):

2615 EGLINGTON AVE WEST **TORONTO ON**

Flowing (Y/N): Flow Rate: Data Entry Status:

Data Src:

10-May-2012 00:00:00 Date Received: Selected Flag: TRUE

Abandonment Rec:

Contractor: 7241 Form Version:

Owner:

County: YORK AND TORONT Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

SSW/34.6

Elevation:

17 622929.00

4838582.00

margin of error: 30 m - 100 m

Order No: 22090803393

UTM83

Elevrc:

East83:

North83:

Org CS:

UTMRC: UTMRC Desc:

Location Method:

Zone:

Additional Detail(s) (Map)

 Well Completed Date:
 2012/02/27

 Year Completed:
 2012

 Depth (m):
 4.8768

Latitude: 43.6900791823746 **Longitude:** -79.4746506371661

Path:

Bore Hole Information

Bore Hole ID: 1003758804

DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 27-Feb-2012 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004302532

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3:

Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 16.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004302531

Layer: 1 Color: 2 General Color: **GREY** 01 Mat1: Most Common Material: **FILL** Mat2: 28 SAND Mat2 Desc: Mat3: 06 SILT Mat3 Desc: Formation Top Depth: 0.0 Formation End Depth: 10.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302541

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 4.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302542

 Layer:
 3

 Plug From:
 4.0

 Plug To:
 15.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302540

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004302539

Method Construction Code: D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1004302530

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004302535

Layer: 1 Material: 5 Open Hole or Material: **PLASTIC** Depth From: 0.0 5.0 Depth To: Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004302536

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 5.0

 Screen End Depth:
 15.0

 Screen Material:
 5

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Screen Depth UOM: ft Screen Diameter UOM: inch 2.25 Screen Diameter:

Water Details

Water ID: 1004302534

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

1004302533 Hole ID:

Diameter: 4.5 0.0 Depth From: Depth To: 15.0 Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1003758804 Tag No: A123782 Contractor: 4.8768 Depth M: 7241

Year Completed: 2012 Path: Well Completed Dt: 2012/02/27 Latitude: 43.6900791823746 -79.4746506371661 Z146551 Audit No: Longitude:

1 of 1 SW/35.4 128.7/-1.16 SE CORNER OF KEEL & EGLINTON AVE W 68 **WWIS**

7272527 Well ID:

Construction Date:

Use 1st: Dewatering

Use 2nd:

Final Well Status: Dewatering

Water Type: Casing Material:

Z232882 Audit No: A202836 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock:

Well Depth: Overburden/Bedrock: Pump Rate:

Static Water Level: Clear/Cloudy:

Municipality:

TORONTO CITY Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

2016/08/29 Well Completed Date: Year Completed: 2016 Depth (m): 27.432

Latitude: 43.6900891765169 **TORONTO ON**

Flowing (Y/N): Flow Rate: Data Entry Status:

Data Src:

03-Oct-2016 00:00:00 Date Received:

Selected Flag: TRUE

Abandonment Rec:

7238 Contractor: Form Version:

Owner: County: Lot:

YORK AND TORONT

Order No: 22090803393

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

DΒ Map Key Number of Direction/ Elev/Diff Site Records Distance (m)

Longitude: -79.4747248332677

Path:

Bore Hole Information

Cluster Kind:

Bore Hole ID: 1006261164 Elevation:

DP2BR: Elevrc: Spatial Status: 17 Zone: Code OB: East83: 622923.00 Code OB Desc: North83: 4838583.00 UTM83 Open Hole: Org CS:

UTMRC: 29-Aug-2016 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m Date Completed:

Remarks: Location Method: Elevrc Desc:

Overburden and Bedrock

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: **Supplier Comment:**

Materials Interval

Formation ID: 1006337566

Layer:

Color: General Color:

Mat1:

01 Most Common Material: FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337570

Layer:

Color:

General Color:

Mat1: 28 Most Common Material: SAND

Mat2: 06 Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 82.0 Formation End Depth: 90.0

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337569

Layer:

Color: General Color:

06 Mat1: Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND Mat3: 12 **STONES** Mat3 Desc: Formation Top Depth: 59.0 Formation End Depth: 82.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337567

Layer: 2

Color:

General Color:

06 Mat1: SILT Most Common Material: Mat2: 28 SAND Mat2 Desc: Mat3: 66 DENSE Mat3 Desc: Formation Top Depth: 6.0 Formation End Depth: 40.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337568

Layer:

Color:

General Color:

Mat1: 28

Most Common Material: SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 40.0 Formation End Depth: 59.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006337578

 Layer:
 1

 Plug From:
 90.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006337579

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006337577

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction: BORING

Pipe Information

Pipe ID: 1006337565

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006337574

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:3.0Depth To:22.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006337575

 Layer:
 1

 Slot:
 20

 Screen Top Depth:
 22.0

 Screen End Depth:
 90.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 4.25

Water Details

Water ID: 1006337573

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006337572

 Diameter:
 8.0

 Depth From:
 8.0

 Depth To:
 90.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Hole Diameter

Hole ID: 1006337571 **Diameter:** 10.0

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

0.0 Depth From: Depth To: 8.0 Hole Depth UOM: ft Hole Diameter UOM: inch

<u>Links</u>

Bore Hole ID: 1006261164 A202836 Tag No: Depth M: 27.432 Contractor: 7238

Year Completed: 2016 Path: 727\7272527.pdf 2016/08/29 Latitude: 43.6900891765169 Well Completed Dt: Z232882 -79.4747248332677 Audit No: Longitude:

EGLINTON ST. / KEELE ST. S 69 1 of 1 S/35.8 129.0 / -0.88 **WWIS**

Flowing (Y/N):

Well ID: 7227393

Construction Date: Flow Rate: Monitoring and Test Hole Use 1st:

Data Entry Status: Use 2nd: Data Src:

Final Well Status: **Observation Wells** 12-Sep-2014 00:00:00 Date Received: TRUE

Water Type: Selected Flag:

Casing Material: Abandonment Rec:

Z187603 7201 Audit No: Contractor: Tag: A150897 Form Version:

Constructn Method: Owner: Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name:

Easting NAD83: Overburden/Bedrock: Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/722\7227393.pdf

Additional Detail(s) (Map)

Well Completed Date: 2014/08/15 Year Completed: 2014 Depth (m): 16.002

Latitude: 43.6901015485608 Longitude: -79.4743026394151 Path: 722\7227393.pdf

Bore Hole Information

Bore Hole ID: 1005124141 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 17

622957.00 Code OB: East83: Code OB Desc: North83: 4838585.00 G83dd Open Hole: Org CS:

Cluster Kind: **UTMRC**:

Date Completed: 15-Aug-2014 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Order No: 22090803393

Location Method: Remarks: wwr

Location Source Date:

Improvement Location Source:

Elevrc Desc:

Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1005355120 Formation ID:

Layer: 3 Color: General Color: **GREY** 05 Mat1: Most Common Material: CLAY Mat2: 34 Mat2 Desc: TILL

Mat3: Mat3 Desc:

Formation Top Depth: 15.0 Formation End Depth: 52.5 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1005355119

2 Layer:

Color: General Color:

Mat1:

28 Most Common Material: SAND 06 Mat2: SILT Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 2.0 Formation End Depth: 15.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1005355118

Layer: 2 Color: General Color: **GREY** Mat1: 11 Most Common Material: **GRAVEL** Mat2: 73 Mat2 Desc: HARD 68 Mat3: Mat3 Desc: DRY 0.0 Formation Top Depth: Formation End Depth: 2.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1005355128

Layer: 1 Plug From: 0.0 3.0 Plug To:

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1005355129

ft

 Layer:
 2

 Plug From:
 3.0

 Plug To:
 41.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1005355130

 Layer:
 3

 Plug From:
 41.0

 Plug To:
 52.5

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1005355127

Method Construction Code:6Method Construction:Boring

Other Method Construction:

Pipe Information

Pipe ID: 1005355117

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1005355123

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:42.5Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1005355124

Layer: 1

 Slot:
 01

 Screen Top Depth:
 42.5

 Screen End Depth:
 52.5

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 2.0

Water Details

Water ID: 1005355122

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

1005355121 Hole ID: 8.25 Diameter: Depth From: 0.0 Depth To: 52.5 Hole Depth UOM: Hole Diameter UOM: inch

<u>Links</u>

Bore Hole ID: 1005124141 Tag No: A150897 Depth M: 16.002 Contractor: 7201

722\7227393.pdf Year Completed: 2014 Path: Well Completed Dt: 2014/08/15 Latitude: 43.6901015485608 Z187603 -79.4743026394151 Audit No: Longitude:

70 1 of 1 N/36.9 130.3 / 0.43 1860 KEELE ST. **WWIS TORONTO ON**

Flowing (Y/N):

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner: County:

Lot:

Zone:

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

UTM Reliability:

Northing NAD83:

26-Jun-2019 00:00:00

YORK AND TORONT

Order No: 22090803393

TRUE

6607

Flow Rate:

Data Src:

Well ID: 7337165 Construction Date:

Monitoring Use 1st:

Use 2nd:

Final Well Status: **Observation Wells**

Water Type:

Casing Material:

Audit No: 8L96SRYO A264663

Tag: Constructn Method:

Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

BH 102

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7337165.pdf

Additional Detail(s) (Map)

2019/06/03 Well Completed Date: Year Completed: 2019 Depth (m): 12.1

43.6910572894628 Latitude: Longitude: -79.4744024907905 733\7337165.pdf Path:

Bore Hole Information

Elevation:

622947.00

wwr

4838691.00 UTM83

margin of error: 30 m - 100 m

Order No: 22090803393

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

1007507049 Bore Hole ID:

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

03-Jun-2019 00:00:00 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1007507694

Layer: Color: 6 **BROWN** General Color: 28 Mat1: Most Common Material: SAND 06 Mat2: Mat2 Desc: SILT Mat3: 77 Mat3 Desc: LOOSE

Formation Top Depth: 0.30000001192092896 Formation End Depth: 4.300000190734863

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

1007507695 Formation ID:

Layer: Color: 6

General Color: **BROWN** Mat1: 28 Most Common Material: SAND Mat2: 06 Mat2 Desc: SILT Mat3: 66 **DENSE** Mat3 Desc:

Formation Top Depth: 4.300000190734863 Formation End Depth: 11.600000381469727

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1007507693

Layer: Color: 6

BROWN General Color: Mat1: 28 Most Common Material: SAND Mat2: 11 **GRAVEL** Mat2 Desc: 01 Mat3: Mat3 Desc: **FILL**

Formation Top Depth: 0.0

Formation End Depth: 0.30000001192092896

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1007507696

Layer: 4 Color: General Color: **GREY** 06 Mat1: SILT Most Common Material: Mat2: 28 Mat2 Desc: SAND Mat3: 85 Mat3 Desc: SOFT

 Formation Top Depth:
 11.600000381469727

 Formation End Depth:
 12.100000381469727

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1007508262

 Layer:
 1

Plug From: 0.0

Plug To: 0.30000001192092896

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007508263

Layer: 2

 Plug From:
 0.30000001192092896

 Plug To:
 8.800000190734863

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007508161

Layer:

Plug From: Plug To:

Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID:1007507437Method Construction Code:6

Method Construction: Boring

Other Method Construction:

Pipe Information

Pipe ID: 1007507414

Casing No:

Comment:

Alt Name:

Construction Record - Casing

Casing ID: 1007507886

Layer: Material: 5

PLASTIC Open Hole or Material:

Depth From: 0.0

Depth To: 9.100000381469727 Casing Diameter: 5.099999904632568

Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

1007507970 Screen ID:

Layer: Slot: 10

Screen Top Depth: 9.100000381469727 Screen End Depth: 12.100000381469727

Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter: 6.400000095367432

Results of Well Yield Testing

1007507415 Pump Test ID:

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: Rate UOM: LPM

Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: **Pumping Duration MIN:**

Flowing:

Hole Diameter

Hole ID: 1007508057 Diameter: 21.0 Depth From:

12.100000381469727 Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

Links

Bore Hole ID: 1007507049 Tag No: A264663 12.1 Contractor: 6607 Depth M:

Year Completed: 2019 733\7337165.pdf Path: Well Completed Dt: 2019/06/03 Latitude: 43.6910572894628 Audit No: 8L96SRYO Longitude: -79.4744024907905

WWIS

Order No: 22090803393

71 1 of 1 WNW/37.1 129.3 / -0.61 111 YORE RD
Toronto ON

Well ID: 7188181 Flowing (Y/N):
Construction Date: Flow Rate:

Use 1st: Test Hole Data Entry Status:

 Use 2nd:
 Data Src:

 Final Well Status:
 Test Hole
 Date Received:
 27-Sep-2012 00:00:00

Water Type:Selected Flag:TRUECasing Material:Abandonment Rec:

 Audit No:
 Z146138
 Contractor:
 7215

Tag: A136139 Form Version: 7
Constructn Method: Owner:

Elevation (m): YORK AND TORONT
Elevatn Reliability: Lot:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Static Water Level:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7188181.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2012/07/25

 Year Completed:
 2012

 Depth (m):
 3.9624

 Latitude:
 43.6908228766356

 Longitude:
 -79.4750536703683

 Path:
 718\7188181.pdf

Bore Hole Information

 Bore Hole ID:
 1004166642
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622895.00

 Code OB Desc:
 North83:
 4838664.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 3

 Date Completed:
 25-Jul-2012 00:00:00
 UTMRC Desc:
 margin of error : 10 - 30 m

Remarks: Location Method: wwr
Elevro Desc:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Location Source Date:

Overburden and Bedrock

Materials Interval

Formation ID: 1004459891

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 05

 Mat2 Desc:
 CLAY

 Mat3:
 06

 Mat3 Desc:
 SILT

 Formation Top Depth:
 5.0

 Formation End Depth:
 13.0

 Formation End Depth UOM:
 ft

Overburden and Bedrock Materials Interval

Formation ID: 1004459890

Layer: Color: 6 **BROWN** General Color: Mat1: 01 Most Common Material: **FILL** Mat2: 02 **TOPSOIL** Mat2 Desc: Mat3: 28 SAND Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 5.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004459899

 Layer:
 2

 Plug From:
 2.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004459900

 Layer:
 3

 Plug From:
 1.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004459898

 Layer:
 1

 Plug From:
 13.0

 Plug To:
 2.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004459897

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1004459889

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004459894

Layer: Material: 5 Open Hole or Material: **PLASTIC** Depth From: 3.0 Depth To: 0.0 Casing Diameter: 2.0

Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

1004459895 Screen ID:

Layer: 10 Slot: Screen Top Depth: 13.0 Screen End Depth: 3.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.0

Water Details

Water ID: 1004459893

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004459892

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

<u>Links</u>

1004166642 Bore Hole ID: Tag No: A136139 Depth M: 3.9624 Contractor: 7215

Year Completed: 2012 Path: 718\7188181.pdf Well Completed Dt: 2012/07/25 Latitude: 43.6908228766356 Audit No: Z146138 Longitude: -79.4750536703683

72 1 of 1 SSW/37.2 128.9 / -1.03 **2615 EGLINGTON AVE WWIS Toronto ON**

Well ID: 7180621 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring and Test Hole

Use 2nd: 0

Final Well Status: Test Hole

Water Type:

Casing Material:

Audit No: Z146489 **Tag:** A132302

Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate:

Constructn Method:

Static Water Level: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2012/02/29

 Year Completed:
 2012

 Depth (m):
 4.27

 Latitude:
 43.6900503587193

 Longitude:
 -79.4745148772568

Path:

Bore Hole Information

Bore Hole ID: 1003758798 **DP2BR:**

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 29-Feb-2012 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004302506

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 1.8300000429153442

Data Entry Status:

Data Src:

Date Received: 10-May-2012 00:00:00

Selected Flag: TRUE

Abandonment Rec:

Contractor: 7241 Form Version: 7

Owner:

County: YORK AND TORONT

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation:

Zone: 17

 East83:
 622940.00

 North83:
 4838579.00

 Org CS:
 UTM83

UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393

Location Method: wwr

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1004302508

m

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

 Formation Top Depth:
 3.0999999046325684

 Formation End Depth:
 4.269999980926514

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004302507

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

 Formation Top Depth:
 1.8300000429153442

 Formation End Depth:
 3.0999999046325684

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302516

Plug To: 0.3100000023841858

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302518

Layer:

 Plug From:
 0.9100000262260437

 Plug To:
 4.269999980926514

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302517

Layer: 2

 Plug From:
 0.3100000023841858

 Plug To:
 0.9100000262260437

Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID:1004302515Method Construction Code:D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1004302505

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004302511

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0

 Depth To:
 1.2200000286102295

 Casing Diameter:
 3.450000047683716

Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004302512 **Layer:** 1

Layer: 1

Slot: 10

 Screen Top Depth:
 1.2200000286102295

 Screen End Depth:
 4.269999980926514

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 4.210000038146973

Water Details

Water ID: 1004302510

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004302509

Diameter: 5.710000038146973

Depth From: 0.0

Depth To: 4.269999980926514

Hole Depth UOM: m
Hole Diameter UOM: cm

Links

Number of Direction/ Elev/Diff Site DΒ Map Key

1003758798 Bore Hole ID: Tag No: A132302 Contractor:

Depth M: 4.27 7241 2012 Year Completed: Path:

2012/02/29 Well Completed Dt: Latitude: 43.6900503587193 Audit No: Z146489 Longitude: -79.4745148772568

(m)

WSW/39.7 128.8 / -1.12 EGLINTON AVE./ TRETHWAY DR. **73** 1 of 1 **WWIS TORONTO ON**

TRUE

Order No: 22090803393

Well ID: 7298512 Flowing (Y/N): Construction Date: Flow Rate:

Distance (m)

Use 1st: Dewatering Data Entry Status: Use 2nd:

Data Src:

Final Well Status: Date Received: 03-Nov-2017 00:00:00 Dewatering

Water Type: Selected Flag: Casing Material: Abandonment Rec:

Audit No: Z251358 Contractor: 3413 A220855 Form Version: Tag:

Constructn Method: Owner: Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: I of Depth to Bedrock: Concession: Well Depth: Concession Name:

. Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone: Clear/Cloudy: UTM Reliability:

TORONTO CITY Municipality:

Site Info:

Records

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7298512.pdf

Additional Detail(s) (Map)

Well Completed Date: 2017/03/27 2017 Year Completed: Depth (m): 30.7848

Latitude: 43.6902823318115 Longitude: -79.4750301442289 Path: 729\7298512.pdf

Bore Hole Information

Bore Hole ID: 1006788073 Elevation: DP2BR:

Elevrc: Spatial Status: Zone: Code OB: East83:

622898.00 Code OB Desc: 4838604.00 North83: Org CS: UTM83 Open Hole: Cluster Kind: UTMRC:

Date Completed: 27-Mar-2017 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Remarks: Location Method: wwr Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006879682

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 96.0 Formation End Depth: 101.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006879680

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:

Mat3 Desc:

Formation Top Depth: 27.0
Formation End Depth: 80.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006879678

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 11

 Most Common Material:
 GRAVEL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006879681

 Layer:
 4

 Color:
 2

 General Color:
 GREY

Mat1:

Most Common Material:

Mat2: 06
Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 80.0 Formation End Depth: 96.0

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006879679

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 27.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006879689

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006879688

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006879677

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006879685

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 41.0

 Casing Diameter:
 4.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Screen

Screen ID: 1006879686

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 41.0

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m) Screen End Depth: 101.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0 Water Details

Water ID: 1006879684 Layer:

Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006879683

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006788073 Tag No: A220855 Depth M: 30.7848 Contractor: 3413

Path: 729\7298512.pdf Year Completed: 2017 Well Completed Dt: 2017/03/27 Latitude: 43.6902823318115 Audit No: Z251358 Longitude: -79.4750301442289

128.9 / -1.03 1 of 1 SSW/40.3 2615 EGLINTON AVE **74 WWIS Toronto ON**

Well ID: 7180626 Construction Date:

Monitoring and Test Hole Use 1st:

Use 2nd: Final Well Status: Test Hole

Water Type: Casing Material:

Z146454 Audit No: A132417

Tag: Constructn Method: Elevation (m):

Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level: Clear/Cloudy:

YORK BOROUGH Municipality:

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2012/02/29 Year Completed: 2012

Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:

Date Received: 10-May-2012 00:00:00 TRUE Selected Flag:

Order No: 22090803393

Abandonment Rec:

Contractor: 7241 Form Version: 7 Owner:

YORK AND TORONT County: Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

3.96 Depth (m):

Latitude: 43.6900231907346 Longitude: -79.474503157766

Path:

Bore Hole Information

1003759020 Bore Hole ID: Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 17 622941.00 Code OB: East83: Code OB Desc: North83: 4838576.00 UTM83 Open Hole: Org CS: UTMRC: Cluster Kind:

Date Completed: 29-Feb-2012 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Remarks: Location Method:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: **Supplier Comment:**

Overburden and Bedrock

Materials Interval

Formation ID: 1004302568

Layer: 3 Color: 2 General Color: **GREY** 05 Mat1: CLAY Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 2.740000009536743 Formation End Depth: 3.9600000381469727

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

1004302567 Formation ID:

2 Layer: Color: General Color: **GREY** Mat1: 05 CLAY Most Common Material: Mat2: 06 Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 1.8300000429153442 2.740000009536743 Formation End Depth:

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1004302566

Layer: 1

Color: 6

General Color: BROWN Mat1: 28
Most Common Material: SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 1.8300000429153442

Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302577

Layer: 2

 Plug From:
 0.3100000023841858

 Plug To:
 0.9100000262260437

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302576

Layer: 1

Plug From: 0.0

Plug To: 0.3100000023841858

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302578

Layer: 3

 Plug From:
 0.9100000262260437

 Plug To:
 3.9600000381469727

Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004302575

Method Construction Code: D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1004302565

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004302571

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

0.9100000262260437 Depth To: Casing Diameter: 3.450000047683716

Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

1004302572 Screen ID:

Layer: 1 Slot: 10

0.9100000262260437 Screen Top Depth: Screen End Depth: 3.9600000381469727

Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter: 4.210000038146973

Water Details

Water ID: 1004302570

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004302569 Diameter: 5.710000038146973

Depth From: 0.0

Depth To: 3.9600000381469727

Hole Depth UOM: m Hole Diameter UOM: cm

Links

Bore Hole ID: 1003759020 Tag No: A132417 Depth M: 3.96 Contractor: 7241

Year Completed: 2012

Well Completed Dt: 2012/02/29 Latitude: 43.6900231907346 Z146454 -79.474503157766 Audit No: Longitude:

75 1 of 4 SW/40.5 128.5 / -1.40 CANADA BUILDING MATERIALS COMP

TORONTO CITY ON

Path:

Ref No: 104401 Site No:

Incident Dt:

8/25/1994 Year:

Incident Cause:

OTHER CONTAINER LEAK

Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1:

Contaminant UN No 1: **Environment Impact:**

POSSIBLE Nature of Impact: Soil contamination

Receiving Medium: LAND **KEELE ST. SOUTH OF EGLINTON MOTOR VEHICLE (OPERATING FLUID)**

SPL

Order No: 22090803393

Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type:

Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region:

Site Municipality: 1106

Site Lot: Site Conc:

Direction/ Elev/Diff Site DΒ Map Key Number of Records Distance (m) (m)

Receiving Env: Northing: MOE Response: Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: 8/25/1994 MOE Reported Dt: Site Map Datum: **Dt Document Closed:** SAC Action Class: **UNKNOWN**

Site Name:

Incident Reason:

Site County/District: Site Geo Ref Meth: Incident Summary:

CANADA BUILDING MATERIALSMOTOR OIL LEAK FROM TRUCKOIL PAN; CONTAINED'

Source Type:

Contaminant Qty:

SW/40.5 TORONTO TRANSIT COMMISSION 75 2 of 4 128.5 / -1.40

SOUTHEAST CORNER KEELE/EGLINTON. LANSDOWNE GARAGE 586 LANSDOWNE

SPL

ANDR

Order No: 22090803393

AVENUE

Source Type:

2609 Eglinton Ave W Fill

TORONTO CITY ON

Ref No: 82888 Discharger Report:

Site No: Material Group: Incident Dt: 3/19/1993 Health/Env Conseq:

Client Type: Year: Incident Cause: PIPE/HOSE LEAK Sector Type:

Incident Event: Agency Involved: Nearest Watercourse: Contaminant Code: Contaminant Name: Site Address: Site District Office: Contaminant Limit 1: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region:

Environment Impact: POSSIBLE Site Municipality: 01106

Nature of Impact: Water course or lake Site Lot: Receiving Medium: LAND Site Conc: Receiving Env: Northing: MOE Response: Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: **MOE** Reported Dt: 3/19/1993 Site Map Datum: **Dt Document Closed:** SAC Action Class: **UNKNOWN**

Incident Reason: Site Name:

Site County/District: Site Geo Ref Meth: Incident Summary:

Contaminant Qty:

75

TORONTO TRANSIT- APPROX- IMATELY 20 L OF ENGINE COOLANT TO CATCH BASIN.

128.5 / -1.40

Toronto ON M6M

York Con 3 FB Legal Description:

SW/40.5

Location Description: 2609 Eglinton Ave W York Township Municipality: **Current Municipality:** Toronto City RM: Toronto City

Facility: Fill Date Active: 1933

3 of 4

Date Begun: Date Complete: Area (Ha):

Landfill Type: open faced fill Group Name: York Creek Operated By: E J C Oldfield YTP124 1933 Serial:

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m) (m)

30M11 NTS:

Diameter (m):

Historical Summary:

2609 Eglinton Ave W Fill Some 400 cu yds of fill are to be placed to open up access to the property of E J C Oldfield s property 2609 Eglinton Ave. Fill to come from lane and side slopes (York Township General Purposes Committee 24 Jul 1933).

Waste Type: 400 cu yds of excavation spoil

UTM X Nad 27: 622893 UTM Y Nad 27: 4838367 UTM Zone: 17

4 of 4 SW/40.5 75 128.5 / -1.40 City of Toronto

Keele and Eglinton Ave. West

SPL

Toronto ON

Discharger Report:

SAC Action Class:

Source Type:

Watercourse Spills

0404-7VUQCM Ref No:

Site No: Material Group: Incident Dt: Health/Env Conseq: Year: Client Type:

Sector Type: Incident Cause: Other Discharges Incident Event: Agency Involved:

Nearest Watercourse: Contaminant Code: Contaminant Name: SEWAGE, RAW UNCHLORINATED Site Address:

Site District Office: Contaminant Limit 1: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: Site Municipality: Environment Impact: Not Anticipated Other Impact(s) Site Lot:

Nature of Impact: Site Conc: Receiving Medium:

Receiving Env: Northing: MOE Response: No Field Response Easting:

Site Geo Ref Accu: Dt MOE Arvl on Scn: 9/13/2009 MOE Reported Dt: Site Map Datum:

Dt Document Closed: 9/29/2009

Incident Reason: Equipment Failure - Malfunction of system components

Site Name: sewer<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

305

Incident Summary: Duplicate: see IDS 3436-7VSMF4 Contaminant Qty:

1 of 1 S/41.9 128.9 / -1.03 2615 EGLINTON AVE. WEST **76 WWIS** TORONTO ON

7261349 Well ID: Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Data Entry Status: Use 2nd: Data Src:

12-Apr-2016 00:00:00 Final Well Status: Abandoned-Other Date Received: Water Type: TRUE

Selected Flag: Casing Material: Abandonment Rec: Yes Audit No: Z232338 6946 Contractor: Tag: A132302 Form Version: Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Order No: 22090803393 erisinfo.com | Environmental Risk Information Services

Pump Rate:

Static Water Level:

Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/02/29 Year Completed: 2016

Depth (m):

Latitude: 43.6900135276159 **Longitude:** -79.4744537698394

Path:

Bore Hole Information

Bore Hole ID: 1005929236

DP2BR: Spatial Status: Code OB: Code OB Desc:

Open Hole: Cluster Kind:

Date Completed: 29-Feb-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006022615

 Layer:
 1

 Plug From:
 15.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006022614

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006022608

Casing No:

Comment: Alt Name:

Construction Record - Casing

Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 17

 East83:
 622945.00

 North83:
 4838575.00

 Org CS:
 UTM83

UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393

Location Method: ww

Casing ID: 1006022612

Layer: Material: 5

Open Hole or Material: **PLASTIC** Depth From: 0.0 15.0 Depth To: Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006022613

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006022611

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006022610

Diameter: Depth From: Depth To:

Hole Depth UOM: inch Hole Diameter UOM:

Links

77

Bore Hole ID: 1005929236

Depth M: Year Completed: 2016 Well Completed Dt: 2016/02/29 Audit No: Z232338

1 of 1

Tag No: A132302 Contractor: 6946

Path: 726\7261349.pdf Latitude: 43.6900135276159 Longitude: -79.4744537698394

CA

Order No: 22090803393

8-3502-96-Certificate #:

Application Year: 96 Issue Date: 10/31/1996 Industrial air Approval Type: Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: **CHESTER FRIED CHICKEN** 2603 EGLINTON AVENUE WEST

YORK CITY ON

SSE/42.0

129.0 / -0.87

Elev/Diff Site DΒ Map Key Number of Direction/ Records Distance (m) (m)

Project Description: Contaminants:

COMMERCIAL KITCHEN EXHAUST HOOD

Emission Control:

Contaminant Code:

78 1 of 2 S/42.2 128.9 / -1.04 unknown<UNOFFICIAL>

2611 Eglinton Avenue West

SPL

PINC

Order No: 22090803393

Toronto ON

Ref No: 4827-8Z3NTM Discharger Report:

Site No: Material Group: Incident Dt: 14-OCT-12 Health/Env Conseq: Year:

Client Type:

Sector Type: Incident Cause: Overflow/Surcharge Sewer (Private or Municipal) Incident Event:

Agency Involved:

Nearest Watercourse:

Contaminant Name: SEWAGE, RAW UNCHLORINATED Site Address: 2611 Eglinton Avenue West

Contaminant Limit 1: Site District Office: Site Postal Code: Contam Limit Freq 1: Contaminant UN No 1: Site Region:

Site Municipality: Environment Impact: Possible Toronto Nature of Impact: Surface Water Pollution Site Lot:

Receiving Medium: Site Conc: Receiving Env: Northing: MOE Response:

Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu:

MOE Reported Dt: 14-OCT-12 Site Map Datum: Dt Document Closed: SAC Action Class:

Incident Reason: Unknown / N/A Source Type:

Site Name: commercial site<UNOFFICIAL> Site County/District:

Site Geo Ref Meth: TO Water: sani discharge to stm; investigating Incident Summary:

Contaminant Qty: 0 other - see incident description

S/42.2 2 of 2 128.9 / -1.04 QX LTD O/A QX LOCATES **78**

2611 EGLINTON AVE W., YORK, ON, M6M 1T3, CA

Primary Assessment of Spills

ON

Incident Id: Pipe Material: Incident No: 1936584 Fuel Category: Incident Reported Dt: 9/7/2016 Health Impact: FS-Pipeline Incident **Environment Impact:** Type: Status Code: Property Damage:

Pipeline Damage Reason Est Service Interrupt: Tank Status: Task No: Enforce Policy: Spills Action Centre: Public Relation:

Pipeline System: Fuel Type: Fuel Occurrence Tp: PSIG: Date of Occurrence: Attribute Category: Occurrence Start Dt: Regulator Location: Depth: Method Details:

Customer Acct Name: QX LTD O/A QX LOCATES

2611 EGLINTON AVE W,, YORK, ON, M6M 1T3, CA Incident Address:

Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc: Damage Reason:

Notes:

Map Key Number of Direction/ Elev/Diff Site DΒ

Records Distance (m) (m)

79 1 of 2 SW/42.4 128.7/-1.16 **WWIS TORONTO ON**

Well ID: 7272528

Construction Date:

Dewatering Use 1st:

Use 2nd:

Final Well Status: Dewatering

Water Type: Casing Material:

Audit No: Z232881 A202784 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level:

Clear/Cloudy: Municipality: **TORONTO CITY**

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/08/30 Year Completed: 2016 Depth (m): 27.432

43.6900358338914 Latitude: Longitude: -79.4747758182883

Path:

DP2BR:

Bore Hole Information

Bore Hole ID: 1006261173

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

30-Aug-2016 00:00:00 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006337583

Layer:

Color: General Color: SE CORNER KEEL ST. & EGLINTON AVE.

Flowing (Y/N): Flow Rate: Data Entry Status:

Data Src:

Date Received: 03-Oct-2016 00:00:00

Selected Flag: TRUE

Abandonment Rec:

Contractor: 7238 Form Version:

Owner:

County: YORK AND TORONT

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

Zone:

622919.00 East83: North83: 4838577.00 UTM83 Org CS:

UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method: wwr

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 40.0 Formation End Depth: 59.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337581

Layer: 1

Color:

General Color:

Mat1: 01
Most Common Material: FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337585

Layer:

Color:

General Color: Mat1:

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3:

Mat3 Desc:

Formation Top Depth: 82.0 Formation End Depth: 90.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337584

Layer: 4

Color:

General Color:

06 Mat1: Most Common Material: SILT Mat2: 28 SAND Mat2 Desc: Mat3: 12 **STONES** Mat3 Desc: Formation Top Depth: 59.0 Formation End Depth: 82.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337582

Layer:

Color:

General Color:

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 6.0 Formation End Depth: 40.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006337594

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006337593

 Layer:
 1

 Plug From:
 90.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006337592

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction: BORING

Pipe Information

Pipe ID: 1006337580

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006337589

Layer: Material:

Material:5Open Hole or Material:PLASTICDepth From:3.0Depth To:22.0Casing Diameter:4.0Casing Diameter UOM:inch

Construction Record - Screen

1006337590 Screen ID:

Layer: Slot: 20 22.0 Screen Top Depth: Screen End Depth: 90.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.25

Water Details

Water ID: 1006337588

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

1006337586 Hole ID: Diameter: 10.0 Depth From: 0.0 Depth To: 8.0 Hole Depth UOM: ft Hole Diameter UOM: inch

Hole Diameter

Hole ID: 1006337587

Diameter: 8.0 Depth From: 8.0 Depth To: 90.0 Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006261173 Tag No: A202784

Depth M: 27.432 Contractor: 7238 727\7272528.pdf Year Completed: 2016 Path: Well Completed Dt: 2016/08/30 Latitude: 43.6900358338914 Audit No: Z232881 Longitude: -79.4747758182883

79 2 of 2 SW/42.4 128.7 / -1.16 **WWIS** ON

Order No: 22090803393

Well ID: 7379604 Flowing (Y/N):

Flow Rate: Construction Date:

Use 1st: Data Entry Status: Yes Use 2nd: Data Src:

Final Well Status: Date Received: 02-Feb-2021 00:00:00 Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

Audit No: Z352431 Contractor: 6875

Form Version: Tag: Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT Lot:

Elevatn Reliabilty:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate:

Static Water Level: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

Bore Hole Information

1008628852 Bore Hole ID:

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 14-Dec-2020 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Links

Depth M:

Year Completed: 2020

Well Completed Dt: 2020/12/14 Audit No: Z352431

1 of 1

Concession: Concession Name:

Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation:

Elevrc: Zone: 17

622919.00 East83: North83: 4838577.00 Org CS: UTM83

UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

6875

TRUE

7238

7

03-Oct-2016 00:00:00

YORK AND TORONT

WWIS

Order No: 22090803393

Location Method:

Bore Hole ID: 1008628852

80

Tag No: Contractor:

128.5 / -1.41

Path:

TORONTO ON

Flowing (Y/N):

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Abandonment Rec:

Concession Name:

Easting NAD83:

UTM Reliability:

Northing NAD83:

Flow Rate: Data Entry Status:

Data Src:

Latitude: 43.6900358338914 -79.4747758182883 Longitude:

SW CORNER KEELE & EGLINTON AVE. W

7272549

Well ID: Construction Date:

Use 1st: Dewatering

Use 2nd:

Final Well Status: Dewatering

Water Type:

Casing Material:

Audit No: Z232884 A185393 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty:

Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level:

Clear/Cloudy:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map):

WSW/43.7

Additional Detail(s) (Map)

Elevation:

17

622896.00 4838598.00

margin of error: 30 m - 100 m

Order No: 22090803393

UTM83

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

 Well Completed Date:
 2016/09/01

 Year Completed:
 2016

 Depth (m):
 27.432

Latitude: 43.6902286580188 **Longitude:** -79.4750563210018

Path:

Bore Hole Information

Bore Hole ID: 1006261302

DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 01-Sep-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006338479

Layer: Color: 2 **GREY** General Color: Mat1: 28 Most Common Material: SAND Mat2: 06 Mat2 Desc: SILT Mat3: GRAVEL Mat3 Desc: Formation Top Depth: 71.0 Formation End Depth: 79.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006338477

Layer: 2 Color: **GREY** General Color: Mat1: 06 SILT Most Common Material: 28 Mat2: Mat2 Desc: SAND Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 6.0 Formation End Depth: 56.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006338476

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 01

 Most Common Material:
 FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006338480

Layer: Color:

General Color:

Mat1: 10

Most Common Material: COARSE SAND

Mat2: 06 Mat2 Desc: SILT

Mat3:

Mat3 Desc:

Formation Top Depth: 79.0 Formation End Depth: 86.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006338481

Layer: 6

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 86.0 Formation End Depth: 90.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

 Formation ID:
 1006338478

 Layer:
 3

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 56.0

Formation End Depth: 71.0 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006338489

 Layer:
 1

 Plug From:
 90.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006338490

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006338488

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006338475

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006338485

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:3.0Depth To:22.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006338486

Layer: 1 **Slot:** 20

 Screen Top Depth:
 22.0

 Screen End Depth:
 90.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 4.25

Water Details

Water ID: 1006338484

Layer: Kind Code: Kind:

Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006338483

 Diameter:
 8.0

 Depth From:
 8.0

 Depth To:
 90.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Hole Diameter

 Hole ID:
 1006338482

 Diameter:
 10.0

 Depth From:
 0.0

 Depth To:
 8.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Links

81

82

 Bore Hole ID:
 1006261302
 Tag No:
 A185393

 Depth M:
 27.432
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272549.pdf

 Well Completed Dt:
 2016/09/01
 Latitude:
 43.6902286580188

 Audit No:
 Z232884
 Longitude:
 -79.4750563210018

130.7 / 0.84

128.7/-1.15

_

Order No: 20190509203

1 of 1

Status: C

Report Type:Standard ReportReport Date:16-MAY-19Date Received:09-MAY-19

Previous Site Name: Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans

N/44.9

SSW/46.1

York ON M6M 3X5

Nearest Intersection:
Municipality:

Rowell [R W]

2615 Eglinton Ave W Toronto ON M6M 1T3

1864 keele

Client Prov/State: ON Search Radius (km): .25

X: -79.474395 **Y:** 43.691134 **EHS**

TANK

Order No: 22090803393

Permit Date: 4/16/1947

Permit Type:
User Type: Gasoline service station

User Type: Installation Type:

1 of 3

Installation Config.: open gas station

No. Tanks Installed:

Units of Measure:
Value/Tank (\$):

Value/Tank (\$): Capacity(gal):

Installation Size:

Number of Direction/ Elev/Diff Site DΒ Map Key

> Records Distance (m) (m)

York Township General Purposes Committee Minutes 16 Apr 1947 Reference:

Location Desc: SE corner Keele & Eglinton,

82 2 of 3 SSW/46.1 128.7 / -1.15 2615 Eglinton Avenue West

Toronto ON

EHS

GEN

Order No: 22090803393

20120106008 Order No: Nearest Intersection: Municipality:

Status: С

Report Type: **Custom Report** Client Prov/State: ON Report Date: 1/16/2012 Search Radius (km): 0.25 Date Received: 1/6/2012 10:47:11 AM -79.474623 X: Previous Site Name: Y: 43.690073

Lot/Building Size:

Fire Insur. Maps and/or Site Plans; Topographic Maps Additional Info Ordered:

82 3 of 3 SSW/46.1 128.7 / -1.15 **Toronto Transit Commission**

2615 Eglinton Ave W

Toronto ON

Status:

Generator No: ON8932354 SIC Code: 485110

SIC Description: **Urban Transit Systems**

Approval Years: 2012

PO Box No: Country:

Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

1 of 2 WSW/46.7 128.4 / -1.48 EGLINTON AVE. / KEELE ST. 83 **WWIS TORONTO ON**

7298509 Well ID: Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status: Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 03-Nov-2017 00:00:00 TRUE

Water Type: Selected Flag:

Casing Material: Abandonment Rec:

Audit No: Z251370 Contractor: 3413 A220844 Form Version: Tag:

Constructn Method: Owner:

YORK AND TORONT Elevation (m): County: Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Northing NAD83: Pump Rate: Zone:

Static Water Level: Clear/Cloudy: UTM Reliability:

Municipality: **TORONTO CITY**

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe mapping/downloads/2Water/Wells pdfs/729\7298509.pdf

Additional Detail(s) (Map)

Well Completed Date: 2017/04/03 Year Completed: 2017 Depth (m): 24.384

43.6902473216859 Latitude: Longitude: -79.4751054811153 Path: 729\7298509.pdf

Bore Hole Information

Bore Hole ID: 1006788059

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 03-Apr-2017 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006879603

 Layer:
 1

 Color:
 6

 General Color:
 BR0

General Color: BROWN Mat1: 11

Most Common Material: GRAVEL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006879606

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 70.0 Formation End Depth: 80.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006879604

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Elevation: Elevro:

Zone: 17

 East83:
 622892.00

 North83:
 4838600.00

 Org CS:
 UTM83

UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393

Location Method: wwr

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6.0 Formation End Depth: 42.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

 Formation ID:
 1006879605

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 SILT

Mat3 Desc:

Formation Top Depth: 42.0 Formation End Depth: 70.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006879613

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006879614

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 88.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006879612

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006879602

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006879609

Layer: 1

Material:5Open Hole or Material:PLASTICDepth From:0.0

Depth From:0.0Depth To:28.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006879610

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 28.0

 Screen End Depth:
 88.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 4.0

Water Details

Water ID: 1006879608

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006879607

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

 Bore Hole ID:
 1006788059
 Tag No:
 A220844

 Depth M:
 24.384
 Contractor:
 3413

 Year Completed:
 2017
 Path:
 729\7298509.pdf

 Well Completed Dt:
 2017/04/03
 Latitude:
 43.6902473216859

 Audit No:
 Z251370
 Longitude:
 -79.4751054811153

83 2 of 2 WSW/46.7 128.4 / -1.48 EGLINTON AVE ON WWIS

Order No: 22090803393

Well ID: 7298511 Flowing (Y/N):
Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:
Use 2nd: Data Src:

 Use 2nd:
 Data Src:

 Final Well Status:
 Dewatering
 Date Received:
 03-Nov-2017 00:00:00

 Water Type:
 Selected Flag:
 TRUE

Water Type: Selected Flag: Casing Material: Abandonment Rec:

Audit No: Z251352 Contractor: 3413

Tag: A220865 Form Version: 7
Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

DB Map Key Number of Direction/ Elev/Diff Site

Records Distance (m) (m)

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone: Clear/Cloudy: UTM Reliability:

YORK BOROUGH Municipality:

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7298511.pdf

Additional Detail(s) (Map)

2017/03/29 Well Completed Date: Year Completed: 2017 Depth (m): 26.67

Latitude: 43.6902473216859 -79.4751054811153 Longitude: Path: 729\7298511.pdf

Bore Hole Information

Bore Hole ID: 1006788070 Elevation: DP2BR: Elevrc:

17 Spatial Status: Zone:

Code OB: East83: 622892.00 Code OB Desc: North83: 4838600.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC:

Date Completed: 29-Mar-2017 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

wwr

Order No: 22090803393

Remarks: Location Method: Elevrc Desc:

Location Source Date: Improvement Location Source: Improvement Location Method:

Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006879671

Layer: Color: BROWN General Color: Mat1: 11 **GRAVEL**

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 4.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1007974854

Layer: 3 Color: 2 General Color: **GREY** Mat1: 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 21.0
Formation End Depth: 78.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1007974855

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 78.0 Formation End Depth: 87.5 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1007974853

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 4.0
Formation End Depth: 21.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1007974858

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 87.5

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1007974857

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006879676

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006879670

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006879674

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:47.5Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006879675

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 7.5

 Screen End Depth:
 87.5

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 4.0

Water Details

Water ID: 1006879673

Layer: Kind Code:

Kind:

Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006879672

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

ole Diameter UOM:

<u>Links</u>

 Bore Hole ID:
 1006788070
 Tag No:
 A220865

 Depth M:
 26.67
 Contractor:
 3413

Year Completed: 2017 Path: 729\7298511.pdf

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Well Completed Dt: 2017/03/29 43.6902473216859 Latitude: Audit No: Z251352 Longitude: -79.4751054811153

84 1 of 1 SSW/46.7 128.5 / -1.39 **2615 EGLINTON AVE WWIS**

Toronto ON

Well ID: 7180627 Flowing (Y/N):

Construction Date: Flow Rate: Use 1st: Data Entry Status:

Use 2nd: Data Src: Final Well Status: 0 Date Received:

10-May-2012 00:00:00 Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

Audit No: Z147053 Contractor: 7241 A128397 Tag: Form Version:

Constructn Method: Owner: Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

YORK BOROUGH Municipality: Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2012/02/27 Year Completed: 2012 Depth (m): 4.572

43.6899811668698 Latitude: Longitude: -79.4747275710417

Path:

Bore Hole Information

Bore Hole ID: 1003759023 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 17 Code OB: East83: 622923.00 Code OB Desc: North83: 4838571.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC:

27-Feb-2012 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m Date Completed:

Order No: 22090803393

Remarks: Location Method: wwr

Elevrc Desc:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

Location Source Date:

Overburden and Bedrock **Materials Interval**

Formation ID: 1004302581

2 Layer: 2 Color:

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3: Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 15.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004302580

Layer: Color: 2 General Color: **GREY** 01 Mat1: Most Common Material: **FILL** Mat2: 28 Mat2 Desc: SAND Mat3: 06 SILT Mat3 Desc: Formation Top Depth: 0.0 Formation End Depth: 10.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302588

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 4.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302587

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302589

 Layer:
 3

 Plug From:
 4.0

 Plug To:
 15.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004302586

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1004302579

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004302584

Layer: 1 Material: 5

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 5.0

Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004302585

Layer: 1 Slot: 10 Screen Top Depth: 5.0 Screen End Depth: 15.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.25

Water Details

Water ID: 1004302583

Layer: Kind Code: Kind:

Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004302582

 Diameter:
 4.5

 Depth From:
 0.0

 Depth To:
 15.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Links

 Bore Hole ID:
 1003759023
 Tag No:
 A128397

 Depth M:
 4.572
 Contractor:
 7241

Year Completed: 2012 Path:

 Well Completed Dt:
 2012/02/27
 Latitude:
 43.6899811668698

 Audit No:
 Z147053
 Longitude:
 -79.4747275710417

85 1 of 1 SW/47.7 128.5 / -1.39 2615 EGLINTON AVE WEST TORONTO ON

WWIS

Well ID: 7261347

Construction Date:

Use 1st: Use 2nd:

Final Well Status: Abandoned-Other

Water Type: Casing Material:

 Audit No:
 Z232345

 Tag:
 A128380

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/02/29 Year Completed: 2016

 Depth (m):

 Latitude:
 43.6899816635192

 Longitude:
 -79.4747647831069

Path:

Bore Hole Information

Bore Hole ID: 1005929230

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 29-Feb-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006022589

 Layer:
 1

 Plug From:
 15.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Flowing (Y/N): Flow Rate: Data Entry Status:

Data Src:

Date Received: 12-Apr-2016 00:00:00

Selected Flag: TRUE Abandonment Rec: Yes Contractor: 6946 Form Version: 7

Owner:

County: YORK AND TORONT

Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

O Thi Renability.

Elevation: Elevrc:

Zone: 17
East83: 622920.00
North83: 4838571.00
Org CS: UTM83

UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393

Location Method: ww

Method Construction ID:

Method Construction Code: Method Construction: Other Method Construction: 1006022588

Pipe Information

1006022582 Pipe ID:

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006022586

Layer:

Material: 5

PLASTIC Open Hole or Material: Depth From: 0.0 Depth To: 15.0 Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006022587

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006022585

Layer: Kind Code: Kind:

Water Found Depth:

ft Water Found Depth UOM:

Hole Diameter

Hole ID: 1006022584

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

<u>Links</u>

A128380 Bore Hole ID: 1005929230 Tag No: Depth M: Contractor: 6946

Year Completed:

2016 Well Completed Dt: 2016/02/29 Audit No: Z232345

Path: 726\7261347.pdf Latitude: 43.6899816635192 Longitude: -79.4747647831069 Map Key Number of Direction/ Elev/Diff Site DΒ

Records Distance (m) (m)

SSW/48.9 SE CORNER KEEL & EGLINTON AVE W 1 of 1 128.8 / -1.06 86 **WWIS**

7272531 Well ID:

Construction Date:

Use 1st: Dewatering Use 2nd: Final Well Status: Dewatering

Water Type:

Casing Material:

Audit No: Z232879 A202799 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate:

Static Water Level: Clear/Cloudy:

TORONTO CITY Municipality:

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/08/24 Year Completed: 2016 Depth (m): 31.0896

Latitude: 43.6899430113692 -79.4745672314542 Longitude:

Path:

Bore Hole Information

Bore Hole ID: 1006261185

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 24-Aug-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006337720

Layer: 3 Color:

General Color:

28 Mat1:

TORONTO ON

Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:

Date Received: 03-Oct-2016 00:00:00

Selected Flag: TRUE

Abandonment Rec:

Contractor: 7238 Form Version: 7

Owner:

YORK AND TORONT County:

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

17 Zone: East83: 622936.00 North83: 4838567.00 UTM83

Org CS: UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method: wwr

 Most Common Material:
 SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 38.0
Formation End Depth: 58.0
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006337718

Layer: 1

Color:

General Color:

Mat1: 01

Most Common Material: FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006337722

Layer: 5

Color:

General Color:

Mat1: 11
Most Common Material: GRAVEL

Mat2: 10

Mat2 Desc: COARSE SAND

ft

 Mat3:
 06

 Mat3 Desc:
 SILT

 Formation Top Depth:
 80.0

 Formation End Depth:
 92.0

Overburden and Bedrock Materials Interval

Formation End Depth UOM:

Formation ID: 1006337721

Layer:

Color:

General Color:

Mat1: 06 SILT Most Common Material: Mat2: 05 Mat2 Desc: CLAY Mat3: 11 **GRAVEL** Mat3 Desc: Formation Top Depth: 58.0 Formation End Depth: 80.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Order No: 22090803393

Formation ID: 1006337723

Layer: 6

Color:

General Color:

15 Mat1:

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 92.0 Formation End Depth: 102.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006337719

Layer:

Color: General Color:

Mat1:

06 SILT Most Common Material: Mat2: 28 SAND Mat2 Desc: Mat3: 12 **STONES** Mat3 Desc: Formation Top Depth: 6.0 Formation End Depth: 38.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

1006337731 Plug ID:

1 Layer: Plug From: 102.0 Plug To: 20.0 Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

1006337732 Plug ID:

Layer: 2 20.0 Plug From: Plug To: 0.0 Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

1006337730 **Method Construction ID:**

Method Construction Code:

Method Construction: Rotary (Convent.)

BORING **Other Method Construction:**

Pipe Information

Pipe ID: 1006337717

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006337727

Layer: 1
Material: 5
Open Hole or Material: P

Open Hole or Material:PLASTICDepth From:22.0Depth To:3.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006337728

Layer: 1 Slot: 20 Screen Top Depth: 102.0 Screen End Depth: 22.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.25

Water Details

Water ID: 1006337726

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

 Hole ID:
 1006337725

 Diameter:
 8.0

 Depth From:
 8.0

 Depth To:
 102.0

 Hole Depth UOM:
 ft

inch

Hole Depth UOM: Hole Diameter UOM:

Hole Diameter

 Hole ID:
 1006337724

 Diameter:
 10.0

 Depth From:
 0.0

 Depth To:
 8.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

<u>Links</u>

 Bore Hole ID:
 1006261185
 Tag No:
 A202799

 Depth M:
 31.0896
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272531.pdf

 Well Completed Dt:
 2016/08/24
 Latitude:
 43.6899430113692

 Audit No:
 Z232879
 Longitude:
 -79.4745672314542

Map Key Number of Direction/ Elev/Diff Site DΒ

Records Distance (m) (m)

128.8 / -1.11 2615 EGLINTON AVE. WEST 1 of 1 S/49.0 87 **WWIS TORONTO ON**

7261368 Well ID: Flowing (Y/N): Construction Date: Flow Rate:

Data Entry Status: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

TRUE Water Type: Selected Flag: Casing Material: Abandonment Rec: Yes Audit No: Z232344 Contractor: 6946 Form Version: 7 Tag:

Constructn Method: Owner:

YORK AND TORONT Elevation (m): County: Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone: Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7261368.pdf

Additional Detail(s) (Map)

Use 1st:

Use 2nd:

Well Completed Date: 2016/02/29 Year Completed: 2016

Depth (m):

Latitude: 43.6899503564138 -79.4744429631419 Lonaitude: Path: 726\7261368.pdf

Bore Hole Information

Bore Hole ID: 1005929293 Elevation: DP2BR: Elevrc:

Spatial Status: 17 Zone: Code OB: East83: 622946.00 Code OB Desc: North83: 4838568.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC: 5

Date Completed: 29-Feb-2016 00:00:00 UTMRC Desc: margin of error: 100 m - 300 m

Order No: 22090803393

Remarks: Location Method: wwr Elevrc Desc:

Location Source Date: Improvement Location Source: Improvement Location Method:

Source Revision Comment:

Supplier Comment:

Sealing Record

Annular Space/Abandonment

1006023344 Plug ID:

Layer: Plug From: 0.0 15.0 Plug To: Plug Depth UOM: ft

Method of Construction & Well

Method Construction ID: 1006023343 **Method Construction Code:**

Method Construction: **Other Method Construction:**

Pipe Information

Pipe ID: 1006023337

Casing No:

Comment: Alt Name:

Construction Record - Casing

1006023341 Casing ID:

Layer: Material: 5

Open Hole or Material: **PLASTIC** Depth From: 0.0 15.0 Depth To: Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

1006023342 Screen ID:

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006023340

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006023339

Diameter: Depth From: Depth To:

Hole Depth UOM: ft inch

Hole Diameter UOM:

Links

Order No: 22090803393

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

1005929293 Bore Hole ID:

Depth M:

Tag No: Contractor: 6946

726\7261368.pdf Year Completed: 2016 Path: 2016/02/29 43.6899503564138 Well Completed Dt: Latitude: Audit No: Z232344 Longitude: -79.4744429631419

NW/54.2 129.8 / -0.05 88 1 of 1 **WWIS**

Well ID: 7261354

Construction Date:

Use 1st: Use 2nd:

Final Well Status: Abandoned-Other

Water Type: Casing Material:

Audit No: Z140377 A128855 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

. Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

PDF URL (Map):

YORK BOROUGH Municipality:

Site Info:

Additional Detail(s) (Map)

Well Completed Date: 2016/02/29 2016 Year Completed:

Depth (m):

Latitude: 43.6911257588285 Longitude: -79.4748102338125

Path:

Bore Hole Information

Bore Hole ID: 1005929251

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 29-Feb-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

Annular Space/Abandonment

Sealing Record

11 YORE RD **TORONTO ON**

Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:

Date Received: 12-Apr-2016 00:00:00

TRUE Selected Flag: Abandonment Rec: Yes Contractor: 6946 Form Version: Owner:

County: YORK AND TORONT I of

Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Elevation:

Elevrc: Zone: East83: 622914.00 North83: 4838698.00 Org CS: UTM83 UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method:

Plug ID: 1006022713

 Layer:
 1

 Plug From:
 14.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

Use

Method Construction ID: Method Construction Code: Method Construction: Other Method Construction: 1006022712

Pipe Information

 Pipe ID:
 1006022706

 Casing No:
 0

Casing No: Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006022710

Layer: 1 Material: 5

Open Hole or Material:
Depth From:
Depth To:
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM:

Depth UOM:

Depth To:
De

Construction Record - Screen

Screen ID: 1006022711

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006022709

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006022708

Diameter: Depth From: Depth To:

ft

Hole Depth UOM:

Number of Direction/ Elev/Diff Site DΒ Map Key Distance (m) (m)

Records

inch

Links

Hole Diameter UOM:

Bore Hole ID: 1005929251 Tag No: A128855

Contractor: 6946 Depth M:

Year Completed: 2016 Path: 726\7261354.pdf 2016/02/29 Well Completed Dt: 43.6911257588285 Latitude: Audit No: Z140377 Longitude: -79.4748102338125

1 of 1 N/56.6 131.2 / 1.31 1864 KEELE ST. 89 **WWIS TORONTO ON**

7337152 Well ID: Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Monitoring Data Entry Status: Use 2nd: Data Src:

26-Jun-2019 00:00:00 Final Well Status: **Observation Wells** Date Received:

TRUE Water Type: Selected Flag: Casing Material: Abandonment Rec:

Audit No: 4KTPNBRS Contractor: 6607

A271734 Form Version: Tag:

Constructn Method: Owner: County: YORK AND TORONT Elevation (m):

Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

BH 103; Other Well Owners - PANCHACHARAMOORTHY, R Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7337152.pdf

Additional Detail(s) (Map)

Well Completed Date: 2019/06/03 Year Completed: 2019 Depth (m): 12.1

Latitude: 43.6912716526986 -79.4742729710004 Longitude: 733\7337152.pdf Path:

Bore Hole Information

Bore Hole ID: 1007507010 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 622957.00 Code OB: East83: 4838715.00 Code OB Desc: North83: Open Hole: Org CS: UTM83

UTMRC: Cluster Kind: Date Completed: 03-Jun-2019 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Remarks: Location Method: wwr Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1007507656

Layer: 3 **Color:** 6

 Formation Top Depth:
 4.800000190734863

 Formation End Depth:
 11.600000381469727

Formation End Depth UOM: m

Overburden and Bedrock Materials Interval

Formation ID: 1007507654

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

 Mat3:
 01

 Mat3 Desc:
 FILL

Formation Top Depth: 0.0

Formation End Depth: 0.6000000238418579

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1007507657

Layer: Color: 2 General Color: **GREY** Mat1: 06 SILT Most Common Material: 28 Mat2: Mat2 Desc: SAND Mat3: 85 Mat3 Desc: SOFT

 Formation Top Depth:
 11.600000381469727

 Formation End Depth:
 12.100000381469727

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1007507655

Layer: 2 **Color:** 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

Order No: 22090803393

 Mat2 Desc:
 SILT

 Mat3:
 77

 Mat3 Desc:
 LOOSE

 Formation Top Depth:
 0.6000000238418579

 Formation End Depth:
 4.800000190734863

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007508236

Layer: 1 0.0

Plug To: 0.30000001192092896

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007508148

Layer:

Plug From: Plug To:

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007508237

Layer:

Plug From: 0.30000001192092896

Plug To: 8.5 Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1007507422

Method Construction Code:6Method Construction:Boring

Other Method Construction:

Pipe Information

Pipe ID: 1007507388

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1007507873

Layer: 1
Material: 5
Open Hole or Material: PLA

Open Hole or Material:PLASTICDepth From:0.0

 Depth To:
 9.100000381469727

 Casing Diameter:
 5.099999904632568

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1007507957

Layer: 1

Slot: 10

 Screen Top Depth:
 9.100000381469727

 Screen End Depth:
 12.100000381469727

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 6.400000095367432

Results of Well Yield Testing

Pump Test ID: 1007507389

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: m
Rate UOM: LPM

Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:

Flowing:

Hole Diameter

Hole ID: 1007508042 **Diameter:** 21.0

Depth From: 21.0

Depth To: 12.100000381469727

Hole Depth UOM: m
Hole Diameter UOM: cm

Links

 Bore Hole ID:
 1007507010
 Tag No:
 A271734

 Depth M:
 12.1
 Contractor:
 6607

 Year Completed:
 2019
 Path:
 733\7337152.pdf

 Well Completed Dt:
 2019/06/03
 Latitude:
 43.6912716526986

 Audit No:
 4KTPNBRS
 Longitude:
 -79.4742729710004

90 1 of 1 SSW/56.6 128.5 / -1.37 2615 EGLINTON AVE. WEST TORONTO ON WWIS

Order No: 22090803393

Well ID: 7261366 Flowing (Y/N):
Construction Date: Flow Rate:

Flow Rate: Data Entry Status: Data Src:

Use 2nd:Data Src:Final Well Status:Abandoned-OtherDate Received:12-Apr-2016 00:00:00

Water Type:Selected Flag:TRUECasing Material:Abandonment Rec:YesAudit No:Z232337Contractor:6946

Tag: Contractor: 694

Construct Method: Contractor: 694

Construct Method: Contractor: 694

Construct Method: Contractor: 694

Elevation (m): County: YORK AND TORONT

Use 1st:

Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

YORK BOROUGH Municipality: Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/02/29 Year Completed: 2016

Depth (m):

43.689881495809 Latitude: Longitude: -79.4746804646504

Path:

Bore Hole Information

Bore Hole ID: 1005929287

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 29-Feb-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006023217

Layer: 65.0 Plug From: Plug To: 0.0 Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

1006023216 **Method Construction ID:**

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006023210

Casing No: 0

Comment: Alt Name:

Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 17

East83: 622927.00 4838560.00 North83: Org CS: UTM83 **UTMRC**:

margin of error: 30 m - 100 m **UTMRC Desc:**

Order No: 22090803393

Location Method: wwr

Construction Record - Casing

Casing ID: 1006023214

Layer: Material: 5

Open Hole or Material: **PLASTIC** 0.0 Depth From: Depth To: 65.0 Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006023215

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006023213

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006023212

Diameter: Depth From: Depth To: Hole Depth UOM:

ft Hole Diameter UOM: inch

<u>Links</u>

Bore Hole ID: 1005929287 Tag No:

Depth M:

Contractor: 6946 Year Completed: 2016 Path:

2016/02/29 43.689881495809 Well Completed Dt: Latitude: Audit No: Z232337 Longitude: -79.4746804646504

111 YORE RD 91 1 of 1 NW/56.7 129.8 / -0.05 **WWIS Toronto ON**

Well ID: 7188179

Construction Date:

Use 1st: Test Hole

Use 2nd:

Final Well Status: Test Hole

Water Type: Casing Material: Data Src: Date Received: 27-Sep-2012 00:00:00

Order No: 22090803393

Selected Flag: TRUE

Abandonment Rec:

Flowing (Y/N):

Data Entry Status:

Flow Rate:

Z146136 7215 Contractor:

Audit No: A128855 Form Version: Tag: Constructn Method: Owner:

YORK AND TORONT Elevation (m): County: Elevatn Reliabilty:

Lot: Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone: UTM Reliability: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7188179.pdf

Additional Detail(s) (Map)

Well Completed Date: 2012/07/25 Year Completed: 2012 Depth (m): 3.9624

Latitude: 43.6911610998419 Longitude: -79.4747597041752 718\7188179.pdf Path:

Bore Hole Information

Bore Hole ID: 1004166636 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 622918.00 Code OB: East83: 4838702.00 Code OB Desc: North83: Open Hole: Org CS: UTM83 Cluster Kind: **UTMRC:**

margin of error: 30 m - 100 m Date Completed: 25-Jul-2012 00:00:00 UTMRC Desc:

Order No: 22090803393

Remarks: Location Method: wwr Elevrc Desc:

Improvement Location Method: Source Revision Comment:

Supplier Comment:

Location Source Date: Improvement Location Source:

Overburden and Bedrock

Materials Interval

Formation ID: 1004459866

Layer: 6 Color:

BROWN General Color: Mat1: 01 **FILL** Most Common Material: Mat2: 02 Mat2 Desc: **TOPSOIL** Mat3: 28 SAND Mat3 Desc: Formation Top Depth: 0.0 Formation End Depth: 5.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004459867

Layer: 2 Color: 2 General Color: **GREY** 28 Mat1: Most Common Material: SAND 05 Mat2: Mat2 Desc: CLAY Mat3: 06 SILT Mat3 Desc: Formation Top Depth: 5.0 Formation End Depth: 13.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004459876

 Layer:
 3

 Plug From:
 1.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004459875

 Layer:
 2

 Plug From:
 2.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004459874

 Layer:
 1

 Plug From:
 13.0

 Plug To:
 2.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004459873

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1004459865

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004459870

Layer: 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 3.0

 Depth To:
 0.0

 Casing Diameter:
 2.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Screen

 Screen ID:
 1004459871

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 13.0

 Screen End Depth:
 3.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

Water Details

Screen Diameter:

Water ID: 1004459869

2.0

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004459868

 Diameter:
 9.0

 Depth From:
 13.0

 Depth To:
 0.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Links

 Bore Hole ID:
 1004166636
 Tag No:
 A128855

 Depth M:
 3.9624
 Contractor:
 7215

 Year Completed:
 2012
 Path:
 718\7188179.pdf

 Well Completed Dt:
 2012/07/25
 Latitude:
 43.6911610998419

 Audit No:
 Z146136
 Longitude:
 -79.4747597041752

92 1 of 1 SSW/57.2 128.5 / -1.37 2615 EGLINTON AVE. WEST TORONTO ON WWIS

12-Apr-2016 00:00:00

Order No: 22090803393

 Well ID:
 7261367
 Flowing (Y/N):

Construction Date: Flow Rate:
Use 1st: Data Entry Status:

Use 2nd:
Data Src:
Final Well Status:
Abandoned-Other
Data Received:

Water Type:Selected Flag:TRUECasing Material:Abandonment Rec:Yes

 Audit No:
 Z232343
 Contractor:
 6946

 Tag:
 Form Version:
 7

Constructn Method:

Elevation (m):

County:

YORK AND TORONT

Elevatn Reliabilty: Lot:
Depth to Bedrock: Concession:

DB Map Key Number of Direction/ Elev/Diff Site

Records Distance (m) (m)

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Zone:

Static Water Level: Clear/Cloudy: UTM Reliability:

YORK BOROUGH Municipality:

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7261367.pdf

Additional Detail(s) (Map)

2016/02/29 Well Completed Date: Year Completed: 2016

Depth (m):

Latitude: 43.6898819924728 -79.4747176766533 Longitude: Path: 726\7261367.pdf

Bore Hole Information

Bore Hole ID: 1005929290 Elevation: DP2BR: Elevrc:

17 Spatial Status: Zone:

Code OB: East83: 622924.00 Code OB Desc: North83: 4838560.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC:

Date Completed: 29-Feb-2016 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Location Method:

wwr

Order No: 22090803393

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

1006023235 Plug ID:

Layer: Plug From: 15.0 0.0 Plug To: Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

1006023234 **Method Construction ID:**

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006023228

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006023232

Layer: 1
Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:15.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006023233

Layer: Slot:

Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM:
Screen Diameter UOM:
inch

Screen Diameter:

Water Details

Water ID: 1006023231

Layer: Kind Code: Kind:

Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006023230

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

Bore Hole ID: 1005929290 **Tag No:**

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7261367.pdf

 Well Completed Dt:
 2016/02/29
 Latitude:
 43.6898819924728

 Audit No:
 Z232343
 Longitude:
 -79.4747176766533

93 1 of 1 WSW/57.9 128.0 / -1.86 WWIS

Order No: 22090803393

 Well ID:
 7272741
 Flowing (Y/N):

Construction Date: Flow Rate:
Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 06-Oct-2016 00:00:00
Water Type: Selected Flag: TRUE

Water Type: Selected Flag:
Casing Material: Abandonment Rec:

 Audit No:
 Z232886
 Contractor:
 7238

 Tag:
 A202798
 Form Version:
 7

Owner:

17

622887.00

UTM83

4838585.00

Order No: 22090803393

Constructn Method:

 Elevation (m):
 County:
 YORK AND TORONT

 Elevatn Reliability:
 Lot:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Static Water Level:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

Zone:

Static water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2016/09/06

 Year Completed:
 2016

 Depth (m):
 26.5176

Latitude: 43.6901131371438 **Longitude:** -79.4751709227508

Path:

Bore Hole Information

 Bore Hole ID:
 1006262619
 Elevation:

 DP2BR:
 Elevrc:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:

 Code OB:
 East83:

 Code OB Desc:
 North83:

 Open Hole:
 Org CS:

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 06-Sep-2016 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Location Source Date: Improvement Location Source: Improvement Location Method:

Source Revision Comment: Supplier Comment:

Overburden and Bedrock

<u>Materials Interval</u>

1006395130 Formation ID: Layer: Color: 2 General Color: **GREY** 28 Mat1: SAND Most Common Material: Mat2: 84 Mat2 Desc: SILTY Mat3:

Mat3 Desc: COARSE SAND

Formation Top Depth: 68.0 Formation End Depth: 86.0 Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006395129

Layer: 3 Color: **GREY** General Color: 06 Mat1: Most Common Material: SILT 81 Mat2: Mat2 Desc: SANDY Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 46.0 68.0 Formation End Depth: Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006395131

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 86.0 Formation End Depth: 87.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395127

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

Mat1: 01
Most Common Material: FILL

Most Comm Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395128

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 84

 Mat2 Desc:
 SILTY

Mat3:

Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 46.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006395140

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 87.0

 Plug Depth UOM:
 ft

<u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID: 1006395139

Layer:

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006395138

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction: BORING

Pipe Information

Pipe ID: 1006395126

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006395135

Layer: 1
Material: 7

Open Hole or Material:OTHERDepth From:-3.0Depth To:22.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006395136

Layer: 1

 Slot:
 0.2

 Screen Top Depth:
 22.0

 Screen End Depth:
 87.0

 Screen Material:
 7

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 4.25

Water Details

Water ID: 1006395134

Layer: Kind Code: Kind:

Water Found Depth: ft Water Found Depth UOM:

Hole Diameter

Hole ID: 1006395132 10.0 Diameter: Depth From: 0.0 8.0 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch

Hole Diameter

Hole ID: 1006395133

Diameter: 8.0 Depth From: 8.0 87.0 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006262619 Tag No: A202798 Depth M: 26.5176 Contractor: 7238

Year Completed: 2016 Path: 727\7272741.pdf Well Completed Dt: 2016/09/06 43.6901131371438 Latitude: -79.4751709227508 Audit No: Z232886 Longitude:

94 1 of 2 SSW/59.3 128.3 / -1.60 **2615 EGLINTON AVE WWIS**

Well ID: 7180625

Construction Date: Use 1st:

Use 2nd: Final Well Status: 0

Water Type:

Casing Material:

Audit No: Z147060 Tag: A111683

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate:

Static Water Level: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info: PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2012/02/28 **Toronto ON**

Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:

10-May-2012 00:00:00 Date Received:

Selected Flag: TRUE

Abandonment Rec:

7241 Contractor: Form Version:

Owner:

YORK AND TORONT County: Lot:

Order No: 22090803393

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

2012 Year Completed: Depth (m): 4.2672

43.6898641564163 Latitude: -79.4747305369463 Longitude:

Path:

Bore Hole Information

Bore Hole ID: 1003758934

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 28-Feb-2012 00:00:00

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1004302555 Formation ID:

Layer: Color: **GREY** General Color: Mat1: 01 Most Common Material: FILL Mat2: 28 Mat2 Desc: SAND Mat3: 06 Mat3 Desc: SILT Formation Top Depth: 0.0 Formation End Depth: 10.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

1004302556 Formation ID:

Layer: 2 Color: 2 General Color: **GREY** 06 Mat1: SILT Most Common Material: Mat2: 28 Mat2 Desc: SAND

Mat3: Mat3 Desc:

10.0 Formation Top Depth: Formation End Depth: 14.0

Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

1004302563 Plug ID:

Elevation: Elevrc:

17 Zone: East83: 622923.00 North83: 4838558.00 UTM83

Org CS: **UTMRC**:

UTMRC Desc: margin of error: 30 m - 100 m

Location Method: wwr

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 3.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302562

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302564

 Layer:
 3

 Plug From:
 3.0

 Plug To:
 14.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004302561

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1004302554

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004302559

Layer:

Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:4.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1004302560

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 4.0

 Screen End Depth:
 14.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 2.25

Water Details

Water ID: 1004302558

Layer: Kind Code: Kind:

Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004302557

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

<u>Links</u>

 Bore Hole ID:
 1003758934
 Tag No:
 A111683

 Depth M:
 4.2672
 Contractor:
 7241

 Year Completed:
 2012
 Path:

 Well Completed Dt:
 2012/02/28
 Latitude:
 43.6898641564163

 Audit No:
 Z147060
 Longitude:
 -79.4747305369463

94 2 of 2 SSW/59.3 128.3 / -1.60 2615 EGLINTON AVE Toronto ON WWIS

Well ID: 7180624

Construction Date:

Use 1st: Use 2nd:

Final Well Status: 0
Water Type:

Casing Material:

 Audit No:
 Z147061

 Tag:
 A128380

Constructn Method:
Elevation (m):

Elevatn Reliabilty:
Depth to Bedrock:
Well Depth:
Overhunden/Redrock

Overburden/Bedrock:

Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2012/02/28

 Year Completed:
 2012

 Depth (m):
 4.2672

Latitude: 43.6898641564163 **Longitude:** -79.4747305369463

Path:

Flowing (Y/N): Flow Rate:

Data Entry Status: Data Src:

Date Received: 10-May-2012 00:00:00

Selected Flag: TRUE

Abandonment Rec:

Contractor: 7241 Form Version: 7

Owner:

County: YORK AND TORONT

Order No: 22090803393

Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation:

17

wwr

622923.00

4838558.00 UTM83

margin of error: 30 m - 100 m

Order No: 22090803393

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

Bore Hole Information

Bore Hole ID: 1003758807

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 28-Feb-2012 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1004302545 Formation ID:

Layer: Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND

Mat3: Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 14.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1004302544 Formation ID:

Layer: Color: 2 General Color: **GREY** Mat1: **FILL** Most Common Material: 28 Mat2: Mat2 Desc: SAND Mat3: 06 Mat3 Desc: SILT Formation Top Depth: 0.0 Formation End Depth: 10.0 Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302551

Layer: 1 Plug From: 0.0 Plug To: 1.0 Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302553

 Layer:
 3

 Plug From:
 3.0

 Plug To:
 14.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302552

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 3.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004302550

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Alt Name:

Pipe ID: 1004302543

Casing No: 0 Comment:

Construction Record - Casing

Casing ID: 1004302548

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 4.0

 Casing Diameter:
 2.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Screen

Screen ID: 1004302549

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 4.0

 Screen End Depth:
 14.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 2.25

Water Details

Water ID: 1004302547

Layer: Kind Code:

Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004302546

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

<u>Links</u>

Bore Hole ID: 1003758807 Tag No: A128380 4.2672 Contractor: Depth M: 7241

Path: Year Completed: 2012 Well Completed Dt: 2012/02/28 Latitude: 43.6898641564163 Audit No: Z147061 Longitude: -79.4747305369463

SSW/60.3 **2615 EGLINTON AVE** 95 1 of 1 128.3 / -1.60 **WWIS Toronto ON**

> Flowing (Y/N): Flow Rate:

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Elevation:

Elevrc:

Data Src:

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

UTM Reliability:

Northing NAD83:

10-May-2012 00:00:00

YORK AND TORONT

TRUE

7241

17

Well ID: 7180628

Construction Date:

Use 1st: Use 2nd:

Final Well Status: 0

Water Type:

Casing Material:

Audit No: Z147052 A108644 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

YORK BOROUGH Municipality:

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2012/02/27 Year Completed: 2012 Depth (m): 4.572

43.6898551556121 Latitude: -79.474730765092 Longitude:

Path:

358

Bore Hole Information

1003759060 Bore Hole ID:

DP2BR: Spatial Status:

Zone: Code OB: East83: 622923.00

erisinfo.com | Environmental Risk Information Services

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

4838557.00

margin of error: 30 m - 100 m

Order No: 22090803393

UTM83

wwr

Records Distance (m)

Code OB Desc:

Open Hole: Cluster Kind:

Date Completed: 27-Feb-2012 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004302592

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3: Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 15.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004302591

Layer: Color: **GREY** General Color: 01 Mat1: Most Common Material: **FILL** Mat2: 28 Mat2 Desc: SAND 06 Mat3: Mat3 Desc: SILT Formation Top Depth: 0.0

Formation End Depth: 10.0 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302600

 Layer:
 3

 Plug From:
 4.0

 Plug To:
 15.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302598

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004302599

ft

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 4.0

 Plug Depth UOM:
 ft

Method of Construction & Well

Use

Method Construction ID: 1004302597

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1004302590

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004302595

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:5.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1004302596

Layer: 1 Slot: 10 Screen Top Depth: 5.0 Screen End Depth: 15.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.25

Water Details

Water ID: 1004302594

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Order No: 22090803393

Hole ID: 1004302593

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

 Bore Hole ID:
 1003759060
 Tag No:
 A108644

 Depth M:
 4.572
 Contractor:
 7241

Year Completed: 2012 Path:

 Well Completed Dt:
 2012/02/27
 Latitude:
 43.6898551556121

 Audit No:
 Z147052
 Longitude:
 -79.474730765092

96 1 of 1 WSW/60.8 128.0 / -1.89 ON

Well ID: 7272742 Flowing (Y/N):
Construction Date: Flow Rate:

Construction Date: Flow Rate:
Use 1st: Data Entry Status:
Use 2nd: Data Src:

 Final Well Status:
 0
 Date Received:
 06-Oct-2016 00:00:00

Water Type: Selected Flag: TRUE
Casing Material: Abandonment Rec:
Audit No: 7232885 Contractor: 7238

 Audit No:
 Z232885
 Contractor:
 7238

 Tag:
 A202803
 Form Version:
 7

 Constructn Method:
 Owner:

Elevation (m): VORK AND TORONT

Elevatn Reliabilty:

Depth to Bedrock:

Well Depth:

Concession:

Concession Name:

Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:
Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH Site Info:

Additional Detail(s) (Map)

Bore Hole Information

PDF URL (Map):

 Well Completed Date:
 2016/09/08

 Year Completed:
 2016

 Depth (m):
 26.2128

 Latitude:
 43.6901227999553

 Longitude:
 -79.4752203108825

Path:

 Bore Hole ID:
 1006262622
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:

 Code OB:
 East83:
 622883.00

 Code OB Desc:
 North83:
 4838586.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 08-Sep-2016 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

17

Order No: 22090803393

Remarks: Location Method: ww

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overhunden and Badro

Overburden and Bedrock

Materials Interval

 Formation ID:
 1006395308

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 81

 Mat2 Desc:
 SANDY

Mat3:

Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 22.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395309

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 84

 Mat2 Desc:
 SILTY

 Mat3:
 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 22.0 Formation End Depth: 77.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395312

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 86.0 Formation End Depth: 86.0 Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006395307

Order No: 22090803393

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 01

 Most Common Material:
 FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395310

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 81

 Mat2 Desc:
 SANDY

 Mat3:
 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 77.0
Formation End Depth: 82.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395311

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 84

 Mat2 Desc:
 SILTY

Mat3: Mat3 Desc:

Formation Top Depth: 82.0 Formation End Depth: 86.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006395319

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006395320

Layer: 2 **Plug From:** 20.0

86.0 Plug To:

Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006395318 2

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction: **BORING**

Pipe Information

Pipe ID: 1006395306

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006395316

Layer: Material: Open Hole or Material: OTHER Depth From: -3.0 Depth To: 22.0 Casing Diameter: 4.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006395317 1

Layer: Slot: 0.2

Screen Top Depth: 22.0 Screen End Depth: 86.0 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.25

Water Details

Water ID: 1006395315

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006395314

Diameter: 8.0 Depth From: 8.0 86.0 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Hole Diameter

1006395313 Hole ID: Diameter: 10.0 Depth From: 0.0 8.0 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch

Links

1006262622 Bore Hole ID: Tag No: A202803 Depth M: 26.2128 Contractor: 7238

Year Completed: 2016 Path: 727\7272742.pdf Well Completed Dt: 2016/09/08 Latitude: 43.6901227999553 Audit No: Z232885 Longitude: -79.4752203108825

1 of 1 WSW/61.5 128.0 / -1.89 Crosslinx Transit Solutions (CTS) 97

Toronto ON

SPL

Ref No: 6482-AUPTPU Discharger Report: Material Group: Site No: NA

2018/01/03 Health/Env Conseq: 2 - Minor Environment Incident Dt:

Year: Client Type: Corporation

Sector Type: Incident Cause: Miscellaneous Industrial

Incident Event: Overflow/Surcharge Agency Involved: Contaminant Code: Nearest Watercourse:

Contaminant Name: WATER/SEDIMENT Site Address:

Contaminant Limit 1: Site District Office: Toronto - District

Contam Limit Freq 1: Site Postal Code:

Contaminant UN No 1: Site Region: Central n/a **Environment Impact:** Site Municipality: Toronto

Nature of Impact: Site Lot: Receiving Medium: Site Conc:

4838583 Receiving Env: I and Northing: MOE Response: 622884 Nο Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 2018/01/04 Site Map Datum:

Dt Document Closed: 2018/01/24 SAC Action Class: Watercourse Spills Incident Reason: Unknown / N/A Source Type: Unknown / N/A

Site Name: Eglinton Avenue and Keele Street < UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Incident Summary: Crosslinx: ~500 L potable water overflow to storm sewer; cleaned

500 L Contaminant Qty:

W/61.7 TRETHEWEY DRIVE 98 1 of 1 128.8 / -1.08 **WWIS Toronto ON**

TRUE

Order No: 22090803393

Well ID: 7289117 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status: Dewatering Use 2nd: Data Src:

Final Well Status: Date Received: 26-Jun-2017 00:00:00 Dewatering

Water Type: Selected Flag: Casing Material: Abandonment Rec:

Audit No: Z245126 Contractor: 3413

A215324 Form Version: Tag: Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT Lot:

Elevatn Reliabilty:

DB Number of Direction/ Elev/Diff Site Map Key

Records Distance (m) (m)

Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone: UTM Reliability:

Clear/Cloudy: Municipality: **TORONTO CITY**

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7289117.pdf

Additional Detail(s) (Map)

Well Completed Date: 2016/11/04 Year Completed: 2016 Depth (m): 15.5448

Latitude: 43.6904038108371 -79.4753620898587 Longitude: 728\7289117.pdf Path:

Bore Hole Information

Bore Hole ID: 1006576887 Elevation: DP2BR: Elevrc:

Spatial Status: Zone:

622871.00 Code OB: East83: Code OB Desc: North83: 4838617.00 UTM83 Open Hole: Org CS: Cluster Kind: **UTMRC**:

Date Completed: 04-Nov-2016 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method: Remarks: wwr

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1006802568 Formation ID:

Layer: 2 Color: General Color: **GREY** Mat1: 05

Most Common Material: CLAY Mat2: 26 ROCK Mat2 Desc:

Mat3: Mat3 Desc:

0.0 Formation Top Depth: Formation End Depth: 20.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006802569

Layer: 2 Color: General Color: **GREY**

Mat1: 05
Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 20.0 Formation End Depth: 51.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006802577

 Layer:
 2

 Plug From:
 25.0

Plug To: 51.0 Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006802576

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006802575

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006802567

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006802572

Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0.0
Pooth To: 25 0

Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006802573

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Order No: 22090803393

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 51.0

Screen End Depth: Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006802571

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

1006802570 Hole ID: Diameter: 8.0 Depth From: 0.0 Depth To: 51.0 Hole Depth UOM: ft

inch

Hole Diameter UOM:

Links

Bore Hole ID: 1006576887 Tag No: A215324 Depth M: 15.5448 Contractor: 3413

728\7289117.pdf 2016 Path: Year Completed: Well Completed Dt: 2016/11/04 Latitude: 43.6904038108371 -79.4753620898587 Audit No: Z245126 Longitude:

W/61.8 128.8 / -1.10 1 of 1 EGLINGTON AVE. 99 **WWIS TORONTO ON**

Flowing (Y/N):

Data Entry Status:

Abandonment Rec:

03-Nov-2017 00:00:00

YORK AND TORONT

Order No: 22090803393

TRUE

3413

7

Date Received:

Selected Flag:

Form Version:

Concession:

Concession Name:

Easting NAD83: Northing NAD83:

UTM Reliability:

Contractor:

Owner:

County:

Lot:

Zone:

Flow Rate:

Data Src:

7298518 Well ID:

Construction Date:

Use 1st: Dewatering

Use 2nd:

Final Well Status: Dewatering

Water Type:

Casing Material:

Audit No: Z251371 A220843 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty:

Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level:

Clear/Cloudy:

Municipality:

TORONTO CITY

Site Info:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7298518.pdf PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2017/04/03 Year Completed: 2017

17

622867.00

4838630.00 UTM83

margin of error: 30 m - 100 m

Order No: 22090803393

26.8224 Depth (m):

Latitude: 43.6905214832427 Longitude: -79.4754087416728 729\7298518.pdf Path:

Bore Hole Information

1006788091 Bore Hole ID: Elevation: DP2BR: Elevrc:

Spatial Status: Zone: East83: Code OB: Code OB Desc: North83: Open Hole: Org CS: Cluster Kind: **UTMRC**:

Date Completed: 03-Apr-2017 00:00:00 **UTMRC Desc:** Location Method:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: **Supplier Comment:**

Overburden and Bedrock

Materials Interval

Formation ID: 1006880153

Layer: 3 Color: General Color: **GREY** 05 Mat1: CLAY Most Common Material: Mat2: 06 Mat2 Desc: SILT

Mat3: Mat3 Desc:

42.0 Formation Top Depth: Formation End Depth: 0.08 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1006880151 Formation ID:

Layer: Color: 6 General Color: **BROWN**

Mat1: **GRAVEL** Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006880152

2 Layer:

2 Color: General Color: **GREY** Mat1:

Most Common Material: Mat2:

05 CLAY

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6.0 Formation End Depth: 42.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1006880154 Formation ID:

Layer: 2 Color: General Color: **GREY** 06 SILT Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 80.0 88.0 Formation End Depth: Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

1006880161 Plug ID:

Layer: Plug From: 0.0 20.0 Plug To: Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

1006880162 Plug ID:

Layer: 20.0 Plug From: 88.0 Plug To: Plug Depth UOM: ft

Method of Construction & Well

1006880160 **Method Construction ID:**

Method Construction Code:

Rotary (Convent.) **Method Construction:**

Other Method Construction:

Pipe Information

Pipe ID: 1006880150

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006880157

Layer: Material: 5

Open Hole or Material: **PLASTIC** Depth From: 0.0 28.0 Depth To: Casing Diameter: 4.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006880158

Layer: 1 10 Slot:

Screen Top Depth: 28.0 Screen End Depth: 88.0 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006880156

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

1006880155 Hole ID:

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006788091 Tag No: A220843 Depth M: 26.8224 Contractor: 3413

2017 Path: 729\7298518.pdf Year Completed: Well Completed Dt: 2017/04/03 Latitude: 43.6905214832427 -79.4754087416728 Audit No: Z251371 Longitude:

SSW/62.1 128.5 / -1.37 100 1 of 1

WWIS ON

Order No: 22090803393

Yes

Flowing (Y/N): Well ID: 7185114

Flow Rate:

Construction Date: Data Entry Status: Use 1st: Use 2nd: Data Src:

Final Well Status: Date Received: 09-Aug-2012 00:00:00 Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

6032 Audit No: M01980 Contractor:

Concession:

A116450 Tag: Form Version: 5

Constructn Method: Owner: Elevation (m):

YORK AND TORONT County: Elevatn Reliabilty: Lot:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Northing NAD83: Pump Rate: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

YORK BOROUGH

Municipality: Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7185114.pdf

Additional Detail(s) (Map)

Depth to Bedrock:

2012/02/18 Well Completed Date: 2012 Year Completed:

Depth (m): 43.6898268287489 Latitude: Longitude: -79.4746322176114 Path: 718\7185114.pdf

Bore Hole Information

Bore Hole ID: 1004102030 Elevation:

DP2BR: Elevrc: Spatial Status: Zone:

17 Code OB: East83: 622931.00 4838554.00 Code OB Desc: North83: Open Hole: Org CS: UTM83 Cluster Kind: UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m Date Completed: 18-Feb-2012 00:00:00

Location Method: Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Links

Bore Hole ID: 1004102030 A116450 Tag No: Depth M: Contractor: 6032

2012 Year Completed: Path: 718\7185114.pdf Well Completed Dt: 2012/02/18 Latitude: 43.6898268287489 M01980 -79.4746322176114 Audit No: Longitude:

101 1 of 1 WSW/63.1 128.6 / -1.26 **EGLINTON AVE WEST WWIS**

Order No: 22090803393

Toronto ON Well ID: 7276452 Flowing (Y/N):

Construction Date: Flow Rate: Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src: 05-Dec-2016 00:00:00 Final Well Status: Dewatering Date Received:

TRUE Water Type: Selected Flag: Casing Material: Abandonment Rec:

Z245129 3413 Audit No: Contractor: 7 Tag: A215314 Form Version:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Constructn Method: Owner: Elevation (m): County:

YORK AND TORONT Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: **TORONTO CITY** Site Info:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276452.pdf PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/10/28 Year Completed: 2016 Depth (m): 15.24

Latitude: 43.6903316389041 -79.4753515102032 Longitude: Path: 727\7276452.pdf

Bore Hole Information

Bore Hole ID: Elevation: 1006300995 DP2BR: Elevrc:

Spatial Status: Zone: 17 Code OB: East83: 622872.00 Code OB Desc: North83: 4838609.00 Org CS: UTM83 Open Hole:

Cluster Kind: UTMRC: Date Completed: 28-Oct-2016 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Location Method:

wwr

Order No: 22090803393

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

1006468905 Formation ID:

Layer: 2 Color: 2 General Color: **GREY** 05 Mat1: CLAY Most Common Material:

Mat2: Mat2 Desc:

Mat3: 85 SOFT Mat3 Desc: Formation Top Depth: 22.0 Formation End Depth: 50.0 Formation End Depth UOM: ft

Overburden and Bedrock **Materials Interval**

Formation ID: 1006468904

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 26

 Mat2 Desc:
 ROCK

Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 22.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006468913

 Layer:
 2

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 50.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006468912

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006468911

Method Construction Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe Information

Pipe ID: 1006468903

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006468908

Layer: 1 Material: 5

Material: 5
Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006468909

Мар Кеу	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: Screen Diameter UOM: Screen Diameter:		! !	1 10 25.0 50.0 5 ft inch 4.0				
Water Details	<u>s</u>						
Water ID: Layer: Kind Code: Kind: Water Found	l Depth:		1006468907				
Water Found		VI: 1	ft				
Hole Diamete	<u>er</u>						
Hole ID: Diameter: Depth From: Depth To: Hole Depth U	ЈОМ:	8 (!	1006468906 8.0 0.0 50.0 ft inch				
<u>Links</u>							
Bore Hole ID Depth M: Year Comple Well Comple Audit No:	ted:	100630099 15.24 2016 2016/10/29 Z245129			Tag No: Contractor: Path: Latitude: Longitude:	A215314 3413 727\7276452.pdf 43.6903316389041 -79.4753515102032	
<u>102</u>	1 of 1		W/63.3	128.6 / -1.29	ON		wwis
Well ID: Construction Use 1st: Use 2nd: Final Well St Water Type: Casing Mate. Audit No: Tag: Constructn II Elevation (m Elevatn Relia Depth to Bec Well Depth: Overburden/ Pump Rate: Static Water Clear/Cloudy Municipality: Site Info:	atus: fial: flethod: bility: frock: Bedrock: Level:	7202149 C19319 A136186	YORK BOROUGH		Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	Yes 28-May-2013 00:00:00 TRUE 7215 8 YORK AND TORONT	
PDF URL (Ma	ар):	I	https://d2khazk8e83	rdv.cloudfront.net	t/moe_mapping/downloads/	/2Water/Wells_pdfs/720\7202149.pdf	

Order No: 22090803393

Additional Detail(s) (Map)

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m) (m)

Well Completed Date: 2012/10/24 Year Completed: 2012

Depth (m):

Latitude: 43.6903859747085 -79.4753749500786 Longitude: Path: 720\7202149.pdf

Bore Hole Information

1004313534 Bore Hole ID: Elevation: DP2BR:

Elevrc: Spatial Status: Zone: 17 Code OB: East83: 622870.00 Code OB Desc: North83: 4838615.00 Open Hole: Org CS: UTM83

Cluster Kind: **UTMRC**: 24-Oct-2012 00:00:00 margin of error: 30 m - 100 m Date Completed: **UTMRC Desc:**

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

Links

Bore Hole ID: 1004313534 Tag No: A136186

Depth M:

Year Completed: 2012 Well Completed Dt: 2012/10/24 Audit No: C19319

Contractor: 7215

Location Method:

Path: 720\7202149.pdf Latitude: 43.6903859747085 Longitude: -79.4753749500786

14-May-2013 00:00:00

TRUE

WWIS

Order No: 22090803393

W/63.6 2688 EGLINTON AVE W 1 of 1 128.6 / -1.29 103

Toronto ON

Well ID: 7201493 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Test Hole Data Entry Status: Use 2nd: Data Src:

Final Well Status: Test Hole Date Received:

Water Type: Selected Flag: Casing Material: Abandonment Rec:

Audit No: Z146207 Contractor: 7215 A136186 Form Version: 7 Tag:

Constructn Method: Owner:

YORK AND TORONT Elevation (m): County: Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession: Well Depth: Concession Name: Easting NAD83: Overburden/Bedrock: Pump Rate: Northing NAD83:

Static Water Level: Zone:

YORK BOROUGH Municipality:

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7201493.pdf

UTM Reliability:

Additional Detail(s) (Map)

Clear/Cloudy:

Elevation:

17

622870.00

UTM83

4838614.00

margin of error: 30 m - 100 m

Order No: 22090803393

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

Well Completed Date: 2012/08/24 Year Completed: 2012

Depth (m):

43.6903769739024

Latitude: Longitude: -79.4753751781321 720\7201493.pdf Path:

Bore Hole Information

Bore Hole ID: 1004297096 DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 24-Aug-2012 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004817725 Layer: 4.0 Plug From: Plug To: 1.0

Annular Space/Abandonment

Sealing Record

Plug Depth UOM:

Plug ID: 1004817724

Layer: Plug From: 15.0 Plug To: 4.0 Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004817726

Layer: Plug From: 1.0 Plug To: 0.0 Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004817723

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1004817716 0

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004817720

Layer: Material: 5

Open Hole or Material: **PLASTIC** Depth From: 5.0 Depth To: 0.0 Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

1004817721 Screen ID:

Layer: 10 Slot: Screen Top Depth: 15.0 Screen End Depth: 5.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.0

Water Details

Water ID: 1004817719

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004817718

Diameter: 9.0 15.0 Depth From: Depth To: 0.0 Hole Depth UOM: ft Hole Diameter UOM: inch

<u>Links</u>

Bore Hole ID: 1004297096 Tag No: A136186 Depth M: Contractor: 7215

Year Completed: 2012 Path: 720\7201493.pdf Well Completed Dt: 2012/08/24 Latitude: 43.6903769739024 Audit No: Z146207 Longitude: -79.4753751781321

104 1 of 1 W/64.0 128.6 / -1.29 TRETHEWEY DRIVE **Toronto ON**

Well ID: 7289119 Flowing (Y/N):

Construction Date: Flow Rate: **WWIS**

Use 1st: Dewatering

Use 2nd:

Final Well Status: Dewatering

Water Type:

Casing Material:

Audit No: 7245147 Tag: A215344

Constructn Method: Elevation (m):

Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level:

Clear/Cloudy: Municipality:

Site Info:

TORONTO CITY

Data Entry Status:

Data Src:

26-Jun-2017 00:00:00 Date Received:

TRUE Selected Flag:

Abandonment Rec:

3413 Contractor: Form Version: 7

Owner:

County: YORK AND TORONT

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7289119.pdf

Additional Detail(s) (Map)

2016/11/06 Well Completed Date: Year Completed: 2016 Depth (m): 15.5448

43.690422308896 Latitude: -79.4753988460959 Longitude: Path: 728\7289119.pdf

Bore Hole Information

Bore Hole ID: 1006577132

DP2BR: Spatial Status: Code OB:

Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 06-Nov-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1006802666 Formation ID:

Layer: 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 20.0 51.0 Formation End Depth:

Elevation: Elevro:

17 Zone:

622868.00 East83: 4838619.00 North83: Org CS: UTM83 **UTMRC**:

margin of error: 30 m - 100 m UTMRC Desc:

Order No: 22090803393

Location Method: wwr

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006802665

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

 Mat2 Desc:
 STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 20.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006802673

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006802674

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 51.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006802672

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006802664

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006802669

Layer:1Material:5Open Hole or Material:PLASTIC

 Depth From:
 0.0

 Depth To:
 25.0

 Casing Diameter:
 4.0

Order No: 22090803393

Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006802670

Layer: 10 Slot: Screen Top Depth: 25.0 Screen End Depth: 51.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch

Water Details

Screen Diameter:

1006802668 Water ID:

4.0

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006802667

Diameter: 8.0 0.0 Depth From: Depth To: 51.0 Hole Depth UOM: ft Hole Diameter UOM: inch

<u>Links</u>

1006577132 A215344 Bore Hole ID: Tag No: Depth M: 15.5448 Contractor: 3413

Year Completed: 2016 Path: 728\7289119.pdf 43.690422308896 2016/11/06 Well Completed Dt: Latitude: -79.4753988460959 Audit No: Z245147 Longitude:

W/64.2 128.6 / -1.29 105 1 of 1 **WWIS** ON

Flowing (Y/N):

Data Entry Status:

Order No: 22090803393

Flow Rate:

Well ID: 7276453

Construction Date: Use 1st:

Use 2nd: Data Src: Final Well Status: 0 Date Received: 05-Dec-2016 00:00:00 Selected Flag: TRUE

Water Type: Casing Material:

Abandonment Rec: Audit No: Z245130 Contractor: 3413 Tag: A215319

Form Version: Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT Elevatn Reliabilty: Lot: Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276453.pdf

Additional Detail(s) (Map)

Well Completed Date: 2016/10/12 Year Completed: 2016

Depth (m):

 Latitude:
 43.6903861401906

 Longitude:
 -79.4753873541874

 Path:
 727\7276453.pdf

Bore Hole Information

 Bore Hole ID:
 1006300998
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622869.00

 Code OB Desc:
 North83:
 4838615.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 12-Oct-2016 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

 Remarks:
 Location Method:
 wwr

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Formation ID: 1006468929

Layer: Color:

General Color:

Materials Interval

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth:
Formation End Depth:

Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006468934

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006468928

Casing No: 0

Comment:

Order No: 22090803393

Alt Name:

Construction Record - Casing

Casing ID: 1006468932

Layer: Material:

Open Hole or Material:

Depth From: Depth To: Casing Diameter:

Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

1006468933 Screen ID:

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft inch Screen Diameter UOM:

Screen Diameter:

Water Details

1006468931 Water ID:

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006468930

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006300998 Tag No: A215319 Depth M: Contractor: 3413

2016 Year Completed: Well Completed Dt: 2016/10/12

727\7276453.pdf Path: Latitude: 43.6903861401906 Audit No: Z245130 Longitude: -79.4753873541874

WSW/64.4 128.3 / -1.55 TRETHEWAY DRIVE 106 1 of 1 **Toronto ON**

Flowing (Y/N):

WWIS

Order No: 22090803393

Well ID: 7289116 **Construction Date:** Flow Rate: Use 1st: Dewatering Data Entry Status: Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 26-Jun-2017 00:00:00

TRUE Water Type: Selected Flag:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Abandonment Rec:

3413

YORK AND TORONT

7

Contractor:

Owner:

County:

Lot:

Zone:

Form Version:

Concession: Concession Name:

Easting NAD83:

Northing NAD83:

UTM Reliability:

Casing Material:

Audit No: Z245134 A215320 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty:

Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy: Municipality:

YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7289116.pdf

Additional Detail(s) (Map)

Well Completed Date: 2016/11/08 2016 Year Completed: Depth (m): 15.5448

43.690349971484 Latitude: -79.4753758622921 Longitude: Path: 728\7289116.pdf

Bore Hole Information

Bore Hole ID: 1006576859 DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

08-Nov-2016 00:00:00 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:** Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006802180

2 Layer: Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 20.0 Formation End Depth: 51.0 Formation End Depth UOM: ft

Overburden and Bedrock

Elevation:

Elevrc:

Zone: 17 622870.00 East83: North83: 4838611.00 Org CS: UTM83 UTMRC: 3

margin of error: 10 - 30 m UTMRC Desc:

Order No: 22090803393

Location Method:

Materials Interval

Formation ID: 1006802179

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

 Mat2 Desc:
 STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 20.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006802188

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 51.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006802187

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006802186

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006802178

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006802183

Layer:

Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:25.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Order No: 22090803393

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Construction Record - Screen

1006802184 Screen ID:

Layer: Slot: 10 25.0 Screen Top Depth: Screen End Depth: 51.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006802182

Layer: Kind Code:

Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

1006802181 Hole ID:

Diameter: 8.0 Depth From: 0.0 Depth To: 51.0 Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006576859 Tag No: A215320 Depth M: 15.5448 Contractor: 3413

Year Completed: 2016 Path: 728\7289116.pdf Well Completed Dt: 2016/11/08 Latitude: 43.690349971484 Audit No: Z245134 Longitude: -79.4753758622921

107 1 of 3 ENE/64.8 132.7 / 2.84 **VALIANT HARDWARE LTD PES** 2612 EGLINTON AVE W

TORONTO ON M6M 1T4

Detail Licence No: Licence No: Status: Approval Date: Report Source:

Licence Type: Vendor

Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region:

County: Trade Name: PDF URL:

PDF Site Location:

Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality:

Post Office Box: **MOE District:** SWP Area Name:

Order No: 22090803393

District:

Map Key Number of Direction/ Elev/Diff Site DΒ Records Distance (m) (m) 2 of 3 ENE/64.8 132.7 / 2.84 **VALIANT HARDWARE LTD** 107 **PES** 2612 EGLINTON AVE W **TORONTO ON M6M1T4** 23-01-05835-0 Detail Licence No: Operator Box: Licence No: 05835 Operator Class: Status: Operator No: Approval Date: Operator Type: Legacy Licenses (Excluding TS) Oper Area Code: 416 Report Source: Limited Vendor Oper Phone No: 6518661 Licence Type: Licence Type Code: 23 Operator Ext: Licence Class: 01 Operator Lot: Licence Control: 0 Oper Concession: Latitude: Operator Region: 3 Longitude: Operator District: 1 Lot: **Operator County:** 62 Op Municipality: Concession: Region: 3 Post Office Box: District: 1 **MOE District:** County: 62 SWP Area Name: Trade Name: PDF URL: PDF Site Location: 107 3 of 3 ENE/64.8 132.7 / 2.84 **VALIANT HARDWARE LTD** PES 2612 EGLINTON AVE W **TORONTO ON M6M1T4** Detail Licence No: Operator Box: Operator Class: 05835 Licence No: Status: Operator No: Approval Date: Operator Type: Legacy Licenses (Excluding TS) Report Source: Oper Area Code: 416 Retail Vendor Class 03 Oper Phone No: 6518661 Licence Type: Licence Type Code: Operator Ext: 03 Licence Class: Operator Lot: Licence Control: Oper Concession: Operator Region: Latitude: Longitude: Operator District: Lot: Operator County: Op Municipality: Concession: Region: Post Office Box: **MOE District:** District: County: SWP Area Name: Trade Name: PDF URL: PDF Site Location: 108 1 of 1 WSW/65.1 128.3 / -1.57 15 EGLINGTON AVE W **WWIS TORONTO ON** 7301929 Well ID: Flowing (Y/N): Construction Date: Flow Rate: Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 21-Dec-2017 00:00:00
Water Type: Selected Flag: TRUE

Order No: 22090803393

Water Type: Selected Flag: TR Casing Material: Abandonment Rec:

 Audit No:
 Z254859
 Contractor:
 7607

 Tag:
 A223693
 Form Version:
 7

Constructn Method: Owner:

YORK AND TORONT Elevation (m): County: Lot:

Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate:

Concession Name: Easting NAD83: Northing NAD83: Static Water Level: Zone: UTM Reliability: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2017/11/27 Year Completed: 2017 Depth (m): 27

Latitude: 43.6902414653572 Longitude: -79.4753413866859

Path:

Bore Hole Information

Bore Hole ID: 1006926199

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

27-Nov-2017 00:00:00 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

1007090060 Formation ID:

Layer: 4 Color: General Color: **GREY** Mat1: 06 SILT Most Common Material: Mat2: 05 Mat2 Desc: **CLAY**

Mat3: Mat3 Desc:

Formation Top Depth: 25.0 Formation End Depth: 27.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1007090057

Layer:

Concession:

Elevation: Elevrc:

Zone: 17 622873.00 East83: North83: 4838599.00 Org CS: UTM83 UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method:

 Color:
 8

 General Color:
 BLACK

 Mat1:
 02

 Most Common Material:
 TOPSOIL

 Mat2:
 12

 Mat2 Desc:
 STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 3.0 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1007090058

Layer: 2 6 Color: General Color: **BROWN** 06 SILT Most Common Material: Mat2: 11 **GRAVEL** Mat2 Desc: Mat3: 77 Mat3 Desc: LOOSE Formation Top Depth: 3.0

Overburden and Bedrock

Formation End Depth UOM:

Formation End Depth:

Materials Interval

Formation ID: 1007090059

10.0

m

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3: Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 25.0 Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1007090067

 Layer:
 2

 Plug From:
 8.0

 Plug To:
 27.0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007090066

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 8.0

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1007090065

m

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1007090056

Casing No: Comment: Alt Name:

Construction Record - Casing

Casing ID: 1007090063

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:9.0Casing Diameter:10.0Casing Diameter UOM:cmCasing Depth UOM:m

Construction Record - Screen

Screen ID: 1007090064

 Layer:
 1

 Slot:
 .5

 Screen Top Depth:
 9.0

 Screen End Depth:
 27.0

 Screen Material:
 5

 Screen Depth UOM:
 m

 Screen Diameter UOM:
 cm

 Screen Diameter:
 10.0

Water Details

Water ID: 1007090062

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

Hole ID: 1007090061

Diameter: Depth From: Depth To:

Hole Depth UOM: m
Hole Diameter UOM: cm

<u>Links</u>

 Bore Hole ID:
 1006926199
 Tag No:
 A223693

 Depth M:
 27
 Contractor:
 7607

Year Completed: 2017 Path:

 Well Completed Dt:
 2017/11/27
 Latitude:
 43.6902414653572

 Audit No:
 Z254859
 Longitude:
 -79.4753413866859

109 1 of 1 W/65.1 128.8 / -1.10 TRETHEWEY DRIVE TORON WWIS

Well ID: 7289118 **Flowing (Y/N):**

Construction Date:Flow Rate:Use 1st:DomesticData Entry Status:

Use 2nd:
Use 2nd:
Dewatering
Dewatering
Dewatering
Data Src:
Dewatering
Data Received:

Final Well Status:DewateringDate Received:26-Jun-2017 00:00:00Water Type:Selected Flag:TRUE

 Casing Material:
 Abandonment Rec:

 Audit No:
 Z245146
 Contractor:
 3413

 Tag:
 A201830
 Form Version:
 7

Constructn Method: Owner:
Elevation (m): County: YORK AND TORONT

Elevation (m): YORK AND TORONT
Elevatn Reliability: Lot:
Depth to Bedrock: Concession:

Well Depth: Concession Name:
Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:

Pump Rate: Northing NAD83
Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\728\9118.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2012/11/18

 Year Completed:
 2012

 Depth (m):
 15.5448

 Latitude:
 43.6904768101682

 Longitude:
 -79.475434690175

 Path:
 728√7289118.pdf

Bore Hole Information

Bore Hole ID: 1006577053 Elevation: DP2BR: Elevro:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622865.00

 Code OB Desc:
 North83:
 4838625.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

 Date Completed:
 18-Nov-2012 00:00:00
 UTMRC Desc:
 margin of error: 30 m - 100 m

Order No: 22090803393

Remarks: Location Method: W
Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006802653

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

 Mat2 Desc:
 STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 18.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006802654

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 18.0 Formation End Depth: 51.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006802662

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006802663

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 51.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006802661

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006802652

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006802657

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:25.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006802658

Layer: 1 Slot: 10 Screen Top Depth: 25.0 Screen End Depth: 51.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006802656

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006802655

 Diameter:
 8.0

 Depth From:
 0.0

 Depth To:
 51.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Links

 Bore Hole ID:
 1006577053
 Tag No:
 A201830

 Depth M:
 15.5448
 Contractor:
 3413

 Year Completed:
 2012
 Path:
 728\7289118.pdf

 Well Completed Dt:
 2012/11/18
 Latitude:
 43.6904768101682

 Audit No:
 Z245146
 Longitude:
 -79.475434690175

110 1 of 2 SW/65.2 127.8 / -2.08 2623 Eglinton Avenue West Toronto ON

Order No: 20130423015

Status: C

Report Type: Custom Report Report Date: 29-APR-13
Date Received: 23-APR-13

Municipality:
Client Prov/State:
Search Radius (km):
X:
0

Nearest Intersection:

Number of Direction/ Elev/Diff Site DΒ Map Key

Y:

Previous Site Name:

Records

Lot/Building Size: Additional Info Ordered:

> 110 2 of 2 SW/65.2 127.8 / -2.08 TD Canada Trust

(m)

Distance (m)

2623 Eglinton Avenue West

0

05-Dec-2016 00:00:00

YORK AND TORONT

Order No: 22090803393

TRUE

3413

7

GEN

Toronto ON

Status:

Co Admin:

Generator No: ON4765834 SIC Code: 445110

SUPERMARKETS AND OTHER GROCERY SIC Description:

(EXCEPT CONVENIENCE) STORES

Approval Years:

PO Box No: Country:

Phone No Admin: Contam. Facility: MHSW Facility:

Flowing (Y/N):

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

UTM Reliability:

Northing NAD83:

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Elevation:

Flow Rate:

Data Src:

Choice of Contact:

Detail(s)

Waste Class: 251

OIL SKIMMINGS & SLUDGES Waste Class Desc:

111 1 of 1 WSW/65.8 128.6 / -1.26 THRETHWAY DRIVE **WWIS Toronto ON**

Well ID: 7276445

Construction Date:

Use 1st: Dewatering

Use 2nd: Final Well Status:

Dewatering

Water Type:

Casing Material:

Z245128 Audit No: Tag: A215326

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

Site Info:

TORONTO CITY Municipality:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276445.pdf

Additional Detail(s) (Map)

Well Completed Date: 2016/10/14 Year Completed: 2016 Depth (m): 26.5176

Latitude: 43.6902777995515 Longitude: -79.4753652826277 727\7276445.pdf Path:

Bore Hole Information

Bore Hole ID: 1006300974 DP2BR:

Elevrc: Spatial Status: Zone: 17

East83:

North83:

Org CS: UTMRC:

UTMRC Desc:

Location Method:

622871.00

4838603.00 UTM83

margin of error: 30 m - 100 m

Order No: 22090803393

Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 14-Oct-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006468782

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 67.0
Formation End Depth: 80.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468780

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

 Mat2 Desc:
 STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 22.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468783

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 11

 Most Common Material:
 GRAVEL

 Mat2:
 12

 Mat2 Desc:
 STONES

Mat3:

Mat3 Desc:

Formation Top Depth: 80.0 Formation End Depth: 87.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468781

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc:

 Mat3:
 85

 Mat3 Desc:
 SOFT

 Formation Top Depth:
 22.0

 Formation End Depth:
 67.0

 Formation End Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006468791

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 87.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006468790

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006468789

Method Construction Code: B

Method Construction:Other MethodOther Method Construction:AIR ROTARY

Pipe Information

Pipe ID: 1006468779

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006468786

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 25.0

 Casing Diameter:
 4.0

 Casing Diameter UOM:
 inch

Order No: 22090803393

Casing Depth UOM:

Construction Record - Screen

Screen ID: 1006468787 Layer:

ft

Slot: 10 25.0 Screen Top Depth: Screen End Depth: 87.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

1006468785 Water ID:

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

1006468784 Hole ID:

Diameter: 8.0 Depth From: 0.0 87.0 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006300974 Tag No: A215326 Depth M: 26.5176 Contractor: 3413

2016 Path: 727\7276445.pdf Year Completed: Well Completed Dt: 2016/10/14 Latitude: 43.6902777995515 -79.4753652826277 Audit No: Z245128 Longitude:

1 of 1 WSW/66.1 128.3 / -1.57 TRETHEWAY DRIVE 112 **Toronto ON**

WWIS

Order No: 22090803393

05-Dec-2016 00:00:00

Well ID: 7276446 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status: Use 2nd: Data Src:

Final Well Status: Dewatering Date Received:

Selected Flag: TRUE Water Type: Casing Material: Abandonment Rec:

Z245132 Audit No: 3413 Contractor:

Tag: A215318 Form Version: 7 Constructn Method: Owner:

County: YORK AND TORONT Elevation (m): Elevatn Reliabilty: Lot: Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: **TORONTO CITY**

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276446.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2016/10/02

 Year Completed:
 2016

 Depth (m):
 30.48

 Latitude:
 43.6902416308425

 Longitude:
 -79.4753537907647

 Path:
 727\7276446.pdf

Bore Hole Information

 Bore Hole ID:
 1006300977
 Elevation:

 DP2BR:
 Elevrc:

Date Completed: 02-Oct-2016 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

Location Method:

Order No: 22090803393

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006468803

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 26

 Mat2 Desc:
 ROCK

 Mat3:
 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 82.0 Formation End Depth: 91.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468800

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 34.0

Formation End Depth: 61.0 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468802

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 69.0 Formation End Depth: 82.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468799

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 34.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468801

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 61.0
Formation End Depth: 69.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468804

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

Order No: 22090803393

Most Common Material: SHALE

Mat2: Mat2 Desc:

Mat3: 71

Mat3 Desc: FRACTURED

Formation Top Depth: 91.0 Formation End Depth: 100.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006468812

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 100.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006468811

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006468810

Method Construction Code:

Method Construction:Other MethodOther Method Construction:AIR ROTARY

Pipe Information

Pipe ID: 1006468798

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006468807

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 25.0

 Casing Diameter:
 4.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Screen

Screen ID: 1006468808

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

 Screen End Depth:
 100.0

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

1006468806 Water ID:

Layer: Kind Code: Kind:

Water Found Depth:

ft Water Found Depth UOM:

Hole Diameter

1006468805 Hole ID:

Diameter: 8.0 Depth From: 0.0 Depth To: 100.0 Hole Depth UOM: ft Hole Diameter UOM: inch

Links

1006300977 Bore Hole ID: A215318 Tag No: Depth M: 30.48 Contractor: 3413

Year Completed: 2016 Path: 727\7276446.pdf Well Completed Dt: 2016/10/02 Latitude: 43.6902416308425 Audit No: Z245132 Longitude: -79.4753537907647

W/72.8 **EGLINTON AVE WEST** 1 of 1 128.3 / -1.56 113 **WWIS Toronto ON**

Flowing (Y/N):

Order No: 22090803393

Flow Rate:

Well ID: 7276449

Construction Date:

Data Entry Status: Use 1st: Dewatering Use 2nd: Data Src:

05-Dec-2016 00:00:00 Final Well Status: 0 Date Received:

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec: Audit No: Z245131 3413 Contractor:

7 Tag: A215332 Form Version: Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession: Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone:

UTM Reliability: Clear/Cloudy:

TORONTO CITY Municipality:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276449.pdf

Additional Detail(s) (Map)

Well Completed Date: 2016/10/02 Year Completed: 2016 Depth (m): 25.908

Site Info:

 Latitude:
 43.6903876294689

 Longitude:
 -79.4754989911714

 Path:
 727√276449.pdf

Bore Hole Information

 Bore Hole ID:
 1006300986
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622860.00

 Code OB Desc:
 North83:
 4838615.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 02-Oct-2016 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

Remarks: Location Method: V
Elevrc Desc:

Overburden and Bedrock

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Location Source Date:

Materials Interval

Formation ID: 1006468846

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:

Most Common Material:

Mat2: Mat2 Desc:

Mat3: 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468847

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6.0 Formation End Depth: 65.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468848

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 65.0 Formation End Depth: 85.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006468855

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006468856

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 85.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006468854

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Alt Name:

Pipe ID: 1006468845

Casing No: 0
Comment:

Construction Record - Casing

Casing ID: 1006468851

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:25.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006468852

Layer: 1 **Slot:** 10

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
Screen Top L Screen End L Screen Mater Screen Depth Screen Diam Screen Diam	Depth: rial: h UOM: eter UOM:	25.0 85.0 5 ft inch 4.0				
Water Details	<u>S</u>					
Water ID: Layer: Kind Code: Kind: Water Found Water Found		1006468850 1 : ft				
	-					
Hole ID: Diameter: Depth From: Depth To: Hole Depth U	JOM:	1006468849 8.0 0.0 85.0 ft inch				
<u>Links</u>						
Bore Hole ID. Depth M: Year Comple Well Comple Audit No:	eted:	1006300986 25.908 2016 2016/10/02 Z245131		Tag No: Contractor: Path: Latitude: Longitude:	A215332 3413 727\7276449.pdf 43.6903876294689 -79.4754989911714	
114	1 of 1	W/73.3	128.3 / -1.57	ON		BORE
Borehole ID: OGF ID: Status: Type: Use: Completion I Static Water I Static Water I Total Depth Ref: Depth Elev: Drill Method: Orig Ground Elev Reliabil DEM Ground Concession: Location D: Survey D: Comments:	Date: Level: er Use: lse: m: Elev m: Note: I Elev m:	639943 215540339 Borehole Geotechnical/Geological Investor SEP-1970 Not Used 8.1 Ground Surface Power auger 125 125	stigation	Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No Initial Entry No No 43.690549 -79.475561 17 622855 4838633 Not Applicable	
Borehole Geo	ology Stratu	<u>um</u>				
Geology Stra Top Depth: Bottom Dept		218490354 2.7 3.7		Mat Consistency: Material Moisture: Material Texture:	Dense	

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m) (m)

Material Color: Brown Non Geo Mat Type: Material 1: Till Geologic Formation: Material 2: Silt Geologic Group: Material 3: Sand Geologic Period:

Material 4: Gravel Depositional Gen: glacial

Gsc Material Description:

Stratum Description: TILL, SILT, SAND, GRAVEL. BROWN, GLACIAL, DENSE, AGE GLACIAL.

Geology Stratum ID: 218490355 Dense Mat Consistency:

Top Depth: 3.7 Material Moisture: **Bottom Depth:** 8.1 Material Texture: Material Color: Grey Non Geo Mat Type: Material 1: Till Geologic Formation: Silt Material 2: Geologic Group: Material 3: Geologic Period: Sand

Material 4 Clav Depositional Gen: glacial

Gsc Material Description:

TILL,SILT,SAND,CLAY.GREY,GLACIAL,DENSE, AGE GLACIAL. 011 013 022 **Note: Many records provided by Stratum Description:

the department have a truncated [Stratum Description] field.

218490351 Geology Stratum ID: Mat Consistency: Top Depth: 0 Material Moisture: **Bottom Depth:** .3 Material Texture: Material Color: Non Geo Mat Type: Material 1: Fill Geologic Formation: Material 2 Sand Geologic Group: Material 3: Gravel Geologic Period:

fill Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: FILL, SAND, GRAVEL.

218490352 Mat Consistency: Geology Stratum ID: Loose

Top Depth: .3 Material Moisture: Material Texture: Bottom Depth: 2.1 Material Color: Brown Non Geo Mat Type: Material 1: Fill Geologic Formation: Material 2: Silt Geologic Group: Material 3: Sand Geologic Period: Material 4: Clay fill Depositional Gen:

Gsc Material Description:

FILL, SILT, SAND, CLAY. BROWN, LOOSE. Stratum Description:

218490353 Geology Stratum ID: Mat Consistency: Loose

Top Depth: 2.1 Material Moisture: **Bottom Depth:** 2.7 Material Texture: Material Color: Black Non Geo Mat Type: Material 1: Fill Geologic Formation: Material 2: Silt Geologic Group: Material 3: Sand Geologic Period: Material 4:

Clay Depositional Gen: fill

Gsc Material Description:

Stratum Description: FILL, SILT, SAND, CLAY. BLACK, LOOSE.

Source

Data Survey Spatial/Tabular Source Type: Source Appl:

Source Orig: Geological Survey of Canada Source Iden: Source Date: 1956-1972 Scale or Res: Varies Confidence: Н Horizontal: NAD27

Observatio: Mean Average Sea Level Verticalda:

Order No: 22090803393

Source Name: Urban Geology Automated Information System (UGAIS) Source Details: File: TOR1B.txt RecordID: 079080 NTS_Sheet: 30M11E

Confiden 1: Logged by professional. Exact and complete description of material and properties. Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

Source List

Source Identifier: 1 Horizontal Datum: NAD27

Source Type:Data SurveyVertical Datum:Mean Average Sea LevelSource Date:1956-1972Projection Name:Universal Transverse Mercator

Scale or Resolution: Varies

Source Name: Urban Geology Automated Information System (UGAIS)

Source Originators: Geological Survey of Canada

115 1 of 1 W/73.8 128.3 / -1.56 EGLINTON AVE WEST WWIS

Toronto ON

Well ID: 7276448 Flowing (Y/N): Construction Date: Flow Rate:

Dewatering Flow Rate:

Dewatering Data Entry Status:

Use 1st:DewateringData Entry Status:Use 2nd:Data Src:Final Well Status:DewateringDate Received:

Final Well Status:DewateringDate Received:05-Dec-2016 00:00:00Water Type:Selected Flag:TRUE

Casing Material:Abandonment Rec:Audit No:Z245133Contractor:3413

Tag: A215333 Form Version:
Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliabilty:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

Static Water Level: Zone:
Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276448.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2016/10/02

 Year Completed:
 2016

 Depth (m):
 25.908

 Latitude:
 43.6903877949375

 Longitude:
 -79.4755113952813

 Path:
 727\7276448.pdf

Bore Hole Information

 Bore Hole ID:
 1006300983
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622859.00

 Code OB Desc:
 North83:
 4838615.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 02-Oct-2016 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

Order No: 22090803393

Remarks: Location Method: ww Elevro Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006468829

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:Formation Top Depth:42.0Formation End Depth:65.0Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468830

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3:

Mat3 Desc:

Formation Top Depth: 65.0 Formation End Depth: 85.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468828

 Layer:
 1

 Color:
 2

 General Color:
 GREY

Mat1:

Most Common Material:

Mat2: Mat2 Desc:

Mat3: 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0 Formation End Depth: 42.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006468837

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006468838

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 85.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006468836

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006468827

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006468833

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:25.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006468834

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

 Screen End Depth:
 85.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 4.0

Water Details

Water ID: 1006468832

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006468831

 Diameter:
 8.0

 Depth From:
 0.0

 Depth To:
 85.0

Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

 Bore Hole ID:
 1006300983
 Tag No:
 A215333

 Depth M:
 25.908
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276448.pdf

 Well Completed Dt:
 2016/10/02
 Latitude:
 43.6903877949375

 Audit No:
 Z245133
 Longitude:
 -79.4755113952813

116 1 of 1 WSW/75.1 127.7 / -2.20 ON WWIS

Well ID: 7272745 Flowing (Y/N):
Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:
Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 06-Oct-2016 00:00:00

Water Type: Selected Flag: TRUE Casing Material: Abandonment Rec:

 Casing Material:
 Abandonment Rec:

 Audit No:
 Z232889
 Contractor:
 7238

 Tag:
 A202804
 Form Version:
 7

Constructn Method:

Owner:

Construct Method:

Owner:

 Elevation (m):
 County:
 YORK AND TORONT

 Elevatn Reliabilty:
 Lot:

 Depth to Bedrock:
 Concession:

Well Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Concession Name:

Easting NAD83:

Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability: Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2016/09/12

 Year Completed:
 2016

 Depth (m):
 26.3652

Latitude: 43.689998112613 **Longitude:** -79.4753227361419

Path:

Bore Hole Information

Source Revision Comment:

Bore Hole ID: 1006262631 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622875.00

 Code OB Desc:
 North83:
 4838572.00

 Open Hole:
 Org CS:
 UTM83

Order No: 22090803393

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 12-Sep-2016 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date:
Improvement Location Source:
Improvement Location Method:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006395399

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 10

Most Common Material: COARSE SAND

Mat2: 08

 Mat2 Desc:
 FINE SAND

 Mat3:
 06

 Mat3 Desc:
 SILT

 Formation Top Depth:
 6.0

 Formation End Depth:
 75.0

 Formation End Depth UOM:
 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395398

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 01

 Most Common Material:
 FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395400

Layer: 3

Color:

General Color:

Mat1: 10

Most Common Material: COARSE SAND

Mat2: 06
Mat2 Desc: SILT

Mat3:

Mat3 Desc:

Formation Top Depth: 75.0
Formation End Depth: 85.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395401

Layer: 4

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 85.0
Formation End Depth: 86.5
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006395410

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 86.5

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006395409

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006395408

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006395397

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006395405

Layer: 1 Material: 7 Open Hole or Material: **OTHER** Depth From: -3.0 22.0 Depth To: Casing Diameter: 4.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006395406

 Layer:
 1

 Slot:
 0.2

 Screen Top Depth:
 22.0

 Screen End Depth:
 86.5

 Screen Material:
 7

Screen Depth UOM: ft Screen Diameter UOM: inch 4.25 Screen Diameter:

Water Details

Water ID: 1006395404

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

1006395403 Hole ID: Diameter: 8.0 Depth From: 8.0

Depth To: 86.5 Hole Depth UOM: Hole Diameter UOM: inch

Hole Diameter

Hole Diameter UOM:

Hole ID: 1006395402 10.0 Diameter: Depth From: 0.0 Depth To: 8.0 Hole Depth UOM: ft

Links

Bore Hole ID: 1006262631 A202804 Tag No: Depth M: 26.3652 Contractor: 7238

Year Completed: Path: 727\7272745.pdf 2016 Well Completed Dt: 2016/09/12 Latitude: 43.689998112613 Audit No: Z232889 Longitude: -79.4753227361419

117 1 of 1 WSW/75.8 128.0 / -1.85 **WWIS** ON

Well ID: 7356458 Flowing (Y/N): **Construction Date:** Flow Rate:

inch

Use 1st: Data Entry Status: Yes Use 2nd: Data Src:

Final Well Status: Date Received: 06-Apr-2020 00:00:00 Water Type: Selected Flag: TRUE Casing Material: Abandonment Rec:

Audit No: C38084 Contractor: 6875

A220865 Form Version: Tag: 8 Constructn Method: Owner: YORK AND TORONT Elevation (m): County:

Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: Year Completed: Depth (m):

Latitude: 43.6902976214021 Longitude: -79.4755012715168 Path:

Bore Hole Information

Bore Hole ID: 1008245736 Elevation: DP2BR: Elevrc:

Spatial Status: 17 Zone: 622860.00 Code OB: East83: Code OB Desc: North83: 4838605.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC:

Date Completed: UTMRC Desc: margin of error: 30 m - 100 m Location Method:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Links

Bore Hole ID: 1008245736 Tag No: A220865

Depth M: Contractor: 6875 Year Completed: Path:

Well Completed Dt: Latitude: 43.6902976214021 Audit No: C38084 Longitude: -79.4755012715168

118 1 of 1 WSW/77.2 127.9 / -2.01 **EGLINTON AVE WEST WWIS Toronto ON**

Concession:

Order No: 22090803393

Well ID: 7276451 Flowing (Y/N): **Construction Date:** Flow Rate:

Use 1st: Dewatering Data Entry Status: Use 2nd: Data Src: 05-Dec-2016 00:00:00 Final Well Status: Dewatering Date Received:

TRUE Water Type: Selected Flag: Casing Material: Abandonment Rec:

Audit No: Z245138 3413 Contractor:

A215322 Form Version: Tag: Constructn Method: Owner:

YORK AND TORONT Elevation (m): County: Elevatn Reliabilty: Lot:

Depth to Bedrock: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: **TORONTO CITY** Site Info:

PDF URL (Map):

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276451.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2016/10/28

 Year Completed:
 2016

 Depth (m):
 26.2128

 Latitude:
 43.6902526173681

 Longitude:
 -79.4755024116856

 Path:
 727√276451.pdf

Bore Hole Information

Bore Hole ID: 1006300992

DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 28-Oct-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006468890

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

 Mat2 Desc:
 STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 36.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468892

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3 Desc:

Mat3:

Formation Top Depth: 62.0 Formation End Depth: 72.0 Formation End Depth UOM: ft Elevation: Elevrc:

Zone: 17 6228

East83: 622860.00
North83: 4838600.00
Org CS: UTM83
UTMRC: 4

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method: ww

Overburden and Bedrock

Materials Interval

Formation ID: 1006468894

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 12

 Mat2 Desc:
 STONES

 Mat3:
 63

Mat3 Desc: COARSE-GRAINED

Formation Top Depth: 81.0
Formation End Depth: 86.0
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006468891

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

 Mat3:
 85

 Mat3 Desc:
 SOFT

 Formation Top Depth:
 36.0

 Formation End Depth:
 62.0

 Formation End Depth UOM:
 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468893

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 72.0
Formation End Depth: 81.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006468901

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006468902

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 86.0

 Plug Depth UOM:
 ft

Method of Construction & Well

Use

Method Construction ID: 1006468900

Method Construction Code: B

Method Construction: Other Method Other Method Construction: AIR ROTARY

Pipe Information

Pipe ID: 1006468889

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006468897

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 25.0

 Casing Diameter:
 4.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Screen

Screen ID: 1006468898

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

 Screen End Depth:
 86.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 4.0

Water Details

Water ID: 1006468896

Layer: Kind Code:

Kind:

Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006468895

Diameter:8.0Depth From:0.0

Depth To: 86.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

 Bore Hole ID:
 1006300992
 Tag No:
 A215322

 Depth M:
 26.2128
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276451.pdf

 Well Completed Dt:
 2016/10/28
 Latitude:
 43.6902526173681

 Audit No:
 Z245138
 Longitude:
 -79.4755024116856

119 1 of 1 W/77.6 128.3 / -1.57 2688 EGLINTON AVE W Toronto ON WWIS

14-May-2013 00:00:00

Order No: 22090803393

Well ID: 7201492 **Flowing (Y/N):**

Construction Date: Flow Rate:
Use 1st: Test Hole Data Entry Status:

Use 2nd:

Final Well Status: Test Hole

Data Src:

Date Received:

Date Received:

Water Type: Selected Flag: TRUE Casing Material: Abandonment Rec:

 Audit No:
 Z146208
 Contractor:
 7215

 Tag:
 A128801
 Form Version:
 7

Tag: A128801 Form Version: 7
Constructn Method: Owner:
Elevation (m): YORK AND TORONT

Elevatn Reliabilty:
Depth to Bedrock:

Well Depth:
Concession Name:
Overburden/Bedrock:
Easting NAD83:

Overburden/Bedrock:Easting NAD83:Pump Rate:Northing NAD83:Static Water Level:Zone:

Clear/Cloudy: UTM Reliability:
Municipality: YORK BOROUGH

Municipality: YORK BOROUGH Site Info:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7201492.pdf

Additional Detail(s) (Map)

Well Completed Date: 2012/08/24 Year Completed: 2012

Depth (m):

PDF URL (Map):

 Latitude:
 43.6905151299357

 Longitude:
 -79.4756074358964

 Path:
 720\7201492.pdf

Bore Hole Information

 Bore Hole ID:
 1004297093
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622851.00

 Code OB Desc:
 North83:
 4838629.00

 Code OB Desc:
 North83:
 4838629.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 24-Aug-2012 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

Remarks: Location Method: ww

Location Source Date:

Improvement Location Source: Improvement Location Method:

Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004817713

 Layer:
 1

 Plug From:
 14.0

 Plug To:
 3.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004817715

 Layer:
 3

 Plug From:
 1.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004817714

 Layer:
 2

 Plug From:
 3.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004817712

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1004817705

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004817709

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 4.0

 Depth To:
 0.0

 Casing Diameter:
 2.0

Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004817710

Map Key	Number Records		Elev/Diff (m)	Site		DB
Layer: Slot: Screen Top I Screen End I Screen Mate Screen Depti Screen Diam	Depth: rial: h UOM: neter UOM:	1 10 14.0 4.0 5 ft inch 2.0				
Water Details	<u>s</u>					
Water ID: Layer: Kind Code: Kind: Water Found	l Donth:	1004817708				
Water Found		//: ft				
Hole Diamete	<u>er</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth U	ЈОМ:	1004817707 9.0 14.0 0.0 ft inch				
<u>Links</u>						
Bore Hole ID Depth M: Year Comple Well Comple Audit No:	eted:	1004297093 2012 2012/08/24 Z146208		Tag No: Contractor: Path: Latitude: Longitude:	A128801 7215 720\7201492.pdf 43.6905151299357 -79.4756074358964	
<u>120</u>	1 of 1	WSW/78.2	127.9 / -2.01	ON		wwis
Well ID: Construction Use 1st: Use 2nd: Final Well St Water Type: Casing Mate. Audit No: Tag: Constructn M Elevation (m Elevatn Relia Depth to Bed Well Depth: Overburden/ Pump Rate: Static Water Clear/Cloudy Municipality: Site Info:	ratus: rial: Method:): abilty: drock: (Bedrock: Level:	7272824 Dewatering Dewatering Z232894 A202809 YORK BOROUGH	ı	Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	11-Oct-2016 00:00:00 TRUE 7238 7 YORK AND TORONT	
PDF URL (Ma	ар):					

Order No: 22090803393

Additional Detail(s) (Map)

 Well Completed Date:
 2016/09/22

 Year Completed:
 2016

 Depth (m):
 27.1272

Latitude: 43.6902527828359 **Longitude:** -79.4755148157676

Path:

Bore Hole Information

Bore Hole ID: 1006265715

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 22-Sep-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006397620

Layer: 3

Color:

General Color:

Mat1: 28
Most Common Material: SAND

 Mat2:
 84

 Mat2 Desc:
 SILTY

 Mat3:
 05

 Mat3 Desc:
 CLAY

 Formation Top Depth:
 18.0

 Formation End Depth:
 78.0

 Formation End Depth UOM:
 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006397622

Layer: 5

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 89.0 Formation End Depth: 89.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Elevation: Elevrc:

Zone: 17

 East83:
 622859.00

 North83:
 4838600.00

 Org CS:
 UTM83

UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Location Method: wwr

Formation ID: 1006397619

Layer: 2 Color: 2 General Color: **GREY** 28 Mat1: Most Common Material: SAND 12 Mat2: Mat2 Desc: **STONES** Mat3: 06 SILT Mat3 Desc: Formation Top Depth: 2.0 Formation End Depth: 18.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006397621

Layer:

Color: General Color:

Mat1: 10

Most Common Material: COARSE SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 12

 Mat3 Desc:
 STONES

 Formation Top Depth:
 78.0

 Formation End Depth:
 89.0

 Formation End Depth UOM:
 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006397618

Layer: 1 **Color:** 6

General Color: BROWN Mat1: 01
Most Common Material: FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 2.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006397631

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 89.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006397630

Layer: Plug From: 0.0 20.0 Plug To: Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006397629

Method Construction Code:

Rotary (Convent.) **Method Construction:**

Other Method Construction:

Pipe Information

Pipe ID: 1006397617 0

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006397626

Layer: 1 Material:

OTHER Open Hole or Material: Depth From: -3.0 Depth To: 22.0 Casing Diameter: 4.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006397627

Layer: 0.2 Slot: Screen Top Depth: 22.0 89.0 Screen End Depth: Screen Material: 7 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.25

Water Details

Water ID: 1006397625

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

1006397623 Hole ID: 10.0 Diameter: Depth From: 0.0 8.0 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch

Map Key Number of Direction/ Elev/Diff Site DΒ Distance (m) (m)

Records

Hole Diameter

Hole ID: 1006397624 Diameter: 8.0 Depth From: 8.0 Depth To: 89.0 Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006265715 Tag No: A202809 Depth M: 27.1272 Contractor: 7238

Year Completed: 2016 Path: 727\7272824.pdf Well Completed Dt: 2016/09/22 Latitude: 43.6902527828359 Z232894 -79.4755148157676 Audit No: Longitude:

WSW/78.6 **EGLINTON AVE WEST** 121 1 of 1 128.0 / -1.85 **Toronto ON**

WWIS

Order No: 22090803393

Well ID:

7276450 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status: Use 2nd: Data Src:

Final Well Status: 05-Dec-2016 00:00:00 Dewatering Date Received:

Water Type: Selected Flag: TRUE

Abandonment Rec: Casing Material:

Audit No: Z245139 Contractor: 3413 Tag: A215327 Form Version: 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT Elevatn Reliabilty: Lot:

Concession: Depth to Bedrock: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability: **TORONTO CITY**

Municipality: Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276450.pdf

Additional Detail(s) (Map)

Well Completed Date: 2016/10/13 Year Completed: 2016 Depth (m): 26.5176

Latitude: 43.6902981178024 Longitude: -79.4755384837912 Path: 727\7276450.pdf

Bore Hole Information

1006300989 Bore Hole ID: Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 17

622857.00 East83: Code OB: Code OB Desc: North83: 4838605.00 Open Hole: Org CS: UTM83 Cluster Kind: **UTMRC**:

UTMRC Desc:

Location Method:

margin of error: 30 m - 100 m

Order No: 22090803393

Date Completed: 13-Oct-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006468864

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

 Mat2 Desc:
 STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 36.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468868

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 26

 Mat2 Desc:
 ROCK

 Mat3:
 63

Mat3 Desc: COARSE-GRAINED

Formation Top Depth: 81.0
Formation End Depth: 87.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468866

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 05

 Mat2 Desc:
 CLAY

Mat3 Desc:

Mat3:

Formation Top Depth: 62.0 Formation End Depth: 73.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468865

Layer: 2 Color: 2 General Color: **GREY** 05 Mat1: Most Common Material: CLAY

Mat2: Mat2 Desc:

Mat3: 85 SOFT Mat3 Desc: Formation Top Depth: 36.0 62.0 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468867

Layer: Color: 2 General Color: **GREY** Mat1: 05 CLAY Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 73.0 Formation End Depth: 81.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

1006468875 Plug ID:

1 Layer: Plug From: 0.0 Plug To: 25.0 Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

1006468876 Plug ID:

Layer: 2 Plug From: 25.0 Plug To: 87.0 Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

1006468874 **Method Construction ID:**

Method Construction Code:

Method Construction: Other Method AIR ROTARY Other Method Construction:

Pipe Information

Pipe ID: 1006468863

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006468871

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:25.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006468872

Layer: 1 Slot: 10 Screen Top Depth: 25.0 Screen End Depth: 87.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006468870

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006468869

 Diameter:
 8.0

 Depth From:
 0.0

 Depth To:
 87.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Links

 Bore Hole ID:
 1006300989
 Tag No:
 A215327

 Depth M:
 26.5176
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276450.pdf

 Well Completed Dt:
 2016/10/13
 Latitude:
 43.6902981178024

 Audit No:
 Z245139
 Longitude:
 -79.4755384837912

EHS

Order No: 22090803393

122 1 of 1 SW/79.9 127.6 / -2.31 2623 Eglinton Ave W Toronto ON M6M1T6

Order No: 20150331005 Nearest Intersection:

 Status:
 C
 Municipality:

 Report Type:
 Standard Report
 Client Prov/State:
 ON

 Report Date:
 07-APR-15
 Search Radius (km):
 .25

 Date Received:
 31-MAR-15
 X:
 -79.475248

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Previous Site Name: **Y**: 43.689868

Lot/Building Size: Additional Info Ordered:

> WSW/80.1 127.9 / -2.01 123 1 of 1 Metrolinx

2688 Eglinton Ave W **Toronto ON**

ON5288509 SIC Code: 611110

SIC Description: Approval Years: 2012

PO Box No: Country:

Generator No:

Elementary and Secondary Schools Choice of Contact:

Phone No Admin: Contam. Facility: MHSW Facility:

Status:

Co Admin:

GEN

Order No: 22090803393

1 of 1 WSW/80.7 127.4 / -2.45 124 **WWIS** ON

7272743 Well ID: Flowing (Y/N):

Construction Date: Flow Rate: Data Entry Status:

Use 1st: Dewatering Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 06-Oct-2016 00:00:00 TRUE Water Type: Selected Flag:

Casing Material: Abandonment Rec: 7238

Z232888 Audit No: Contractor: A202805 Form Version: 7 Tag: Constructn Method: Owner:

YORK AND TORONT Elevation (m): County:

Elevatn Reliabilty: Lot: Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone: Clear/Cloudy: UTM Reliability:

YORK BOROUGH Municipality:

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

2016/09/08 Well Completed Date: Year Completed: 2016 Depth (m): 27.2796

Latitude: 43.6899627713245 -79.4753732644596 Longitude:

Path:

Bore Hole Information

1006262625 Bore Hole ID: Elevation:

DP2BR: Elevrc: Spatial Status: Zone: 17

Code OB: East83: 622871.00 Code OB Desc: 4838568.00 North83: Open Hole: Org CS: UTM83 Cluster Kind: **UTMRC:**

08-Sep-2016 00:00:00 margin of error: 30 m - 100 m Date Completed: **UTMRC Desc:**

Remarks: Location Method:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 1006395350

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 10

Most Common Material: COARSE SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 08

 Mat3 Desc:
 FINE SAND

 Formation Top Depth:
 6.0

 Formation End Depth:
 75.0

 Formation End Depth UOM:
 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395352

Layer: 4
Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 85.0 Formation End Depth: 89.5 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395349

Layer: 1 **Color**: 6

General Color: BROWN
Mat1: 01
Most Common Material: FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395351

Layer: 3

Color:

General Color:

Mat1: 28 Most Common Material: SAND Mat2: 06 SILT Mat2 Desc: Mat3: 12 Mat3 Desc: **STONES** Formation Top Depth: 75.0 Formation End Depth: 85.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006395360

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006395361

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 89.5

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006395359

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction: BORING

Pipe Information

Pipe ID: 1006395348

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006395356

 Layer:
 1

 Material:
 7

Open Hole or Material:OTHERDepth From:-3.0Depth To:22.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006395357

Layer: 1

•	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Slot: Screen Top De Screen End De Screen Materia Screen Depth U Screen Diamete Screen Diamete	pth: il: UOM: er UOM:	0.2 22.0 89.5 7 ft inch 4.25				
Water Details						
Water ID: Layer: Kind Code: Kind:	lonth:	1006395355				
Water Found D Water Found D		ft				
Hole Diameter						
Hole ID: Diameter: Depth From: Depth To: Hole Depth UO: Hole Diameter		1006395354 8.0 8.0 89.5 ft inch				
Hole Diameter						
Hole ID: Diameter: Depth From: Depth To: Hole Depth UO: Hole Diameter		1006395353 10.0 0.0 8.0 ft inch				
<u>Links</u>						
Bore Hole ID: Depth M: Year Completed Well Completed Audit No:	27.2° d: 2016	5 5/09/08		Tag No: Contractor: Path: Latitude: Longitude:	A202805 7238 727\7272743.pdf 43.6899627713245 -79.4753732644596	
125 1	l of 3	WNW/83.2	129.0 / -0.92	YORK BOARD OF EDUCATION EDUCATION ADMINISTRATION CENTRE 2 TRETHWEY DRIVE TORONTO ON M6M 4A8		GEN
Generator No: SIC Code: SIC Description Approval Years PO Box No: Country:	8511 n: ELEI	192300 MT./SECON. EDUC.		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class: Waste Class De	esc:	221 LIGHT FUELS				

Map Key Numb Reco				Site	DB
125	2 of 3	of 3 WNW/83.2 129.0 / -0.92 YORK BOARD OF EDUCATION EDUCATION ADMINISTRATION CENTRE 2 TRETHEWEY DRIVE YORK ON M6M 4A8		GEN	
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON0192300 8511 ELEMT./SECON. EDU 92,93,97,98,99,00,01	C.	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class Waste Class		221 LIGHT FUEL	S		
125	3 of 3	WNW/83.2	129.0 / -0.92	YORK BOARD OF EDUCATION 43-110 EDUCATION ADMINISTRATION CENTRE 2 TRETHWEY DRIVE TORONTO ON M6M 4A8	GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country:	tion: ears:	ON0192300 8511 ELEMT./SECON. EDU 94,95,96	C.	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		221 LIGHT FUEL	S		
<u>126</u>	1 of 2	WNW/83.2	129.0 / -0.92	BD. OF EDUCATION CITY OF YORK 2 TRETHEWEY DRIVE TRETHEWEY DRIVE TORONTO ON M6M 4A8	NPCB
Company C Industry: Site Status: Transaction Inspection I	Date:	O0225			
Details Label: Serial No.: PCB Type/C Location: Item/State: No. of Items Manufacture	:				
Status: Contents:	<i>3</i> 1 .	In-Use			
126	2 of 2	WNW/83.2	129.0 / -0.92	YORK BOARD OF EDUCATION 2 TRETHEWEY DR. TORONTO ON M6M 4A8	GEN
Generator No:		ON0192300		Status:	

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

8511 SIC Code:

SIC Description: ELEMT./SECON. EDUC. 86,87,88,89

Approval Years: PO Box No: Country:

Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 251

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

Waste Class:

ORGANIC LABORATORY CHEMICALS Waste Class Desc:

Waste Class:

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

1 of 1 WSW/84.1 127.9 / -2.04 127 **WWIS** ON

Flowing (Y/N):

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83: Northing NAD83:

UTM Reliability:

Date Received: Selected Flag:

06-Oct-2016 00:00:00

YORK AND TORONT

Order No: 22090803393

TRUE

7238

7

Flow Rate:

Data Src:

Contractor:

Owner:

County:

Lot:

Zone:

Form Version:

Concession:

Well ID: 7272749

Construction Date: Dewatering Use 1st:

Use 2nd:

Final Well Status: Dewatering

Water Type:

Casing Material: Audit No:

Z232900 A202810 Tag:

Constructn Method:

Elevation (m): Elevatn Reliabilty:

Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level:

Clear/Cloudy:

PDF URL (Map):

Municipality:

Site Info:

Additional Detail(s) (Map)

Well Completed Date: 2016/09/23 2016 Year Completed: 27.1272 Depth (m):

Latitude: 43.690308111374 Longitude: -79.4756126803253

Path:

Bore Hole Information

Bore Hole ID: 1006262643 Elevation: DP2BR: Elevrc:

YORK BOROUGH

Spatial Status: Zone: 17 622851.00 Code OB: East83: Code OB Desc: North83: 4838606.00 Open Hole: Org CS: UTM83

Cluster Kind: UTMRC:

Date Completed: 23-Sep-2016 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

wwr

Order No: 22090803393

Remarks: Location Method:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock **Materials Interval**

Formation ID: 1006395481

Layer:

Color:

General Color:

Mat1: 26 Most Common Material: **ROCK**

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 89.0

Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395479

Layer:

Color: General Color:

Mat1:

06 Most Common Material: SILT Mat2: 81 SANDY Mat2 Desc:

Mat3: 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 1.0 Formation End Depth: 76.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395478

Layer:

Color:

General Color:

Mat1: 02 **TOPSOIL** Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

0.0 Formation Top Depth: Formation End Depth: 1.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395480

Layer: 3

Color: General Color:

Mat1:28Most Common Material:SANDMat2:84

 Mat2 Desc:
 SILTY

 Mat3:
 05

 Mat3 Desc:
 CLAY

 Formation Top Depth:
 76.0

 Formation End Depth:
 89.0

 Formation End Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006395490

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 89.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006395489

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006395488

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006395477

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006395485

 Layer:
 1

 Material:
 7

 Open Hole or Material:
 OTHER

 Depth From:
 -3.0

Depth To:22.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Map Key	Number Records		Elev/Diff (m)	Site		DB
Screen ID: Layer: Slot: Screen Top I Screen End I Screen Mate Screen Depti Screen Diam	Depth: rial: h UOM: neter UOM:	1006395486 1 0.2 22.0 89.0 7 ft inch 4.25				
Water Detail:	<u>s</u>					
Water ID: Layer: Kind Code: Kind: Water Found	l Deoth:	1006395484				
Water Found		<i>1</i> : ft				
Hole Diamete	<u>er</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth U	ЈОМ:	1006395482 10.0 0.0 8.0 ft inch				
Hole Diamete	<u>er</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth U	ЈОМ:	1006395483 8.0 8.0 89.0 ft inch				
<u>Links</u>						
Bore Hole ID Depth M: Year Comple Well Comple Audit No:	eted:	1006262643 27.1272 2016 2016/09/23 Z232900		Tag No: Contractor: Path: Latitude: Longitude:	A202810 7238 727\7272749.pdf 43.690308111374 -79.4756126803253	
128	1 of 2	SSW/86.2	127.6 / -2.27	ON		wwis
Well ID: Construction Use 1st: Use 2nd: Final Well St Water Type: Casing Mate Audit No: Tag: Construct In Elevation (m Elevati Relia Depth to Bed Well Depth:	rial: Method:): abilty:	7212577 C24312		Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: County: Lot: Concession: Concession Name:	Yes 10-Dec-2013 00:00:00 TRUE 7230 8 YORK AND TORONT	

DΒ Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Overburden/Bedrock:

Pump Rate:

Static Water Level:

Clear/Cloudy:

Municipality: Site Info:

YORK BOROUGH

2013/11/08

43.6896214657938

-79.47476150474

2013

1004663659

08-Nov-2013 00:00:00

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: Year Completed:

Depth (m):

Latitude: Longitude:

Path:

Bore Hole Information

Bore Hole ID:

DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed:

Remarks:

Elevrc Desc:

Location Source Date: Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

Links

Bore Hole ID:

1004663659 Depth M:

128

Year Completed: 2013 Well Completed Dt: 2013/11/08 C24312

Audit No:

SSW/86.2

127.6 / -2.27

Well ID: 7212579

2 of 2

Construction Date: Use 1st: Use 2nd: Final Well Status:

Water Type: Casing Material:

Audit No: C24311

Tag: Constructn Method:

Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 17 622921.00 East83: North83: 4838531.00 Org CS: UTM83

UTMRC:

margin of error: 30 m - 100 m **UTMRC Desc:**

Location Method: wwr

Tag No:

Contractor: 7230

Path:

Latitude: 43.6896214657938 Longitude: -79.47476150474

WWIS

Order No: 22090803393

ON

Flowing (Y/N): Flow Rate:

Data Entry Status:

Data Src:

10-Dec-2013 00:00:00 Date Received:

Yes

YORK AND TORONT

Selected Flag: TRUE

Abandonment Rec:

Contractor: 7230 Form Version: 8

Owner: County:

Lot: Concession: Concession Name:

Easting NAD83:

erisinfo.com | Environmental Risk Information Services

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Northing NAD83: Pump Rate:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability: YORK BOROUGH

Municipality: Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

2013/03/15 Well Completed Date: 2013 Year Completed:

Depth (m):

Latitude: 43.6896214657938 Longitude: -79.47476150474

Path:

Bore Hole Information

Bore Hole ID: 1004663665 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 17 Code OB: East83: 622921.00

4838531.00 Code OB Desc: North83: Open Hole: Org CS: UTM83 **UTMRC**: Cluster Kind:

Date Completed: 15-Mar-2013 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Remarks: Location Method:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

1004663665

Bore Hole ID:

Links

7230 Depth M: Contractor:

Year Completed: Path: 2013 Well Completed Dt: 2013/03/15 43.6896214657938 Latitude: C24311 -79.47476150474 Audit No: Longitude:

129 1 of 1 WSW/86.5 127.4 / -2.45 **WWIS** ON

Tag No:

Order No: 22090803393

7272740 Flowing (Y/N): Well ID:

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src: Final Well Status: Dewatering

06-Oct-2016 00:00:00 Date Received: TRUE Water Type: Selected Flag: Abandonment Rec:

Casing Material: Audit No: Z232887 7238 Contractor:

A202806 Form Version: 7 Tag: Constructn Method: Owner:

YORK AND TORONT Elevation (m): County: Elevatn Reliabilty: Lot: Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level:

Clear/Cloudy:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2016/09/07

 Year Completed:
 2016

 Depth (m):
 26.2128

 Latitude:
 43.689936596295

 Longitude:
 -79.4754359686918

Path:

Bore Hole Information

Bore Hole ID: 1006262616 **DP2BR:**

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 07-Sep-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006395114

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 10

 Most Common Material:
 COARSE SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 08

Mat3 Desc:FINE SANDFormation Top Depth:6.0Formation End Depth:76.0Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395113

Layer: 1 **Color:** 6

General Color: BROWN Mat1: 01
Most Common Material: FILL

Mat2: Mat2 Desc: Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 17

 East83:
 622866.00

 North83:
 4838565.00

 Org CS:
 UTM83

UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393

Location Method: wwr

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395115

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 10

Most Common Material: COARSE SAND

 Mat2:
 12

 Mat2 Desc:
 STONES

 Mat3:
 06

 Mat3 Desc:
 SILT

 Formation Top Depth:
 76.0

 Formation End Depth:
 85.0

 Formation End Depth UOM:
 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395116

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 85.0 Formation End Depth: 86.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006395124

 Layer:
 1

 Plug From:
 0.0

Plug To: 20.0
Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006395125

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 86.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006395123

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction: BORING

Pipe Information

Pipe ID: 1006395112

Casing No: Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006395120

Layer: 1
Material: 7

Open Hole or Material:OTHERDepth From:-3.0Depth To:22.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006395121

 Layer:
 1

 Slot:
 0.2

 Screen Top Depth:
 22.0

 Screen End Depth:
 86.0

 Screen Material:
 7

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 4.25

Water Details

Water ID: 1006395119

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

 Hole ID:
 1006395117

 Diameter:
 10.0

 Depth From:
 0.0

 Depth To:
 8.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Hole Diameter

Hole ID: 1006395118

 Diameter:
 8.0

 Depth From:
 8.0

 Depth To:
 86.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m)

1006262616

2016/09/07

Z232887

26.2128

2016

(m)

Tag No: A202806 Contractor: 7238

Path: 727\7272740.pdf Latitude: 43.689936596295 -79.4754359686918 Longitude:

130 1 of 1 SW/86.5 127.2 / -2.71 **WWIS** ON

Well ID: 7259790 Flowing (Y/N):

Construction Date: Flow Rate: Data Entry Status: Use 1st:

Use 2nd: Data Src: Final Well Status: Date Received: Water Type:

Casing Material: C29807 7230 Audit No: Contractor:

A163742 Form Version: Tag: 8 Constructn Method: Owner: Elevation (m):

Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name:

Overburden/Bedrock: Pump Rate: Northing NAD83: Static Water Level:

Clear/Cloudy:

Municipality: YORK BOROUGH Site Info:

PDF URL (Map):

Links

Bore Hole ID:

Year Completed:

Well Completed Dt:

Depth M:

Audit No:

Additional Detail(s) (Map)

Well Completed Date: 2015/04/16 Year Completed: 2015

Depth (m):

43.6897254404679 Latitude: Longitude: -79.4751311142909

Path:

Bore Hole Information

1005912654 Bore Hole ID: Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 17 Code OB: East83: 622891.00 Code OB Desc: North83: 4838542.00 Org CS: Open Hole: UTM83 Cluster Kind: **UTMRC:**

UTMRC Desc: 16-Apr-2015 00:00:00 margin of error: 30 m - 100 m Date Completed:

Remarks: Location Method: wwr

Location Source Date:

Elevrc Desc:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Order No: 22090803393

Yes

23-Mar-2016 00:00:00

Selected Flag: TRUE

Abandonment Rec:

YORK AND TORONT County:

Easting NAD83:

Zone:

UTM Reliability:

Links

Bore Hole ID: 1005912654

Depth M:

 Year Completed:
 2015

 Well Completed Dt:
 2015/04/16

 Audit No:
 C29807

 Tag No:
 A163742

 Contractor:
 7230

Path:

Latitude: 43.6897254404679 **Longitude:** -79.4751311142909

WWIS

Order No: 22090803393

131 1 of 1 WSW/86.9 127.4 / -2.45 EGLINTON AVE WEST

Toronto ON

Well ID: 7276447 Flowing (Y/N):

Construction Date:
Use 1st:
Use 2nd:
Dewatering
Dewatering
Deta Entry Status:
Data Src:

Final Well Status:DewateringDate Received:05-Dec-2016 00:00:00Water Type:Selected Flag:TRUE

Water Type: Selected Flag:
Casing Material: Abandonment Rec:

 Audit No:
 Z245137
 Contractor:
 3413

 Tag:
 A215317
 Form Version:
 7

Constructn Method:

Elevation (m):

County:

YORK AND TORONT

Elevatn Reliability:

Lot:

Elevatn Reliabilty:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Lot:

Concession:

Concession Name:

Easting NAD83:

Overburden/Bedrock:Easting NAD83:Pump Rate:Northing NAD83:Static Water Level:Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276447.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2016/10/14

 Year Completed:
 2016

 Depth (m):
 25.908

 Latitude:
 43.6899184292055

 Longitude:
 -79.4754240207606

 Path:
 727\7276447.pdf

Bore Hole Information

Bore Hole ID: 1006300980 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622867.00

 Code OB Description
 North83:
 4838563.00

 Code OB Desc:
 North83:
 4838563.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 14-Oct-2016 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

Remarks: Location Method: ww

Location Source Date:

Elevrc Desc:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006468818

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 12

 Mat2 Desc:
 STONES

Mat3: 63
Mat3 Desc: COARSE-GRAINED

Formation Top Depth: 82.0 Formation End Depth: 85.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468814

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

 Mat2 Desc:
 STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 34.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468815

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc:

Mat3:85Mat3 Desc:SOFTFormation Top Depth:34.0Formation End Depth:61.0Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

 Formation ID:
 1006468816

 Laver:
 3

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 05

 Mat2 Desc:
 CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 61.0 Formation End Depth: 68.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006468817

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 68.0 Formation End Depth: 82.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006468826

 Layer:
 2

 Plug From:
 0.0

 Plug To:
 85.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006468825

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006468824

Method Construction Code: B

Method Construction: Other Method Other Method Construction: AIR ROTARY

Pipe Information

Pipe ID: 1006468813

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006468821

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0

Order No: 22090803393

Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006468822

Layer: 1 Slot: 10 25.0 Screen Top Depth: Screen End Depth: 85.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006468820

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

 Hole ID:
 1006468819

 Diameter:
 8.0

 Depth From:
 0.0

 Depth To:
 85.0

Hole Depth UOM: ft
Hole Diameter UOM: inch

<u>Links</u>

 Bore Hole ID:
 1006300980
 Tag No:
 A215317

 Depth M:
 25.908
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276447

 Year Completed:
 2016
 Path:
 727\7276447.pdf

 Well Completed Dt:
 2016/10/14
 Latitude:
 43.6899184292055

 Audit No:
 Z245137
 Longitude:
 -79.4754240207606

132 1 of 4 ENE/89.2 134.5 / 4.61 Gam X-Ray Limited

2600 Eglington Avenue West Suite 104

Status:

Toronto ON M6M1T5

GEN

Order No: 22090803393

 Generator No:
 ON8789065

 SIC Code:
 621510

SIC Description: Medical and Diagnostic Laboratories

Approval Years: 0

PO Box No:

05

Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Country:

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

ENE/89.2	134.5 / 4.61	873815 Ontario Limite 2600 EGLINTON AVE 1T5 Toronto ON M6M 1T5		RSC
		Cert Date: Cert Prop Use No: Intended Prop Use: Qual Person Name: Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N):	12-Nov-04 No CPU Residential Mr. Timothy Neeb	
	:NE/ 69.2	:NE/09.2 134.37 4.01	2600 EGLINTON AVE 1T5 Toronto ON M6M 1T5 Cert Date: Cert Prop Use No: Intended Prop Use: Qual Person Name: Stratified (Y/N): Audit (Y/N):	2600 EGLINTON AVE W, TORONTO, ON, M6M 1T5 Toronto ON M6M 1T5 Cert Date: 12-Nov-04 Cert Prop Use No: No CPU Intended Prop Use: Residential Qual Person Name: Mr. Timothy Neeb Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): Yes

905-2713331 Restoration Type: Telephone: 905-2710358 Soil Type: Fax: Criteria: Email:

Mahogany2@rogers.com

CPU Issued Sect No

1686:

Asmt Roll No: Prop ID No (PIN): 10491 - 0165 LT

Property Municipal Address: 2600 EGLINTON AVE W, TORONTO, ON, M6M 1T5 1176 TECUMSEH PARK DR, MISSISSAUGA, ON, L5H 2W1 Mailing Address:

Latitude & Latitude: 43.69111110N 79.47277780W

UTM Coordinates: NAD83 17-623078-4838699 (converted from Latitude & Longitude)

Consultant:

LOT 8 PL 2126 Twp of York; LOT 9 PL2126 Twp of York; PT BLK B PL 2126 Twp of York as in CA 651184;S/T & Legal Desc:

T/W CA 651184; Toronto (York) Description amended on 2002/05/08 by M. Garstka, City of Toronto

Order No: 22090803393

Measurement Method: Digitized from a map Applicable Standards: ESA Phase 1

RSC PDF:

132	3 of 4	ENE/89.2	134.5 / 4.61	2600 Eglinton Avenue ON	West, Toronto	INC
Incident No) <i>:</i>	393594		Any Health Impact:	No	
Incident ID:	:	2545230		Any Enviro Impact:	No	
Instance No	o <i>:</i>			Service Interrupted:	No	
Status Cod	e:	Causal Analysis Complete		Was Prop Damaged:	No	
Attribute Ca	ategory:	FS-Perform L1 Incident Insp		Reside App. Type:		
Context:		·		Commer App. Type:	Water heater	
Date of Occ	currence:	2010/05/23 00:00:00		Indus App. Type:		
Time of Oc	currence:	05:55:00		Institut App. Type:		
Incident Cr	eated On:			Venting Type:	Power Vent (e.g., Side Wall venting)	
Instance Cr	reation Dt:			Vent Conn Mater:	Plastic - PVC	
Instance In	stall Dt:			Vent Chimney Mater:	Plastic - PVC	
Occur Insp	Start Date:	2010/05/25 00:00:00		Pipeline Type:		
Approx Qua	ant Rel:			Pipeline Involved:		
Tank Capac				Pipe Material:		
Fuels Occu	• •	CO Release		Depth Ground Cover:		
Fuel Type I		Natural Gas		Regulator Location:		
Enforceme	•	NULL		Regulator Type:		
Prc Escalat	•	NULL		Operation Pressure:		
Tank Mater	• •			Liquid Prop Make:		
Tank Stora	. ,,			Liquid Prop Model:		
Tank Locat	• •			Liquid Prop Serial No:		
Pump Flow	Rate Cap:	0000450		Liquid Prop Notes:		
Task No:		2902158		Equipment Type:	DTI 1050070	
Notes:				Equipment Model:	BTH250970	
Drainage S	•			Serial No:	M05M005321	
Sub Surfac Aff Prop Us				Cylinder Capacity: Cylinder Cap Units:		
Contam. Mi				Cylinder Mat Type:		
Contact Na	•			Near Body of Water:		
Incident Lo		2600 Eglinton Aven	ue West Toronto -			
Occurence		Co incident due to n				
Jecui ence	italialive.	Oo modern due to n	o maint on water in	outor		

Direction/ Elev/Diff Site DΒ Map Key Number of Records Distance (m) (m)

Operation Type Involved:

Item:

Item Description:

Device Installed Location:

Multi-unit Residential

132 4 of 4 ENE/89.2 134.5 / 4.61 2600 EGLINTON AVE W, TORONTO

INC

WWIS

Order No: 22090803393

Incident No: 1846776 Incident ID: Any Enviro Impact: Instance No: Service Interrupted: Was Prop Damaged: Status Code:

Reside App. Type: Attribute Category: FS-Perform L1 Incident Insp Context: Commer App. Type: Date of Occurrence: 2016/04/17 00:00:00

Time of Occurrence: 22:09:00 Incident Created On: Instance Creation Dt:

Instance Install Dt: Occur Insp Start Date: 2016/04/18 00:00:00

Approx Quant Rel: Tank Capacity: Fuels Occur Type:

CO Release Fuel Type Involved: Natural Gas **Enforcement Policy:** NULL Prc Escalation Req: NULL

Tank Material Type: Tank Storage Type: Tank Location Type: Pump Flow Rate Cap:

Task No: 6131913

Notes:

Drainage System: Sub Surface Contam.: Aff Prop Use Water: Contam. Migrated:

Contact Natural Env: Incident Location:

Occurence Narrative: Operation Type Involved:

Item:

Item Description:

Device Installed Location:

Any Health Impact: No No

Yes No

Indus App. Type: Institut App. Type: Venting Type: Vent Conn Mater: Vent Chimney Mater: Pipeline Type: Pipeline Involved: Pipe Material: **Depth Ground Cover:** Regulator Location:

Regulator Type: Operation Pressure: Liquid Prop Make: Liquid Prop Model: Liquid Prop Serial No: Liquid Prop Notes: Equipment Type: **Equipment Model:** Serial No:

Cylinder Capacity: Cylinder Cap Units: Cylinder Mat Type: Near Body of Water:

2600 EGLINTON AVE W, TORONTO - CO RELEASE 50 ppm in boiler room

ON

133 1 of 1 WSW/90.4 127.2 / -2.72

7214948 Well ID: Flowing (Y/N): **Construction Date:** Flow Rate:

Multi-unit Residential

Use 1st: Data Entry Status: Yes Use 2nd: Data Src:

Final Well Status: Date Received: 17-Jan-2014 00:00:00 Water Type: Selected Flag: TRUE Abandonment Rec: Casing Material: Yes 6964

Audit No: C21856 Contractor: Form Version: Tag: 8 Constructn Method: Owner:

YORK AND TORONT Elevation (m): County: Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH
Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2013/11/07 Year Completed: 2013

Depth (m):

 Latitude:
 43.689950415598

 Longitude:
 -79.4755067176247

Path:

Bore Hole Information

 Bore Hole ID:
 1004689549
 Elevation:

 DP2BR:
 Elevro:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622860.27

 Code OB:
 East83:
 622860.27

 Code OB Desc:
 North83:
 4838566.43

 Open Hole:
 Org CS:
 M2710

 Cluster Kind:
 UTMRC:
 5

 Date Completed:
 07-Nov-2013 00:00:00
 UTMRC Desc:
 margin of error : 100 m - 300 m

Remarks: Location Method: W

Elevrc Desc: Location Source Date:

Improvement Location Source:
Improvement Location Method:
Source Revision Comment:

Supplier Comment:

1004689549

Bore Hole ID:

Links

Depth M: Contractor: 6964

 Year Completed:
 2013
 Path:

 Well Completed Dt:
 2013/11/07
 Latitude:
 43.689950415598

 Audit No:
 C21856
 Longitude:
 -79.4755067176247

134 1 of 1 WSW/90.6 127.4/-2.46 ON WWIS

Tag No:

Well ID: 7272748 **Flowing (Y/N):**

Construction Date: Flow Rate:
Use 1st: Dewatering Data Entry Status:

Use 2nd:Data Src:Final Well Status:DewateringDate Received:06-Oct-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material:Abandonment Rec:Audit No:Z232899Contractor:7238

 Audit No:
 Z232899
 Contractor:
 7238

 Tag:
 A202811
 Form Version:
 7

 Constructn Method:
 Owner:

Elevation (m): County: YORK AND TORONT
Elevatn Reliability: Lot:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

Order No: 22090803393

Static Water Level:

Clear/Cloudy:

PDF URL (Map):

Municipality: YORK BOROUGH

Site Info:

Additional Detail(s) (Map)

 Well Completed Date:
 2016/09/26

 Year Completed:
 2016

 Depth (m):
 28.3464

 Latitude:
 43.6902549337958

 Longitude:
 -79.4756760688441

Path:

Bore Hole Information

Bore Hole ID: 1006262640

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 26-Sep-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006395465

Layer: 2

Color:

General Color:

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 1.0
Formation End Depth: 76.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395466

Layer: 3

Color:

General Color:

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 84

 Mat2 Desc:
 SILTY

Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 17

 East83:
 622846.00

 North83:
 4838600.00

 Org CS:
 UTM83

UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393

Location Method: wwr

Mat3: 05 Mat3 Desc: CLAY 76.0 Formation Top Depth: Formation End Depth: 89.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395467

Layer: Color:

General Color:

Mat1: 15

LIMESTONE Most Common Material:

Mat2: 26 Mat2 Desc: **ROCK**

Mat3:

Mat3 Desc:

Formation Top Depth: 89.0 93.0 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395464

Layer: Color:

General Color:

Mat1:

02 **TOPSOIL** Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

0.0 Formation Top Depth: Formation End Depth: 1.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

1006395476 Plug ID:

2 Layer: Plug From: 20.0 Plug To: 93.0 Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006395475

Layer: Plug From: 0.0 Plug To: 20.0 Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

1006395474 **Method Construction ID:**

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006395463

Casing No: Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006395471

Layer: 1
Material: 7

Open Hole or Material:OTHERDepth From:-3.0Depth To:22.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006395472

 Layer:
 1

 Slot:
 0.2

 Screen Top Depth:
 22.0

 Screen End Depth:
 93.0

 Screen Material:
 7

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 4.25

Water Details

Water ID: 1006395470

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

 Hole ID:
 1006395468

 Diameter:
 10.0

 Depth From:
 0.0

 Depth To:
 8.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Hole Diameter

Hole ID: 1006395469

 Diameter:
 8.0

 Depth From:
 8.0

 Depth To:
 93.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

Links

Bore Hole ID: 1006262640 Depth M: 28.3464 Year Completed: 2016 Well Completed Dt: 2016/09/26 Z232899 Audit No:

Tag No: A202811 Contractor: 7238

Path: 727\7272748.pdf Latitude: 43.6902549337958 -79.4756760688441 Longitude:

135 1 of 1 WSW/92.0 127.2 / -2.72 **WWIS** ON

Well ID: 7272746

Construction Date: Use 1st: Dewatering Use 2nd:

Final Well Status: Dewatering

Water Type: Casing Material:

Z232890 Audit No: A202807 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty:

Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/09/15 Year Completed: 2016 Depth (m): 27.432

43.6899559216653 Latitude: Longitude: -79.4755347447748

Path:

Bore Hole Information

1006262634 Bore Hole ID: DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

15-Sep-2016 00:00:00 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Flowing (Y/N): Flow Rate: Data Entry Status:

Data Src:

06-Oct-2016 00:00:00 Date Received:

TRUE Selected Flag:

Abandonment Rec: 7238 Contractor:

Form Version: 7 Owner:

YORK AND TORONT County:

17

622858.00

UTM83

wwr

4838567.00

margin of error: 30 m - 100 m

Lot: Concession:

Concession Name: Easting NAD83: Northing NAD83:

Zone:

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

UTM Reliability:

erisinfo.com | Environmental Risk Information Services

452

Overburden and Bedrock

Materials Interval

Formation ID: 1006395418

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 01

 Most Common Material:
 FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395420

Layer: 3

Color: General Color:

Mat1: 06
Most Common Material: SILT

Mat2: 10

Mat2 Desc:COARSE SANDMat3:13Mat3 Desc:BOULDERSFormation Top Depth:78.0

Formation End Depth: 86.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395421

Layer: 4
Color:

General Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 86.0 Formation End Depth: 90.0

Formation End Depth: 90.0 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395419

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 10

Mat2 Desc: COARSE SAND

Mat3:

Mat3 Desc:

Formation Top Depth: 6.0 Formation End Depth: 78.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006395430

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 90.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006395429

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006395428

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006395417

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006395425

Layer: 1 Material: 7

Open Hole or Material:

OTHER

Depth From:
-3.0

Depth To:
22.0

Casing Diameter:
4.0

Casing Diameter UOM:
inch
Casing Depth UOM:
ft

Construction Record - Screen

Screen ID: 1006395426

 Layer:
 1

 Slot:
 0.2

 Screen Top Depth:
 22.0

 Screen End Depth:
 90.0

 Screen Material:
 7

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 4.25

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Water Details

Water ID: 1006395424

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006395422 Diameter: 10.0 Depth From: 0.0 Depth To: 8.0 Hole Depth UOM: ft Hole Diameter UOM: inch

Hole Diameter

Hole Diameter UOM:

1006395423 Hole ID: Diameter: 8.0 Depth From: 8.0 90.0 Depth To: Hole Depth UOM: ft

inch

<u>Links</u>

1006262634 A202807 Bore Hole ID: Tag No: Depth M: 27.432 Contractor: 7238

Year Completed: 2016 Path: 727\7272746.pdf Well Completed Dt: 2016/09/15 Latitude: 43.6899559216653 Audit No: Z232890 Longitude: -79.4755347447748

136 1 of 2 SW/92.1 127.2 / -2.67 SPL

Ref No: 7615-99FBSU

Site No:

Incident Dt: 2013/07/09

Year:

Incident Cause: Incident Event:

Contaminant Code:

Contaminant Name: NATURAL GAS (METHANE)

Contaminant Limit 1: Contam Limit Freq 1:

Contaminant UN No 1:

Environment Impact: Confirmed Air Pollution

Nature of Impact: Receiving Medium:

Receiving Env: MOE Response:

Not MOE mandate

Dt MOE Arvl on Scn:

MOE Reported Dt: 2013/07/09

Dt Document Closed: 2013/08/24

Incident Reason: Weather Conditions Site Name:

Site County/District:

Operator/Human error

pipelline<UNOFFICIAL>

2631 eglington ave w

Toronto ON

Discharger Report: Material Group:

Health/Env Conseq: Client Type:

Sector Type: Pipeline/Components

Agency Involved:

Nearest Watercourse:

Site Address: 2631 eglington ave w

Site District Office: Site Postal Code:

Site Region:

Site Municipality:

Site Lot: Site Conc: Northing:

Easting:

Site Geo Ref Accu: Site Map Datum:

SAC Action Class: TSSA - Fuel Safety Branch - Hydrocarbon Fuel

Order No: 22090803393

Release/Spill

Toronto

Source Type:

Elev/Diff Site DΒ Map Key Number of Direction/

Site Geo Ref Meth:

Incident Summary: TSSA - Eglington Ave W

Contaminant Qty: 0 other - see incident description

136 2 of 2 SW/92.1 127.2 / -2.67 2631 EGLINTON AVE W, TORONTO INC

Incident No: 1142196

Records

Incident ID: Any Enviro Impact: Instance No:

Distance (m)

(m)

Status Code:

FS-Perform L1 Incident Insp Attribute Category:

Context:

2013/07/09 00:00:00 Date of Occurrence:

Time of Occurrence: 02:00:00

Incident Created On:

Instance Creation Dt: Instance Install Dt:

Occur Insp Start Date: 2013/07/09 00:00:00

Approx Quant Rel: Tank Capacity:

Fuels Occur Type: Vapour Release Fuel Type Involved: Natural Gas **Enforcement Policy:** NULL NULL Prc Escalation Req:

Tank Material Type: Tank Storage Type: Tank Location Type: Pump Flow Rate Cap:

4542550 Task No:

Notes:

Drainage System: Sub Surface Contam.: Aff Prop Use Water:

Contam. Migrated: Contact Natural Env:

Incident Location: Occurence Narrative:

Operation Type Involved:

Item:

Item Description:

137

Well ID:

Use 1st: Use 2nd:

Device Installed Location:

1 of 1

Any Health Impact: No No

Service Interrupted: No Was Prop Damaged: No Reside App. Type:

Commer App. Type: Indus App. Type: Institut App. Type: Venting Type: Vent Conn Mater:

Vent Chimney Mater: Pipeline Type: Pipeline Involved: Pipe Material:

Depth Ground Cover: Regulator Location: Regulator Type: Operation Pressure: Liquid Prop Make: Liquid Prop Model: Liquid Prop Serial No: **Liquid Prop Notes:** Equipment Type: Equipment Model:

Serial No:

Cylinder Capacity: Cylinder Cap Units: Cylinder Mat Type:

Near Body of Water: 2631 EGLINTON AVE W, TORONTO - VAPOUR RELEASE

WWIS

Order No: 22090803393

Service riser&jumper cracked

127.2 / -2.74

Commercial (e.g. restaurant, business unit, etc)

Construction Date:

Final Well Status:

WSW/95.4

ON

Flowing (Y/N): 7272747 Flow Rate:

Dewatering Data Entry Status: Data Src:

06-Oct-2016 00:00:00 Dewatering Date Received: TRUE Selected Flag:

Water Type: Casing Material: Abandonment Rec:

Z232898 7238 Audit No: Contractor: Tag: A202812 Form Version: 7

Constructn Method: Owner: Elevation (m): County: YORK AND TORONT Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Location Method:

wwr

Order No: 22090803393

Static Water Level:

Zone: Clear/Cloudy: UTM Reliability:

YORK BOROUGH Municipality:

Site Info:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7272747.pdf PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/09/27 2016 Year Completed: Depth (m): 26.8224

Latitude: 43.6901380887446 Longitude: -79.4756914369925 Path: 727\7272747.pdf

Bore Hole Information

Bore Hole ID: 1006262637 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 17 622845.00 Code OB: East83: Code OB Desc: North83: 4838587.00 UTM83 Open Hole: Org CS:

Cluster Kind: UTMRC: UTMRC Desc: margin of error: 30 m - 100 m

Date Completed: 27-Sep-2016 00:00:00 Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:** Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006395452

3 Layer:

Color:

General Color:

28 Mat1: Most Common Material: SAND 84 Mat2: SILTY Mat2 Desc: Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 76.0 88.0 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395451

Layer: 2

Color:

General Color:

06 Mat1: Most Common Material: SILT Mat2: SANDY Mat2 Desc:

Mat3: 10

Mat3 Desc: **COARSE SAND**

Formation Top Depth: 1.0 Formation End Depth: 76.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395453

Layer:

Color: General Color:

Mat1:

15

LIMESTONE Most Common Material:

Mat2: 26 Mat2 Desc: **ROCK**

Mat3:

Mat3 Desc:

Formation Top Depth: 88.0 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395450

Layer: Color:

General Color:

Mat1: 02 **TOPSOIL** Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

0.0 Formation Top Depth: Formation End Depth: 1.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

1006395462 Plug ID:

2 Layer: Plug From: 20.0 Plug To: 88.0 Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006395461

Layer: Plug From: 0.0 Plug To: 20.0 Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

1006395460 **Method Construction ID:**

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006395449

Casing No: Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006395457

Layer: 1
Material: 7

Open Hole or Material:OTHERDepth From:-3.0Depth To:22.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006395458

 Layer:
 1

 Slot:
 0.2

 Screen Top Depth:
 22.0

 Screen End Depth:
 88.0

 Screen Material:
 7

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 4.25

Water Details

Water ID: 1006395456

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

 Hole ID:
 1006395454

 Diameter:
 10.0

 Depth From:
 0.0

 Depth To:
 8.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Hole Diameter

Hole ID: 1006395455

 Diameter:
 8.0

 Depth From:
 8.0

 Depth To:
 88.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Number of Direction/ Elev/Diff Site DΒ Map Key

Records

Distance (m)

(m)

Links

Bore Hole ID: 1006262637 Depth M: 26.8224 Year Completed: 2016 Well Completed Dt: 2016/09/27 Z232898 Audit No:

Tag No: A202812 Contractor: 7238

Path: 727\7272747.pdf Latitude: 43.6901380887446 -79.4756914369925 Longitude:

138 1 of 1 WSW/96.4 127.0 / -2.92 **WWIS** ON

Well ID: 7272744

Construction Date: Use 1st:

Dewatering Use 2nd: Dewatering

Final Well Status: Water Type:

Casing Material:

Z232891 Audit No: A202808 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy: Municipality:

YORK BOROUGH Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/09/20 Year Completed: 2016 Depth (m): 27.432

43.6899385818957 Latitude: Longitude: -79.4755848168974

Path:

Bore Hole Information

1006262628 Bore Hole ID: DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

20-Sep-2016 00:00:00 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Flowing (Y/N): Flow Rate: Data Entry Status:

Data Src:

06-Oct-2016 00:00:00 Date Received:

TRUE Selected Flag:

Abandonment Rec: 7238 Contractor:

Form Version: 7 Owner:

YORK AND TORONT County:

Lot: Concession:

Concession Name: Easting NAD83: Northing NAD83:

Zone:

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

Zone:

UTM Reliability:

margin of error: 30 m - 100 m UTMRC Desc: Location Method: wwr

17

622854.00

UTM83

4838565.00

Order No: 22090803393

Overburden and Bedrock

Materials Interval

1006395375 Formation ID:

Layer: 6 Color: General Color: **BROWN** Mat1: 01 Most Common Material: FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

0.0 Formation Top Depth: Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1006395377 Formation ID:

Layer: 3

Color: General Color:

Mat1: 06 SILT Most Common Material:

Mat2: 10

COARSE SAND Mat2 Desc: Mat3: 12 Mat3 Desc: **STONES** Formation Top Depth: 78.0 Formation End Depth: 86.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006395376

Layer: 2 Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 10

Mat2 Desc: COARSE SAND

Mat3: Mat3 Desc:

Formation Top Depth: 6.0

78.0 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1006395378 Formation ID:

Layer: 4

Color:

General Color:

Mat1: 15

LIMESTONE Most Common Material:

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 86.0 Formation End Depth: 90.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006395386

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006395387

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 90.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006395385

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006395374

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006395382

Layer: 1 Material: 7

Open Hole or Material:

Other
Depth From:
Depth To:
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM:

Other
Casing Diameter Uom:
Inch

Construction Record - Screen

Screen ID: 1006395383

 Layer:
 1

 Slot:
 0.2

 Screen Top Depth:
 22.0

 Screen End Depth:
 90.0

 Screen Material:
 7

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 4.25

Water Details

Water ID: 1006395381

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006395380

Diameter: 8.0 Depth From: 8.0 90.0 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch

Hole Diameter

1006395379 Hole ID: Diameter: 10.0 Depth From: 0.0 Depth To: 8.0 Hole Depth UOM: ft Hole Diameter UOM: inch

<u>Links</u>

1006262628 A202808 Bore Hole ID: Tag No: 7238 Depth M: 27.432 Contractor:

Year Completed: 2016 Path: 727\7272744.pdf 2016/09/20 Latitude: 43.6899385818957 Well Completed Dt: Audit No: Z232891 Longitude: -79.4755848168974

W/98.0 139 1 of 1 127.7 / -2.16 **BORE** ON

Lot:

Township:

UTM Zone:

Easting:

Northing:

Accuracy:

Latitude DD:

Longitude DD:

Location Accuracy:

No

43.690553

-79.475871

17

622830

4838633

Not Applicable

Order No: 22090803393

Borehole ID: 639944 Inclin FLG: OGF ID: 215540340 SP Status:

Initial Entry Status: Surv Elev: No Type: Borehole Piezometer: No

Use: Geotechnical/Geological Investigation Primary Name: Completion Date: SEP-1971 Municipality:

Static Water Level:

Primary Water Use: Not Used

Sec. Water Use:

Total Depth m: 8.1

Depth Ref: **Ground Surface** Depth Elev:

Drill Method: Power auger

Orig Ground Elev m: 125

Elev Reliabil Note: DEM Ground Elev m: 125

Concession: Location D: Survey D:

Comments:

Borehole Geology Stratum

Geology Stratum ID:218490356Mat Consistency:Top Depth:0Material Moisture:Bottom Depth:.8Material Texture:

Material Color:

Material 1:

Material 1:

Fill

Geologic Formation:

Material 2:

Asphalt

Geologic Group:

Material 3:

Stones

Geologic Pormation:

Geologic Group:

Material 4:

Stones

Geologic Pormation:

Geologic Pormation:

Geologic Pormation:

Geologic Pormation:

Geologic Pormation:

Material 4:

Material 4: Sand Depositional Gen: fill

Gsc Material Description:

Stratum Description: FILL, ASPHALT, STONES, SAND.

Geology Stratum ID: 218490359 Mat Consistency: Dense

4 Material Moisture: Top Depth: **Bottom Depth:** 8.1 Material Texture: Material Color: Grey Non Geo Mat Type: Material 1: Till Geologic Formation: Material 2: Silt Geologic Group: Material 3: Sand Geologic Period:

Material 4: Clay Depositional Gen: glacial

Gsc Material Description:

Stratum Description: TILL,SILT,SAND,CLAY.GREY,GLACIAL,DENSE,LAYERED, AGE GLACIAL. 011 022 0 **Note: Many records

provided by the department have a truncated [Stratum Description] field.

Geology Stratum ID: 218490357 Mat Consistency: Loose

Top Depth: Material Moisture: .8 **Bottom Depth:** 1.8 Material Texture: Material Color: Brown Non Geo Mat Type: Material 1: Fill Geologic Formation: Material 2: Silt Geologic Group: Material 3: Sand Geologic Period:

Material 4: Gravel Depositional Gen: fill

Gsc Material Description:

Stratum Description: FILL, SILT, SAND, GRAVEL. BROWN, LOOSE.

Geology Stratum ID: 218490358 Mat Consistency: Loose

Top Depth: 1.8 Material Moisture: **Bottom Depth:** 4 Material Texture: Material Color: Grey Non Geo Mat Type: Material 1: Fill Geologic Formation: Material 2: Silt Geologic Group: Material 3: Geologic Period: Clay

Material 4: Sand Depositional Gen: fill

Gsc Material Description:

Stratum Description: FILL, SILT, CLAY, SAND. GREY, LOOSE.

Source

Source Type: Data Survey Source Appl: Spatial/Tabular

Source Orig:Geological Survey of CanadaSource Iden:1Source Date:1956-1972Scale or Res:VariesConfidence:HHorizontal:NAD27

Observatio: Verticalda: Mean Average Sea Level

Source Name: Urban Geology Automated Information System (UGAIS)
Source Details: File: TOR1B.txt RecordID: 079090 NTS_Sheet: 30M11E

Confiden 1: Logged by professional. Exact and complete description of material and properties.

Source List

Source Identifier: 1 Horizontal Datum: NAD27

Source Type:Data SurveyVertical Datum:Mean Average Sea LevelSource Date:1956-1972Projection Name:Universal Transverse Mercator

Order No: 22090803393

Scale or Resolution: Varies

Source Name: Urban Geology Automated Information System (UGAIS)

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Source Originators: Geological Survey of Canada

1 of 1 WSW/100.6 127.4 / -2.46 140 **BORE**

ON

43.690283

Order No: 22090803393

Borehole ID: 639132 Inclin FLG: Nο

OGF ID: 215539529 SP Status: Initial Entry Nο Status: Surv Elev:

Type: Borehole Piezometer: No Geotechnical/Geological Investigation Use: Primary Name:

Completion Date: SEP-1970 Municipality: Lot:

Static Water Level:

Primary Water Use: Township: Not Used Sec. Water Use: Latitude DD:

9.6 Total Depth m: Longitude DD: -79.475816 Depth Ref: **Ground Surface** UTM Zone: 17 Depth Elev: Easting: 622835

4838603 Drill Method: Power auger

Northing: Orig Ground Elev m: Location Accuracy: 125

Elev Reliabil Note: Accuracy: Not Applicable **DEM Ground Elev m:** 125

Concession: Location D: Survey D: Comments:

Borehole Geology Stratum

Geology Stratum ID: 218487233 Mat Consistency: Dense

Top Depth: .7 Material Moisture: Bottom Depth: 2.9 Material Texture: Material Color: Non Geo Mat Type: Brown Material 1: Till Geologic Formation: Material 2: Silt Geologic Group: Material 3: Sand Geologic Period:

Gravel Material 4: Depositional Gen: glacial

Gsc Material Description:

Stratum Description: TILL, SILT, SAND, GRAVEL. BROWN, GLACIAL, DENSE, AGE GLACIAL.

Geology Stratum ID: 218487234 Mat Consistency: Dense

Top Depth: 2.9 Material Moisture: **Bottom Depth:** 9.6 Material Texture: Grey Material Color: Non Geo Mat Type: Material 1: Till Geologic Formation: Material 2: Silt Geologic Group: Material 3: Sand Geologic Period:

Depositional Gen: Material 4: Clay lacustrine

Gsc Material Description:

TILL, SILT, SAND, CLAY, GREY, LACUSTRINE, DENSE. 011 010 0002303200095016 **Note: Many records Stratum Description:

provided by the department have a truncated [Stratum Description] field.

Geology Stratum ID: 218487232 Mat Consistency: Top Depth: 0 Material Moisture: Bottom Depth: .7 Material Texture: Material Color: Non Geo Mat Type:

Material 1: Fill Geologic Formation: Material 2: Sand Geologic Group: Material 3: Geologic Period: Gravel Material 4: Depositional Gen:

fill

Gsc Material Description:

Stratum Description: FILL, SAND, GRAVEL.

<u>Source</u>

Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

Source Type: Data Survey Source Appl: Spatial/Tabular

Source Orig:Geological Survey of CanadaSource Iden:1Source Date:1956-1972Scale or Res:VariesConfidence:HHorizontal:NAD27

Observatio: Verticalda: Mean Average Sea Level

Source Name: Urban Geology Automated Information System (UGAIS)
Source Details: File: TOR1B.txt RecordID: 070950 NTS_Sheet: 30M11E

Confiden 1: Logged by professional. Exact and complete description of material and properties.

Source List

Source Identifier: 1 Horizontal Datum: NAD27

Source Type:Data SurveyVertical Datum:Mean Average Sea LevelSource Date:1956-1972Projection Name:Universal Transverse Mercator

Scale or Resolution: Varies
Source Name: Urban Geology Automated Information System (UGAIS)

Source Originators: Geological Survey of Canada

141 1 of 1 E/101.5 134.5 / 4.63 Scott Framing 302 Scott Rd

York ON M6M 3V4

Established: 01-SEP-79
Plant Size (ft²): 400

Employment:

--Details-Description: Other Home Furnishings Wholesaler-Distributors

SIC/NAICS Code: 414390

Description: Print and Picture Frame Stores

SIC/NAICS Code: 442292

142 1 of 1 W/101.7 127.1 / -2.77 YARROW RD/ EGLINGTON AVE W

Toronto ON

Well ID: 7171538 Flowing (Y/N):
Construction Date: Flow Rate:

Use 1st: Monitoring Data Entry Status:
Use 2nd: Data Src:

Final Well Status: Observation Wells Date Received: 14-Nov-2011 00:00:00

Water Type: Selected Flag: TRUE Casing Material: Abandonment Rec:

 Audit No:
 Z136063
 Contractor:
 7075

 Tag:
 A120187
 Form Version:
 7

Constructn Method: Owner:

Elevation (m):County:YORK AND TORONTElevatn Reliabilty:Lot:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Static Water Level:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7171538.pdf

Order No: 22090803393

Additional Detail(s) (Map)

 Well Completed Date:
 2011/10/20

 Year Completed:
 2011

 Depth (m):
 22.86

 Latitude:
 43.6903292564255

 Longitude:
 -79.4758479021673

 Path:
 717√7171538.pdf

Bore Hole Information

 Bore Hole ID:
 1003605942
 Elevation:

 DP2BR:
 Elevrc:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622832.00

 Code OB Desc:
 North83:
 4838608.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 20-Oct-2011 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

Remarks: Location Method: w
Elevro Desc:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Location Source Date:

Overburden and Bedrock

Materials Interval

Formation ID: 1004055020

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

 Mat3:
 77

 Mat3 Desc:
 LOOSE

 Formation Top Depth:
 35.0

 Formation End Depth:
 60.0

 Formation End Depth UOM:
 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004055018

Layer:

Color: 6
General Color: BROWN

Mat1: 06 SILT Most Common Material: Mat2: Mat2 Desc: **GRAVEL** Mat3: 68 DRY Mat3 Desc: Formation Top Depth: 0.0 Formation End Depth: 20.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Order No: 22090803393

Formation ID: 1004055021

Layer: Color: 2 General Color: **GREY** 28 Mat1: Most Common Material: SAND 06 Mat2: Mat2 Desc: SILT Mat3: 91

WATER-BEARING Mat3 Desc:

Formation Top Depth: 60.0 Formation End Depth: 75.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004055019

Layer: 2 Color: General Color: **GREY** Mat1: 05 CLAY Most Common Material: Mat2: 06 SILT Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 20.0 Formation End Depth: 35.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

1004055028 Plug ID:

1 Layer: Plug From: 0.0 Plug To: 63.0 Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004055027

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1004055017

Casing No:

Comment: Alt Name:

Construction Record - Casing

1004055024 Casing ID:

Layer: 1 Material:

PLASTIC Open Hole or Material:

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
Depth From: Depth To: Casing Diame: Casing Diame: Casing Depth	ter UOM:	0.0 65.0 2.0 inch ft				
Construction I	Record - S	<u>Ccreen</u>				
Screen ID: Layer: Slot: Screen Top De Screen End De Screen Materia Screen Diames Screen Diames	epth: al: UOM: ter UOM:	1004055025 1 10 65.0 75.0 5 ft inch 2.0				
Water Details						
Water ID: Layer: Kind Code: Kind:		1004055023				
Water Found L Water Found L		//: ft				
Hole Diameter	•					
Hole ID: Diameter: Depth From: Depth To: Hole Depth UC Hole Diameter	OM: · UOM:	1004055022 8.0 0.0 75.0 ft inch				
<u>Links</u>						
Bore Hole ID: Depth M: Year Complete Well Complete Audit No:	ed: ed Dt:	1003605942 22.86 2011 2011/10/20 Z136063		Tag No: Contractor: Path: Latitude: Longitude:	A120187 7075 717\7171538.pdf 43.6903292564255 -79.4758479021673	
143	1 of 1	WSW/102.2	126.8 / -3.14	2635 Eglinton Avenue York ON M6M 1T6	e West	EHS
Order No: Status: Report Type: Report Date: Date Received Previous Site Lot/Building S Additional Info	Name: Size:	21100500558 C Standard Report 08-OCT-21 05-OCT-21		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -79.4755629 43.6898235	
<u>144</u>	1 of 1	WSW/102.4	126.8 / -3.09	EGLINTON AVE W Toronto ON		wwis

Flowing (Y/N):

Order No: 22090803393

7276002

Well ID:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Construction Date:

Use 1st: Dewatering

Use 2nd:

Final Well Status: Dewatering

Water Type:

Casing Material:

Audit No: Z245140 A201831 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock:

Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy: Municipality:

Site Info:

YORK BOROUGH

Data Entry Status: Data Src:

29-Nov-2016 00:00:00 Date Received: TRUE

Selected Flag: Abandonment Rec:

Contractor: 3413 Form Version: 7

Owner: County:

Flow Rate:

YORK AND TORONT Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276002.pdf PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/10/14 Year Completed: 2016 26.782776 Depth (m):

43.6899579071381 Latitude: Longitude: -79.4756835930351 Path: 727\7276002.pdf

Bore Hole Information

Bore Hole ID: 1006298963

DP2BR: Spatial Status: Code OB:

Code OB Desc: Open Hole: Cluster Kind:

14-Oct-2016 00:00:00 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006458734

Layer: 3 Color: 2 **GREY** General Color: Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

72.0 Formation Top Depth:

Elevation: Elevrc:

Zone: 17 East83:

622846.00 North83: 4838567.00 Org CS: UTM83 **UTMRC**:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method:

Formation End Depth: 87.87000274658203

Formation End Depth UOM:

Overburden and Bedrock Materials Interval

Formation ID: 1006458732

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 25.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458733

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 25.0
Formation End Depth: 72.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458741

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458742

Layer: 2 **Plug From:** 25.0

Plug To: 87.87000274658203

Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006458740

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006458731

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006458737

Layer:

Material: 5

PLASTIC Open Hole or Material: Depth From: 0.0 25.0 Depth To: 4.0 Casing Diameter: Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006458738

Layer: 1 Slot: 10

Screen Top Depth: 25.0

Screen End Depth: 87.87000274658203

Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006458736

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006458735

Diameter: 8.0 0.0 Depth From:

87.87000274658203 Depth To:

Hole Depth UOM: Hole Diameter UOM: inch

Links

Bore Hole ID: 1006298963 Tag No: A201831 Depth M: Contractor: 26.782776 3413

Year Completed: 2016 Path: 727\7276002.pdf 2016/10/14 Well Completed Dt: Latitude: 43.6899579071381 Audit No: Z245140 Longitude: -79.4756835930351

1 of 1 E/107.6 135.0 / 5.10 EGLINGTON AVENUE WEST/ SCOTT ROAD 145 **Toronto ON**

WWIS

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Well ID: 7177982 Flowing (Y/N):

Flow Rate: Construction Date: Use 1st: Monitoring Data Entry Status:

Use 2nd: Data Src:

Final Well Status: **Observation Wells** Date Received: 13-Mar-2012 00:00:00 TRUE

Water Type: Selected Flag: Casing Material: Abandonment Rec:

Z136022 7075 Audit No: Contractor: A120198 Form Version: 7 Tag: Constructn Method: Owner:

YORK AND TORONT Elevation (m): County: Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

YORK BOROUGH Municipality: Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7177982.pdf

Additional Detail(s) (Map)

Well Completed Date: 2011/12/15 Year Completed: 2011 Depth (m): 22.86

Latitude: 43.6905215456885 -79.4727161326513 Longitude: 717\7177982.pdf Path:

Bore Hole Information

1003700082 Bore Hole ID: Elevation:

DP2BR: Elevrc: Spatial Status: Zone: Code OB: East83: 623084.00 4838634.00 Code OB Desc: North83: UTM83 Open Hole: Org CS:

Cluster Kind: Date Completed: 15-Dec-2011 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

UTMRC:

Order No: 22090803393

Remarks: Location Method:

Elevrc Desc:

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment:

Overburden and Bedrock

Materials Interval

Supplier Comment:

Formation ID: 1004185131

Layer: Color:

BROWN General Color: Mat1: 06 SILT Most Common Material: 28 Mat2: Mat2 Desc: SAND Mat3: 11

Mat3 Desc: **GRAVEL** Formation Top Depth: 0.0 15.0 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1004185134

Layer: 2 Color: General Color: **GREY** 28 Mat1: Most Common Material: SAND Mat2: Mat2 Desc: **GRAVEL**

Mat3:

Mat3 Desc:

Formation Top Depth: 60.0 Formation End Depth: 75.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004185133

Layer: 3 2 Color: General Color: **GREY** Mat1: 28 SAND Most Common Material: Mat2: 05 Mat2 Desc: CLAY

Mat3: Mat3 Desc:

45.0 Formation Top Depth: Formation End Depth: 60.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1004185132

2 Layer: Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 15.0 Formation End Depth: 45.0

Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004185142

Layer: 63.0 Plug From:

Plug To: 65.0

Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004185141

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 63.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004185140

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1004185130

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004185137

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 65.0
Casing Diameter: 2.0
Casing Diameter UOM: inch

Casing Depth UOM:

Construction Record - Screen

Screen ID: 1004185138

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 65.0

 Screen End Depth:
 75.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 2.0

Water Details

Water ID: 1004185136

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004185135

 Diameter:
 8.0

 Depth From:
 0.0

 Depth To:
 75.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Links

 Bore Hole ID:
 1003700082
 Tag No:
 A120198

 Depth M:
 22.86
 Contractor:
 7075

 Year Completed:
 2011
 Path:
 717/7177982.pdf

 Well Completed Dt:
 2011/12/15
 Latitude:
 43.6905215456885

 Audit No:
 Z136022
 Longitude:
 -79.4727161326513

146 1 of 1 WSW/111.2 126.8 / -3.10 EGLINTON AVE. TORONTO ON WWIS

Flowing (Y/N):

Well ID: 7298510

Construction Date: Flow Rate:
Use 1st: Dewatering Data Entry

Use 1st: Dewatering Data Entry Status:
Use 2nd: Data Src:

Se 2nd: Data Si

Final Well Status: Dewatering Date Received: 03-Nov-2017 00:00:00

Water Type: Selected Flag: TRUE Casing Material: Abandonment Rec:

Audit No: Z251355 Contractor: 3413

Tag: A220853 Form Version: 7
Constructs Method: Owner:

 Constructn Method:
 Owner:

 Elevation (m):
 County:
 YORK AND TORONT

Elevatn Reliabilty: Lot:
Depth to Bedrock: Concession:
Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:
Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

Additional Detail(s) (Map)

 Well Completed Date:
 2017/04/03

 Year Completed:
 2017

 Depth (m):
 26.8224

 Latitude:
 43.6900955662654

 Longitude:
 -79.4758786377781

 Path:
 729\7298510.pdf

Bore Hole Information

 Bore Hole ID:
 1006788067
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622830.00

 Code OB Desc:
 North83:
 4838582.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

 Date Completed:
 03-Apr-2017 00:00:00
 UTMRC Desc:
 margin of error: 30 m - 100 m

Remarks:

Location Method:

wwr

Order No: 22090803393

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006879659

Layer: Color: 2 **GREY** General Color: 05 Mat1: Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6.0 Formation End Depth: 34.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006879660

Layer: 2 Color: General Color: **GREY** Mat1: 28 Most Common Material: SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 34.0 Formation End Depth: 46.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1006879661 Formation ID:

Layer: 4 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

46.0 Formation Top Depth: 88.0 Formation End Depth: Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006879658

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 11

 Most Common Material:
 GRAVEL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006879669

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 88.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006879668

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006879667

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006879657

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006879664

Layer: 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 28.0

 Casing Diameter:
 4.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Screen

Мар Кеу	Number Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Screen ID: Layer: Slot: Screen Top D Screen End D Screen Mater Screen Depth Screen Diame	Depth: rial: n UOM: eter UOM:		1006879665 1 10 28.0 88.0 5 ft inch 4.0				
Water Details	i						
Water ID: Layer: Kind Code: Kind:			1006879663				
Water Found Water Found		М:	ft				
Hole Diamete	<u>er</u>						
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete			1006879662 ft inch				
<u>Links</u>							
Bore Hole ID: Depth M: Year Complet Well Complet Audit No:	ted:	1006788 26.8224 2017 2017/04/ Z251355	03		Tag No: Contractor: Path: Latitude: Longitude:	A220853 3413 729\7298510.pdf 43.6900955662654 -79.4758786377781	
147	1 of 1		WSW/111.4	126.3 / -3.62	2639 Eglinton Ave. W Toronto ON	est	SPL
Ref No:		7802-9D	5TTX		Discharger Report:		
Incident Dt:			04		Material Group: Health/Env Conseq:		
Year: Incident Caus Incident Ever		Leak/Break			Client Type: Sector Type: Agency Involved:	Water Supply	
Contaminant Contaminant Contaminant Contam Limit Contaminant	Code: Name: Limit 1: t Freq 1:	99 WATER (HIGH CHLORINE)			Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region:	2639 Eglinton Ave. West	
Environment Nature of Imp Receiving Me Receiving En	t Impact: pact: ledium: nv:		Water Pollution		Site Municipality: Site Lot: Site Conc: Northing:	Toronto	
MOE Respon Dt MOE Arvi (MOE Reporte Dt Document Incident Reas Site Name: Site County/L Site Geo Ref	on Scn:	Planned 2013/11/	Field Response		Easting: Site Geo Ref Accu: Site Map Datum:		
	nt Closed: ason: 'District:	2014/01/ Other		FICIAL>	SAC Action Class: Source Type:	Watercourse Spills	

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Toronto Water - watermain break to Humber R. Incident Summary:

0 gal-Imp Contaminant Qty:

WSW/113.4 148 1 of 1 126.6 / -3.33 215 FEET WEST OF TRETHEWAY DR ON **WWIS**

EGLINTON AVE W TORONTO ON

Flowing (Y/N):

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

UTM Reliability:

Northing NAD83:

27-Jun-2016 00:00:00

YORK AND TORONT

TRUE

7472

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Flow Rate:

Data Src:

Well ID: 7265771 Construction Date:

Use 1st: Monitoring

Use 2nd:

Final Well Status: Observation Wells

Water Type: Casing Material:

Z230617 Audit No: Tag: A202605

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

PDF URL (Map):

Municipality: YORK BOROUGH

Site Info:

Additional Detail(s) (Map)

Well Completed Date: 2016/03/09 Year Completed: 2016 25.908 Depth (m):

Latitude: 43.6900868963084 Longitude: -79.4759036738541

Path:

Bore Hole ID: 1006081560 Elevation: DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Bore Hole Information

Date Completed: 09-Mar-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 1006133913 Elevrc:

Zone: 17 East83: 622828.00

North83: 4838581.00 UTM83 Org CS: UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method:

Layer: 3 Color: **GREY** General Color: Mat1: 05 Most Common Material: CLAY 06 Mat2: Mat2 Desc: SILT Mat3: 79 Mat3 Desc: **PACKED** Formation Top Depth: 20.0 35.0 Formation End Depth: Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006133914

Layer: 4 Color: 2 General Color: **GREY** Mat1: 28 Most Common Material: SAND Mat2: 06 Mat2 Desc: SILT Mat3: 77 LOOSE Mat3 Desc: Formation Top Depth: 35.0 Formation End Depth: 85.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006133912

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

Mat1: 06 SILT Most Common Material: Mat2: 28 Mat2 Desc: SAND Mat3: 79 **PACKED** Mat3 Desc: Formation Top Depth: 2.0 Formation End Depth: 20.0

Overburden and Bedrock

Formation End Depth UOM:

Materials Interval

Formation ID: 1006133911

ft

Layer:

Color:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 2.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006133923

 Layer:
 2

 Plug From:
 79.0

 Plug To:
 85.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006133922

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 79.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:1006133921Method Construction Code:6

Method Construction: Boring

Other Method Construction:

Pipe Information

Pipe ID: 1006133910

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006133918

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:80.0Casing Diameter:1.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006133919

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 80.0

 Screen End Depth:
 85.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

Screen Diameter: 1.5

Water Details

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m) 1006133917 Water ID: Layer: Kind Code: Kind: Water Found Depth: ft Water Found Depth UOM: **Hole Diameter** Hole ID: 1006133916 4.0 Diameter: Depth From: 20.0 85.0 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch **Hole Diameter** Hole ID: 1006133915 Diameter: 6.0 Depth From: 0.0 20.0 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch **Links** Bore Hole ID: 1006081560 Tag No: A202605 25.908 Contractor: Depth M: 7472 Year Completed: 2016 Path: 2016/03/09 43.6900868963084 Well Completed Dt: Latitude: -79.4759036738541 Audit No: Z230617 Longitude: 149 1 of 4 ENE/115.7 136.1 / 6.25 Dr Gayle Wagman & Dr Michelle Crystal **GEN** 2568 Eglinton Ave West Toronto ON M6M 1T4 ON5631135 Generator No: Status: SIC Code: 621390 Co Admin: SIC Description: OFFICES OF ALL OTHER HEALTH Choice of Contact: CO_OFFICIAL **PRACTITIONERS** Approval Years: 2016 Phone No Admin: No PO Box No: Contam. Facility: Country: Canada MHSW Facility: No Detail(s) Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES 149 2 of 4 ENE/115.7 136.1 / 6.25 Dr Gayle Wagman & Dr Michelle Crystal Dental **GEN** 2568 Eglinton Ave West Toronto ON M6M 1T4 Generator No: ON5631135 Registered Status:

Order No: 22090803393

SIC Code: Co Admin: SIC Description: Choice of Contact: Approval Years: As of Dec 2018 Phone No Admin:

PO Box No: Contam. Facility: MHSW Facility: Country: Canada

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Detail(s) Waste Class: 312 P Waste Class Desc: Pathological wastes 3 of 4 ENE/115.7 136.1 / 6.25 149 Dr Gayle Wagman & Dr Michelle Crystal Dental GEN Office 2568 Eglinton Ave West **Toronto ON M6M 1T4** Generator No: ON5631135 Status: Registered SIC Code: Co Admin: SIC Description: Choice of Contact: As of Oct 2019 Approval Years: Phone No Admin: PO Box No: Contam. Facility: Country: Canada MHSW Facility:

Detail(s)

Waste Class: 312 P

Waste Class Desc: Pathological wastes

136.1 / 6.25 ENE/115.7 Dr Gayle Wagman & Dr Michelle Crystal Dental 149 4 of 4 **GEN**

Co Admin:

2568 Eglinton Ave West **Toronto ON M6M 1T4**

Generator No: ON5631135 Status: Registered

SIC Code:

SIC Description:

As of Apr 2022 Approval Years: PO Box No: Country:

Choice of Contact: Phone No Admin: Contam. Facility:

Canada MHSW Facility:

Detail(s)

Waste Class: 312 P

Waste Class Desc: PATHOLOGICAL WASTES

WSW/117.8 2641 EGLINTON AVE. WEST 150 1 of 1 126.3 / -3.56 **WWIS** TORONTO ON

Well ID: 7261346

Construction Date: Use 1st:

Use 2nd:

Abandoned-Other Final Well Status:

Water Type:

Casing Material:

Audit No: Z232436 Tag:

Constructn Method:

Elevation (m): Elevatn Reliabilty: Depth to Bedrock:

Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

Flowing (Y/N):

Flow Rate: Data Entry Status:

Data Src: Date Received:

12-Apr-2016 00:00:00 Selected Flag: TRUE

Abandonment Rec: Yes Contractor: 6946 Form Version:

Owner:

Lot:

County: YORK AND TORONT

Order No: 22090803393

Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Well Depth:

Zone:

East83:

North83: Org CS:

UTMRC:

UTMRC Desc:

Location Method:

17

622837.00 4838552.00

margin of error : 30 m - 100 m

Order No: 22090803393

UTM83

wwr

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/03/02 Year Completed: 2016

Depth (m):

 Latitude:
 43.689824383986

 Longitude:
 -79.4757986490388

Path:

Bore Hole Information

 Bore Hole ID:
 1005929227
 Elevation:

 DP2BR:
 Elevrc:

Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 02-Mar-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006022571

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 10.0

 Plug Depth UOM:
 ft

Method of Construction & Well

Use

Method Construction ID: 1006022570

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006022564

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006022568

Layer: 1
Material: 5

Open Hole or Material: **PLASTIC** Depth From: 0.0 Depth To: 10.0 Casing Diameter: 1.5 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006022569

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

ft Screen Diameter UOM: inch Screen Diameter:

Water Details

Water ID: 1006022567

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM:

Hole Diameter

Hole ID: 1006022566

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1005929227 Tag No:

ft

Depth M:

2016 Year Completed: Well Completed Dt: 2016/03/02 Z232436 Audit No:

Contractor: 6946

Path: 726\7261346.pdf Latitude: 43.689824383986 -79.4757986490388 Longitude:

29-May-2017 00:00:00

Order No: 22090803393

TRUE

1 of 1 WSW/118.1 126.1 / -3.83 **EGLINTON AVENUE WEST & KEELE STREET** 151 **WWIS** APROX. 200FT WEST OF KEELE STREET

Toronto ON

Flowing (Y/N):

Well ID: 7287372 Construction Date:

Flow Rate: Data Entry Status: Monitoring

Use 1st: Use 2nd: Data Src:

Final Well Status: Observation Wells Date Received: Water Type: Selected Flag:

Casing Material: Abandonment Rec: Z259466 Contractor:

Audit No: 7472 Tag: A227369 Form Version:

Constructn Method: Owner: Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot: Depth to Bedrock: Concession:

Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy: Municipality:

Site Info:

YORK BOROUGH

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2016/03/09

 Year Completed:
 2016

 Depth (m):
 25.908

Latitude: 43.6898790505691 **Longitude:** -79.4758468971494

Path:

Bore Hole Information

Bore Hole ID: 1006487473

DP2BR: Spatial Status: Code OB: Code OB Desc:

Open Hole:
Cluster Kind:

Date Completed: 09-Mar-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006768963

Layer: 1

Color: General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 1.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006768966

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 08

Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 17

East83: 622833.00
North83: 4838558.00
Org CS: UTM83
UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393

Location Method: wwr

Most Common Material: FINE SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 11

 Mat3 Desc:
 GRAVEL

 Formation Top Depth:
 35.0

 Formation End Depth:
 85.0

 Formation End Depth UOM:
 ft

Overburden and Bedrock Materials Interval

Formation ID: 1006768965

Layer: 3 Color: **GREY** General Color: Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 79 Mat3 Desc: **PACKED** Formation Top Depth: 20.0 35.0 Formation End Depth: Formation End Depth UOM:

Overburden and Bedrock Materials Interval

Formation ID: 1006768964

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 08

 Mat2 Desc:
 FINE SAND

 Mat3:
 79

 Mat3 Desc:
 PACKED

 Formation Top Depth:
 1.0

 Formation End Depth:
 20.0

 Formation End Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006768974

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 70.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006768975

 Layer:
 2

 Plug From:
 70.0

 Plug To:
 79.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006768976

 Layer:
 3

 Plug From:
 79.0

 Plug To:
 85.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006768973

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction: BORING

Pipe Information

Pipe ID: 1006768962

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006768970

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 80.0

 Casing Diameter:
 2.0

 Casing Diameter HOM:
 inch

Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006768971

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 80.0

 Screen End Depth:
 85.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 2.5

Water Details

Water ID: 1006768969

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006768967

Diameter:6.0Depth From:0.0

Depth To: 20.0 Hole Depth UOM: ft Hole Diameter UOM: inch

Hole Diameter

 Hole ID:
 1006768968

 Diameter:
 4.0

 Depth From:
 20.0

 Depth To:
 85.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

<u>Links</u>

 Bore Hole ID:
 1006487473
 Tag No:
 A227369

 Depth M:
 25.908
 Contractor:
 7472

 Year Completed:
 2016
 Path:
 728\7287372.pdf

 Well Completed Dt:
 2016/03/09
 Latitude:
 43.6898790505691

 Audit No:
 Z259466
 Longitude:
 -79.4758468971494

152 1 of 1 WSW/118.5 126.3 / -3.56 EGLINTON AVE.
TORONTO ON WWIS

Well ID: 7298514 **Flowing (Y/N):**

Construction Date:Flow Rate:Use 1st:DewateringDevateringData Entry Status:

Use 2nd: Data Src:

Final Well Status:DewateringDate Received:03-Nov-2017 00:00:00Water Type:Selected Flag:TRUE

Water Type: Selected Flag:
Casing Material: Abandonment Rec:

 Audit No:
 Z251356
 Contractor:
 3413

 Tag:
 A220849
 Form Version:
 7

Tag: A220849 Form Version: 7
Constructn Method: Owner:

 Elevation (m):
 County:
 YORK AND TORONT

 Elevatn Reliability:
 Lot:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY
Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7298514.pdf

Order No: 22090803393

Additional Detail(s) (Map)

 Well Completed Date:
 2017/03/14

 Year Completed:
 2017

 Depth (m):
 26.9748

 Latitude:
 43.690078722605

 Longitude:
 -79.4759659220692

 Path:
 729\7298514.pdf

Bore Hole Information

 Bore Hole ID:
 1006788079
 Elevation:

 DP2BR:
 Elevrc:

Spatial Status: Zone: 1

Code OB: East83: 622823.00

Location Method:

wwr

Order No: 22090803393

 Code OB Desc:
 North83:
 4838580.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 14-Mar-2017 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006879751

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 11

 Most Common Material:
 GRAVEL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 58.0 Formation End Depth: 74.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006879749

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 1.0
Formation End Depth: 23.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006879752

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 74.0
Formation End Depth: 88.5
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006879748

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

 Mat1:
 02

 Most Common Material:
 TOPSOIL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 1.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

 Formation ID:
 1006879750

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 23.0 Formation End Depth: 58.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006879760

 Layer:
 2

 Layer.
 2

 Plug From:
 20.0

 Plug To:
 88.5

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006879759

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006879758

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006879747

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006879755

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 48.5

 Casing Diameter:
 4.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Screen

Screen ID: 1006879756

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 48.5

 Screen End Depth:
 88.5

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 4.0

Water Details

Water ID: 1006879754

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM:

Hole Diameter

Hole ID: 1006879753

ft

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

<u>Links</u>

 Bore Hole ID:
 1006788079
 Tag No:
 A220849

 Depth M:
 26.9748
 Contractor:
 3413

 Year Completed:
 2017
 Path:
 729/7298514.pdf

 Well Completed Dt:
 2017/03/14
 Latitude:
 43.690078722605

 Audit No:
 Z251356
 Longitude:
 -79.4759659220692

153 1 of 1 WSW/119.0 126.1 / -3.83 Metrolina

2641 Eglinton Avenue West

Toronto ON

Generator No: ON9516260 Status:

GEN

Number of Direction/ Elev/Diff Site DΒ Map Key

485110 SIC Code:

Records

SIC Description:

2013 Approval Years:

PO Box No: Country:

Co Admin:

(m)

Distance (m)

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Flowing (Y/N): Flow Rate:

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Data Src:

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

Northing NAD83:

UTM Reliability:

29-Nov-2016 00:00:00

YORK AND TORONT

TRUE

3413

7

17

Order No: 22090803393

Detail(s)

Waste Class: 211

Waste Class Desc: AROMATIC SOLVENTS

Waste Class: 222

HEAVY FUELS Waste Class Desc:

EGLINTON AVE W 154 1 of 1 WSW/119.5 126.3 / -3.62 **WWIS Toronto ON**

Well ID: 7276009

Construction Date:

Dewatering Use 1st:

Use 2nd:

Final Well Status: Dewatering

Water Type:

Casing Material:

Audit No: Z245164 A215345 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

YORK BOROUGH Municipality:

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276009.pdf

Additional Detail(s) (Map)

Well Completed Date: 2016/04/11 Year Completed: 2016 Depth (m): 27.2543016

Latitude: 43.6897335487079 -79.4757389090079 Longitude: 727\7276009.pdf Path:

Bore Hole Information

1006298807 Bore Hole ID: Elevation: DP2BR: Elevrc:

Spatial Status: Zone:

Code OB: East83: 622842.00 4838542.00 Code OB Desc: North83: UTM83 Open Hole: Org CS: Cluster Kind: UTMRC:

Date Completed: 11-Apr-2016 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Remarks: Location Method:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 1006458895

 Layer:
 1

 Color:
 2

 General Color:
 GREY

Mat1:

Most Common Material:

 Mat2:
 01

 Mat2 Desc:
 FILL

 Mat3:
 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0 Formation End Depth: 4.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458896

Layer: 2 Color: 6

 General Color:
 BROWN

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3: Mat3 Desc:

Formation Top Depth: 4.0
Formation End Depth: 14.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458897

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:
Formation Top Depth: 14.0
Formation End Depth: 65.0

Formation End Depth: 65.0 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458899

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 80.0

Formation End Depth: 89.41699981689453

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458898

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 65.0
Formation End Depth: 80.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458907

Layer: 2 **Plug From:** 25.0

Plug To: 89.41699981689453

Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458906

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method of Construction & Well

Use

Method Construction ID: 1006458905

Method Construction Code: B

Method Construction: Other Method Construction: AIR ROTARY

Pipe Information

Pipe ID: 1006458894

Casing No:

Comment: Alt Name:

DΒ Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Construction Record - Casing

1006458902 Casing ID:

Layer: Material: **PLASTIC** Open Hole or Material:

Depth From: 0.0 25.0 Depth To: Casing Diameter: 4.0 Casing Diameter UOM: inch ft Casing Depth UOM:

Construction Record - Screen

1006458903 Screen ID:

Layer: Slot: 10 25.0 Screen Top Depth:

89.41699981689453 Screen End Depth:

Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006458901

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006458900

Diameter: 8.0 Depth From: 0.0

89.41699981689453 Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006298807 Tag No: A215345 Depth M: 27.2543016 Contractor: 3413

Year Completed: 2016 Path: 727\7276009.pdf Well Completed Dt: 2016/04/11 Latitude: 43.6897335487079 Audit No: Z245164 Longitude: -79.4757389090079

SW/119.5 126.0 / -3.89 2641-2643 EGLINGTON AVE 155 1 of 1

Toronto ON

Flow Rate: Data Entry Status:

Flowing (Y/N):

Well ID: 7196174 **Construction Date:**

Use 1st: Monitoring and Test Hole

Use 2nd:

Water Type:

Final Well Status: Test Hole

Casing Material:

Audit No: Z164221 A142655 Tag:

Data Src: Date Received: 28-Jan-2013 00:00:00 TRUE

WWIS

Order No: 22090803393

Selected Flag: Abandonment Rec:

Contractor: 7241 Form Version: 7

UTM Reliability:

Order No: 22090803393

Constructn Method: Owner:
Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty:
Depth to Bedrock:
Concession:
Well Depth:
Concession Name:
Coreburden/Bedrock:
Easting NAD83:
Pump Rate:
Northing NAD83:
Static Water Level:
Zone:

 Clear/Cloudy:
 Municipality:
 YORK BOROUGH

 Site Info:
 WKQ-005635 A0-A04

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7196174.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2013/01/10

 Year Completed:
 2013

 Depth (m):
 3.048

 Latitude:
 43.6896787166339

 Longitude:
 -79.4756782571448

 Path:
 719\7196174.pdf

Bore Hole Information

 Bore Hole ID:
 1004244990
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622847.00

 Code OB Desc:
 North83:
 4838536.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 10-Jan-2013 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004780896

Layer: 3 Color: 2 General Color: **GREY** 05 Mat1: CLAY Most Common Material: Mat2: 06 Mat2 Desc: SILT Mat3: 66 **DENSE** Mat3 Desc: Formation Top Depth: 3.0 Formation End Depth: 10.0 ft Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1004780894

Layer: 1

Color: General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 0.5 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004780895

Layer: 2 Color: 6 General Color: **BROWN** Mat1: 01 Most Common Material: **FILL** Mat2: 28 Mat2 Desc: SAND Mat3: LOOSE

Mat3 Desc:LOCFormation Top Depth:0.5Formation End Depth:3.0Formation End Depth UOM:ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004780906

 Layer:
 3

 Plug From:
 3.5

 Plug To:
 10.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004780904

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 0.5

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004780905

 Layer:
 2

 Plug From:
 0.5

 Plug To:
 3.5

 Plug Depth UOM:
 ft

Method of Construction & Well

Use

Method Construction ID: 1004780903

Method Construction Code: D

Method Construction:

Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1004780893

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004780899

Layer:

Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:4.0Casing Diameter:1.25Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1004780900

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 4.0

 Screen End Depth:
 10.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 1.5

Water Details

Water ID: 1004780898

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

 Hole ID:
 1004780897

 Diameter:
 2.25

 Depth From:
 0.0

 Depth To:
 10.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Links

 Bore Hole ID:
 1004244990
 Tag No:
 A142655

 Depth M:
 3.048
 Contractor:
 7241

 Year Completed:
 2013
 Path:
 719\7196174.pdf

 Well Completed Dt:
 2013/01/10
 Latitude:
 43.6896787166339

 Audit No:
 Z164221
 Longitude:
 -79.4756782571448

WSW/120.4 EGLINTON AVE W 156 1 of 1 126.0 / -3.89 **WWIS Toronto ON**

Well ID: 7276007 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Domestic Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering 29-Nov-2016 00:00:00 Date Received: TRUE Water Type: Selected Flag:

Casing Material: Abandonment Rec:

Audit No: Z245165 Contractor: 3413 A215342 7 Form Version: Tag:

Constructn Method: Owner:

YORK AND TORONT Elevation (m): County: Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession: Well Depth: Concession Name: . Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone: Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276007.pdf PDF URL (Map):

Additional Detail(s) (Map)

2016/10/05 Well Completed Date: Year Completed: 2016 Depth (m): 27.2034

43.6896880483352 Latitude: -79.4757028370756 Longitude: Path: 727\7276007.pdf

Bore Hole Information

1006298801 Bore Hole ID: Elevation: DP2BR: Elevrc:

Spatial Status: 17 Zone: 622845.00 Code OB: East83: Code OB Desc: North83: 4838537.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC:

Date Completed: 05-Oct-2016 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m Location Method: wwr

Order No: 22090803393

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006458840

Layer: 2 Color: 6

BROWN General Color: 05 Mat1. Most Common Material: CLAY Mat2: 28

Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 4.0
Formation End Depth: 14.0
Formation End Depth UOM: ft

SAND

Overburden and Bedrock

Materials Interval

Formation ID: 1006458839

 Layer:
 1

 Color:
 2

 General Color:
 GREY

Mat1:

Most Common Material:

 Mat2:
 01

 Mat2 Desc:
 FILL

 Mat3:
 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0 Formation End Depth: 4.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458841

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 14.0 Formation End Depth: 65.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458842

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 65.0 Formation End Depth: 80.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458843

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 80.0 Formation End Depth: 89.25 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458850

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006458851

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 89.25

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006458849

Method Construction Code:

Method Construction:Other MethodOther Method Construction:AIR ROTARY

В

Pipe Information

Pipe ID: 1006458838

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006458846

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch

Construction Record - Screen

Casing Depth UOM:

Screen ID: 1006458847

ft

Мар Кеу	Number o Records	f Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Layer: Slot: Screen Top I Screen End I Screen Mater Screen Depti Screen Diam	Depth: rial: h UOM: eter UOM:	1 10 25.0 89.25 5 ft inch 4.0				
Water Details	<u>s</u>					
Water ID: Layer: Kind Code: Kind:		1006458845				
Water Found Water Found	I Depth: I Depth UOM:	ft				
Hole Diamete	<u>er</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth U	ЈОМ:	1006458844 8.0 0.0 89.25 ft inch				
<u>Links</u>						
Bore Hole ID Depth M: Year Comple Well Comple Audit No:	2 eted: 2 ted Dt: 2	006298801 17.2034 1016 1016/10/05 1245165		Tag No: Contractor: Path: Latitude: Longitude:	A215342 3413 727\7276007.pdf 43.6896880483352 -79.4757028370756	
<u>157</u>	1 of 2	WSW/120.8	126.1 / -3.83	EGLINTON AVE W Toronto ON		wwis
Well ID: Construction Use 1st: Use 2nd: Final Well St Water Type: Casing Mater Audit No: Tag: Constructn M Elevation (m, Elevatn Relia Depth to Bed Well Depth: Overburden/ Pump Rate: Static Water Clear/Cloudy Municipality:	n Date: Date: Crial: Z A Method:): abilty: drock: (Bedrock: Level:	2276003 Dewatering Dewatering 2230286 A201832 YORK BOROUGH		Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	29-Nov-2016 00:00:00 TRUE 3413 7 YORK AND TORONT	
Site Info:		hus - //d01 h 1 0 - 00	ah alau Kasata		2)Matar/Malla adfa/727\7270002 adf	

 $\textit{PDF URL (Map):} \qquad \qquad \text{https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\276003.pdf}$

Order No: 22090803393

Additional Detail(s) (Map)

 Well Completed Date:
 2016/10/14

 Year Completed:
 2016

 Depth (m):
 26.858976

 Latitude:
 43.6897885461851

 Longitude:
 -79.4758119649691

 Path:
 727\7276003.pdf

Bore Hole Information

 Bore Hole ID:
 1006299032
 Elevation:

 DP2BR:
 Elevrc:

 DPZBR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622836.00

 Code OB Desc:
 North83:
 4838548.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 14-Oct-2016 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

Remarks: Location Method: w

Elevro Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

• •

Overburden and Bedrock

Materials Interval

Formation ID: 1006458744

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 25.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458746

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 72.0

Formation End Depth: 88.12000274658203

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458745

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 25.0
Formation End Depth: 72.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458753

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458754

Layer: 2 **Plug From:** 25.0

Plug To: 88.12000274658203

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006458752

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006458743

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006458749

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:25.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006458750

Layer: 1 10 Slot: Screen Top Depth: 25.0

88.12000274658203 Screen End Depth:

Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006458748

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006458747

8.0 Diameter: Depth From: 0.0

88.12000274658203 Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006299032 Tag No: A201832 Depth M: 26.858976 Contractor: 3413

Year Completed: 2016 Path: 727\7276003.pdf Well Completed Dt: 2016/10/14 Latitude: 43.6897885461851 Audit No: Z230286 Longitude: -79.4758119649691

126.1 / -3.83

EGLINGTON AVE W

21-Dec-2017 00:00:00

YORK AND TORONT

TRUE

7607

Flowing (Y/N):

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

Northing NAD83:

UTM Reliability:

Flow Rate:

Data Src:

WWIS

Order No: 22090803393

TORONTO ON

7301930 Well ID:

2 of 2

Construction Date:

Use 1st:

Use 2nd: Final Well Status:

Dewatering

Water Type:

157

Casing Material:

Audit No: Z254858 A223694 Tag:

Constructn Method:

Elevation (m): Elevatn Reliabilty:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock: Pump Rate:

Static Water Level: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info: PDF URL (Map):

WSW/120.8

DΒ Map Key Number of Direction/ Elev/Diff Site Distance (m) (m)

Records

Additional Detail(s) (Map)

2017/11/27

Year Completed: 2017 Depth (m): 27

Latitude: 43.6897885461851 -79.4758119649691 Longitude:

Path:

Bore Hole Information

Well Completed Date:

Bore Hole ID: 1006926215

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 27-Nov-2017 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1007090069 Formation ID:

Layer: Color: 8 General Color: **BLACK** Mat1: 02 **TOPSOIL** Most Common Material: Mat2: 12 **STONES** Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 3.0 m

Formation End Depth UOM:

Overburden and Bedrock Materials Interval

Formation ID: 1007090072

Layer: 4 2 Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT 05 Mat2: Mat2 Desc: CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 25.0 Formation End Depth: 27.0

Formation End Depth UOM:

Elevation:

Elevrc: Zone: 17

622836.00 East83: 4838548.00 North83: UTM83 Org CS:

UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method: cnrev

Overburden and Bedrock

Materials Interval

Formation ID: 1007090070

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

Mat1:06Most Common Material:SILTMat2:11

Mat2 Desc: GRAVEL Mat3:

Mat3 Desc:

Formation Top Depth: 3.0
Formation End Depth: 10.0
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1007090071

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3: Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 25.0 Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007090079

 Layer:
 2

 Plug From:
 8.0

 Plug To:
 27.0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007090078

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 8.0

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1007090077

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

1007090068 Pipe ID:

Casing No: Comment: Alt Name:

0

Construction Record - Casing

1007090075 Casing ID:

Layer: 1 Material: 5 Open Hole or Material: **PLASTIC** Depth From: 0.0 Depth To: 9.0 Casing Diameter: 10.0 Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1007090076

Layer: .5 Slot: Screen Top Depth: 9.0 Screen End Depth: 27.0 Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: 10.0

Water Details

1007090074 Water ID:

Layer: Kind Code:

Kind:

Water Found Depth: Water Found Depth UOM: m

Hole Diameter

Hole ID: 1007090073

Diameter: Depth From: Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

Links

1006926215 Bore Hole ID: Tag No: A223694 Depth M: 27 Contractor: 7607 Path:

Year Completed: 2017 Well Completed Dt: 2017/11/27

Latitude: 43.6897885461851 Audit No: Z254858 Longitude: -79.4758119649691

158 1 of 1 WSW/121.4 126.1 / -3.83 **EGLINTON AVE W WWIS Toronto ON**

Flowing (Y/N):

Well ID: 7276004

Construction Date: Flow Rate: Dewatering Use 1st: Data Entry Status:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Use 2nd:

Final Well Status: Dewatering

Water Type:

Casing Material:

Audit No: Z230284 A215354 Tag:

Constructn Method: Elevation (m):

Elevatn Reliabilty: Depth to Bedrock:

Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy: YORK BOROUGH Municipality:

Site Info:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276004.pdf PDF URL (Map):

Additional Detail(s) (Map)

2016/10/14 2016 Year Completed: Depth (m): 27.389328

Latitude: Longitude: -79.4758121929526 Path: 727\7276004.pdf

Bore Hole Information

Bore Hole ID: 1006299035

DP2BR: Spatial Status:

Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 14-Oct-2016 00:00:00

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006458770

Layer: Color: General Color: **GREY**

Mat1:

Most Common Material:

01 Mat2: Mat2 Desc: **FILL** Mat3: 60

CEMENTED Mat3 Desc: Formation Top Depth: 0.0

Formation End Depth: 4.0 Formation End Depth UOM: ft

Data Src:

Date Received: 29-Nov-2016 00:00:00

Selected Flag: TRUE

Abandonment Rec:

Contractor: 3413 Form Version:

Owner:

YORK AND TORONT County:

Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Well Completed Date:

43.6897795453762

Elevation: Elevrc:

> Zone: 17

East83: 622836.00 4838547.00 North83: Org CS: UTM83

UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method: wwr

Overburden and Bedrock

Materials Interval

Formation ID: 1006458772

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 14.0 Formation End Depth: 65.0 Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006458774

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 81.0

Formation End Depth: 89.86000061035156

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458771

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 05

 Mat2 Desc:
 CLAY

Mat3:

Mat3 Desc:

Formation Top Depth: 4.0
Formation End Depth: 14.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458773

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 65.0 Formation End Depth: 81.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458781

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458782

Layer: 2 **Plug From**: 25.0

Plug To: 89.86000061035156

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006458780

Method Construction Code:

Method Construction:Other MethodOther Method Construction:AIR ROTARY

Pipe Information

Pipe ID: 1006458769

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006458777

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 25.0

 Casing Diameter:
 4.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Screen

Screen ID: 1006458778

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 89.86000061035156

Screen Material: 5
Screen Depth UOM: ft

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006458776

Layer: Kind Code: Kind:

Water Found Depth: ft Water Found Depth UOM:

Hole Diameter

Hole ID: 1006458775 Diameter: 8.0

Depth From: 0.0

89.66000366210938 Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006299035 Tag No: A215354 Depth M: 27.389328 Contractor: 3413

Year Completed: 2016 Path: 727\7276004.pdf Well Completed Dt: 2016/10/14 Latitude: 43.6897795453762 Audit No: Z230284 Longitude: -79.4758121929526

WSW/121.4 126.0 / -3.89 2641 EGLINGTNO AVE WEST 159 1 of 1 **WWIS TORONTO ON**

Well ID: 7261351

Construction Date:

Use 1st: Use 2nd:

Final Well Status: Abandoned-Other

Water Type:

Casing Material:

Audit No: Z232448

Tag: Constructn Method:

Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate:

Static Water Level: Clear/Cloudy:

YORK BOROUGH Municipality:

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/03/02 2016 Year Completed:

Depth (m):

Latitude: 43.6897065462819 Longitude: -79.4757395929894 Flowing (Y/N): Flow Rate:

Data Entry Status: Data Src:

Date Received: 12-Apr-2016 00:00:00

TRUE Selected Flag: Abandonment Rec: Yes Contractor: 6946 Form Version:

Owner:

YORK AND TORONT County:

Order No: 22090803393

Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

> 17 622842.00

4838539.00

Order No: 22090803393

UTM83

Path:

Bore Hole Information

Bore Hole ID: 1005929242 Elevation:

DP2BR: Elevrc: Spatial Status: Zone: Code OB: East83: Code OB Desc: North83: Open Hole: Org CS:

Cluster Kind: **UTMRC**: Date Completed: 02-Mar-2016 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Remarks: Location Method: wwr Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: **Supplier Comment:**

Annular Space/Abandonment

Sealing Record

1006022631 Plug ID: Layer: 0.0 Plug From:

Plug To: 10.0 Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006022630

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Alt Name:

Pipe ID: 1006022624

Casing No: Comment:

Construction Record - Casing

1006022628 Casing ID:

Layer: Material: 5

Open Hole or Material: **PLASTIC** Depth From: 0.0 Depth To: 10.0 Casing Diameter: 1.5 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006022629

Layer: Slot:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1006022627

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006022626

Diameter: Depth From: Depth To:

Hole Depth UOM: ft inch Hole Diameter UOM:

Links

Bore Hole ID: 1005929242

Contractor: 6946 Depth M:

Year Completed: 2016 Path: 726\7261351.pdf 2016/03/02 43.6897065462819 Well Completed Dt: Latitude: Audit No: Z232448 Longitude: -79.4757395929894

EGLINTON AVE W 160 1 of 1 WSW/121.7 126.1 / -3.83 **WWIS Toronto ON**

Tag No:

Well ID: 7276005

Flowing (Y/N): Construction Date: Flow Rate:

Dewatering Data Entry Status: Use 1st: Use 2nd: Data Src:

29-Nov-2016 00:00:00 Final Well Status: Dewatering Date Received:

TRUE Water Type: Selected Flag:

Casing Material: Abandonment Rec: Audit No: Z245166 3413 Contractor:

Tag: A215343 Form Version: 7 Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Northing NAD83: Pump Rate:

Static Water Level: Zone: Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276005.pdf

Order No: 22090803393

Additional Detail(s) (Map)

Well Completed Date: 2016/10/05

 Year Completed:
 2016

 Depth (m):
 27.2286984

 Latitude:
 43.6897613783243

 Longitude:
 -79.4758002449366

 Path:
 727\7276005.pdf

Bore Hole Information

Bore Hole ID: 1006299038

DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 05-Oct-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006458800

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 14.0 Formation End Depth: 62.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458799

Layer: 2 **Color:** 6

 General Color:
 BROWN

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3: Mat3 Desc:

Formation Top Depth: 4.0
Formation End Depth: 14.0
Formation End Depth UOM: ft

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID: 1006458802

Elevation: Elevro:

Zone: 17 **East83:** 6228

East83: 622837.00
North83: 4838545.00
Org CS: UTM83
UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Location Method: wwr

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 80.0

Formation End Depth: 89.33300018310547

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458798

 Layer:
 1

 Color:
 2

 General Color:
 GREY

Mat1: Most Common Material:

 Mat2:
 01

 Mat2 Desc:
 FILL

 Mat3:
 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0 Formation End Depth: 4.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458801

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 62.0 Formation End Depth: 80.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458810

Layer: 2 **Plug From:** 25.0

Plug To: 89.33300018310547

Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458809

25.0 Plug To:

Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006458808 В

Method Construction Code:

Method Construction: Other Method Other Method Construction: AIR ROTARY

Pipe Information

Pipe ID: 1006458797

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006458805

Layer: Material: 5

Open Hole or Material: **PLASTIC** Depth From: 0.0 Depth To: 25.0 Casing Diameter: 4.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006458806

Layer: 1 Slot: 10 Screen Top Depth: 25.0

Screen End Depth: 89.33300018310547

Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006458804

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006458803

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

 Bore Hole ID:
 1006299038
 Tag No:
 A215343

 Depth M:
 27.2286984
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276005.pdf

 Well Completed Dt:
 2016/10/05
 Latitude:
 43.6897613783243

 Audit No:
 Z245166
 Longitude:
 -79.4758002449366

161 1 of 1 WSW/121.7 126.0 / -3.89 EGLINTON AVE W
Toronto ON WWIS

TRUE

Order No: 22090803393

Well ID: 7276006 Flowing (Y/N):

Construction Date: Flow Rate:
Use 1st: Dewatering Data Entry Status:

Use 2nd: Dewatering Data Src:
Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag:
Casing Material: Abandonment Rec:

 Audit No:
 Z245167
 Contractor:
 3413

 Tag:
 A201836
 Form Version:
 7

Constructn Method:

Elevation (m):

County:

YORK AND TORONT

Elevatn Reliability:

Lot:

Elevatn Reliability: Lot:
Depth to Bedrock: Concession:
Well Depth: Concession Name:

Overburden/Bedrock:Easting NAD83:Pump Rate:Northing NAD83:Static Water Level:Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\727\6006.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2016/10/05

 Year Completed:
 2016

 Depth (m):
 27.1524984

 Latitude:
 43.6896700467181

 Longitude:
 -79.4757032930734

 Path:
 727\7276006.pdf

Bore Hole Information

Bore Hole ID: 1006298798 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622845.00

 Code OB Desc:
 North83:
 4838535.00

 Code OB Desc:
 North83:
 4838535.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 05-Oct-2016 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

Remarks: Location Method: ww Elevro Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006458826

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 05

 Mat2 Desc:
 CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 10.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458829

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 82.0

Formation End Depth: 89.08300018310547

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458828

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 71.0
Formation End Depth: 82.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458827

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 71.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458837

Layer: 2 **Plug From:** 25.0

Plug To: 89.08300018310547

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458836

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006458835

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006458825

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006458832

Layer: 1

Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:25.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006458833

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 89.08300018310547

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Water Details

Water ID: 1006458831

Layer: Kind Code:

Kind:

Water Found Depth:

ft Water Found Depth UOM:

Hole Diameter

Hole ID: 1006458830

Diameter: 8.0 Depth From: 0.0

Depth To: 89.08300018310547

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006298798 27.1524984 Depth M: Year Completed: 2016

Well Completed Dt: 2016/10/05 Audit No: Z245167

Tag No: A201836 Contractor: 3413

Path: 727\7276006.pdf 43.6896700467181 Latitude: Longitude: -79.4757032930734

162 1 of 1 SW/123.7 126.0 / -3.89 2641 EGLINTON AVE WEST **TORONTO ON**

WWIS

Well ID: 7261352

Construction Date: Use 1st:

Use 2nd:

Final Well Status:

Abandoned-Other Water Type:

Casing Material:

Audit No: Z232447

Tag:

Constructn Method: Elevation (m):

Elevatn Reliabilty: Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/03/02 Year Completed: 2016

Depth (m):

Latitude: 43.6896430442922 Longitude: -79.4757039770693

Path:

Flowing (Y/N): Flow Rate:

Data Entry Status: Data Src:

12-Apr-2016 00:00:00 Date Received:

Selected Flag: TRUE Abandonment Rec: Yes Contractor: 6946 Form Version: 7

Owner:

County: YORK AND TORONT

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:

erisinfo.com | Environmental Risk Information Services

Elevation:

17 622845.00

4838532.00

margin of error: 30 m - 100 m

Order No: 22090803393

UTM83

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

Bore Hole Information

Bore Hole ID: 1005929245

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 02-Mar-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Supplier Comment.

Annular Space/Abandonment

Sealing Record

Plug ID: 1006022677

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006022676

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006022670

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006022674

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 20.0

 Casing Diameter:
 1.5

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Screen

Screen ID: 1006022675

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM:

Screen Diameter:

inch

Water Details

Water ID: 1006022673

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006022672

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1005929245

Depth M: Year Completed: 2016 Well Completed Dt: 2016/03/02

Z232447 Audit No:

Tag No:

Contractor: 6946 Path: 726\7261352.pdf Latitude: 43.6896430442922 -79.4757039770693 Longitude:

1 of 1 WSW/124.3 126.1 / -3.83 **EGLINTON AVE W** 163 **WWIS TORONTO ON**

7301933 Well ID:

Construction Date:

Use 1st: Use 2nd: Final Well Status:

Dewatering

Water Type: Casing Material:

Z254857 Audit No: A223695 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock:

Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

YORK BOROUGH Municipality:

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

2017/11/26 Well Completed Date: Year Completed: 2017 8.2296 Depth (m):

Latitude: 43.6897345413316 Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:

Date Received:

21-Dec-2017 00:00:00

YORK AND TORONT

Selected Flag: TRUE

Abandonment Rec:

7607 Contractor: Form Version:

Owner: County: Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Longitude: -79.4758133328682

Path:

Bore Hole Information

Bore Hole ID: 1006926376 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622836.00

 Code OB Desc:
 North83:
 4838542.00

 Open Hole:
 Org CS:
 UTM83

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed:26-Nov-2017 00:00:00UTMRC Desc:margin of error : 30 m - 100 mRemarks:Location Method:cnrev

Remarks: Location Method: Elevro Desc:

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID: 1007090108

Layer: 4 Color: **GREY** General Color: Mat1: 06 Most Common Material: SILT Mat2: 05 Mat2 Desc: CLAY Mat3: 79 Mat3 Desc: **PACKED** Formation Top Depth: 25.0 Formation End Depth: 27.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1007090106

Layer: 2 **Color:** 6

General Color: BROWN Mat1: 06

 Most Common Material:
 SILT

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

 Mat3:
 77

 Mat3 Desc:
 LOOSE

 Formation Top Depth:
 3.0

Formation End Depth: 10.0 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1007090105

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

Mat1: 02
Most Common Material: TOPSOIL

Mat2: 12
Mat2 Desc: STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 3.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1007090107

Layer: Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 SAND Mat2 Desc: Mat3: 77 LOOSE Mat3 Desc: Formation Top Depth: 10.0 Formation End Depth: 25.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1007090115

 Layer:
 2

 Plug From:
 8.0

 Plug To:
 27.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1007090114

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 8.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1007090113

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1007090104

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1007090111

Layer: Material: 5 Open Hole or Material: **PLASTIC** Depth From: 0.0 Depth To: 9.0 Casing Diameter: 10.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1007090112

Layer: .5 Slot: Screen Top Depth: 9.0 Screen End Depth: 27.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 10.0

Water Details

Water ID: 1007090110

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1007090109

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

<u>Links</u>

Bore Hole ID: 1006926376 A223695 Tag No: Contractor: Depth M: 8.2296 7607

Year Completed: 2017 Path: Well Completed Dt: 2017/11/26 Latitude: 43.6897345413316 Audit No: Z254857 Longitude: -79.4758133328682

1 of 1 SW/127.3 125.6 / -4.28 YARROW RD 164 **WWIS Toronto ON**

7276012 Well ID:

Construction Date:

Use 1st: Dewatering

Use 2nd: Final Well Status:

Dewatering

Water Type:

Casing Material:

Constructn Method:

Audit No: Z245168 A215357 Tag:

Data Entry Status: Data Src: Date Received:

Selected Flag:

Abandonment Rec:

Flowing (Y/N):

Flow Rate:

Contractor: 3413 7 Form Version:

Owner:

29-Nov-2016 00:00:00

TRUE

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

YORK AND TORONT Elevation (m): County:

Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Northing NAD83: Pump Rate:

Static Water Level: Zone: UTM Reliability: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276012.pdf

Additional Detail(s) (Map)

Well Completed Date: 2016/09/05 Year Completed: 2016 29.3622984 Depth (m): Latitude: 43.6896255390031 Longitude: -79.4757416449281 727\7276012.pdf Path:

Bore Hole Information

Bore Hole ID: 1006298816 Elevation:

DP2BR: Elevrc: Spatial Status: Zone:

17 622842.00 Code OB: East83: Code OB Desc: North83: 4838530.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC:

Date Completed: 05-Sep-2016 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Order No: 22090803393

Remarks: Location Method: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

1006458980 Formation ID:

Layer: 5 Color: General Color: **GREY** Mat1: 17 SHALE Most Common Material: Mat2: 71

FRACTURED Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 90.0

96.33300018310547 Formation End Depth:

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006458978

3 Layer:

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 70.0 Formation End Depth: 81.0 Formation End Depth UOM: ft

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID: 1006458977

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 14.0 Formation End Depth: 70.0 Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1006458976

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 05

 Mat2 Desc:
 CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 14.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458979

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 81.0
Formation End Depth: 90.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006458988

 Layer:
 2

Plug From: 0.0

Plug To: 96.33300018310547

Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006458987

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006458986

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006458975

Casing No: 0
Comment:

Alt Name:

Construction Record - Casing

Casing ID: 1006458983

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:25.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006458984

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 0.0

Screen End Depth: 96.33300018310547

Screen Material:5Screen Depth UOM:ftScreen Diameter UOM:inchScreen Diameter:4.0

Water Details

Water ID: 1006458982

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006458981

Diameter: 8.0 0.0 Depth From:

Depth To: 96.33300018310547

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: Tag No: A215357 1006298816 Contractor: Depth M: 29.3622984 3413

Year Completed: 2016 Path: 727\7276012.pdf Well Completed Dt: 2016/09/05 Latitude: 43.6896255390031 -79.4757416449281 Audit No: Z245168 Longitude:

WSW/127.8 125.9 / -4.00 2643 EGLINTON AVE. WEST 165 1 of 1 **WWIS TORONTO ON**

Flowing (Y/N):

Data Entry Status:

Abandonment Rec:

12-Apr-2016 00:00:00

YORK AND TORONT

Order No: 22090803393

TRUE

Yes

6946

Date Received:

Selected Flag:

Form Version:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

UTM Reliability:

Contractor:

Owner:

County:

Lot:

Zone:

Flow Rate:

Data Src:

Well ID: 7261345

Construction Date: Use 1st:

Use 2nd:

Final Well Status: Abandoned-Other

Water Type: Casing Material:

Audit No: Z232446

Tag: Constructn Method:

Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

YORK BOROUGH Municipality:

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

2016/03/02 Well Completed Date: Year Completed: 2016

Depth (m):

Latitude: 43.6897990358419 Longitude: -79.4759233729 Path:

Bore Hole Information

Elevation: Bore Hole ID: 1005929224 DP2BR: Elevrc:

Zone:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

17

622827.00

UTM83

wwr

4838549.00

margin of error: 30 m - 100 m

Order No: 22090803393

Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind: Date Completed:

02-Mar-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006022563

 Layer:
 1

 Plug From:
 10.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006022562

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Alt Name:

Pipe ID: 1006022556

Casing No: 0
Comment:

Construction Record - Casing

Casing ID: 1006022560

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 10.0

 Depth To:
 0.0

 Casing Diameter:
 1.5

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Screen

Screen ID: 1006022561

Layer: Slot:

Screen Top Depth: Screen End Depth:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Screen Material:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Water Details

Water ID: 1006022559

Layer: Kind Code:

Kind:

Water Found Depth:

ft Water Found Depth UOM:

Hole Diameter

Hole ID: 1006022558

Diameter: Depth From: Depth To:

Hole Depth UOM: ft inch Hole Diameter UOM:

Links

Bore Hole ID: 1005929224

Depth M:

Year Completed: 2016 2016/03/02 Well Completed Dt:

Audit No: Z232446 Tag No: Contractor:

Flowing (Y/N):

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

UTM Reliability:

Northing NAD83:

Flow Rate:

Data Src:

6946

Path: 726\7261345.pdf 43.6897990358419 Latitude: Longitude: -79.4759233729

29-Nov-2016 00:00:00

YORK AND TORONT

Order No: 22090803393

TRUE

3413 7

125.7/-4.22 YARROW ROAD 166 1 of 1 WSW/128.2 **WWIS Toronto ON**

Well ID: 7276015

Construction Date:

Use 1st: Dewatering

Use 2nd: Final Well Status: Dewatering

Water Type:

Casing Material:

Audit No: Z245173 Tag: A215355

Constructn Method:

Elevation (m):

Elevatn Reliabilty: Depth to Bedrock:

Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level:

Municipality: YORK BOROUGH

Site Info:

Clear/Cloudy:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276015.pdf PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/09/22 Year Completed: 2016 Depth (m): 27.2543016 Latitude: 43.6898082020721 Longitude: -79.4759355489259 Path: 727\7276015.pdf

Bore Hole Information

Bore Hole ID: 1006298825

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 22-Sep-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006459031

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 85

 Mat2 Desc:
 SOFT

Mat3:

Mat3 Desc:

Formation Top Depth: 16.0 Formation End Depth: 66.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459035

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 87.0

Formation End Depth: 89.41699981689453

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459032

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Elevation: Elevro:

Zone: 17

East83: 622826.00 North83: 4838550.00 Org CS: UTM83

UTMRC: 4

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method: wwr

Mat3: Mat3 Desc:

66.0 Formation Top Depth: Formation End Depth: 74.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459030

Layer: 1 Color: 6 **BROWN** General Color: Mat1: 28 Most Common Material: SAND Mat2: 05 Mat2 Desc: CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 16.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459033

Layer: 4 Color: 6 General Color: **BROWN** 28 Mat1: SAND Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

74.0 Formation Top Depth: Formation End Depth: 79.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459034

5 Layer: 2 Color: General Color: **GREY** Mat1: 05 CLAY Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 79.0 87.0 Formation End Depth: Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006459042

Layer: 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006459043

Layer: 2 **Plug From:** 25.0

Plug To: 89.41699981689453

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006459041

Method Construction Code:

Method Construction: Other Method Construction: Other Method Construction: AIR ROTARY

Pipe Information

Pipe ID: 1006459029

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006459038

Layer: 1

Material:5Open Hole or Material:PLASTICDepth From:0.0Depth To:25.0Casing Diameter:4.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1006459039

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 89.41699981689453

Screen Material:5Screen Depth UOM:ftScreen Diameter UOM:inchScreen Diameter:4.0

Water Details

Water ID: 1006459037

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006459036

Diameter: 8.0 Depth From: 0.0

Depth To: 89.41699981689453

Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

 Bore Hole ID:
 1006298825
 Tag No:
 A215355

 Depth M:
 27.2543016
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276015.pdf

 Well Completed Dt:
 2016/09/22
 Latitude:
 43.6898082020721

 Audit No:
 Z245173
 Longitude:
 -79.4759355489259

167 1 of 1 WSW/128.2 125.8 / -4.09 2641-2643 EGLINGTON AVE.

WWIS

Order No: 22090803393

Toronto ON

Well ID: 7196178 Flowing (Y/N):
Construction Date: Flow Rate:

Construction Date: Flow Rate: Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: Data Src:

Final Well Status:Test HoleDate Received:28-Jan-2013 00:00:00Water Type:Selected Flag:TRUE

Casing Material: Selected Flag: Abandonment Rec:

 Audit No:
 Z164222
 Contractor:
 7241

Tag: A140052 Form Version: 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT Elevatn Reliability: Lot:

Depth to Bedrock: Concession:
Well Depth: Concession I

Well Depth: Concession Name:
Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:
Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality:YORK BOROUGHSite Info:WKQ-005635 A0-A04

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7196178.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2013/01/09

 Year Completed:
 2013

 Depth (m):
 6.096

 Latitude:
 43.689644036937

 Longitude:
 -79.4757784008166

 Path:
 719\7196178.pdf

Bore Hole Information

Bore Hole ID: 1004245002 Elevation:

DP2BR: Elevrc: Spatial Status: Zone:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622839.00

 Code OB Desc:
 North83:
 4838532.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 09-Jan-2013 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

Location Method:

wwr

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 1004780952

Layer: 3 Color: 2 **GREY** General Color: 05 Mat1: Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 66 **DENSE** Mat3 Desc: Formation Top Depth: 8.0 Formation End Depth: 20.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004780950

Layer: 1

Color: General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 1.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004780951

Layer: 2 **Color:** 6

General Color: BROWN
Mat1: 01
Most Common Material: FILL

Mat2:

Mat2 Desc:

Mat3:77Mat3 Desc:LOOSEFormation Top Depth:1.0Formation End Depth:8.0Formation End Depth UOM:ft

Annular Space/Abandonment

Sealing Record

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1004780960			
Layer:		1			
Plug From:		0.0			
Plug To:		1.0			
Plug Depth UOM:		ft			

Annular Space/Abandonment

Sealing Record

Plug ID: 1004780961

2 Layer: Plug From: 1.0 9.0 Plug To: Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004780962

Layer: 3 Plug From: 9.0 Plug To: 20.0 Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004780959 D

Method Construction Code:

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1004780949

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004780955

Layer: Material: 5 Open Hole or Material: **PLASTIC** Depth From: 0.0 Depth To: 10.0 Casing Diameter: 1.25 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004780956

Layer: 1 Slot: 10 Screen Top Depth: 10.0 Screen End Depth: 20.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter: 1.5

Water Details

Water ID: 1004780954

Layer:

Kind Code: Kind:

Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

 Hole ID:
 1004780953

 Diameter:
 2.25

 Depth From:
 0.0

 Depth To:
 20.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Links

 Bore Hole ID:
 1004245002
 Tag No:
 A140052

 Depth M:
 6.096
 Contractor:
 7241

 Year Completed:
 2013
 Path:
 719\7196178.pdf

 Well Completed Dt:
 2013/01/09
 Latitude:
 43.689644036937

 Audit No:
 Z164222
 Longitude:
 -79.4757784008166

168 1 of 1 SSW/129.5 126.8 / -3.10 City of Toronto

Keele Street Cameron Avenue, Bicknell Avenue

ECA

Order No: 22090803393

Toronto ON M5V 3C6

9533-97XPUW MOE District: Approval No: 2013-05-31 Approval Date: City: Status: Approved Longitude: Record Type: ECA Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: City of Toronto

Address: Keele Street Cameron Avenue, Bicknell Avenue

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0516-97SPBK-14.pdf

PDF Site Location:

169 1 of 1 WSW/129.5 125.7 / -4.22 2641-2643 EGLINGTON AVE

Toronto ON

Well ID: 7196176 Flowing (Y/N):
Construction Date: Flow Rate:

Use 1st: Monitoring and Test Hole Data Entry Status:
Use 2nd: Data Src:

Final Well Status:Test HoleDate Received:28-Jan-2013 00:00:00Water Type:Selected Flag:TRUE

Casing Material: Selected Flag: IRC Abandonment Rec:

 Audit No:
 Z164223
 Contractor:
 7241

 Tag:
 A142656
 Form Version:
 7

 Constructn Method:
 Owner:

 Elevation (m):
 County:
 YORK AND TORONT

Elevatn Reliabilty: Lot:

Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

Static Water Level: Zone:
Clear/Cloudy: UTM Reliability:

Municipality:YORK BOROUGHSite Info:WKQ-005635 A0-A04

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7196176.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2013/01/07

 Year Completed:
 2013

 Depth (m):
 3.6576

 Latitude:
 43.6896808673408

 Longitude:
 -79.4758395086956

 Path:
 719\7196176.pdf

Bore Hole Information

 Bore Hole ID:
 1004244996
 Elevation:

 DP2BR:
 Elevrc:

Spatial Status: Elevic: Zone: 1

 Code OB:
 East83:
 622834.00

 Code OB Desc:
 North83:
 4838536.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 07-Jan-2013 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393

Remarks: Location Method: wwr Elevro Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004780923

Layer: 2 **Color:** 6

General Color: BROWN
Mat1: 01
Most Common Material: FILL

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 77

 Mat3 Desc:
 LOOSE

 Formation Top Depth:
 0.5

 Formation End Depth:
 3.0

 Formation End Depth UOM:
 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004780924

 Layer:
 3

 Color:
 2

 General Color:
 GREY

05 Mat1: Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 66 DENSE Mat3 Desc: Formation Top Depth: 3.0 Formation End Depth: 12.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004780922

Layer: 1

Color:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 0.5 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004780933

 Layer:
 2

 Plug From:
 0.5

 Plug To:
 4.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004780934

 Layer:
 3

 Plug From:
 4.0

 Plug To:
 12.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004780932

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 0.5

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004780931

Method Construction Code: D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1004780921

Casing No: 0
Comment:

Construction Record - Casing

Casing ID: 1004780927

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 5.0

Depth To:

Alt Name:

Casing Diameter: 1.25
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004780928

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 5.0

 Screen End Depth:
 12.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 1.5

Water Details

Water ID: 1004780926

Layer: Kind Code: Kind:

Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

 Hole ID:
 1004780925

 Diameter:
 2.25

 Depth From:
 0.0

 Depth To:
 12.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

<u>Links</u>

 Bore Hole ID:
 1004244996
 Tag No:
 A142656

 Depth M:
 3.6576
 Contractor:
 7241

 Year Completed:
 2013
 Path:
 719\7196176.pdf

 Well Completed Dt:
 2013/01/07
 Latitude:
 43.6896808673408

 Audit No:
 Z164223
 Longitude:
 -79.4758395086956

170 1 of 1 WSW/130.7 125.7 / -4.22 2641-2643 EGLINGTON AVE

Toronto ON

WWIS

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Flowing (Y/N):

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

Northing NAD83:

UTM Reliability:

28-Jan-2013 00:00:00

YORK AND TORONT

TRUE

7241

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Flow Rate:

Data Src:

Well ID: 7196175

Construction Date: Use 1st:

Use 2nd:

Monitoring and Test Hole

Final Well Status:

Test Hole

Water Type: Casing Material:

Z164220 Audit No: A140053 Tag:

Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Constructn Method:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

Municipality: YORK BOROUGH Site Info: WKQ-005635 A0-A04

PDF URL (Map):

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7196175.pdf

Additional Detail(s) (Map)

2013/01/10 Well Completed Date: Year Completed: 2013 Depth (m): 3.048

Latitude: 43.6896993652441 Longitude: -79.4758762646483 719\7196175.pdf Path:

Bore Hole Information

Bore Hole ID: 1004244993

DP2BR: Spatial Status: Code OB: Code OB Desc:

Open Hole: Cluster Kind:

Date Completed: 10-Jan-2013 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004780909

Layer: 2 Color: 6 **BROWN** General Color:

Mat1: 01 Most Common Material: **FILL** Mat2: 28 Mat2 Desc: SAND

Mat3: Mat3 Desc:

Elevation: Elevrc:

17 Zone:

East83: 622831.00 North83: 4838538.00 Org CS: UTM83

UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method:

Formation Top Depth: 0.5 Formation End Depth: 2.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1004780910 Formation ID:

Layer: 3 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 06 SILT Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 2.0 Formation End Depth: 10.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1004780908

Layer:

Color: General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 0.5 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

1004780919 Plug ID:

Layer: 2 0.5 Plug From: 3.5 Plug To: Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

1004780918 Plug ID:

Layer: 1 Plug From: 0.0 Plug To: 0.5 Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004780920

Layer: 3.5 Plug From:

Plug To: 10.0

Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004780917
Method Construction Code: D

Method Construction Code: Method Construction:

Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1004780907

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004780913

Layer: 1

Material:5Open Hole or Material:PLASTICDepth From:0.0Depth To:4.0Casing Diameter:1.25Casing Diameter UOM:inch

Casing Diameter UOM: included in Casing Depth UOM:

Construction Record - Screen

Screen ID: 1004780914

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 4.0

 Screen End Depth:
 10.0

 Screen Material:
 5

Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.5

Water Details

Water ID: 1004780912

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

 Hole ID:
 1004780911

 Diameter:
 2.25

 Diameter:
 2.23

 Depth From:
 0.0

 Depth To:
 10.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Map Key Number of Direction/ Elev/Diff Site

Records

Distance (m) (m) DΒ

Links

1004244993 Bore Hole ID: 3.048 Depth M:

Year Completed: 2013 2013/01/10 Well Completed Dt: Audit No: Z164220

A140053 Tag No: Contractor: 7241

Path: 719\7196175.pdf 43.6896993652441 Latitude: Longitude: -79.4758762646483

WSW/132.1 125.7 / -4.22 YARROW RD 1 of 1 171 **WWIS Toronto ON**

Well ID: 7276013

Construction Date: Use 1st: Dewatering

Use 2nd: Final Well Status: Dewatering

Water Type: Casing Material:

Audit No: Z245171 Tag: A215356

Constructn Method: Elevation (m):

Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

YORK BOROUGH Municipality: Site Info:

Flowing (Y/N):

Flow Rate:

Data Entry Status: Data Src:

29-Nov-2016 00:00:00 Date Received: TRUE

Selected Flag: Abandonment Rec:

3413 Contractor: Form Version: 7

Owner: County: YORK AND TORONT

17

Order No: 22090803393

Lot: Concession: Concession Name: Easting NAD83:

Northing NAD83: Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276013.pdf

Additional Detail(s) (Map)

Well Completed Date: 2016/09/05 Year Completed: 2016 Depth (m): 27.051

43.6896905298604 Latitude: -79.4758888965898 Longitude: Path: 727\7276013.pdf

Bore Hole Information

Bore Hole ID: 1006298819 Elevation:

DP2BR: Elevrc: Spatial Status: Zone: East83: Code OB:

622830.00 Code OB Desc: North83: 4838537.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC:

margin of error: 30 m - 100 m Date Completed: 05-Sep-2016 00:00:00 UTMRC Desc:

Location Method: Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006459002

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 14.0 Formation End Depth: 56.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459001

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 05

 Mat2 Desc:
 CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 14.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459003

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 56.0 Formation End Depth: 76.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459004

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 76.0 Formation End Depth: 88.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006459005

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

 Mat2:
 71

Mat2 Desc: FRACTURED

Mat3: Mat3 Desc:

Formation Top Depth: 88.0
Formation End Depth: 88.75
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006459012

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006459013

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 88.75

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006459011

Method Construction Code: B

Method Construction: Other Method Other Method Construction: AIR ROTARY

Pipe Information

Pipe ID: 1006459000

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006459008

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0

25.0 Depth To: Casing Diameter: 4.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

1006459009 Screen ID:

Layer: 1 Slot: 10 25.0 Screen Top Depth: Screen End Depth: 88.75 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006459007

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

1006459006 Hole ID: Diameter: 8.0

0.0 Depth From: Depth To: 88.75 Hole Depth UOM: ft Hole Diameter UOM: inch

Links

551

Bore Hole ID: 1006298819 Tag No: A215356 Depth M: 27.051 Contractor: 3413

Year Completed: Path: 2016 727\7276013.pdf Well Completed Dt: 2016/09/05 Latitude: 43.6896905298604 Longitude: Z245171 -79.4758888965898 Audit No:

172 1 of 1 WSW/132.8 125.7 / -4.22 YARROW ROAD **WWIS Toronto ON**

Flowing (Y/N):

Data Src:

Well ID: 7276008

Construction Date: Flow Rate: Dewatering Data Entry Status: Use 1st:

Use 2nd:

29-Nov-2016 00:00:00 Final Well Status: Dewatering Date Received: Water Type: Selected Flag: TRUE

Casing Material:

Abandonment Rec: Audit No: Z245170 Contractor: 3413

A201834 Form Version: Tag: Constructn Method: Owner: Elevation (m): County: YORK AND TORONT Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level:

Zone:

Elevation:

17 622833.00

wwr

4838532.00 UTM83

margin of error: 30 m - 100 m

Order No: 22090803393

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

Clear/Cloudy:

UTM Reliability:

Municipality: Site Info: YORK BOROUGH

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276008.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2016/09/10

 Year Completed:
 2016

 Depth (m):
 26.9495016

 Latitude:
 43.6896450295334

 Longitude:
 -79.4758528245676

 Path:
 727\7276008.pdf

Bore Hole Information

Bore Hole ID: 1006298804

Spatial Status: Code OB:

DP2BR:

Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed:

10-Sep-2016 00:00:00

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006458870

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 05

 Mat2 Desc:
 CLAY

Mat3:

Mat3 Desc:

Formation Top Depth: 67.0
Formation End Depth: 78.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458871

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 78.0 Formation End Depth: 88.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458872

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

 Mat2:
 71

Mat2 Desc: FRACTURED

Mat3:

Mat3 Desc:

Formation Top Depth: 88.0

Formation End Depth: 88.41699981689453

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458869

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 12.0 Formation End Depth: 67.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458868

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 12.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458883

Layer: 1

0.0 Plug From: Plug To: 25.0 Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

1006458885 Plug ID:

2 Layer: Plug From: 25.0

88.41699981689453 Plug To:

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006458878 2

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

1006458867 Pipe ID:

Casing No:

Comment: Alt Name:

Construction Record - Casing

1006458875 Casing ID:

Layer: 1

Material: 5 **PLASTIC** Open Hole or Material: Depth From: 0.0 Depth To: 25.0 Casing Diameter: 4.0

Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006458876

Layer: Slot: 10 Screen Top Depth: 0.0

Screen End Depth: 88.41699981689453

Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006458874

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006458873

Diameter:8.0Depth From:0.0

Depth To: 88.41699981689453

Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

 Bore Hole ID:
 1006298804
 Tag No:
 A201834

 Depth M:
 26.9495016
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727/7276008.pdf

 Well Completed Dt:
 2016/09/10
 Latitude:
 43.6896450295334

 Audit No:
 Z245170
 Longitude:
 -79.4758528245676

173 1 of 1 WSW/133.3 125.7 / -4.22 EGLINTON/YARROW RD. TORONTO ON WWIS

Well ID: 7153850 Flowing (Y/N):
Construction Date: Flow Rate:

Use 1st: Monitoring Data Entry Status:
Use 2nd: Data Src:

Final Well Status: Observation Wells Date Received: 02-Nov-2010 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z099574
 Contractor:
 7075

 Tag:
 A096204
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliabilty:Lot:Depth to Bedrock:Concession:Well Depth:Concession Name:Overburden/Bedrock:Easting NAD83:

Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy:
Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7153850.pdf

UTM Reliability:

Order No: 22090803393

Additional Detail(s) (Map)

 Well Completed Date:
 2010/10/05

 Year Completed:
 2010

 Depth (m):
 28

 Latitude:
 43.689763694279

 Longitude:
 -79.4759739007019

 Path:
 715\7153850.pdf

Bore Hole Information

 Bore Hole ID:
 1003358860
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 623

 Code OB:
 East83:
 622823.00

 Code OB Desc:
 North83:
 4838545.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 3

Date Completed: 05-Oct-2010 00:00:00 **UTMRC Desc:** margin of error : 10 - 30 m

Location Method:

wwr

Order No: 22090803393

Remarks:

Location Source Date:

Elevrc Desc:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1003406307

Layer: Color: 6 **BROWN** General Color: Mat1: 28 Most Common Material: SAND Mat2: 11 Mat2 Desc: **GRAVEL** Mat3: 77 LOOSE Mat3 Desc: Formation Top Depth: 0.0

Overburden and Bedrock

Formation End Depth UOM:

Formation End Depth:

Materials Interval

Formation ID: 1003406308

3.0

m

Layer: 2 Color: **GREY** General Color: Mat1: 05 Most Common Material: CLAY 06 Mat2: Mat2 Desc: SILT Mat3: 68 Mat3 Desc: DRY Formation Top Depth: 3.0 Formation End Depth: 16.5 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1003406309

Layer: 3 Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT

Mat2: Mat2 Desc:

Mat3: 77

LOOSE Mat3 Desc: Formation Top Depth: 16.5 Formation End Depth: 18.0 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1003406310

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3:

Mat3 Desc:

Formation Top Depth: 18.0 Formation End Depth: 28.0 Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1003406312

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 24.0

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1003406317

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1003406306

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1003406314

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:24.0Casing Diameter:2.0Casing Diameter UOM:cmCasing Depth UOM:m

Construction Record - Screen

Screen ID: 1003406315

Layer: 1 **Slot:** 10

 Screen Top Depth:
 24.0

 Screen End Depth:
 28.0

 Screen Material:
 5

 Screen Depth UOM:
 m

 Screen Diameter UOM:
 cm

 Screen Diameter:
 2.0

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Water Details

Water ID: 1003406313

Layer: Kind Code:

Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

Hole ID: 1003406311

Diameter: 8.0 Depth From: 0.0 Depth To: 28.0 Hole Depth UOM: m Hole Diameter UOM: m

Links

Bore Hole ID: 1003358860 Tag No: A096204 Depth M: 28 Contractor: 7075

Year Completed: 2010 Path: 715\7153850.pdf 2010/10/05 43.689763694279 Well Completed Dt: Latitude: Audit No: Z099574 Longitude: -79.4759739007019

Flowing (Y/N):

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

UTM Reliability:

Northing NAD83:

29-Nov-2016 00:00:00

YORK AND TORONT

TRUE

3413 7

Flow Rate:

Data Src:

RAYYOW RD 174 1 of 1 WSW/134.6 125.4 / -4.51 **Toronto ON**

WWIS

Order No: 22090803393

Well ID: 7276010

Construction Date:

Use 1st: Dewatering

Use 2nd: Final Well Status: Dewatering

Water Type:

Casing Material:

Audit No: Z245175 Tag: A215348

Constructn Method:

Elevation (m): Elevatn Reliabilty: Depth to Bedrock:

Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276010.pdf PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/09/10 Year Completed: 2016 Depth (m): 27.303984

43.6896088608671 Latitude: Longitude: -79.4758413325204 Path: 727\7276010.pdf

Elevation:

17 622834.00

4838528.00

margin of error: 30 m - 100 m

Order No: 22090803393

UTM83

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

Bore Hole Information

Bore Hole ID: 1006298810

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 10-Sep-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006458924

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 58.0 Formation End Depth: 70.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458926

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 75.0

Formation End Depth: 89.58000183105469

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458925

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc:

Mat3: Mat3 Desc:

70.0 Formation Top Depth: Formation End Depth: 75.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458923

Layer: 1 Color: 6 **BROWN** General Color: Mat1: 05 Most Common Material: CLAY Mat2: 17 Mat2 Desc: SHALE

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 58.0 Formation End Depth: Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458933

Layer: 1 Plug From: 0.0 25.0 Plug To: Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458934 2

Layer: Plug From: 0.0

89.58000183105469 Plug To:

Plug Depth UOM:

Method of Construction & Well

Use

Method Construction ID: 1006458932

Method Construction Code:

Method Construction: Other Method Other Method Construction: AIR ROTARY

Pipe Information

Pipe ID: 1006458922

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006458929

Layer: Material: 5

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Open Hole or Material: **PLASTIC** Depth From: 0.0 Depth To: 25.0 Casing Diameter: 4.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006458930

Layer: 1 10 Slot: Screen Top Depth: 25.0

Screen End Depth: 89.58000183105469

Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water Details

Water ID: 1006458928

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006458927 Diameter: 8.0

Depth From:

89.58000183105469 Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1006298810 Tag No: A215348 Depth M: 27.303984 Contractor: 3413

2016 Path: 727\7276010.pdf Year Completed: Well Completed Dt: 2016/09/10 Latitude: 43.6896088608671 Z245175 -79.4758413325204 Audit No: Longitude:

SSW/134.6 126.8 / -3.08 Enbridge Gas Distribution Inc. 175 1 of 2

1842 Keele Street

SPL

Order No: 22090803393

Toronto ON

Ref No: 0858-9AVP9E Discharger Report: Site No: Material Group:

2013/08/24 Health/Env Conseq: Client Type:

Year: Leak/Break Incident Cause: Sector Type: Pipeline/Components

Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse:

Contaminant Name: NATURAL GAS, COMPRESSED (METHANE) Site Address: 1842 Keele Street

Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code:

Contaminant UN No 1: Site Region:

Confirmed Site Municipality: Environment Impact: **Toronto**

Nature of Impact: Air Pollution Site Lot:

Incident Dt:

Direction/ Elev/Diff Site DΒ Map Key Number of Records Distance (m) (m)

Site Conc:

Northing:

Easting:

Site Geo Ref Accu:

SAC Action Class:

Site Map Datum:

Source Type:

Receiving Medium:

MOE Response: Referral to others Dt MOE Arvl on Scn:

Receiving Env:

MOE Reported Dt: 2013/08/24

2013/11/01 **Dt Document Closed:**

Operator/Human Error Incident Reason:

Site Name: Residential Property<UNOFFICIAL>

Site County/District:

Site Geo Ref Meth: Incident Summary: TSSA FSB: 0.5" line damage, made safe 0 other - see incident description Contaminant Qty:

175 2 of 2 SSW/134.6 126.8 / -3.08 PIPELINE HIT - 1/2"

1842 KEELE STREET,,TORONTO,ON,M6M 3X4,

Release/Spill

TSSA - Fuel Safety Branch - Hydrocarbon Fuel

PINC

CA

Order No: 22090803393

ON

Environment Impact:

Incident Id: Pipe Material: Incident No: 1167032 Fuel Category: Incident Reported Dt: 8/26/2013 Health Impact:

Type: FS-Pipeline Incident

Status Code: Property Damage: Tank Status: Not Required Service Interrupt: Task No:

Enforce Policy: Spills Action Centre: Public Relation: Fuel Type: Pipeline System: Fuel Occurrence Tp: PSIG:

Date of Occurrence: Attribute Category: Occurrence Start Dt: Regulator Location: Method Details: Depth:

Customer Acct Name: PIPELINE HIT - 1/2"

1842 KEELE STREET,,TORONTO,ON,M6M 3X4,CA Incident Address:

Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation:

Occurrence Desc: Damage Reason:

Notes:

176

TORONTO CITY - YORK CIVIC CENTRE WSW/134.9 125.7 / -4.22

EGLINTON AVE/YARROW RD.

TORONTO ON

3-1028-98-Certificate #: Application Year: 98 Issue Date: 7/22/1998 Approval Type: Municipal sewage

1 of 3

Status: Application Type: Client Name: Client Address: Client City:

Client Postal Code: **Project Description:** Contaminants: **Emission Control:**

Approved

WSW/134.9 125.7 / -4.22 Crosslinx Transit Solutions Constructors., as 176 2 of 3 general partner for and on behalf

of SNC-Lavalin Constructors (Pacific) Inc.

SPL

PINC

Order No: 22090803393

Limited Partnership Yarrow Road w of Eglington Ave W & Keele St

Toronto ON

Ref No: 6230-B3FU5U Discharger Report: Site No: NA Material Group:

Incident Dt: 2018/08/07 Health/Env Conseq: 2 - Minor Environment

Client Type: Corporation

Incident Cause: Miscellaneous Industrial Sector Type: Incident Event: Overflow/Surcharge Agency Involved:

Contaminant Code: Nearest Watercourse:

Contaminant Name: WATER/SEDIMENT Site Address: Yarrow Road w of Eglington Ave W & Keele St

Contaminant Limit 1: Site District Office: Toronto - District Contam Limit Freq 1: Site Postal Code:

Contaminant UN No 1: n/a Site Region: Central **Environment Impact:** Site Municipality: Toronto

Nature of Impact: Site Lot: Receiving Medium: Site Conc:

4838442 Receiving Env: Land; Surface Water Northing:

MOE Response: Easting: 622853 Dt MOE Arvl on Scn: Site Geo Ref Accu:

MOE Reported Dt: 2018/08/08 Site Map Datum: **Dt Document Closed:** SAC Action Class: Land Spills

Weather Conditions Incident Reason: Non-Point Source (i.e. run-off) Source Type:

site<UNOFFICIAL> Site Name:

Site County/District: Site Geo Ref Meth: Incident Summary: Crosslinx: sediment-laden water to cb,

0 other - see incident description Contaminant Qty:

176 3 of 3 WSW/134.9 125.7 / -4.22 **ENBRIDGE GAS INC** EGLINTON AVE W & YARROW RD,, TORONTO,

Pipe Material:

ON,M6M 4E4,CA

ON

Incident No: 2868964 Fuel Category: Incident Reported Dt: 6/16/2020 Health Impact:

FS-Pipeline Incident **Environment Impact:** Type: Status Code: Property Damage: Pipeline Damage Reason Est Tank Status: Service Interrupt:

Task No: Enforce Policy: Spills Action Centre: Public Relation: Fuel Type: Pipeline System: Fuel Occurrence Tp: PSIG:

Date of Occurrence: Attribute Category: Occurrence Start Dt: Regulator Location: Depth: Method Details:

Customer Acct Name: **ENBRIDGE GAS INC**

EGLINTON AVE W & YARROW RD,,TORONTO,ON,M6M 4E4,CA Incident Address:

Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc: Damage Reason:

Notes:

Incident Id:

Year:

1 of 2 SW/135.1 125.6 / -4.28 YARROW RD 177

Toronto ON

Date Received:

29-Nov-2016 00:00:00

WWIS

Order No: 22090803393

7276011 Well ID: Flowing (Y/N): Construction Date: Flow Rate: Dewatering Data Entry Status: Use 1st:

Data Src:

Use 2nd: Final Well Status: Dewatering

Water Type: Selected Flag: TRUE Casing Material: Abandonment Rec:

Audit No: Z245169 3413 Contractor:

A201835 Form Version: Tag: 7 Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83: Northing NAD83: Pump Rate:

Static Water Level: Zone: UTM Reliability: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): $https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\graver1.pdf (a.g., a.g., b.g., b.g.,$

Additional Detail(s) (Map)

Well Completed Date: 2016/09/10 Year Completed: 2016 Depth (m): 26.9495016 43.6895815275772 Latitude: Longitude: -79.4758172085617 727\7276011.pdf Path:

Bore Hole Information

Bore Hole ID: 1006298813 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 622836.00 Code OB: East83: Code OB Desc: North83: 4838525.00 UTM83 Open Hole: Org CS:

Cluster Kind: UTMRC: 10-Sep-2016 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m Date Completed:

Remarks: Location Method: wwr

Elevrc Desc: Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock **Materials Interval**

Formation ID: 1006458949

Layer: Color: 6 **BROWN** General Color:

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 05

 Mat2 Desc:
 CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 14.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458951

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 70.0 Formation End Depth: 78.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458950

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 14.0 Formation End Depth: 70.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006458952

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 78.0

Formation End Depth: 88.41699981689453

Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458960

Layer: 2 **Plug From:** 25.0

Plug To: 88.41699981689453

Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006458959

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006458958

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006458948

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006458955

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 25.0

 Casing Diameter:
 4.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Screen

Screen ID: 1006458956

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 88.41699981689453

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water Details

Water ID: 1006458954

Layer: Kind Code:

Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006458953 Diameter: 8.0

Depth From: 0.0

Depth To: 88.41699981689453

Hole Depth UOM: ft Hole Diameter UOM: inch

<u>Links</u>

Bore Hole ID: 1006298813 Tag No: A201835 26.9495016 Contractor: Depth M: 3413

727\7276011.pdf Year Completed: 2016 Path: Well Completed Dt: 2016/09/10 Latitude: 43.6895815275772 Audit No: Z245169 Longitude: -79.4758172085617

177 2 of 2 SW/135.1 125.6 / -4.28 **WWIS** ON

Well ID: 7379606 Flowing (Y/N):

Construction Date: Flow Rate: Use 1st: Data Entry Status:

Yes Use 2nd: Data Src: Final Well Status: Date Received: 02-Feb-2021 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

Audit No: Z352428 Contractor: 6875 Tag: Form Version:

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone: Clear/Cloudy:

UTM Reliability: YORK BOROUGH

Municipality: Site Info:

Bore Hole Information

Bore Hole ID: 1008628858 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 622836.00 Code OB: East83: Code OB Desc: 4838525.00 North83: Open Hole: UTM83 Org CS: Cluster Kind: **UTMRC**:

Date Completed: 17-Dec-2020 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location Source: Improvement Location Method:

Source Revision Comment: Supplier Comment:

Number of Direction/ Elev/Diff Site Map Key

Records

Distance (m)

DΒ

WWIS

Links

Bore Hole ID: 1008628858

Depth M:

2020

Year Completed: Well Completed Dt: Audit No:

2020/12/17 Z352428

Tag No:

Contractor: Path:

Latitude: Longitude: 6875

43.6895815275772 -79.4758172085617

178 1 of 1 WSW/136.5 125.7 / -4.22 2641-2643 EGLINGTON AVENUE

(m)

Toronto ON

Well ID: 7196177

Construction Date:

Use 1st: Monitoring and Test Hole Use 2nd:

Final Well Status:

Test Hole

Water Type:

Casing Material:

Z164219 Audit No: A142654 Tag:

Constructn Method: Elevation (m):

Elevatn Reliabilty: Depth to Bedrock:

Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

Municipality:

YORK BOROUGH

Flowing (Y/N): Flow Rate:

> Data Entry Status: Data Src:

28-Jan-2013 00:00:00 Date Received: TRUE Selected Flag:

Abandonment Rec:

Contractor: 7241 Form Version: 7

Owner:

YORK AND TORONT County:

Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Site Info: WKQ-005635 A0-A04

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7196177.pdf

Additional Detail(s) (Map)

Well Completed Date: 2013/01/10 Year Completed: 2013 Depth (m): 6.096

43.689636690428 Latitude: Longitude: -79.4759026683725 Path: 719\7196177.pdf

Bore Hole Information

Bore Hole ID:

1004244999

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

10-Jan-2013 00:00:00 Date Completed:

Remarks: Elevrc Desc:

DP2BR:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Elevation:

Elevrc: Zone:

17 East83: 622829.00 North83: 4838531.00 Org CS: UTM83 **UTMRC:**

margin of error: 30 m - 100 m UTMRC Desc:

Order No: 22090803393

Location Method: wwr

Overburden and Bedrock

Materials Interval

Formation ID: 1004780938

Layer: 3 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 66 **DENSE** Mat3 Desc: Formation Top Depth: 5.0

Overburden and Bedrock

Formation End Depth UOM:

Formation End Depth:

Materials Interval

Formation ID: 1004780937

20.0

ft

Layer: 2 Color: General Color: **BROWN** Mat1: 01 **FILL** Most Common Material: Mat2: 28 SAND Mat2 Desc: Mat3: 77 Mat3 Desc: LOOSE Formation Top Depth: 1.0 Formation End Depth: 5.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004780936

Layer: 1
Color:

General Color:

General Color: Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 1.0

Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004780946

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004780947

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 9.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004780948

 Layer:
 3

 Plug From:
 9.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004780945

Method Construction Code: D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1004780935

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004780941

Layer: 1 Material: 5 Open Hole or Material: **PLASTIC** Depth From: 0.0 10.0 Depth To: Casing Diameter: 1.25 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004780942

Layer: 1 Slot: 10 10.0 Screen Top Depth: Screen End Depth: 20.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.5

Water Details

Water ID: 1004780940

Layer: Kind Code: Kind:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004780939 2.25 Diameter: 0.0 Depth From: Depth To: 20.0 Hole Depth UOM: inch Hole Diameter UOM:

Links

Bore Hole ID: 1004244999 Tag No: A142654 Contractor: Depth M: 6.096 7241

2013 Path: 719\7196177.pdf Year Completed: Well Completed Dt: 2013/01/10 Latitude: 43.689636690428 Audit No: Z164219 Longitude: -79.4759026683725

1 of 1 WSW/136.8 125.4 / -4.51 2643 EGLINTON AVE WEST 179 **WWIS TORONTO ON**

Well ID: 7261350

Construction Date:

Use 1st: Use 2nd:

Final Well Status: Abandoned-Other

Water Type:

Casing Material:

Audit No: Z232444 A142654 Tag:

Constructn Method: Elevation (m):

Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

PDF URL (Map):

Site Info:

Municipality: YORK BOROUGH

Additional Detail(s) (Map)

Well Completed Date: 2016/03/02 Year Completed: 2016

Depth (m):

43.6896001909147 Latitude: Longitude: -79.4758663683971

Path:

Bore Hole Information

Code OB Desc:

571

Bore Hole ID: 1005929239 DP2BR:

Spatial Status: Code OB:

erisinfo.com | Environmental Risk Information Services

Flowing (Y/N): Flow Rate: Data Entry Status:

Data Src:

12-Apr-2016 00:00:00 Date Received:

Selected Flag: TRUE Abandonment Rec: Yes 6946 Contractor: Form Version:

Owner:

County: YORK AND TORONT Lot:

Concession: Concession Name: Easting NAD83:

Northing NAD83: Zone:

UTM Reliability:

Elevation: Elevrc:

Zone:

East83: 622832.00 North83: 4838527.00

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

UTM83

wwr

margin of error: 30 m - 100 m

Order No: 22090803393

Open Hole: Cluster Kind:

02-Mar-2016 00:00:00 Date Completed:

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

1006022623 Plug ID:

Layer: Plug From: 20.0 0.0 Plug To: Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

1006022622 **Method Construction ID:**

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1006022616

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006022620

Layer: Material: 5 **PLASTIC** Open Hole or Material: Depth From: 0.0 Depth To: 20.0 1.25 Casing Diameter: Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006022621

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Map Key Number of Direction/ Elev/Diff Site DΒ

1006022619 Water ID:

Records

Layer: Kind Code: Kind:

Water Found Depth: ft Water Found Depth UOM:

Hole Diameter

Hole ID: 1006022618

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Links

Bore Hole ID: 1005929239 Tag No: A142654 Depth M: Contractor: 6946

Year Completed: 2016

Path: 726\7261350.pdf 2016/03/02 43.6896001909147 Well Completed Dt: Latitude: Audit No: Z232444 Longitude: -79.4758663683971

Distance (m)

(m)

180 1 of 20 W/137.4 126.8 / -3.06 YORK BOARD OF EDUCATION

YORK MEMORIAL COLLEGIATE INSTITUTE 2690

GEN

GEN

Order No: 22090803393

EGLINTON AVE. WEST YORK ON M6M 4A8

ON0192323 Generator No: 8511 SIC Code:

SIC Description: ELEMT./SECON. EDUC. Approval Years: 89,90,92,93,97

PO Box No: Country:

Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Status:

Detail(s)

Waste Class:

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 221

LIGHT FUELS Waste Class Desc:

Waste Class:

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

180 W/137.4 126.8 / -3.06 YORK BOARD OF EDUCATION 43-153 2 of 20

YORK MEMORIAL COLLEGIATE INSTITUTE 2690

EGLINTON AVE. WEST

YORK ON M6M 4A8

Generator No: ON0192323 SIC Code: 8511

ELEMT./SECON. EDUC. SIC Description:

Approval Years: PO Box No:

94,95,96

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Status: Co Admin:

Detail(s)

Country:

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m) (m) Waste Class: 221 Waste Class Desc: LIGHT FUELS Waste Class: 263 Waste Class Desc: ORGANIC LABORATORY CHEMICALS Waste Class: INORGANIC LABORATORY CHEMICALS Waste Class Desc: 180 3 of 20 W/137.4 126.8 / -3.06 YORK BOARD OF EDUCATION **GEN** YORK MEMORIAL COLLEGIATE INSTITUTE 2690 **EGLINTON AVENUE WEST** YORK ON M6M 1T9 ON0192323 Generator No: Status: SIC Code: 8511 Co Admin: SIC Description: ELEMT./SECON. EDUC. Choice of Contact: Approval Years: 98,99,00,01 Phone No Admin: PO Box No: Contam. Facility: Country: MHSW Facility: Detail(s) Waste Class: INORGANIC LABORATORY CHEMICALS Waste Class Desc: Waste Class: LIGHT FUELS Waste Class Desc: Waste Class: 263 Waste Class Desc: ORGANIC LABORATORY CHEMICALS 180 4 of 20 W/137.4 126.8 / -3.06 TORONTO DISTRICT SCHOOL BOARD **GEN** YORK MEMORIAL COLLEGIATE INSTITUTE 2690 **EGLINTON AVENUE WEST TORONTO ON M6M 1T9** ON0192323 Generator No: Status: SIC Code: 611110 Co Admin: Elementary & Secondary Schools SIC Description: Choice of Contact: Phone No Admin: Approval Years: 02,03,04,05,06,07,08 PO Box No: Contam. Facility: MHSW Facility: Country: Detail(s) Waste Class: 212 ALIPHATIC SOLVENTS Waste Class Desc: Waste Class: Waste Class Desc: **INORGANIC LABORATORY CHEMICALS** Waste Class: 221 Waste Class Desc: LIGHT FUELS Waste Class: Waste Class Desc: ORGANIC LABORATORY CHEMICALS

180 5 of 20 W/137.4 126.8 / -3.06 CITY OF TORONTO

2690 EGLINTON AVENUE WEST YORK MEMORIAL COLLEGIATE INSTITUTE

TORONTO ON M6M 1T9

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

ON4885474 Generator No: SIC Code: 562110 SIC Description: Waste Collection

Approval Years: 05

PO Box No:

Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Country:

Waste Class:

Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class:

Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class:

PAINT/PIGMENT/COATING RESIDUES Waste Class Desc:

Waste Class:

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class:

LIGHT FUELS Waste Class Desc:

Waste Class:

Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class:

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class:

Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

TORONTO DISTRICT SCHOOL BOARD 180 6 of 20 W/137.4 126.8 / -3.06 **GEN**

YORK MEMORIAL COLLEGIATE INSTITUTE 2690

Order No: 22090803393

EGLINTON AVENUE WEST

TORONTO ON

ON0192323 Generator No: Status: SIC Code: 611110

Elementary and Secondary Schools SIC Description:

Approval Years: 2009

PO Box No:

Co Admin: Choice of Contact:

> Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Country:

Waste Class:

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class:

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 221

LIGHT FUELS Waste Class Desc:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 263 Waste Class: Waste Class Desc: ORGANIC LABORATORY CHEMICALS 180 7 of 20 W/137.4 126.8 / -3.06 TORONTO DISTRICT SCHOOL BOARD **GEN** YORK MEMORIAL COLLEGIATE INSTITUTE 2690 **EGLINTON AVENUE WEST** TORONTO ON Generator No: ON0192323 Status: Co Admin: SIC Code: 611110 SIC Description: Elementary and Secondary Schools Choice of Contact: Approval Years: 2010 Phone No Admin: PO Box No: Contam. Facility: Country: MHSW Facility: Detail(s) Waste Class: 263 Waste Class Desc: ORGANIC LABORATORY CHEMICALS Waste Class: Waste Class Desc: INORGANIC LABORATORY CHEMICALS Waste Class: 221 LIGHT FUELS Waste Class Desc: Waste Class: ALIPHATIC SOLVENTS Waste Class Desc: 180 8 of 20 W/137.4 126.8 / -3.06 TORONTO DISTRICT SCHOOL BOARD **GEN** YORK MEMORIAL COLLEGIATE INSTITUTE 2690 **EGLINTON AVENUE WEST TORONTO ON** ON0192323 Generator No: Status: 611110 SIC Code: Co Admin: Elementary and Secondary Schools SIC Description: Choice of Contact: Phone No Admin: Approval Years: PO Box No: Contam. Facility: MHSW Facility: Country: Detail(s) Waste Class: Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 221

LIGHT FUELS Waste Class Desc:

Waste Class:

Waste Class Desc: **INORGANIC LABORATORY CHEMICALS**

Waste Class: 212

ALIPHATIC SOLVENTS Waste Class Desc:

180 9 of 20 W/137.4 126.8 / -3.06 TORONTO DISTRICT SCHOOL BOARD **GEN**

YORK MEMORIAL COLLEGIATE INSTITUTE 2690

Order No: 22090803393

EGLINTON AVENUE WEST TORONTO ON M6M 1T9

ON0192323 Generator No: Status: SIC Code: 611110 Co Admin:

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

SIC Description: Elementary and Secondary Schools Choice of Contact: Approval Years: Phone No Admin: PO Box No: Contam. Facility: MHSW Facility: Country:

Detail(s)

Waste Class: 148

Waste Class Desc: **INORGANIC LABORATORY CHEMICALS**

Waste Class: 263

ORGANIC LABORATORY CHEMICALS Waste Class Desc:

Waste Class:

ALIPHATIC SOLVENTS Waste Class Desc:

Waste Class: 221

LIGHT FUELS Waste Class Desc:

180 W/137.4 126.8 / -3.06 TORONTO DISTRICT SCHOOL BOARD 10 of 20

YORK MEMORIAL COLLEGIATE INSTITUTE 2690

GEN

GEN

Order No: 22090803393

EGLINTON AVENUE WEST

TORONTO ON

Choice of Contact:

Phone No Admin:

Contam. Facility: MHSW Facility:

Generator No: ON0192323 Status: SIC Code: 611110 Co Admin:

SIC Description: **ELEMENTARY AND SECONDARY**

SCHOOLS

Approval Years: 2013

PO Box No: Country:

Detail(s)

Waste Class:

ORGANIC LABORATORY CHEMICALS Waste Class Desc:

Waste Class:

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class:

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class:

ALKALINE WASTES - OTHER METALS Waste Class Desc:

11 of 20 W/137.4 126.8 / -3.06 TORONTO DISTRICT SCHOOL BOARD 180

YORK MEMORIAL COLLEGIATE INSTITUTE 2690

EGLINTON AVENUE WEST

TORONTO ON M6M 1T9

ON0192323 Generator No: SIC Code: 611110

SIC Description: **ELEMENTARY AND SECONDARY**

SCHOOLS

Approval Years: 2016

PO Box No:

Country: Canada Status: Co Admin:

Choice of Contact: CO_OFFICIAL

Phone No Admin:

Contam. Facility: Nο

MHSW Facility: No

Elev/Diff Site DΒ Map Key Number of Direction/ Records Distance (m) (m)

Detail(s)

Waste Class:

Waste Class Desc: **REACTIVE ANION WASTES**

Waste Class:

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class:

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class:

ORGANIC LABORATORY CHEMICALS Waste Class Desc:

Waste Class:

ALIPHATIC SOLVENTS Waste Class Desc:

Waste Class:

LIGHT FUELS Waste Class Desc:

Waste Class: 148

Waste Class Desc: **INORGANIC LABORATORY CHEMICALS**

TORONTO DISTRICT SCHOOL BOARD 180 12 of 20 W/137.4 126.8 / -3.06

YORK MEMORIAL COLLEGIATE INSTITUTE 2690

CO_OFFICIAL

EGLINTON AVENUE WEST

Status:

Co Admin:

Choice of Contact:

Phone No Admin:

TORONTO ON M6M 1T9

Generator No: ON0192323 SIC Code: 611110

ELEMENTARY AND SECONDARY SIC Description:

SCHOOLS

Approval Years: 2015

PO Box No:

Contam. Facility: No Country: Canada MHSW Facility: No

Detail(s)

Waste Class:

ALIPHATIC SOLVENTS Waste Class Desc:

Waste Class:

Waste Class Desc: LIGHT FUELS

Waste Class: 135

Waste Class Desc: **REACTIVE ANION WASTES**

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class:

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class:

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class:

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

TORONTO DISTRICT SCHOOL BOARD 180 13 of 20 W/137.4 126.8 / -3.06

YORK MEMORIAL COLLEGIATE INSTITUTE 2690

EGLINTON AVENUE WEST

TORONTO ON M6M 1T9

GEN

GEN

Number of Elev/Diff Site DΒ Map Key Direction/

Phone No Admin:

Records Distance (m) (m)

Generator No: ON0192323 Status: 611110 SIC Code: Co Admin:

SIC Description: **ELEMENTARY AND SECONDARY** Choice of Contact: CO_OFFICIAL

SCHOOLS

Approval Years: 2014 PO Box No:

Contam. Facility: No Country: Canada MHSW Facility: No

Detail(s)

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class:

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class:

ALKALINE WASTES - OTHER METALS Waste Class Desc:

Waste Class:

LIGHT FUELS Waste Class Desc:

Waste Class:

ORGANIC LABORATORY CHEMICALS Waste Class Desc:

180 14 of 20 W/137.4 126.8 / -3.06 TORONTO DISTRICT SCHOOL BOARD

YORK MEMORIAL COLLEGIATE INSTITUTE 2690

GEN

Order No: 22090803393

EGLINTON AVENUE WEST

Co Admin:

Choice of Contact:

TORONTO ON M6M 1T9

Generator No: ON0192323 Status: Registered

SIC Code: SIC Description:

Approval Years:

As of Dec 2018 Phone No Admin: PO Box No: Contam. Facility: MHSW Facility:

Canada Country:

Detail(s)

Waste Class: 122 C

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class:

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 148 C

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 148 I

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class:

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 212 L

Waste Class Desc: Aliphatic solvents and residues

221 I Waste Class: Waste Class Desc: Light fuels

Waste Class: 221 I Waste Class Desc: Light fuels

Number of Elev/Diff Site DΒ Map Key Direction/

Waste Class:

Records

Waste Class Desc: Misc. waste organic chemicals

Waste Class:

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 263 I

Waste Class Desc: Misc. waste organic chemicals

Waste Class:

Waste Class Desc: Waste compressed gases including cylinders

Distance (m)

(m)

Waste Class: 135 C

Waste Class Desc: Wastes containing other reactive anions

Waste Class:

Waste Class Desc: Wastes containing other reactive anions

15 of 20 W/137.4 126.8 / -3.06 TORONTO DISTRICT SCHOOL BOARD 180

YORK MEMORIAL COLLEGIATE INSTITUTE 2690

EGLINTON AVENUE WEST TORONTO ON M6M 1T9

ON0192323 Generator No: Status: Registered

SIC Code: SIC Description:

As of Jul 2020 Approval Years:

PO Box No:

Country: Canada

Co Admin:

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 148 I

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class:

Waste Class Desc: Misc. waste organic chemicals

Waste Class:

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 150 L

Waste Class Desc: Inert organic wastes

Waste Class:

Waste Class Desc: Wastes containing other reactive anions

Waste Class: 221 I Waste Class Desc: Light fuels

Waste Class:

Waste Class Desc: Misc. waste organic chemicals

Waste Class:

Waste Class Desc: Waste compressed gases including cylinders

Waste Class:

Waste Class Desc: Other specified inorganic sludges, slurries or solids

263 C Waste Class:

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 263 L **GEN**

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 146 T

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class: 212 L

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 148 R

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 148 C

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 251 L

Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class: 122 C

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class: 221 L
Waste Class Desc: Light fuels

Waste Class: 148 B

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 135 C

Waste Class Desc: Wastes containing other reactive anions

180 16 of 20 W/137.4 126.8 / -3.06 Toronto District School Board 2690 Eglinton Avenue West

Toronto ON

Ref No: 4625-BD4PSJ Discharger Report:

Site No: NA Material Group:

Incident Dt:6/10/2019Health/Env Conseq:
Client Type:1 - Administrative
Other (Describe)Incident Cause:Sector Type:

 Incident Cause:
 Sector Type:

 Incident Event:
 Agency Involved:

 Contaminant Code:
 Nearest Watercourse:

Contaminant Name: Site Address: 2690 Eglinton Avenue West

Contaminant Limit 1: Site District Office: Toronto - District

Contam Limit Freq 1:Site Postal Code:Contaminant UN No 1:Site Region:CentralEnvironment Impact:Site Municipality:Toronto

Environment Impact: Site Municipality:
Nature of Impact: Site Lot:
Receiving Medium: Site Conc:
Receiving Env: Northing:

 MOE Response:
 No
 Easting:

 Dt MOE ArvI on Scn:
 Site Geo Ref Accu:

MOE Reported Dt:6/13/2019Site Map Datum:Dt Document Closed:SAC Action Class:Incident Reason:Source Type:

Site Name: York Memorial Collegiate Institute<UNOFFICIAL>
Site County/District:

Site Geo Ref Meth:
Incident Summary:

York Memorial Copy 6 manifest received at TDO intended for TDSB

180 17 of 20 W/137.4 126.8 / -3.06 2690 Eglinton Avenue West

Toronto ON

SPL

Order No: 22090803393

Ref No: 6353-BBXHZP Discharger Report:

Contaminant Qty:

Elev/Diff Site DΒ Map Key Number of Direction/ Records Distance (m) (m)

Site No: NA Material Group:

Incident Dt: 5/6/2019 Health/Env Conseg: 4 - Medium Environment

Year: Client Type: Incident Cause: Sector Type:

Incident Event: Fire/Explosion Agency Involved: **Humber River** Contaminant Code:

Nearest Watercourse:

Contaminant Name: **SMOKE** Site Address: 2690 Eglinton Avenue West

Contaminant Limit 1: Site District Office: Contam Limit Freg 1: Site Postal Code:

Contaminant UN No 1: n/a Site Region: Central **Environment Impact:** Site Municipality: Toronto Nature of Impact: Site Lot:

Receiving Medium: Site Conc: Receiving Env: Air Northing: 4838568.59 MOE Response: Easting: 622813.15 Yes

Dt MOE Arvl on Scn: 5/7/2019 Site Geo Ref Accu: 5/7/2019 MOE Reported Dt: Site Map Datum:

Dt Document Closed: SAC Action Class: Air Spills - Fires Incident Reason: Unknown / N/A Unknown / N/A Source Type:

Site Name: York Memorial Collegiate Institute<UNOFFICIAL>

Site Geo Ref Meth: Incident Summary: Toronto Fire: large fire at York Memorial Collegiate Institute

W/137.4 126.8 / -3.06 TORONTO DISTRICT SCHOOL BOARD 180 18 of 20

YORK MEMORIAL COLLEGIATE INSTITUTE 2690 **EGLINTON AVENUE WEST**

Unknown / N/A

Toronto - District

GEN

Order No: 22090803393

TORONTO ON M6M 1T9

Co Admin:

Generator No: ON0192323 Status: Registered

SIC Code: SIC Description:

Site County/District:

Contaminant Qty:

Choice of Contact: Approval Years: As of Nov 2021 Phone No Admin:

Contam. Facility: PO Box No:

Canada MHSW Facility: Country:

Detail(s)

Waste Class: 122 C

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class: 148 R

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class:

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 221 L Waste Class Desc: Light fuels

Waste Class: 148 B

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class:

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 135 C

Waste Class Desc: Wastes containing other reactive anions

Waste Class:

Waste Class Desc: Wastes containing other reactive anions

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m)

263 C Waste Class:

Waste Class Desc: Misc. waste organic chemicals

Waste Class:

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class:

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 221 I Waste Class Desc: Light fuels

Waste Class: 263 B

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 148 I

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 251 L

Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class:

Waste Class Desc: Inert organic wastes

Waste Class: 263 I

Misc. waste organic chemicals Waste Class Desc:

Waste Class: 148 C

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class:

Waste Class Desc: Waste compressed gases including cylinders

Waste Class: 146 T

Waste Class Desc: Other specified inorganic sludges, slurries or solids

19 of 20 180 W/137.4 126.8 / -3.06 TORONTO DISTRICT SCHOOL BOARD

YORK MEMORIAL COLLEGIATE INSTITUTE 2690

GEN

Order No: 22090803393

EGLINTON AVENUE WEST TORONTO ON M6M 1T9

Co Admin:

Choice of Contact:

Phone No Admin:

Generator No: ON0192323 Status: Registered

SIC Code: SIC Description:

Approval Years: As of Apr 2022

PO Box No:

Contam. Facility: Canada MHSW Facility: Country:

Detail(s)

Waste Class: 212 L

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 122 C

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 146 T

OTHER SPECIFIED INORGANICS Waste Class Desc:

Waste Class:

LIGHT FUELS Waste Class Desc:

Waste Class: 150 L

Waste Class Desc: **INERT INORGANIC WASTES**

Elev/Diff Number of Site DΒ Map Key Direction/

Waste Class: 148 I

Records

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Distance (m)

(m)

Waste Class:

ORGANIC LABORATORY CHEMICALS Waste Class Desc:

Waste Class: 331 I

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class:

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 221 L

Waste Class Desc: LIGHT FUELS

Waste Class: 251 L

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

Waste Class:

Waste Class Desc: REACTIVE ANION WASTES

Waste Class: 148 B

INORGANIC LABORATORY CHEMICALS Waste Class Desc:

Waste Class:

Waste Class Desc: REACTIVE ANION WASTES

Waste Class: 148 C

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class:

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class:

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class:

OTHER SPECIFIED INORGANICS Waste Class Desc:

Waste Class: 263 C

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class:

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

180 20 of 20 W/137.4 126.8 / -3.06 2690 Eglinton Avenue West **EHS**

Toronto ON M6M

Order No: 22032500094 Status: C

Report Type: Standard Report Report Date: 30-MAR-22

Search Radius (km): .25 Date Received: 25-MAR-22 X: -79.4763557 Previous Site Name: 43.6905114

Lot/Building Size:

Fire Insur. Maps and/or Site Plans; City Directory Additional Info Ordered:

181 1 of 2 S/137.8 126.8 / -3.06 Enbridge Gas Distribution Inc.

1961 Keele St

Toronto ON M6M 3X9

Nearest Intersection:

ON

SPL

Order No: 22090803393

Client Prov/State:

Municipality:

Ref No: 6121-7Q8MQV Discharger Report: Map Key Number of Direction/ Elev/Diff Site DB

Other

Site No: Material Group:
Incident Dt: Health/Env Conseq:

Year: Realth/Env Conseq

Distance (m)

 Incident Cause:
 Other Discharges
 Sector Type:

 Incident Event:
 Agency Involved:

 Contaminant Code:
 Nearest Watercourse:

Contaminant Name:NATURAL GAS, COMPRESSED (METHANE)Site Address:Contaminant Limit 1:Site District Office:Contam Limit Freq 1:Site Postal Code:Contaminant UN No 1:Site Region:

Environment Impact: Not Anticipated Site Municipality: Toronto
Nature of Impact: Human Health/Safety Site Lot:

(m)

Receiving Medium: Site Conc:
Receiving Env: Northing:

MOE Receive: Performance Performanc

MOE Response:Referral to othersEasting:Dt MOE ArvI on Scn:Site Geo Ref Accu:MOE Reported Dt:3/17/2009Site Map Datum:

Dt Document Closed: SAC Action Class: TSSA - Fuel Safety Branch

Incident Reason: Equipment Failure Source Type:

Site Name: 1961 Keele St<UNOFFICIAL> Site County/District:

Records

Site Geo Ref Meth: Incident Summary: TSSA - 1961 Keele St, gas leak

181 2 of 2 S/137.8 126.8 / -3.06 1961 KEELE STREET
TOPONTO ON MEM 2YO HINC

TORONTO ON M6M 3X9

External File Num: FS INC 0903-01409
Fuel Occurrence Type: Vapour Release
Date of Occurrence: 3/17/2009
Fuel Type Involved: Natural Gas

 Status Desc:
 Completed - Causal Analysis(End)

 Job Type Desc:
 Incident/Near-Miss Occurrence (FS)

Oper. Type Involved: Private Dwelling

Service Interruptions:
Property Damage:
No
Fuel Life Cycle Stage:
Utilization

Root Cause: Equipment/Material/Component:Yes Procedures:No Maintenance:No Design:No Training:N

Management:No Human Factors:No

Reported Details: Report of a natural gas leak

Fuel Category: Gaseous Fuel Occurrence Type: Incident

Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)

County Name: Toronto

Approx. Quant. Rel: Nearby body of water: Enter Drainage Syst.: Approx. Quant. Unit: Environmental Impact:

Contaminant Qty:

182 1 of 1 SSW/138.5 126.9 / -3.00 Keele-Cameron Trash Site

Toronto ON M6M

Order No: 22090803393

Legal Description: York Con 3 FB

Location Description: Keele St & Cameron Ave

Municipality:York TownshipCurrent Municipality:Toronto CityRM:Toronto CityFacility:DumpDate Active:1929

Number of Direction/ Elev/Diff Site DΒ Map Key

Date Begun: Date Complete: Area (Ha):

Landfill Type: clandestine trash site

Distance (m)

(m)

Group Name: Operated By:

Serial: YTP133 1929 NTS: 30M11

Records

Diameter (m):

Historical Summary:

Keele-Cameron Trash Site Jonathan Faulds writes re old junk on Cameron & Keele Sts (York Township Council Minutes 18 Jun 1929).

Waste Type: illegal trash site 622906 UTM X Nad 27: UTM Y Nad 27: 4838257 UTM Zone: 17

2562 EGLINTON AVENUE WEST 183 1 of 11 ENE/143.4 137.6 / 7.67 **EHS TORONTO ON**

Order No: 20080930002

С Status:

Custom Report Report Type: Report Date: 10/8/2008 9/30/2008 Date Received: Previous Site Name:

Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality:

> Client Prov/State: ON Search Radius (km): 0.25 -79.472369 X: Y: 43.690969

2 of 11 ENE/143.4 137.6 / 7.67 Emery-Keelesdale Nurse Practitioner Led Clinic 183 **GEN**

102-2562 Eglinton Ave W

Toronto ON

Generator No: ON3551785 SIC Code: 621390

SIC Description: OFFICES OF ALL OTHER HEALTH

PRACTITIONERS

Approval Years: PO Box No:

2013

Country:

Status: Co Admin:

Choice of Contact:

Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class:

PATHOLOGICAL WASTES Waste Class Desc:

183 3 of 11 ENE/143.4 137.6 / 7.67 Emery-Keelesdale Nurse Practitioner Led Clinic **GEN**

102-2562 Eglinton Ave W

Toronto ON M6M1T4

ON3551785 Generator No: SIC Code: 621390

OFFICES OF ALL OTHER HEALTH SIC Description:

PRACTITIONERS

Approval Years: 2016 PO Box No:

Country: Canada Status: Co Admin:

Choice of Contact: CO_OFFICIAL

Order No: 22090803393

Phone No Admin:

Contam. Facility: No No

MHSW Facility:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Detail(s) Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES 183 4 of 11 ENE/143.4 137.6 / 7.67 Emery-Keelesdale Nurse Practitioner Led Clinic **GEN** 102-2562 Eglinton Ave W **Toronto ON M6M1T4** ON3551785 Generator No: Status: 621390 Co Admin: SIC Code: OFFICES OF ALL OTHER HEALTH SIC Description: Choice of Contact: CO_OFFICIAL **PRACTITIONERS** Approval Years: 2015 Phone No Admin: PO Box No: Contam. Facility: Nο Canada MHSW Facility: No Country: Detail(s) Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES 5 of 11 ENE/143.4 Emery-Keelesdale Nurse Practitioner Led Clinic 183 137.6 / 7.67 **GEN** 102-2562 Eglinton Ave W Toronto ON M6M1T4 ON3551785 Generator No: Status: SIC Code: 621390 Co Admin: SIC Description: OFFICES OF ALL OTHER HEALTH Choice of Contact: CO_OFFICIAL **PRACTITIONERS** Approval Years: 2014 Phone No Admin: PO Box No: Contam. Facility: No Country: Canada MHSW Facility: No Detail(s) Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES 183 6 of 11 ENE/143.4 137.6 / 7.67 Emery-Keelesdale Nurse Practitioner Led Clinic **GEN** Satellite

Order No: 22090803393

102-2562 Eglinton Ave W Toronto ON M6M1T4

Generator No: ON3551785 Status: Registered

SIC Code: Co Admin: SIC Description: Choice of C

SIC Description:

Approval Years:
PO Box No:
Country:
Canada

Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 263 P

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 312 P

Waste Class Desc: Pathological wastes

Мар Кеу	Numbe Record		Elev/Diff n) (m)	Site		DB
183	7 of 11	ENE/143.4	137.6 / 7.67	2562 Eglinton Ave W Toronto ON M6M1T4		EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered		20170821035 C Standard Report 24-AUG-17 21-AUG-17		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -79.472405 43.691021	
<u>183</u>	8 of 11	ENE/143.4	137.6 / 7.67	Emery-Keelesdale Nu Satellite 102-2562 Eglinton Ave Toronto ON M6M1T4	rse Practitioner Led Clinic	GEI
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON3551785 As of Jul 2020 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
Detail(s)						
Waste Class Waste Class		263 P Misc. waste orga	anic chemicals			
Waste Class Waste Class		312 P Pathological was	stes			
183	9 of 11	ENE/143.4 137.6 / 7.67 Emery-Keelesdale Nurse Practitioner Led Clinic Satellite 102-2562 Eglinton Ave W Toronto ON M6M1T4				GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country:	otion: ears:	ON3551785 As of Nov 2021 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
Detail(s)						
Waste Class Waste Class		263 P Misc. waste orga	anic chemicals			
Waste Class Waste Class		312 P Pathological was	stes			
183	10 of 11	ENE/143.4	137.6 / 7.67	2562 Eglinton Avenue York ON M6M 1T4	West	EHS
Order No: Status: Report Type Report Date Date Receiv Previous Si	e: /ed:	21051400303 C Standard Report 19-MAY-21 14-MAY-21		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -79.47241 43.6911519	

Order No: 22090803393

Number of Direction/ Elev/Diff Site DΒ Map Key Distance (m) (m)

Records

Lot/Building Size: Additional Info Ordered:

> 183 11 of 11 ENE/143.4 137.6 / 7.67 Emery-Keelesdale Nurse Practitioner Led Clinic **GEN**

Satellite

102-2562 Eglinton Ave W **Toronto ON M6M1T4**

ON3551785 Generator No: Status: Registered

SIC Code: SIC Description:

Approval Years:

PO Box No:

As of Apr 2022

Canada Country:

Co Admin:

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class:

PATHOLOGICAL WASTES Waste Class Desc:

Waste Class:

ORGANIC LABORATORY CHEMICALS Waste Class Desc:

E/149.8 PIPELINE HIT-1/2" 184 1 of 1 136.5 / 6.60 **PINC**

297 SCOTT RD,, TORONTO, ON, M6M 3V5, CA

ON

Pipe Material:

Fuel Category:

Health Impact:

Environment Impact:

Property Damage:

Service Interrupt: Enforce Policy:

Public Relation:

PSIG:

Pipeline System:

Attribute Category:

Regulator Location:

Method Details:

Incident Id: 1717328 Incident No:

Incident Reported Dt: 9/10/2015 FS-Pipeline Incident Type: Status Code:

Tank Status: Pipeline Damage Reason Est

Task No: Spills Action Centre:

Fuel Type: Fuel Occurrence Tp:

Date of Occurrence: Occurrence Start Dt:

Depth: **Customer Acct Name:**

PIPELINE HIT-1/2"

297 SCOTT RD,,TORONTO,ON,M6M 3V5,CA Incident Address:

Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation:

Occurrence Desc: Damage Reason:

Notes:

1 of 1 W/155.0 127.5 / -2.42 to be confirmed 185 **EHS Toronto ON**

Order No: 20140512107 Status:

RSC Premium Package (Urban) Report Type: Report Date: 16-MAY-14 12-MAY-14

Date Received: Previous Site Name: Municipality:

Nearest Intersection:

ON Client Prov/State: Search Radius (km): .3

-79.47655 X: Y: 43.690912

Order No: 22090803393

Elev/Diff Site DΒ Map Key Number of Direction/ Records Distance (m) (m)

Lot/Building Size: Additional Info Ordered:

> 186 1 of 1 NNW/156.5 134.2 / 4.35 PRIVATE RESIDENCE **SPL**

1872 KEELE STREET, RESIDENCE OF THE WILLIAMS FAMILY. FURNACE OIL TANK

TORONTO CITY ON M6M 3X6

2690 EGLINGTON AVE. WEST

Order No: 22090803393

Ref No: 161558 Discharger Report:

Site No: Material Group: Incident Dt: 10/27/1998 Health/Env Conseq:

Client Type: Year: Sector Type: Incident Cause: PIPE/HOSE LEAK

Agency Involved: Incident Event: Contaminant Code: Nearest Watercourse: Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Site Postal Code: Contam Limit Freq 1: Contaminant UN No 1: Site Region:

Site Municipality: Environment Impact: **POSSIBLE** 01106

Nature of Impact: Soil contamination Site Lot: Receiving Medium: LAND Site Conc: Receiving Env: Northing:

MOE Response: Easting: Dt MOE Arvl on Scn:

Site Geo Ref Accu: MOE Reported Dt: 10/30/1998 Site Map Datum: **Dt Document Closed:** SAC Action Class: **EQUIPMENT FAILURE** Incident Reason: Source Type:

Site Name: Site County/District:

Contaminant Qty:

187

1 of 1

Site Geo Ref Meth: PRIVATE RESIDENCE-300 L FURNACE OIL LOST TO BASEMENT. Incident Summary:

WWIS TORONTO ON

7153849 Well ID: Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Monitoring Data Entry Status: Use 2nd:

Data Src:

WSW/167.8

Final Well Status: **Observation Wells** Date Received: 02-Nov-2010 00:00:00 Water Type: Selected Flag: TRUE

124.8 / -5.10

Casing Material: Abandonment Rec: 7075 Z76788 Contractor:

Audit No: Tag: A096205 Form Version: 4

Constructn Method: Owner: YORK AND TORONT Elevation (m): County: Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

YORK BOROUGH Municipality: Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7153849.pdf

Additional Detail(s) (Map)

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Well Completed Date: 2010/10/08 2010 Year Completed: Depth (m): 28

Latitude: 43.6899514835779 -79.4765523306049 Longitude: Path: 715\7153849.pdf

Bore Hole Information

1003358858 Bore Hole ID:

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

08-Oct-2010 00:00:00 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1003360028

Layer: Color: 6 **BROWN** General Color: Mat1: 28 Most Common Material: SAND Mat2: 01 Mat2 Desc: FILL Mat3: LOOSE Mat3 Desc: Formation Top Depth: 0.0 Formation End Depth: 3.5 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1003360029

m

Layer: 2 Color: **GREY** General Color: Mat1: 05 CLAY Most Common Material: 34 Mat2: Mat2 Desc: TILL Mat3: 06 SILT Mat3 Desc: Formation Top Depth: 3.5 Formation End Depth: 16.5 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Elevation: Elevrc:

Zone: 17

East83: 622776.00 4838565.00 North83: Org CS: UTM83

UTMRC:

UTMRC Desc: margin of error: 10 - 30 m

Order No: 22090803393

Location Method:

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Formation ID: 1003360030

Layer: 3 Color: 2 General Color: **GREY** 05 Mat1: Most Common Material: CLAY 34 Mat2: Mat2 Desc: TILL Mat3: 79 **PACKED** Mat3 Desc: Formation Top Depth: 16.5 Formation End Depth: 28.0 Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1003360032

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 24.0

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1003360037

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1003360027

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1003360034

Layer:

Material:

Open Hole or Material:PLASTICDepth From:28.0Casing Diameter:2.0Casing Diameter UOM:cmCasing Depth UOM:m

Construction Record - Screen

Screen ID: 1003360035

Layer:

Slot: Screen Top D

Screen Top Depth: Screen End Depth: Screen Material: 5

Screen Depth UOM: Screen Diameter UOM: Screen Diameter:

Order No: 22090803393

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Water Details

Water ID: 1003360033

Layer:

Kind Code:

Kind:

Water Found Depth: Water Found Depth UOM: m

Hole Diameter

Hole ID: 1003360031

Diameter: 8.0

Depth From:

Depth To: 28.0 Hole Depth UOM: m Hole Diameter UOM: cm

<u>Links</u>

1003358858 Bore Hole ID: Tag No: A096205

Depth M: 28 Contractor: 7075 2010 Year Completed: 715\7153849.pdf Path:

2010/10/08 Well Completed Dt: Latitude: 43.6899514835779 Z76788 -79.4765523306049 Audit No: Longitude:

188 1 of 1 NW/172.7 132.9 / 2.98 10 GREENACRES ROAD HINC **TORONTO ON M6M 4A7**

FS INC 0806-02882 External File Num:

Fuel Occurrence Type: Date of Occurrence: Fuel Type Involved:

Status Desc: Completed - No Action Required Job Type Desc: Incident/Near-Miss Occurrence (FS)

Oper. Type Involved: Service Interruptions: Property Damage: Fuel Life Cycle Stage:

Root Cause: Reported Details:

Non-mandated. Incident already investigated via SAC on FS INC 0805-02419.

Fuel Category: Gaseous Fuel Occurrence Type: Incident

Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)

County Name: Toronto

Approx. Quant. Rel: Nearby body of water: Enter Drainage Syst.: Approx. Quant. Unit: **Environmental Impact:**

> 189 1 of 1 NW/183.7 132.4 / 2.52 12 GREENACRES RD, TORONTO

ON

INC

Order No: 22090803393

Incident No: 1377782 Any Health Impact: No Incident ID: Any Enviro Impact: No Instance No: Service Interrupted: No Status Code: Was Prop Damaged: No

Attribute Category: FS-Perform L1 Incident Insp Reside App. Type: Context: Commer App. Type:

Direction/ Elev/Diff Site DΒ Map Key Number of Records Distance (m) (m)

Date of Occurrence:

Time of Occurrence: 14:40:00 Incident Created On:

Instance Creation Dt: Instance Install Dt:

2014/04/28 00:00:00 Occur Insp Start Date:

Approx Quant Rel:

Tank Capacity:

Fuels Occur Type: Vapour Release Fuel Type Involved: Natural Gas **NULL Enforcement Policy: NULL**

Prc Escalation Reg: Tank Material Type: Tank Storage Type: Tank Location Type: Pump Flow Rate Cap:

4886827 Task No:

Notes:

Drainage System: Sub Surface Contam.: Aff Prop Use Water: Contam. Migrated:

Contact Natural Env: Incident Location:

Occurence Narrative: Operation Type Involved:

Item:

Item Description:

190

Device Installed Location:

1 of 3

2014/04/19 00:00:00

Indus App. Type: Institut App. Type: Venting Type: Vent Conn Mater:

Vent Chimney Mater: Pipeline Type: Pipeline Involved:

Pipe Material: Depth Ground Cover: Regulator Location: Regulator Type: Operation Pressure: Liquid Prop Make: Liquid Prop Model: Liquid Prop Serial No: Liquid Prop Notes:

Equipment Type: **Equipment Model:** Serial No:

Cylinder Capacity: Cylinder Cap Units: Cylinder Mat Type: Near Body of Water:

12 GREENACRES RD, TORONTO - VAPOUR RELEASE

Home owner smelled gas called Enbridge

Private Dwelling

ESE/186.9 136.0 / 6.13

MASJID E NOOR 277 SCOTT ROAD, LOT 65 **TORONTO ON M6M 3V3**

Certificate #: 8-3244-98-

Application Year: 98 6/8/1998 Issue Date: Approval Type: Industrial air Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code:

Project Description: Contaminants:

Emission Control:

COMMERCIAL KITCHEN EXHAUST EQUIPMENT

190 2 of 3

ESE/186.9

136.0 / 6.13

Anjuman-E-Islahul Muslemin of Toronto 277 Scott Rd.

GEN

Order No: 22090803393

CA

Toronto ON M6M3V3

ON3544594 Generator No:

SIC Code: SIC Description:

Approval Years: As of Nov 2021

PO Box No:

Country: Canada

Registered Status:

Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:

MHSW Facility:

Detail(s)

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 312 P Waste Class: Waste Class Desc: Pathological wastes 190 3 of 3 ESE/186.9 136.0 / 6.13 Anjuman-E-Islahul Muslemin of Toronto **GEN** 277 Scott Rd. Toronto ON M6M3V3 ON3544594 Registered Generator No: Status: SIC Code: Co Admin: SIC Description: Choice of Contact: Approval Years: As of Apr 2022 Phone No Admin: PO Box No: Contam. Facility: Canada MHSW Facility: Country:

Detail(s)

Year:

Waste Class: 312 P

PATHOLOGICAL WASTES Waste Class Desc:

1 of 2 SSW/187.3 125.7/-4.16 53 Yarrow Rd<UNOFFICIAL> 191 SPL Toronto ON M6M 4E4

Ref No: 4208-7JYJCQ Discharger Report: Site No: Material Group: Incident Dt: Health/Env Conseq:

Client Type:

Incident Cause: Discharge or Emission to Air Incident Event:

Other Sector Type: Agency Involved:

Contaminant Code:

Nearest Watercourse:

NATURAL GAS (METHANE) Contaminant Name:

Site Address:

Contaminant Limit 1: Contam Limit Freq 1:

Contaminant UN No 1:

Site District Office:

Site Postal Code:

Site Region:

Environment Impact: Confirmed Air Pollution

9/30/2008

Site Municipality: Toronto

Toronto - District

TSSA - Fuel Safety Branch

Order No: 22090803393

Nature of Impact: Receiving Medium: Receiving Env:

Site Lot: Site Conc: Northing: Easting:

MOE Response: No Field Response Dt MOE Arvl on Scn:

Site Geo Ref Accu:

MOE Reported Dt:

Site Map Datum: SAC Action Class:

Dt Document Closed:

Incident Reason: **Equipment Failure**

Source Type:

Site Name:

53 Yarrow Rd<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Incident Summary: TSSA/MOE - 53 Yarrow Rd, service damage Contaminant Qty:

191 2 of 2 SSW/187.3 125.7/-4.16 53 YARROW ROAD **HINC TORONTO ON M6M 4E4**

External File Num: FS INC 0809-05792 Fuel Occurrence Type: Pipeline Strike 9/23/2008 Date of Occurrence: Natural Gas Fuel Type Involved:

Completed - Causal Analysis(End) Status Desc: Job Type Desc: Incident/Near-Miss Occurrence (FS)

Oper. Type Involved: Private Dwelling

Yes Service Interruptions: Property Damage: No Fuel Life Cycle Stage: Utilization

Root Cause: Root Cause: Equipment/Material/Component:No Procedures:No Maintenance:No Design:No Training:No

Number of Elev/Diff Site DΒ Map Key Direction/

Records Distance (m) (m)

Management:Yes Human Factors:Yes Reported Details: Report that contractor had damaged the line a week ago and attempted an unsuccessful repair themelve

Fuel Category: Gaseous Fuel Occurrence Type: Incident

Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)

Toronto County Name:

Approx. Quant. Rel: Nearby body of water: Enter Drainage Syst.: Approx. Quant. Unit: **Environmental Impact:**

> E/188.7 **CO RELEASE** 192 1 of 1 140.1 / 10.17

2537 EGLINTON AVENUE WEST,, TORONTO, ON,

PINC

SPL

Order No: 22090803393

M6M 1T2,CA

Pipe Material:

Fuel Category: Health Impact:

Environment Impact:

Property Damage:

Service Interrupt: Enforce Policy:

Public Relation:

PSIG:

Pipeline System:

ON

Incident Id: 2084180 Incident No: Incident Reported Dt: 5/25/2017

Type: FS-Pipeline Incident Status Code:

Tank Status: Cancelled

Task No:

Spills Action Centre: Fuel Type:

Fuel Occurrence Tp:

Date of Occurrence: Occurrence Start Dt:

Depth:

Customer Acct Name: CO RELEASE

Incident Address:

Operation Type:

Pipeline Type: Regulator Type: Summary: Reported By: Affiliation:

Occurrence Desc: Damage Reason:

Notes:

Attribute Category: Regulator Location:

Method Details:

2537 EGLINTON AVENUE WEST,,TORONTO,ON,M6M 1T2,CA

193 1 of 2 NE/189.6 136.8 / 6.95 Enbridge Energy Distribution Inc.

69 Yore Road

Toronto ON

Ref No: 1418-BJAK9M Discharger Report: Material Group:

Site No: NA

2019/11/25 Incident Dt:

Year: Incident Cause:

Incident Event: Leak/Break

Contaminant Code:

NATURAL GAS (METHANE) Contaminant Name:

Contaminant Limit 1:

Contam Limit Freq 1:

Contaminant UN No 1: 1075 Environment Impact:

Nature of Impact: Receiving Medium: Receiving Env: Air MOE Response: No

Health/Env Conseq: 2 - Minor Environment

Client Type: Corporation

Sector Type: Miscellaneous Industrial

Agency Involved:

Nearest Watercourse:

69 Yore Road Site Address: Site District Office: Toronto - District

Site Postal Code:

Site Region: Central Site Municipality: Toronto

Site Lot: Site Conc: Northing: Easting:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Dt MOE Arvl on Scn: Site Geo Ref Accu: 2019/11/26 Site Map Datum: MOE Reported Dt:

2020/05/16 **Dt Document Closed:** SAC Action Class: TSSA - Fuel Safety Branch - Hydrocarbon Fuel

Release/Spill

Pipeline/Components

PINC

SCT

SPL

Order No: 22090803393

Incident Reason: Operator/Human Error

Site Name: Site County/District: Site Geo Ref Meth:

Residential<UNOFFICIAL>

Incident Summary: TSSA FSB: 1/2" plastic IP nat gas line strike to atm., made safe

0 other - see incident description Contaminant Qty:

2 of 2 NE/189.6 136.8 / 6.95 **ENBRIDGE GAS INC** 193

Source Type:

Incident Id: Incident No:

2728188 Incident Reported Dt: 11/26/2019 FS-Pipeline Incident Type:

Status Code:

Tank Status: Pipeline Damage Reason Est Task No:

Spills Action Centre:

Fuel Type:

Fuel Occurrence Tp: Date of Occurrence:

Occurrence Start Dt: Depth:

Customer Acct Name:

Incident Address: Operation Type:

Pipeline Type: Regulator Type: Summary: Reported By: Affiliation:

Occurrence Desc: Damage Reason:

Notes:

69 YORE RD,,TORONTO,ON,M6M 1W8,CA

Pipe Material: Fuel Category: Health Impact: Environment Impact: Property Damage:

Service Interrupt: Enforce Policy: Public Relation: Pipeline System:

PSIG:

Attribute Category: Regulator Location: Method Details:

ENBRIDGE GAS INC

69 YORE RD,,TORONTO,ON,M6M 1W8,CA

194 1 of 1 WSW/192.1

123.8 / -6.07

GISINI PRINTING CO. 2681 EGLINTON AVE W YORK ON M6M 1T8

1978 Established: Plant Size (ft2): 350 Employment:

--Details--

COMMERCIAL PRINTING, LITHOGRAPHIC Description:

SIC/NAICS Code: 2752

1 of 1 NNW/194.4 VIP Construction<UNOFFICIAL> 134.5 / 4.66 195

7 Green Acres Road<UNOFFICIAL>

Toronto ON M6M 4A6

Ref No: 3707-7F2JJA

Site No: Incident Dt: Year:

Discharger Report: Material Group: Health/Env Conseq:

Client Type:

Number of Direction/ Elev/Diff Site DΒ Map Key

Sector Type:

Site Address:

Site Region:

Site Lot:

Site Conc:

Northing:

Easting:

Agency Involved:

Nearest Watercourse:

Site District Office:

Site Postal Code:

Site Municipality:

Site Geo Ref Accu:

SAC Action Class:

Site Map Datum:

Source Type:

Pipeline

Toronto

Toronto - District

Air Spills - Gases and Vapours

HINC

EHS

Order No: 22090803393

Records Distance (m) (m)

Incident Cause: Other Discharges Incident Event:

Contaminant Code:

Contaminant Name:

Contaminant Limit 1: Contam Limit Freq 1:

Contaminant UN No 1:

Environment Impact: Nature of Impact:

Receiving Medium: Receiving Env:

MOE Response: Dt MOE Arvl on Scn:

MOE Reported Dt: **Dt Document Closed:**

Incident Reason: Site Name:

Site County/District: Site Geo Ref Meth:

Incident Summary: Contaminant Qty:

External File Num:

1 of 1

196

NATURAL GAS (METHANE)

Confirmed Air Pollution

No Field Response

5/27/2008

7 Green Acres Road<UNOFFICIAL>

TSSA-FSB: gas line damage - 7 Green Acres Rd - Toronto

7 GREENACRES ROAD NNW/194.6 134.5 / 4.66 **TORONTO ON M6M 4A6**

Pipeline Strike Fuel Occurrence Type: 5/27/2008 Date of Occurrence: Natural Gas

Fuel Type Involved: Status Desc: Completed - Causal Analysis(End)

Job Type Desc: Incident/Near-Miss Occurrence (FS)

FS INC 0805-02419

Gaseous Fuel

WSW/199.4

Private Dwelling Oper. Type Involved:

Service Interruptions: No Property Damage: Yes Fuel Life Cycle Stage: Utilization

Root Cause: Root Cause: Equipment/Material/Component:No Procedures:Yes Maintenance:No

Management:No Human Factors:No

Reported Details:

Fuel Category: Occurrence Type:

Incident Affiliation:

Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) County Name: Toronto

123.7/-6.17

Approx. Quant. Rel: Nearby body of water: Enter Drainage Syst.: Approx. Quant. Unit:

Environmental Impact:

197

1 of 1

Order No: 20150708008 Status: С

Report Type: **Custom Report** 13-JUL-15 Report Date: Date Received: 08-JUL-15

Previous Site Name: Lot/Building Size: Additional Info Ordered: 2681 - 2685 Eglinton Avenue West

Toronto ON

Nearest Intersection: Municipality:

Client Prov/State: ON Search Radius (km): .25

-79.476731 X: Y: 43.689526

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 198 1 of 1 NE/205.3 137.4 / 7.54 Location 2 **EHS Toronto ON** Order No: 20090406026 Nearest Intersection: Municipality: Status: Report Type: Custom Report Client Prov/State: ON 4/21/2009 Search Radius (km): 0.25 Report Date: Date Received: 4/6/2009 -79.472483 X: Previous Site Name: Y: 43.692196 Lot/Building Size: Additional Info Ordered:

1 of 1 NE/206.2 137.4 / 7.54 MEGNA REAL ESTATE 199

65 YORE RD,, TORONTO, ON, M6M 1W8, CA

PINC

WWIS

Order No: 22090803393

Pipe Material: Fuel Category:

Health Impact:

Environment Impact:

Property Damage:

Service Interrupt: Enforce Policy:

Public Relation:

PSIG:

Pipeline System:

Attribute Category:

Regulator Location: Method Details:

Incident No: 1572602 Incident Reported Dt: 2/9/2015

FS-Pipeline Incident Type:

Status Code: Tank Status: Not Investigated

Spills Action Centre:

Fuel Type:

Fuel Occurrence Tp:

Date of Occurrence: Occurrence Start Dt:

Depth:

Task No:

Incident Id:

Customer Acct Name: MEGNA REAL ESTATE

Incident Address:

Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc: Damage Reason: Notes:

65 YORE RD,, TORONTO, ON, M6M 1W8, CA

200 1 of 1 S/209.3 126.6 / -3.26

KEELE ST (B/W HOLWOOD AVE AND CAMERON

AVE) ON

Flowing (Y/N): Flow Rate:

Date Received:

Data Entry Status:

Well ID: 7204804

Construction Date: Use 1st: Monitoring

Use 2nd:

Final Well Status:

Observation Wells

Water Type:

Casing Material:

Audit No: Z163526 A142449

Tag: Constructn Method: Elevation (m):

Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Selected Flag: TRUE Abandonment Rec: Contractor: 7360

Data Src:

Form Version:

Owner:

County: YORK AND TORONT

16-Jul-2013 00:00:00

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7204804.pdf

Additional Detail(s) (Map)

Well Completed Date: 2013/03/04 Year Completed: 2013 Depth (m): 4.572

Latitude: 43.6885079095875 -79.4743058200816 Longitude: Path: 720\7204804.pdf

Bore Hole Information

Bore Hole ID: 1004424462 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 17 622960.00 Code OB: East83: Code OB Desc: North83: 4838408.00 Open Hole: Org CS: UTM83 UTMRC: Cluster Kind:

Date Completed: 04-Mar-2013 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Order No: 22090803393

Location Method: Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004854730

Layer: Color:

General Color:

Mat1: 06

Most Common Material: SILT

Mat2:

Mat2 Desc: 73 Mat3: HARD Mat3 Desc: Formation Top Depth: 10.0 Formation End Depth: 15.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004854729

Layer: 2

Color: General Color:

Mat1: 28 SAND Most Common Material:

Mat2: Mat2 Desc: Mat3:

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Mat3 Desc:

Formation Top Depth: 5.0
Formation End Depth: 10.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004854728

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 01

 Most Common Material:
 FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 5.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004854737

 Layer:
 1

 Plug From:
 3.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:1004854736Method Construction Code:6Method Construction:Boring

Other Method Construction:

Pipe Information

Alt Name:

Pipe ID: 1004854727

Casing No: 0
Comment:

Construction Record - Casing

Casing ID: 1004854733

 Layer:
 1

 Material:
 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:10.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1004854734

Map Key	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Layer: Slot: Screen Top I Screen End I Screen Mate. Screen Depti Screen Diam	Depth: rial: h UOM: neter UOM:	1 .10 10. 15. 5 ft inc 2.5	0 0				
Water Details	<u>s</u>						
Water ID: Layer: Kind Code: Kind: Water Found Water Found		1 8 Un 11.	04854732 tested 0				
Hole Diamete	<u>er</u>						
Hole ID: Diameter: Depth From: Depth To: Hole Depth U	ЈОМ:	100 6.0 0.0 15. ft inc	.0				
<u>Links</u>							
Bore Hole ID Depth M: Year Comple Well Comple Audit No:	eted:	1004424462 4.572 2013 2013/03/04 Z163526			Tag No: Contractor: Path: Latitude: Longitude:	A142449 7360 720\7204804.pdf 43.6885079095875 -79.4743058200816	
<u>201</u>	1 of 1	E	NE/226.8	142.8 / 12.87	2544 Eglinton Avenue Toronto ON	West	EHS
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building Additional In	ed: e Name: Size:	20130424012 C Custom Repo 30-APR-13 24-APR-13			Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 0	
202	1 of 1	S	:/228.2	125.8 / -4.10	Chappell [A T] 1820 Keele St Toronto ON M6M 3X1		TANK
Permit Date: Permit Type: User Type: Installation I Installation I No. Tanks In Units of Mea Value/Tank (Capacity(gal	Type: Size: Config.: stalled: sure: \$):	gas	29 soline service sta s station s station	ation			

Order No: 22090803393

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

York Township Council Minutes 26 Sep 1929 Reference:

Location Desc: Keele & Avon

2700 EGLINTON AVENUE WEST 203 1 of 1 WSW/234.6 122.3 / -7.62 **WWIS**

Well ID: 7260483

Construction Date:

Use 1st: Monitoring and Test Hole

Use 2nd:

Final Well Status: Monitoring and Test Hole

Water Type:

Casing Material:

Z228281 Audit No: A197710 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/03/03 Year Completed: 2016

Depth (m): 30

43.6897910479715 Latitude: Longitude: -79.4773505158203

Path:

Bore Hole Information

Bore Hole ID: 1005919627

DP2BR: Spatial Status: Code OB: Code OB Desc:

Open Hole: Cluster Kind:

03-Mar-2016 00:00:00 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1006020244 Formation ID:

Layer:

Flowing (Y/N): Flow Rate:

Data Entry Status: Data Src:

Toronto ON

Date Received: 31-Mar-2016 00:00:00

TRUE Selected Flag:

Abandonment Rec:

7241 Contractor: Form Version: 7

Owner: County:

YORK AND TORONT Lot:

> 17 622712.00

4838546.00

margin of error: 30 m - 100 m

Order No: 22090803393

UTM83

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

UTM Reliability:

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Color: 6
General Color: BROWN

Mat1: 02
Most Common Material: TOPSOIL

Mat2: Mat2 Desc:

 Mat3:
 85

 Mat3 Desc:
 SOFT

 Formation Top Depth:
 0.0

 Formation End Depth:
 1.0

 Formation End Depth UOM:
 m

Overburden and Bedrock

Materials Interval

Formation ID: 1006020246

 Layer:
 3

 Color:
 6

 General Color:
 BROWN

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 85

Mat3 Desc:SOFTFormation Top Depth:5.0Formation End Depth:20.0Formation End Depth UOM:m

Overburden and Bedrock

Materials Interval

Formation ID: 1006020245

Layer: 2 Color: 6

General Color: BROWN
Mat1: 01
Most Common Material: FILL

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 85

 Mat3 Desc:
 SOFT

 Formation Top Depth:
 1.0

 Formation End Depth:
 5.0

 Formation End Depth UOM:
 m

Overburden and Bedrock

Materials Interval

Formation ID: 1006020247

Layer: 4 Color: 2 General Color: **GREY** Mat1: 05 CLAY Most Common Material: Mat2: 06 Mat2 Desc: SILT Mat3: 85 Mat3 Desc: **SOFT** Formation Top Depth: 20.0 Formation End Depth: 30.0 Formation End Depth UOM: m

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Annular Space/Abandonment

Sealing Record

Plug ID: 1006020256

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 19.0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006020257

 Layer:
 3

 Plug From:
 19.0

 Plug To:
 30.0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006020255

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006020254

Method Construction Code: B

Method Construction: Other Method

Other Method Construction:

Pipe Information

Pipe ID: 1006020243

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006020250

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0.0Depth To:20.0Casing Diameter:2.0Casing Diameter UOM:cmCasing Depth UOM:m

Construction Record - Screen

Screen ID: 1006020251

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 20.0

Order No: 22090803393

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

30.0 Screen End Depth: Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter: 2.0999999046325684

Water Details

Water ID: 1006020249

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: m

Hole Diameter

1006020248 Hole ID: Diameter: 6.0

Depth From: 0.0 Depth To: 30.0 Hole Depth UOM: m Hole Diameter UOM: cm

Links

Bore Hole ID: 1005919627 Tag No: A197710 Depth M: Contractor: 7241

726\7260483.pdf 2016 Path: Year Completed: Well Completed Dt: 2016/03/03 Latitude: 43.6897910479715 Audit No: Z228281 Longitude: -79.4773505158203

1 of 1 ESE/237.3 139.5 / 9.56 near 145 Cameron Avenue 204 SPL **Toronto ON**

Discharger Report:

Health/Env Conseq: Client Type:

Agency Involved:

Site Postal Code:

Site Municipality:

Site Geo Ref Accu:

SAC Action Class:

Site Map Datum:

Source Type:

Nearest Watercourse:

2 - Minor Environment

near 145 Cameron Avenue

Sewage Bypasses / Overflows

Order No: 22090803393

Sewer (Private or Municipal)

Unknown / N/A

Toronto - District

Central

Toronto

4845959.03

627437.18

NAD83

Material Group:

Sector Type:

Site Address: Site District Office:

Site Region:

Site Lot:

Site Conc:

Northing:

Easting:

6085-BDL8EX Ref No: Site No:

6/28/2019 Incident Dt: Year:

Incident Cause:

Incident Event: Overflow/Surcharge

Contaminant Code:

SEWAGE, RAW UNCHLORINATED Contaminant Name:

Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: n/a

Environment Impact:

Nature of Impact: Receiving Medium:

Receiving Env: Land; Source Water Zone

MOE Response: No

Dt MOE Arvl on Scn:

MOE Reported Dt: 6/29/2019

Dt Document Closed:

Incident Reason: Material Failure - Poor Design/Substandard

Material

residential<UNOFFICIAL> Site Name:

Site County/District: Site Geo Ref Meth:

Incident Summary: collapsed main/sewage to asphalt & catchbasin

0 other - see incident description Contaminant Qty:

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m) (m) Enbridge Gas Distribution Inc. 1 of 2 ENE/237.3 140.9 / 11.05 205 SPL 9 Richardson Avenue, York **Toronto ON** 3414-BBY6XP Ref No: Discharger Report: Site No: Material Group: 5/7/2019 2 - Minor Environment Incident Dt: Health/Env Conseq: Year: Client Type: Corporation Incident Cause: Sector Type: Miscellaneous Communal Incident Event: Leak/Break Agency Involved: Contaminant Code: Nearest Watercourse: Contaminant Name: NATURAL GAS (METHANE) Site Address: 9 Richardson Avenue, York Contaminant Limit 1: Site District Office: Toronto - District Contam Limit Freq 1: Site Postal Code: Site Region: Contaminant UN No 1: 1075 Central Environment Impact: Site Municipality: Toronto Nature of Impact: Site Lot: Receiving Medium: Site Conc: Receiving Env: Air Northing: MOE Response: No Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 5/8/2019 Site Map Datum: Dt Document Closed: 5/10/2019 SAC Action Class: TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill Incident Reason: Operator/Human Error Source Type: Valve/Fitting/Piping 9 Richardson Avenue, York<UNOFFICIAL> Site Name: Site County/District: Site Geo Ref Meth: TSSA FSB: 1/2" pl IP service damage, made safe Incident Summary: 0 other - see incident description Contaminant Qty:

205 2 of 2 ENE/237.3 140.9 / 11.05 ENBRIDGE GAS INC 9 RICHARDSON AVE,,TORONTO,ON,M6M 3R5,

ON

Order No: 22090803393

Incident Id:Pipe Material:Incident No:2575300Fuel Category:Incident Reported Dt:5/8/2019Health Impact:

Type: FS-Pipeline Incident Environment Impact: Status Code: Environment Impact: Property Damage:

Status Code:Property Damage:Tank Status:Pipeline Damage Reason EstService Interrupt:Task No:Enforce Policy:Spills Action Centre:Public Relation:

Fuel Type: Pipeline System:
Fuel Occurrence Tp: PSIG:
Date of Occurrence: Attribute Category:

Occurrence Start Dt:

Depth:

Regulator Location:

Method Details:

Customer Acct Name: ENBRIDGE GAS INC

Incident Address: 9 RICHARDSON AVE,,TORONTO,ON,M6M 3R5,CA

Operation Type:
Pipeline Type:
Regulator Type:
Summary:
Reported By:
Affiliation:
Occurrence Desc:

Damage Reason:

Notes:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

206 1 of 1 S/239.8 126.9 / -2.95 Curson [James] **TANK** 1819 Keele St

Permit Date: 1932

Permit Type:

Gasoline service station User Type: Installation Type: relocate curb pump Installation Size:

Installation Config.:

No. Tanks Installed: Units of Measure: Value/Tank (\$): Capacity(gal):

Reference:

1 x gas pump

York Township General Purposes Committee Minutes 18 Jul 1932

Location Desc: Keele & Holwood

1 of 1 ENE/242.1 144.7 / 14.76 Enbridge Gas Distribution Inc. 207

2536 EGLINTON AVENUE WEST<UNOFFICIAL>

SPL

WWIS

Ref No: 7701-5Z4LH3 Discharger Report:

Site No:

5/18/2004 Incident Dt: Year:

Incident Cause: Pipe Or Hose Leak Incident Event:

Contaminant Code:

Contaminant Name: NATURAL GAS (METHANE)

5/18/2004

Contaminant Limit 1: Contam Limit Freq 1:

Contaminant UN No 1:

Environment Impact: Possible

Nature of Impact:

Air Pollution Receiving Medium: Air Receiving Env:

MOE Response: Dt MOE Arvl on Scn:

MOE Reported Dt: **Dt Document Closed:**

Incident Reason: Site Name:

Site County/District:

Site Geo Ref Meth: Incident Summary:

Construction Date:

Final Well Status:

Casing Material:

Constructn Method:

Elevatn Reliabilty:

208

Well ID:

Use 1st:

Use 2nd:

Audit No:

Tag:

Water Type:

Contaminant Qty:

1 of 1

Toronto ON

Gases/Particulate

Toronto ON M6M 3X3

Material Group:

Health/Env Conseq:

Client Type: Sector Type: Other

Agency Involved:

Nearest Watercourse: Site Address:

Site District Office: Toronto

Site Postal Code:

Site Region: Central Site Municipality: Toronto

Site Conc: Northing: Easting:

Site Lot:

Site Geo Ref Accu:

Site Map Datum:

SAC Action Class: Spill to Air Source Type:

2700 EGLINTON AVENUE

2536 EGLINTON AVENUE WEST<UNOFFICIAL>

Enbridge Gas, natural gas to air, pipeline damaged

121.9 / -8.00

60 min (duration)

WSW/247.5

Monitoring and Test Hole

Z228280

A197711

Other - Reason not otherwise defined

Toronto ON

7260482 Flowing (Y/N):

Flow Rate: Data Entry Status:

Data Src:

Date Received: 31-Mar-2016 00:00:00 Monitoring and Test Hole TRUE

Selected Flag: Abandonment Rec:

Contractor:

Form Version: Owner:

County: YORK AND TORONT

7241

Lot:

608

Elevation (m):

Order No: 22090803393 erisinfo.com | Environmental Risk Information Services

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/03/03 Year Completed: 2016 Depth (m): 30

Latitude: 43.6897208592954 -79.4774887816608 Longitude:

Path:

Bore Hole Information

Bore Hole ID: 1005919608

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 03-Mar-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006020229

Layer: 6 Color: General Color: **BROWN** Mat1: 02

TOPSOIL Most Common Material:

Mat2:

Mat2 Desc: Mat3:

77 LOOSE Mat3 Desc: Formation Top Depth: 0.0 Formation End Depth: 1.0 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1006020231

Layer: 3 Color: General Color: **BROWN**

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevrc:

Zone: 622701.00 East83:

North83: 4838538.00 UTM83 Org CS: **UTMRC**:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method: digit Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

05 Mat1: Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 85 SOFT Mat3 Desc: Formation Top Depth: 5.0 Formation End Depth: 20.0 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1006020232

Layer: Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 06 SILT Mat2 Desc: Mat3: 85 Mat3 Desc: SOFT Formation Top Depth: 20.0 Formation End Depth: 30.0 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1006020230

Layer: 2 Color: 6 General Color: **BROWN** Mat1: 01 **FILL** Most Common Material: 28 Mat2: SAND Mat2 Desc: Mat3: 85 Mat3 Desc: SOFT Formation Top Depth: 1.0 Formation End Depth: 5.0 Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006020241

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 19.0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006020240

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 m

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Annular Space/Abandonment

Sealing Record

1006020242 Plug ID:

Layer: 19.0 Plug From: Plug To: 30.0 Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006020239

Method Construction Code:

Method Construction: Other Method

Other Method Construction:

Pipe Information

Pipe ID: 1006020228

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006020235

Layer: Material: 5

Open Hole or Material: **PLASTIC** Depth From: 0.0 20.0 Depth To: Casing Diameter: 2.0 Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

1006020236 Screen ID:

Layer: Slot: 10 Screen Top Depth: 20.0 Screen End Depth: 30.0 Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM:

2.0999999046325684 Screen Diameter:

Water Details

1006020234 Water ID:

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

Hole ID: 1006020233

Diameter: 6.0 Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

 Depth From:
 0.0

 Depth To:
 30.0

 Hole Depth UOM:
 m

 Hole Diameter UOM:
 cm

Links

 Bore Hole ID:
 1005919608
 Tag No:
 A197711

 Depth M:
 30
 Contractor:
 7241

 Year Completed:
 2016
 Path:
 726\7260482.pdf

 Well Completed Dt:
 2016/03/03
 Latitude:
 43.6897208592954

 Audit No:
 Z228280
 Longitude:
 -79.4774887816608

209 1 of 1 WSW/253.0 121.8 / -8.07 Eglinton Ave W
Toronto ON

Order No:20151029132Nearest Intersection:Status:CMunicipality:

 Report Type:
 Custom Report
 Client Prov/State:
 ON

 Report Date:
 05-NOV-15
 Search Radius (km):
 .25

 Date Received:
 29-OCT-15
 X:
 -79.477512

 Previous Site Name:
 Y:
 43.689616

Previous Site Name: Lot/Building Size: Additional Info Ordered:

210 1 of 1 W/253.0 123.1 / -6.84 Coronation Park Dump ANDR

Toronto ON M6M

Order No: 22090803393

Legal Description: York Con 4 WYS Lot 1 pt

Location Description: N of York Memorial HS, W of Trethewey

Municipality:York TownshipCurrent Municipality:Toronto CityRM:Toronto CityFacility:DumpDate Active:1930

Date Begun: Date Complete: Area (Ha):

Landfill Type: open faced dump

Group Name: York Creek [Black Creek]

 Operated By:
 York Tp

 Serial:
 YTP11 1930

 NTS:
 30M11

Diameter (m):

Historical Summary:

Coronation Park Dump Communication from Parson & Page re James Fox estate re garbage dump, Trethewey Highway (York Township Council Minutes 10 Feb 1930). Communication from Parson & Page re James Fox estate re garbage dump, Trethewey Drive (York Township Council Minutes 12 Feb 1930). Authorises Reeve and Clerk to sign an agreement dated 17 February 1930 with the Fox Estate permitting the township to dump garbage ashes and other refuse in the gorge lying west of Trethewey Drive on RP 285 Lot C, for two years (York Township Council Minutes 6 Mar 1930 Resolution 15064). Communication from Trustees of Fire Area #5 re hose broken at dump, High School. 3 lengths of hose ordered (York Township Council Minutes 11 Sep 1930). Communication received from R Windsor re a fire at the dump north of the Memorial School (York Township Council Minutes 11 Dec 1930).

 Waste Type:
 MSW

 UTM X Nad 27:
 622661

 UTM Y Nad 27:
 4838432

 UTM Zone:
 17

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) DOM MERIDIAN CONSTRUCTION LTD 211 1 of 2 SW/253.3 123.8 / -6.12 **PINC** 229 BICKNELL AVE,, TORONTO, ON, M6M 4H2, CA ON Incident Id: Pipe Material: Incident No: 1346036 Fuel Category: Incident Reported Dt: 3/3/2014 Health Impact: FS-Pipeline Incident Environment Impact: Type: Status Code: Property Damage: Tank Status: Pipeline Damage Reason Est Service Interrupt: Task No: Enforce Policy: Public Relation: Spills Action Centre: Fuel Type: Pipeline System: PSIG: Fuel Occurrence Tp: Attribute Category: Date of Occurrence: Occurrence Start Dt: Regulator Location: Depth: Method Details: DOM MERIDIAN CONSTRUCTION LTD **Customer Acct Name:** 229 BICKNELL AVE,,TORONTO,ON,M6M 4H2,CA Incident Address: Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc: Damage Reason: Notes: 211 2 of 2 SW/253.3 123.8 / -6.12 Enbridge Gas Distribution Inc. SPL 229 Vicknell, Ave. York **Toronto ON** Ref No: 8463-9GT2DY Discharger Report: Site No: NA Material Group: 2014/03/01 Incident Dt: Health/Env Conseq: Year: Client Type: Incident Cause: Leak/Break Sector Type: Pipeline/Components Agency Involved: Incident Event: Contaminant Code: Nearest Watercourse: NATURAL GAS, COMPRESSED (METHANE) Contaminant Name: Site Address: 229 Vicknell, Ave. York Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: **Environment Impact:** Confirmed Site Municipality: **Toronto** Air Pollution Nature of Impact: Site Lot: Receiving Medium: Site Conc: Northing: Receiving Env: MOE Response: Referral to others Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu: 2014/03/01 MOE Reported Dt: Site Map Datum: **Dt Document Closed:** 2014/03/19 SAC Action Class: TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill Incident Reason: Operator/Human Error Source Type: Works site<UNOFFICIAL> Site Name: Site County/District: Site Geo Ref Meth: TSSA Spill: 1/2" plstc line dmg, made safe Incident Summary: Contaminant Qty: 0 other - see incident description

212 1 of 1 S/254.6 126.8 / -3.09 1815 Keele St Toronto ON M6M 3X3

Order No: 22090803393

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Permit Date: 1928

Permit Type: User Type:

Gasoline service station

Installation Type:

Gasoline service station

Installation Size:

Installation Config.: No. Tanks Installed: Gasoline service station

No. Tanks Installed Units of Measure: Value/Tank (\$): Capacity(gal):

Reference: York Township Council Minutes 17 Sep 1928

Location Desc: 1815 Keele St

213 1 of 1 WSW/257.1 121.6 / -8.24 2700 EGLINTON AVENUE WEST WWIS

Toronto ON

Flowing (Y/N): Flow Rate:

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Data Src:

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

Northing NAD83:

UTM Reliability:

31-Mar-2016 00:00:00

YORK AND TORONT

TRUE

7241

Well ID: 7260481

Construction Date:

Use 1st: Monitoring and Test Hole

Use 2nd:

Final Well Status: Monitoring and Test Hole

Water Type: Casing Material:

 Audit No:
 Z228295

 Tag:
 A197756

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

PDF URL (Map):

Municipality: YORK BOROUGH

Site Info:

Additional Detail(s) (Map)

 Well Completed Date:
 2016/03/03

 Year Completed:
 2016

 Depth (m):
 30

Latitude: 43.6897768471147 **Longitude:** -79.4776362632134

Path:

Bore Hole Information

Bore Hole ID: 1005919605 **DP2BR:**

Spatial Status: Code OB:

Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 03-Mar-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Elevation: Elevrc:

Zone: 17

East83: 622689.00
North83: 4838544.00
Org CS: UTM83
UTMRC: 4

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393

Location Method: www

erisinfo.com | Environmental Risk Information Services

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 1006020214

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 02

 Most Common Material:
 TOPSOIL

Mat2: Mat2 Desc: Mat3:

 Mat3:
 77

 Mat3 Desc:
 LOOSE

 Formation Top Depth:
 0.0

 Formation End Depth:
 1.0

 Formation End Depth UOM:
 m

Overburden and Bedrock

Materials Interval

Formation ID: 1006020216

Layer: 3 **Color:** 6

General Color: **BROWN** Mat1: 05 CLAY Most Common Material: Mat2: 06 SILT Mat2 Desc: Mat3: 85 Mat3 Desc: SOFT Formation Top Depth: 5.0 Formation End Depth: 20.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006020217

Layer: Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY 06 Mat2: SILT Mat2 Desc: Mat3: 85 Mat3 Desc: SOFT Formation Top Depth: 20.0 Formation End Depth: 30.0 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1006020215

Layer: 2 **Color:** 6

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

BROWN General Color: Mat1: 01 FILL Most Common Material: 28 Mat2: Mat2 Desc: SAND 85 Mat3: Mat3 Desc: SOFT Formation Top Depth: 1.0 Formation End Depth: 5.0 Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006020225

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006020226

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 19.0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006020227

 Layer:
 3

 Plug From:
 19.0

 Plug To:
 30.0

 Plug Depth UOM:
 m

Method of Construction & Well

Other Method Construction:

<u>Use</u>

Method Construction ID: 1006020224

Method Construction Code: E
Method Construction: Auger

Pipe Information

Pipe ID: 1006020213

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006020220

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0.0

 Depth To:
 20.0

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Casing Diameter: 2.0
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1006020221

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 20.0

 Screen End Depth:
 30.0

 Screen Material:
 5

 Screen Depth UOM:
 m

 Screen Diameter UOM:
 cm

Screen Diameter: 2.0999999046325684

Water Details

Water ID: 1006020219

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

Hole ID: 1006020218

 Diameter:
 8.0

 Depth From:
 0.0

 Depth To:
 30.0

 Hole Depth UOM:
 m

 Hole Diameter UOM:
 cm

<u>Links</u>

 Bore Hole ID:
 1005919605
 Tag No:
 A197756

 Depth M:
 30
 Contractor:
 7241

 Year Completed:
 2016
 Path:
 726\7260481.pdf

 Well Completed Dt:
 2016/03/03
 Latitude:
 43.6897768471147

 Audit No:
 Z228295
 Longitude:
 -79.4776362632134

214 1 of 1 S/259.3 126.9 / -3.03 North Auto Wrecker ANDR

Toronto ON M5P

Order No: 22090803393

Legal Description:York Con 3 FBLocation Description:1815 Keele StMunicipality:York TownshipCurrent Municipality:Toronto CityRM:Toronto CityFacility:Auto junkyardDate Active:1929-31

Date Begun: Date Complete: Area (Ha): Landfill Type: Group Name:

Operated By: North Richard, James Curson

 Serial:
 JY YTP7 1929

 NTS:
 30M11

Diameter (m):

Number of Direction/ Elev/Diff DΒ Map Key

Records

Distance (m)

(m)

Site

Historical Summary:

North Auto Wrecker Richard North asks permit to operate auto wreckers 1815 Keele St. OK requires fence. (York Township Council Minutes 18 Apr 1929). Local Board of Health writes re application for car wrecking business 1815 Keele St James Curson. Referred to Property Committee (York Township Council Minutes 21 May 1931).

Waste Type:

UTM X Nad 27: 622954 4838137 UTM Y Nad 27: 17 UTM Zone:

SSW/263.0 215 1 of 1 124.6 / -5.28 **WWIS** ON

Well ID: 7278897 Flowing (Y/N):

Construction Date: Flow Rate:

Data Entry Status: Use 1st: Yes Use 2nd: Data Src: Final Well Status: Date Received: 12-Jan-2017 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec: Audit No: C28649 Contractor: 6964

Form Version: 8 Tag:

Constructn Method: Owner: YORK AND TORONT Elevation (m): County:

Elevatn Reliabilty: Lot: Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone: UTM Reliability:

Clear/Cloudy: YORK BOROUGH Municipality:

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2013/11/05 Year Completed: 2013

Depth (m):

43.6881569180175 Latitude: -79.4756671734733 Longitude:

Path:

Bore Hole Information

Bore Hole ID: 1006332322 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 17 Code OB: East83: 622851.00 Code OB Desc: North83: 4838367.00 Open Hole: Org CS: MTM10

Cluster Kind: UTMRC:

UTMRC Desc: 05-Nov-2013 00:00:00 margin of error: 100 m - 300 m Date Completed:

Order No: 22090803393

Remarks: Location Method: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Source Revision Comment:

Supplier Comment:

Links

Bore Hole ID: 1006332322 Tag No:

Contractor: 6964 Depth M:

2013 Year Completed: Path: Well Completed Dt: 2013/11/05 Latitude: 43.6881569180175 Audit No: C28649 Longitude: -79.4756671734733

1 of 2 WSW/264.0 121.5 / -8.35 2701 Eglinton Avenue West 216 **EHS Toronto ON M6M 1T9**

Order No: 20120208028 Nearest Intersection: Status: C Municipality:

Report Type: Standard Report Client Prov/State: ON Report Date: 2/10/2012 1:25:23 PM Search Radius (km): 0.25 -79.47754 Date Received: 2/8/2012 1:23:08 PM X: Y: 43.68946

Previous Site Name: Lot/Building Size: Additional Info Ordered:

> WSW/264.0 2701 Eglinton Ave W 216 2 of 2 121.5 / -8.35 **EHS** York ON M6M 1V2

Order No: 20190116145 Nearest Intersection:

Status: Municipality:

ON Standard Report Report Type: Client Prov/State: Report Date: 23-JAN-19 Search Radius (km): .2 16-JAN-19 -79.477463 Date Received: X: Y: 43.689287

Previous Site Name: Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans

217 1 of 3 SW/268.9 123.9 / -5.98 225 Bicknell Ave SPL **Toronto ON**

Ref No: 6510-998N7G Discharger Report: Site No:

Material Group: Incident Dt: 02-JUL-13 Health/Env Conseq: Year: Client Type:

Incident Cause: Leak/Break Sector Type: Pipeline/Components Incident Event: Agency Involved:

Contaminant Code: Nearest Watercourse:

Contaminant Name: NATURAL GAS (METHANE) Site Address: 225 Bicknell Ave Contaminant Limit 1: Site District Office:

Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: Confirmed

Site Municipality: **Toronto** Environment Impact: Nature of Impact: Air Pollution Site Lot:

Receiving Medium: Site Conc: Receiving Env: Northing: MOE Response: Referral to others Easting:

Site Geo Ref Accu: Dt MOE Arvl on Scn: MOE Reported Dt: 29-JUN-13 Site Map Datum:

Dt Document Closed: SAC Action Class: TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill

Order No: 22090803393

Incident Reason: Operator/Human Error Source Type:

Riser Damage Site<UNOFFICIAL> Site Name:

Site County/District:

Elev/Diff Site DΒ Map Key Number of Direction/ Records Distance (m) (m)

Site Geo Ref Meth:

Year:

Incident Summary: TSSA - Riser Damage, leak at wing lock, made safe

Contaminant Qty: 0 other - see incident description

217 2 of 3 SW/268.9 123.9 / -5.98 Enbridge Gas Distribution Inc.

225 Bicknell Ave, North York

SPL

PINC

Order No: 22090803393

Toronto ON

Ref No: 1377-9GMT6C Discharger Report:

Site No: Material Group: Incident Dt: 2014/02/24 Health/Env Conseq:

Client Type:

Sector Type: Incident Cause: Leak/Break Pipeline/Components

Agency Involved: Incident Event: Contaminant Code: 35 Nearest Watercourse:

Contaminant Name: NATURAL GAS (METHANE) Site Address: 225 Bicknell Ave, North York

Contaminant Limit 1: Site District Office: Site Postal Code: Contam Limit Freq 1: Contaminant UN No 1: Site Region:

Site Municipality: Environment Impact: Confirmed Toronto Nature of Impact: Air Pollution Site Lot:

Receiving Medium: Site Conc: Receiving Env: Northing:

MOE Response: Referral to others Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 2014/02/24 Site Map Datum:

Dt Document Closed: TSSA - Fuel Safety Branch - Hydrocarbon Fuel SAC Action Class:

Release/Spill Source Type:

Incident Reason: Operator/Human Error

residence<UNOFFICIAL> Site Name:

Site County/District: Site Geo Ref Meth:

Incident Summary: TSSA: Bicknell A. 0.5 inch line strike, ended

Contaminant Qty: 0 other - see incident description

217 3 of 3 SW/268.9 123.9 / -5.98 **DOM MERIDIAN CONSTRUCTION LTD**

225 BICKNELL AVE,, TORONTO, ON, M6M 4H2, CA

Incident Id: Pipe Material: Incident No: 1341900 Fuel Category: Incident Reported Dt: 2/25/2014 Health Impact: FS-Pipeline Incident Environment Impact: Type: Status Code: Property Damage:

Pipeline Damage Reason Est Service Interrupt: Tank Status: Enforce Policy: Task No: Spills Action Centre: Public Relation: Fuel Type: Pipeline System:

Fuel Occurrence Tp: PSIG: Date of Occurrence: Attribute Category: Regulator Location: Occurrence Start Dt: Depth: Method Details:

DOM MERIDIAN CONSTRUCTION LTD **Customer Acct Name:**

Incident Address: 225 BICKNELL AVE,,TORONTO,ON,M6M 4H2,CA

Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation:

Occurrence Desc: Damage Reason:

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m) (m)

Notes:

Year:

Incident Cause:

Incident Event:

218 1 of 2 SSE/269.8 127.3 / -2.60 Enbridge Gas Distribution Inc.

1807 Keele St

Discharger Report:

SPL

PINC

Order No: 22090803393

Toronto ON

3606-9D2NKC Ref No:

Site No: Material Group: Incident Dt: 2013/11/01 Health/Env Conseq:

Client Type:

Leak/Break Sector Type: Pipeline/Components

Agency Involved: Contaminant Code: Nearest Watercourse:

NATURAL GAS (METHANE) 1807 Keele St Contaminant Name: Site Address:

Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region:

Environment Impact: Confirmed Site Municipality: Toronto Nature of Impact: Air Pollution Site Lot:

Receiving Medium: Site Conc: Receiving Env: Northing:

Referral to others MOE Response: Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 2013/11/01 Site Map Datum:

Dt Document Closed: 2014/01/15 TSSA - Fuel Safety Branch - Hydrocarbon Fuel SAC Action Class:

Release/Spill Source Type:

Incident Reason: Operator/Human Error

Site Name: Line Damage Site<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

TSSA - 1/2 Inch Plastic Damage, Made Safe Incident Summary:

0 other - see incident description Contaminant Qty:

SSE/269.8 218 2 of 2 127.3 / -2.60 PIPELINE HIT - 1/2"

1807 KEELE ST,, TORONTO, ON, M6M 3X3, CA ON

Pipe Material:

Incident No: 1272660 Fuel Category: Incident Reported Dt: 11/1/2013 Health Impact:

Type: FS-Pipeline Incident **Environment Impact:** Status Code: Property Damage: Pipeline Damage Reason Est Service Interrupt: Tank Status:

Enforce Policy: Task No: Spills Action Centre: Public Relation: Fuel Type: Pipeline System: Fuel Occurrence Tp: PSIG:

Date of Occurrence: Attribute Category: Occurrence Start Dt: Regulator Location: Depth: Method Details:

Customer Acct Name: PIPELINE HIT - 1/2"

Incident Address: 1807 KEELE ST,,TORONTO,ON,M6M 3X3,CA

Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc:

Incident Id:

Damage Reason:

Notes:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

1 of 2 ENE/270.4 140.2 / 10.34 35 Yore Rd, York 219 SPL **Toronto ON**

Nearest Watercourse:

8321-BGEPDD Ref No: Discharger Report: Site No: NA Material Group:

Incident Dt: 9/27/2019 Health/Env Conseq: 2 - Minor Environment

Year: Client Type: Incident Cause: Sector Type:

Other Agency Involved: Incident Event: Leak/Break

Contaminant Name: NATURAL GAS (METHANE) Site Address: 35 Yore Rd, York

Site District Office: Toronto - District Contaminant Limit 1: Contam Limit Freq 1: Site Postal Code:

1075 Central Contaminant UN No 1: Site Region: **Environment Impact:** Site Municipality: Toronto Nature of Impact: Site Lot:

Receiving Medium: Site Conc: Receiving Env: Air Northing: MOE Response: No Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu:

MOE Reported Dt: 9/27/2019 Site Map Datum: TSSA - Fuel Safety Branch - Hydrocarbon Fuel **Dt Document Closed:** 10/24/2019 SAC Action Class:

Release/Spill

Incident Reason: Operator/Human Error Source Type: Pipeline/Components

Site Name: Enbridge: 2" gasline<UNOFFICIAL> Site County/District:

Site Geo Ref Meth: Incident Summary: TSSA/Enbridge: 2" gasline damage

ENBRIDGE GAS INC 219 2 of 2 ENE/270.4 140.2 / 10.34 **PINC**

Pipe Material:

Order No: 22090803393

35 YORE RD,, TORONTO, ON, M6M 1W6, CA

Incident No: 2690962 Fuel Category: Incident Reported Dt: 9/27/2019 Health Impact: FS-Pipeline Incident Environment Impact: Type:

0 other - see incident description

Status Code: Property Damage: Tank Status: Cancelled Service Interrupt: Task No: Enforce Policy:

Spills Action Centre: Public Relation: Fuel Type: Pipeline System: PSIG: Fuel Occurrence Tp: Date of Occurrence: Attribute Category:

Occurrence Start Dt: Regulator Location: Depth: Method Details:

ENBRIDGE GAS INC **Customer Acct Name:**

Incident Address: 35 YORE RD,, TORONTO, ON, M6M 1W6, CA

Operation Type: Pipeline Type: Regulator Type:

Occurrence Desc: Damage Reason:

Contaminant Code:

Contaminant Qty:

Incident Id:

Notes:

Summary: Reported By: Affiliation:

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
220	1 of 2		ENE/279.9	148.1 / 18.22	2518 Eglinton Avenue ON	e West , Toronto	INC
Incident No: Incident ID: Instance No: Status Code. Attribute Cat Context: Date of Occu Incident Cree Instance Cre Instance Inst Occur Insp S Approx Quai Tank Capaci Fuels Occur Fuel Type Inst Enforcement Prc Escalatio Tank Materia Tank Storage Tank Locatic Pump Flow F Task No: Notes: Drainage Sys Sub Surface Aff Prop Use Contant Mig Contact Natu Incident Loca Occurrence N Operation Ty Item Descrip	regory: larrence: larrence: larrence: lated On: lation Dt: lation Dt: lation Date: lation: lation: larrative: lartative: larrative:	2011/10/28 14:03:00 2011/10/28 CO Releas Natural Ga NULL NULL 3524152	3 00:00:00	ner vented at bas	Any Health Impact: Any Enviro Impact: Service Interrupted: Was Prop Damaged: Reside App. Type: Commer App. Type: Indus App. Type: Institut App. Type: Venting Type: Vent Conn Mater: Vent Chimney Mater: Pipeline Type: Pipeline Involved: Pipe Material: Depth Ground Cover: Regulator Location: Regulator Type: Operation Pressure: Liquid Prop Make: Liquid Prop Make: Liquid Prop Model: Liquid Prop Notes: Equipment Type: Equipment Model: Serial No: Cylinder Capacity: Cylinder Cap Units: Cylinder Mat Type: Near Body of Water: - CO Release	No No No No	inc
Device Instal	lled Locatio	n:					

220 2 of 2	ENE/279.9	148.1 / 18.22	2-2518-A Eglinton Av	enue West, Toronto	INC
Incident No:	775556		Any Health Impact:	No	
Incident ID:			Any Enviro Impact:	No	
Instance No:			Service Interrupted:	No	
Status Code:			Was Prop Damaged:	No	
Attribute Category:	FS-Perform L1 Incident Insp		Reside App. Type:		
Context:			Commer App. Type:		
Date of Occurrence:	2012/03/14 00:00:00		Indus App. Type:		
Time of Occurrence:	NULL		Institut App. Type:		
Incident Created On:			Venting Type:		
Instance Creation Dt:			Vent Conn Mater:		
Instance Install Dt:			Vent Chimney Mater:		
Occur Insp Start Date:	2012/03/14 00:00:00		Pipeline Type:		
Approx Quant Rel:			Pipeline Involved:		
Tank Capacity:			Pipe Material:		
Fuels Occur Type:	CO Release		Depth Ground Cover:		
Fuel Type Involved:	Natural Gas		Regulator Location:		
Enforcement Policy:	NULL		Regulator Type:		
Prc Escalation Req:	NULL		Operation Pressure:		
Tank Material Type:			Liquid Prop Make:		
Tank Storage Type:			Liquid Prop Model:		
Tank Location Type:			Liquid Prop Serial No:		
Pump Flow Rate Cap:			Liquid Prop Notes:		

Elev/Diff DΒ Map Key Number of Direction/ Site

Records Distance (m) (m)

Task No: 3759417 Equipment Type: Equipment Model: Notes: Serial No:

Drainage System: Sub Surface Contam.: Cylinder Capacity: Aff Prop Use Water: Cylinder Cap Units: Cylinder Mat Type: Contam. Migrated: Contact Natural Env: Near Body of Water:

2-2518-A Eglinton Avenue West, Toronto - CO Release Incident Location:

Occurence Narrative: range hood not operating at time of co call Operation Type Involved: Commercial (e.g. restaurant, business unit, etc)

Item:

Item Description:

Device Installed Location:

221 1 of 1 ENE/280.0 148.1 / 18.22 Enbridge Gas Distribution Inc.

2518 Eglinton Ave. W.<UNOFFICIAL>

SPL

PINC

Order No: 22090803393

Toronto ON

Ref No: 4123-8N3P9B Discharger Report:

Site No: Material Group: Incident Dt: 10/28/2011 Health/Env Conseq:

Client Type: Year: Other

Incident Cause: Other Discharges Sector Type:

Incident Event: Agency Involved: Nearest Watercourse: Contaminant Code: Contaminant Name: **CARBON MONOXIDE** Site Address:

Site District Office: Contaminant Limit 1: Site Postal Code: Contam Limit Freg 1: Contaminant UN No 1: Site Region:

Environment Impact: Not Anticipated Site Municipality: Toronto Nature of Impact: Human Health/Safety; Other Impact(s) Site Lot:

Receiving Medium: Site Conc: Receiving Env: Northing:

MOE Response: Not MOE mandate Easting: Dt MOE Arvl on Scn:

Site Geo Ref Accu: **MOE** Reported Dt: 10/28/2011 Site Map Datum:

11/14/2011 TSSA - Fuel Safety Branch **Dt Document Closed:** SAC Action Class:

Incident Reason: Other - Reason not otherwise defined Source Type:

Site Name: 2518 Eglinton Ave. W.<UNOFFICIAL> Site County/District:

Site Geo Ref Meth: Enbridge: CO exceedance; 4 hospitalizations Incident Summary:

Contaminant Qty: 0 other - see incident description

123.8 / -6.14 222 1 of 1 SW/284.6 DOM MERIDIAN CONSTRUCTION LTD

219 BICKNELL AVE,,TORONTO,ON,M6M 4H2,CA

ON

Incident Id: Pipe Material: Incident No: 1340504 Fuel Category:

2/21/2014 Incident Reported Dt: Health Impact: FS-Pipeline Incident Type: Environment Impact: Status Code: Property Damage: Tank Status: Pipeline Damage Reason Est Service Interrupt:

Task No: Enforce Policy: Spills Action Centre: Public Relation: Fuel Type: Pipeline System:

Fuel Occurrence Tp: PSIG: Date of Occurrence: Attribute Category: Occurrence Start Dt: Regulator Location:

Method Details: Depth:

DOM MERIDIAN CONSTRUCTION LTD **Customer Acct Name:**

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Incident Address:

Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc: Damage Reason:

Notes:

219 BICKNELL AVE,,TORONTO,ON,M6M 4H2,CA

1 of 2 ENE/285.1 148.4 / 18.52 FISH POT 223

2516 EGLINTON AVENUE WEST

CA

CA

GEN

Order No: 22090803393

YORK CITY ON

Certificate #: 8-3447-95-Application Year: 95 Issue Date: 9/19/1995 Approval Type: Industrial air Status: Cancelled

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

COMMERCIAL KITCHEN EXHAUST HOOD

ENE/285.1 148.4 / 18.52 FISH POT 223 2 of 2

2516 EGLINTON AVENUE WEST

YORK CITY ON

8-3646-95-006 Certificate #:

Application Year: 95 11/23/95 Issue Date: Approval Type: Industrial air Approved Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code:

224

COMMERCIAL KITCHEN EXHAUST HOOD Project Description:

Contaminants: Odour/Fumes **Emission Control:** No Controls

1 of 11

122.7/-7.16

METROPOLITAN TORONTO POLICE NO.12 DIVISION, 2696 EGLINTON AVE., WEST C/O 590 JARVIS ST., OPERATIONAL PLNNG.

TORONTO ON M6M 1T9

Status:

Generator No: ON0204319

SIC Code: 8323 Co Admin:

W/286.0

POLICE SERVICES Choice of Contact: SIC Description: Approval Years: 86,87 Phone No Admin: PO Box No: Contam. Facility:

Country: MHSW Facility:

Detail(s)

Мар Кеу	Numbe Record		Elev/Diff (m)	Site	DB
Waste Class Waste Class		221 LIGHT FUELS			
224	2 of 11	W/286.0	122.7/-7.16	METROPOLITAN TORONTO POLICE NO.12 DIVISION, 2696 EGLINTON AVE.,WEST C/O 40 COLLEGE ST., OPERATIONAL PLNNG. TORONTO ON M6M 1T9	GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country:	tion: ears:	ON0204319 8323 POLICE SERVICES 88,89,90		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class Waste Class		221 LIGHT FUELS			
224	3 of 11	W/286.0	122.7 / -7.16	METROPOLITAN TORONTO POLICE 26-222 NO.12 DIVISION, 2696 EGLINTON AVE.,WEST C/O 40 COLLEGE ST., OPERATIONAL PLNNG. TORONTO ON M6M 1T9	GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country:	tion: ears:	ON0204319 8323 POLICE SERVICES 92,93,94,95,96		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		221 LIGHT FUELS			
224	4 of 11	W/286.0	122.7/-7.16	METRO(OUT OF BUS) NO.12 DIVISION, 2696 EGLINTON AVE.,WEST C/O 40 COLLEGE ST., OPERATIONAL PLNNG. TORONTO ON M6M 1T9	GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country:	tion: ears:	ON0204319 8323 POLICE SERVICES 97		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class Waste Class		221 LIGHT FUELS			
224	5 of 11	W/286.0	122.7 / -7.16	METROPOLITAN POLICE(OUT OF BUSINESS) NO.12 DIVISION 2696 EGLINTON AVENUE WEST TORONTO ON M6M 1T9	GEN
Generator N	lo:	ON0204319		Status:	

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) SIC Code: 8323 Co Admin: SIC Description: POLICE SERVICES Choice of Contact: Approval Years: 98 Phone No Admin: PO Box No: Contam. Facility: Country: MHSW Facility: Detail(s) Waste Class: 221 Waste Class Desc: LIGHT FUELS 6 of 11 W/286.0 122.7 / -7.16 **METRO PRKS AND PROPERTY DEPT. 26-611** 224 **GEN** 2696 EGLINTON AVE. W., YORK C/O 365 BAY STREET, 8TH FLOOR **TORONTO ON M6M 1T9** ON0605926 Generator No: Status: Co Admin: SIC Code: 8323 SIC Description: POLICE SERVICES Choice of Contact: 92,93,94,95,96,97,98 Approval Years: Phone No Admin: PO Box No: Contam. Facility: Country: MHSW Facility: Detail(s) Waste Class: 221 Waste Class Desc: LIGHT FUELS

TORONTO, CORPORATION OF THE CITY OF 7 of 11 W/286.0 122.7/-7.16 224 **GEN**

Status:

Co Admin:

Choice of Contact:

Phone No Admin:

Contam. Facility: MHSW Facility:

2696 EGLINTON AVENUE WEST **TORONTO ON M6M 1V1**

ON1631643 Generator No: SIC Code: 8371

TRANSPORTATION ADMIN. SIC Description:

Approval Years: 99,00,01

PO Box No: Country:

Detail(s) Waste Class:

Waste Class:

OIL SKIMMINGS & SLUDGES Waste Class Desc:

LIGHT FUELS

224 8 of 11 W/286.0 122.7/-7.16 City of Toronto **GEN**

2696 Eglinton Ave. W Toronto ON M6M 1T9

ON9992710 Generator No: 541940 SIC Code:

SIC Description: Veterinary Services

05,07,08 Approval Years:

PO Box No: Country:

Waste Class Desc:

Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Order No: 22090803393

Status:

Detail(s)

Мар Кеу	Numbe Record		Elev/Diff n) (m)	Site	DB
Waste Class Waste Class		312 PATHOLOGICAI	L WASTES		
224	9 of 11	W/286.0	122.7 / -7.16	City of Toronto 2696 Eglinton Ave. W Toronto ON M6M 1T9	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion: ears:	ON9992710 541940 Veterinary Services 2009		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class Waste Class		312 PATHOLOGICAI	L WASTES		
224	10 of 11	W/286.0	122.7 / -7.16	City of Toronto 2696 Eglinton Ave. W Toronto ON M6M 1T9	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion: ears:	ON9992710 541940 Veterinary Services 2010		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		312 PATHOLOGICAI	L WASTES		
224	11 of 11	W/286.0	122.7/-7.16	City of Toronto 2696 Eglinton Ave. W Toronto ON M6M 1T9	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion: ears:	ON9992710 541940 Veterinary Services 2011		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class Waste Class		312 PATHOLOGICAI	L WASTES		
225	1 of 1	W/286.0	122.7 / -7.16	York Township Police 2696 Eglinton Ave W Toronto ON M6M 1T9	TANK
Permit Date: Permit Type		10/23/1950			
User Type: Installation Installation	Туре:	Public utilities ga	rage		

Elev/Diff Site DΒ Map Key Number of Direction/ Records Distance (m) (m)

Installation Config.: gas tank and pump

No. Tanks Installed:

Units of Measure: Value/Tank (\$): 0

Capacity(gal):

York Township General Purposes Committee 23 Oct 1950 Reference:

Location Desc: Eglinton Ave W

226 1 of 1 SSE/288.0 127.2 / -2.66 QINGDAO DC LEATHER PRODUCTS CO LTD

1801 KEELE ST,, TORONTO, ON, M6M 3X3, CA

43.691063

PINC

EHS

Order No: 22090803393

ON

Incident Id: Pipe Material: 1366620 Incident No: Fuel Category: Incident Reported Dt: 4/1/2014 Health Impact:

FS-Pipeline Incident Environment Impact: Type: Status Code: Property Damage: Tank Status: Service Interrupt: Pipeline Damage Reason Est Task No: Enforce Policy: Spills Action Centre: Public Relation:

Pipeline System:

Fuel Occurrence Tp: PSIG: Date of Occurrence: Attribute Category: Occurrence Start Dt: Regulator Location: Method Details: Depth:

Customer Acct Name: QINGDAO DC LEATHER PRODUCTS CO LTD

1801 KEELE ST,,TORONTO,ON,M6M 3X3,CA Incident Address: Operation Type: Pipeline Type: Regulator Type:

Reported By: Affiliation: Occurrence Desc:

Damage Reason:

Notes:

Summary:

Fuel Type:

227 1 of 1 W/290.4 122.9 / -7.03 2696 Eglinton Ave W **Toronto ON M6M1T9**

20140724041 Order No: Nearest Intersection: Municipality: Status:

Standard Report ON Report Type: Client Prov/State: 30-JUL-14 Report Date: Search Radius (km): .25 Date Received: 24-JUL-14 X: -79.478219 Y:

Previous Site Name: Lot/Building Size: Additional Info Ordered:

> 228 1 of 1 E/291.7 148.8 / 18.94 2515 Eglinton Ave West **EHS Toronto ON M6M 1T2**

Order No: 20080407032 Nearest Intersection: Status: Municipality:

Report Type: **Basic Report** Client Prov/State: ON Report Date: 4/16/2008 Search Radius (km): 0.25 4/7/2008 -79.470517 Date Received: X: Previous Site Name: Y: 43.691091

Lot/Building Size: Additional Info Ordered:

Мар Кеу	Numbe Record		Elev/Diff (m)	Site	DB
229	1 of 10	NNW/293.1	138.3 / 8.43	YORK BOARD OF EDUCATION C.E. WEBSTER JUNIOR PUBLIC SCHOOL 1900 KEELE STREET YORK ON M6M 3X7	GEN
Generator No SIC Code: SIC Descript Approval Yea PO Box No: Country:	tion:	ON0192334 8511 ELEMT./SECON. EDUC. 90,00,01		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		221 LIGHT FUELS			
229	2 of 10	NNW/293.1	138.3 / 8.43	YORK BOARD OF EDUCATION 43-414 C.E. WEBSTER JUNIOR PUBLIC SCHOOL 1900 KEELE STREET YORK ON M6M 3X7	GEN
Generator No SIC Code: SIC Descript Approval Yea PO Box No: Country:	tion:	ON0192334 8511 ELEMT./SECON. EDUC. 92,93,94,95,96,97		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		221 LIGHT FUELS			
229	3 of 10	NNW/293.1	138.3 / 8.43	YORK BOARD OF EDUCATION(OUT OF BUSINESS) C.E. WEBSTER JUNIOR PUBLIC SCHOOL 1900 KEELE STREET YORK ON M6M 3X7	GEN
Generator No SIC Code: SIC Descript Approval Yea PO Box No: Country:	tion:	ON0192334 8511 ELEMT./SECON. EDUC. 98		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		221 LIGHT FUELS			
229	4 of 10	NNW/293.1	138.3 / 8.43	1900 Keele Street, York Toronto ON	SPL
Ref No: Site No: Incident Dt:		0137-9E3LXA 2013/12/04		Discharger Report: Material Group: Health/Env Conseq:	

Order No: 22090803393

Map Key Number of Direction/ Elev/Diff Site DB

Year: Client Type:

Distance (m)

Incident Cause: Other Sector Type: Pipeline/Components

(m)

Incident Event: Agency Involved:
Contaminant Code: 35 Nearest Watercourse:

Contaminant Name: NATURAL GAS (METHANE) Site Address: 1900 Keele Street, York

Contaminant Limit 1: Site District Office:
Contam Limit Freq 1: Site Postal Code:
Contaminant UN No 1: Site Region:

Environment Impact:ConfirmedSite Municipality:TorontoNature of Impact:Air PollutionSite Lot:

Receiving Medium:Site Conc:Receiving Env:Northing:MOE Response:Deferred Field ResponseEasting:

 Determined Field Response
 Easting:

 Dt MOE Arvi on Scn:
 Site Geo Ref Accu:

MOE Reported Dt: 2013/12/04 Site Map Datum:

 Dt Document Closed:
 SAC Action Class:
 Air Spills - Gases and Vapours

 Incident Reason:
 Unknown / N/A
 Source Type:

Site Name: Charles E Webster Public School <UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Records

Incident Summary: TSSA: gas leak from 3" union @ boiler Contaminant Qty: 0 other - see incident description

229 5 of 10 NNW/293.1 138.3 / 8.43 1900 KEELE STREET, TORONTO INC

Order No: 22090803393

Incident No:1295240Any Health Impact:NoIncident ID:Any Enviro Impact:No

Incident ID:

Instance No:

Service Interrupted:

Yes

Status Code:

Was Prop Damaged:

No

 Status Code:
 Was Prop Damaged:
 No

 Attribute Category:
 FS-Perform L1 Incident Insp
 Reside App. Type:

Attribute Category: FS-Perform L1 Incident Insp Reside App. Type:
Context: Commer App. Type:

Date of Occurrence:2013/12/04 00:00:00Indus App. Type:Time of Occurrence:11:00:00Institut App. Type:

Incident Created On: Venting Type:
Instance Creation Dt: Vent Conn Mater:

Instance Install Dt:

Occur Insp Start Date: 2013/12/04 00:00:00

Approx Quant Rel: Vent Chimney Mater: Pipeline Type: Pipeline Involved:

 Tank Capacity:
 Pipe Material:

 Fuels Occur Type:
 Vapour Release
 Depth Ground Cover:

 Fuel Type Involved:
 Natural Gas
 Regulator Location:

 Enforcement Policy:
 NULL
 Regulator Type:

 Procedition Ports
 NULL
 Regulator Type:

Prc Escalation Req:NULLOperation Pressure:Tank Material Type:Liquid Prop Make:Tank Storage Type:Liquid Prop Model:Tank Location Type:Liquid Prop Serial No:Pump Flow Rate Cap:Liquid Prop Notes:Task No:4734443Equipment Type:

Notes: Equipment Model:
Drainage System: Serial No:

Sub Surface Contam.:

Aff Prop Use Water:

Contam. Migrated:

Contact Natural Env:

Contact Natural Env:

Contact Natural Env:

Serial No:

Cylinder Capacity:

Cylinder Cap Units:

Cylinder Mat Type:

Near Body of Water:

Incident Location: 1900 KEELE STREET, TORONTO - VAPOR RELÉASE

Occurence Narrative: gas leak on supply line to heating boiler

Operation Type Involved: Institution (including hospital, school, govt building, etc.)

Item:

Item Description:
Device Installed Location:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) NNW/293.1 138.3 / 8.43 229 6 of 10 TORONTO DISTRICT SCHOOL BOARD-(ED & INC 1900 KEELE ST,,TORONTO,ON,M6M 3X7,CA ON Incident No: 1741500 Any Health Impact: Any Enviro Impact: Incident ID: Service Interrupted: Instance No: Was Prop Damaged: Status Code: Attribute Category: FS-Incident Reside App. Type: Context: Commer App. Type: Date of Occurrence: 10/21/2015 Indus App. Type: Institut App. Type: Time of Occurrence: Incident Created On: Venting Type: Instance Creation Dt: Vent Conn Mater: Instance Install Dt: Vent Chimney Mater: Occur Insp Start Date: Pipeline Type: Approx Quant Rel: Pipeline Involved: Tank Capacity: Pipe Material: Fuels Occur Type: **Depth Ground Cover:** Fuel Type Involved: Regulator Location: **Enforcement Policy:** Regulator Type: Operation Pressure: Prc Escalation Req: Tank Material Type: Liquid Prop Make: Liquid Prop Model: Tank Storage Type: Tank Location Type: Liquid Prop Serial No: Liquid Prop Notes: Pump Flow Rate Cap: Task No: Equipment Type: Notes: Equipment Model: Drainage System: Serial No: Sub Surface Contam.: Cylinder Capacity: Aff Prop Use Water: Cylinder Cap Units: Contam. Migrated: Cylinder Mat Type: Contact Natural Env: Near Body of Water: 1900 KEELE ST,,TORONTO,ON,M6M 3X7,CA Incident Location: Occurence Narrative: Operation Type Involved: **FS NON LICENSED FACILITY** Item: Item Description: Device Installed Location: NNW/293.1 TORONTO DISTRICT SCHOOL BOARD 229 7 of 10 138.3 / 8.43 **GEN** CHARLES E WEBSTER JPS 1900 KEELE ST **TORONTO ON M6M 3X7** Generator No: ON6323442 Status: SIC Code: Co Admin: 611110 SIC Description: **ELEMENTARY AND SECONDARY** CO_OFFICIAL Choice of Contact: **SCHOOLS** Phone No Admin: Approval Years: 2016 PO Box No: Contam. Facility: Nο Country: Canada MHSW Facility: No Detail(s) Waste Class: 145 Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES Waste Class:

229 8 of 10 NNW/293.1 138.3 / 8.43 TORONTO DISTRICT SCHOOL BOARD

GEN

Order No: 22090803393

WASTE COMPRESSED GASES

Waste Class Desc:

Number of Direction/ Elev/Diff Site Map Key

Records Distance (m) (m)

> CHARLES E WEBSTER JPS 1900 KEELE ST **TORONTO ON M6M 3X7**

Generator No: ON6323442 SIC Code: 611110

SIC Description: **ELEMENTARY AND SECONDARY**

SCHOOLS

Approval Years: 2015

PO Box No: Country: Canada Status: Co Admin:

Choice of Contact: CO_OFFICIAL

Phone No Admin:

Contam. Facility: No MHSW Facility: No

Detail(s)

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

229 9 of 10 NNW/293.1 TORONTO DISTRICT SCHOOL BOARD 138.3 / 8.43

CHARLES E WEBSTER JPS 1900 KEELE ST

TORONTO ON M6M 3X7

ON6323442 Generator No: SIC Code: 611110

ELEMENTARY AND SECONDARY SIC Description:

SCHOOLS

Approval Years: 2014

PO Box No:

Country: Canada Status: Co Admin:

CO_OFFICIAL Choice of Contact:

Phone No Admin:

Contam. Facility: No

MHSW Facility: No

Detail(s)

Waste Class:

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class:

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

229 NNW/293.1 University Health Network 10 of 10 138.3 / 8.43

> 1900 Keele Street **Toronto ON M6M 3X7**

Generator No: ON3578249

SIC Code:

SIC Description:

Approval Years: As of Nov 2021

PO Box No:

Country: Canada Status: Registered

Co Admin: Choice of Contact:

Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 312 P

Waste Class Desc: Pathological wastes

149.8 / 19.94 230 1 of 3 ENE/297.4 SUN LIGHT BAKERY LTD. SCT

2512 EGLINTON AVE W YORK ON M6M 1T1

Established: 1977 Plant Size (ft2): 1000

DΒ

GEN

GEN

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Employment:

--Details--

Description: BREAD AND OTHER BAKERY PRODUCTS, EXCEPT COOKIES AND CRACKERS

SIC/NAICS Code: 2051

GROCERIES & RELATED PRODUCTS, NOT ELSEWHERE CLASSIFIED Description:

SIC/NAICS Code: 5149

> 230 2 of 3 ENE/297.4 149.8 / 19.94 **SUN LIGHT BAKERY LIMITED**

2512 Eglinton Ave W

SCT

SCT

Order No: 22090803393

Toronto ON M6M 1T1

Established: 1977 Plant Size (ft2): 1000 Employment: 4

--Details--

Description: Other Specialty-Line Food Wholesaler-Distributors

4

SIC/NAICS Code: 413190

Description: Commercial Bakeries and Frozen Bakery Product Manufacturing

SIC/NAICS Code: 311814

230 3 of 3 ENE/297.4 149.8 / 19.94

Sunlight Bakery Ltd. 2512 Eglinton Ave W

Toronto ON M6M 1T1

Established: 01-JUN-79

Plant Size (ft2): Employment:

--Details--

Retail Bakeries Description:

SIC/NAICS Code: 311811

Description: Retail Bakeries

SIC/NAICS Code: 311811

231 1 of 1 E/297.9 149.3 / 19.38 **WWIS** ON

Well ID: 7363176 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status: Yes Use 2nd: Data Src:

Final Well Status: 21-Jul-2020 00:00:00 Date Received: Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

C48940 Audit No: Contractor: 7577 A284770 Form Version: Tag:

Constructn Method: Owner: Elevation (m): YORK AND TORONT County:

Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Northing NAD83: Pump Rate:

DΒ Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Zone:

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

UTM Reliability:

Static Water Level:

Clear/Cloudy:

YORK BOROUGH Municipality:

Site Info:

Bore Hole Information

1008383146 Bore Hole ID:

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind: Date Completed: 25-Mar-2020 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: **Supplier Comment:**

Links

Bore Hole ID: Tag No: 1008383146 A284770 Depth M: Contractor: 7577

Year Completed: 2020 2020/03/25 Well Completed Dt: Latitude: 43.6910040656506 Audit No: C48940 Longitude: -79.4704207347242

1 of 1 SSW/299.6 123.9 / -5.95 232

17 623268.00

4838691.00 UTM83

margin of error: 30 m - 100 m

Incident Id: Incident No:

1340508 Incident Reported Dt: 2/21/2014 Type: FS-Pipeline Incident

Status Code: Tank Status:

Pipeline Damage Reason Est Task No:

Spills Action Centre:

Fuel Type:

Fuel Occurrence Tp: Date of Occurrence:

Occurrence Start Dt: Depth:

Customer Acct Name:

Incident Address:

Operation Type: Pipeline Type: Regulator Type: Summary:

Affiliation: Occurrence Desc: Damage Reason:

Reported By:

Notes:

Path:

DOM MERIDIAN CONSTRUCTION LTD

215 BICKNELL AVE,,TORONTO,ON,M6M 4H2,CA

Pipe Material: Fuel Category:

Health Impact: Environment Impact: Property Damage: Service Interrupt:

Enforce Policy: Public Relation: Pipeline System:

PSIG: Attribute Category:

Regulator Location: Method Details:

DOM MERIDIAN CONSTRUCTION LTD

215 BICKNELL AVE,,TORONTO,ON,M6M 4H2,CA

W/299.8 **DENN-AIR** 233 1 of 12 120.8 / -9.05

Order No: 22090803393

CA

PINC

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				2700 EGLINTON AVE. WEST YORK CITY ON	
Certificate #. Application Issue Date: Approval Ty, Status: Application Client Name. Client Addre	Year: pe: Type: :	8-3301-94- 94 7/6/1994 Industrial air Cancelled			
Client City: Client Posta Project Desc Contaminant Emission Co	l Code: cription: ts:	KITCHEN EXHAU	ST FOR FAST FOC	DD OUTLET	
233	2 of 12	W/299.8	120.8 / -9.05	DENN-AIR 2700 EGLINTON AVENUE WEST YORK CITY ON	CA
Certificate #. Application Issue Date: Approval Ty Status: Application Client Name	Year: pe: Type:	8-3301-94- 94 8/30/1994 Industrial air Approved			
Client Addre Client City: Client Posta Project Desc Contaminan Emission Co	l Code: cription: ts:	KITCHEN EXHAU:	ST FOR FAST FOC	DD OUTLET	
233	3 of 12	W/299.8	120.8 / -9.05	CITY OF YORK PARKS & RECREATION DEPARTMENT; 2700 EGLINTON AVENU TORONTO ON M6M 1V1	NPCB
Company Co Industry: Site Status: Transaction Inspection D	Date:	O0245 Government (not F 2/24/1992 12/2/1992	^c ed)		
233	4 of 12	W/299.8	120.8 / -9.05	CORPORATION OF THE BOROUGH OF YORK PARKS & RECREATION DEPARTMENT; 2700 EGLINTON AVENU TORONTO ON M6N 1V1	NPCB
Company Co Industry: Site Status: Transaction Inspection D	Date:	O0245 Government (not F 8/31/1990	ed)		
233	5 of 12	W/299.8	120.8 / -9.05	YORK, CORPORATION OF THE CITY OF 43-498 2700 EGLINTON AVENUE WEST	GEN

Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

CITY OF YORK ON M6M 1V1

 Generator No:
 ON0323605
 Status:

 SIC Code:
 8359
 Co Admin:

SIC Description: OTHER GEN. ADMIN. Choice of Contact:
Approval Years: 92,93,94,95,96,97 Phone No Admin:
PO Box No: Contam. Facility:
Country: MHSW Facility:

Detail(s)

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 264

Waste Class Desc: PHOTOPROCESSING WASTES

233 6 of 12 W/299.8 120.8 / -9.05 YORK, CORPORATION OF THE CITY OF

2700 EGLINTON AVENUE WEST CITY OF YORK ON M6M 1V1

GEN

Order No: 22090803393

CITY OF YORK ON M6M 1V

 Generator No:
 ON0323605
 Status:

 SIC Code:
 8359
 Co Admin:

SIC Description: OTHER GEN. ADMIN. Choice of Contact:
Approval Years: 98,99,00,01 Phone No Admin:
PO Box No: Contam. Facility:
Country: MHSW Facility:

Detail(s)

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 264

Waste Class Desc: PHOTOPROCESSING WASTES

233 7 of 12 W/299.8 120.8/-9.05 CITY OF TORONTO

2700 EGLINTON AVE., WEST TORONTO ON M6M 1V1

Generator No:ON6276912Status:SIC Code:913910Co Admin:SIC Description:Other Local Municipal and Regional PublicChoice of Contact:

Administration

Approval Years: 05,06

Choice of Contact
Choice of Choice of Contact
Choice of Choice of Choice
Choice of C

PO Box No: Contam. Facility:
Country: MHSW Facility:

Detail(s)

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 121

Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 146

Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

8 of 12 W/299.8 120.8 / -9.05 CITY OF YORK 233

PARKS & RECREATION DEPARTMENT 2700

NPCB

GEN

GEN

Order No: 22090803393

EGLINTON AVENUE WEST TORONTO ON M6M 1V1

Company Code: O0245

GOVERNMENT(NOT FEDERAL) Industry: Site Status: **CORPORATE ADDRESS**

Transaction Date: 2/24/1992 Inspection Date: 12/2/1992

9 of 12 W/299.8 120.8 / -9.05 City of Toronto 233

2700 Eglinton Ave W Toronto ON M6M 1V1

Generator No: ON6169299 Status: Registered

SIC Code: SIC Description:

Approval Years: As of Dec 2018

PO Box No:

Canada Country:

Co Admin:

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 122 C

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class:

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class:

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 148 T

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class:

Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class: 331 I

Waste Class Desc: Waste compressed gases including cylinders

W/299.8

120.8 / -9.05

ON6169299 Generator No: SIC Code:

10 of 12

Approval Years: As of Jul 2020

PO Box No:

SIC Description:

233

Country: Canada Status: Registered

Co Admin: Choice of Contact:

2700 Eglinton Ave W Toronto ON M6M 1V1

Phone No Admin: Contam. Facility: MHSW Facility:

City of Toronto

Detail(s)

Waste Class: 145 I

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 122 C

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Number of Elev/Diff Site DΒ Map Key Direction/

> Records Distance (m)

Waste Class: Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class:

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 331 I

Waste Class Desc: Waste compressed gases including cylinders

Waste Class:

Waste Class Desc: Misc. wastes and inorganic chemicals

11 of 12 W/299.8 120.8 / -9.05 City of Toronto 233 **GEN** 2700 Eglinton Ave W

Toronto ON M6M 1V1

Choice of Contact:

Phone No Admin:

Contam. Facility:

MHSW Facility:

ON6169299 Generator No: Status: Registered Co Admin:

(m)

SIC Code: SIC Description:

As of Nov 2021 Approval Years:

PO Box No:

Canada Country:

Detail(s)

Waste Class: 122 C

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class: 145 L

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 148 T

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class:

Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class: 145 I

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class:

12 of 12

Waste compressed gases including cylinders Waste Class Desc:

W/299.8

GEN 2700 Eglinton Ave W

City of Toronto **Toronto ON M6M 1V1**

Choice of Contact:

Phone No Admin:

Order No: 22090803393

ON6169299 Registered Generator No: Status: SIC Code: Co Admin:

120.8 / -9.05

SIC Description:

233

As of Apr 2022

Approval Years:

Country:

PO Box No: Contam. Facility: Canada MHSW Facility:

Detail(s)

Waste Class: 331 I

WASTE COMPRESSED GASES Waste Class Desc:

Waste Class:

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Waste Class		145 I PAINT/PIGMENT/C	OATING RESIDUE	S	
Waste Class Waste Class		251 L OIL SKIMMINGS &	SLUDGES		
Waste Class Waste Class	=	122 C ALKALINE WASTES	S - OTHER METAL	S	
Waste Class	<i>:</i>	148 T			

INORGANIC LABORATORY CHEMICALS

Order No: 22090803393

Waste Class Desc:

Unplottable Summary

Total: 31 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	LANDAWN SHOPPING CENTRE	BLACK CREEK MALL KEELE ST.	YORK CITY ON	
CA	TORONTO CITY, YORK CIVIC SERVICE CENTRE	LONBOROUGH AVE. SAN. DET. FAC.	TORONTO CITY ON	
CA	CITY	CAMERON AVE.	YORK CITY ON	
CA	CITY	W.OF KEELE ST. (LANE)	TORONTO ON	
CA	CITY	CAMERON AVE.	YORK CITY ON	
CA	YORK CITY	BICKNELL AVE.	YORK CITY ON	
CA	TORONTO CITY, WORKS & EMERGENCY SERVICES	LOWER KEELE TRUNK RELIEF SEWER	TORONTO ON	
CA	METROPOLITAN TORONTO WORK DEPART.	KEELE STREET	YORK CITY ON	
CA	LANDAWN SHOPPING CENTRE 3-1139-89	BLACK CREEK PLAZA KEELE ST.	YORK CITY ON	
ECA	Icon Partners Limited	Ypres Rd	Toronto ON	L3R 1G4
ECA	City of Toronto	Greenacres Rd	Toronto ON	M9C 2Y2
ECA	Aecon Infrastructure Management Inc., Dragados Canada, Inc., EllisDon Civil	Ltd., and SNC-Lavalin Constructors (Pacific) Inc., carrying on business under the general partnership firm name "Crosslinx Transit Solutions Constructors"	Eglinton Ave W (Between Black Creek Drive and Bicknell Avenue) Toronto ON	M2N 7E4
ECA	Aecon Infrastructure Management Inc., Dragados Canada, Inc., EllisDon Civil	Ltd., and SNC-Lavalin Constructors (Pacific) Inc., carrying on business under the general partnership firm name "Crosslinx Transit Solutions Constructors"	Eglinton Ave W (Between Black Creek Drive and Bicknell Avenue) Toronto ON	M2N 7E4
ECA	Aecon Infrastructure Management Inc., Dragados Canada, Inc., EllisDon Civil	Ltd., and SNC-Lavalin Constructors (Pacific) Inc., carrying on business under the general partnership firm name "Crosslinx Transit Solutions Constructors"	Eglinton Ave W between West of Black Creek Dr. and Black Creek Toronto ON	M2N 7E4
ECA	City of Toronto	Keele Street	Toronto ON	M5V 3C6

ECA	City of Toronto	Irving Road	Toronto ON	M9C 2Y2
ECA	City of Toronto	Keele St	Toronto ON	M5V 3C6
EHS		Cameron St	Toronto ON	
GEN	Metrolinx	Richardson Ave and Bicknell Ave	Toronto ON	M6M 1T3
GEN	GFL Infrastructure Group	Yore Rd	Toronto ON	M6M1W7
GEN	TRANS-NORTHERN PIPELINES INC	KEELE ST TERMINAL C/O 3355 ELMBANK RD	MISSISSAUGA ON	L4V 1A6
NPCB	MUNICIPALITY OF METRO TORONTO	KEELE PUMPING STATION; DEPARTMENT OF WORKS	TORONTO ON	
NPCB	MUNICIPALITY OF METRO TORONTO	WORKS DEPARTMENT; KEELE PUMPING STATION	TORONTO ON	
PINC	PIPELINE HIT - 1/2"	TORONTO,,TORONTO,ON,,CA	ON	
PINC	PIPELINE HIT - 1/2"	TORONTO,,TORONTO,ON,,CA	ON	
PINC	PIPELINE HIT - 1/2"	TORONTO,,TORONTO,ON,,CA	ON	
SPL	UNKNOWN	BLACK CREEK AT BLACK CREEK DRIVE/TRETHEWEY DRIVE.	TORONTO CITY ON	
SPL	KEM OIL	KEELE ST TERMINAL TANK TRUCK (CARGO)	TORONTO CITY ON	
SPL	TORONTO TRANSIT COMMISSION	EAST BOUND KEEL TO KANE. MOTOR VEHICLE (OPERATING FLUID)	TORONTO CITY ON	
SPL	CRH Canada Group Inc.	Keele Street & Eglinton Ave.W	Toronto ON	M6M 1T4
SPL		just west of Keele St	Toronto ON	

Unplottable Report

Site: LANDAWN SHOPPING CENTRE

BLACK CREEK MALL KEELE ST. YORK CITY ON

Database:

Certificate #: 7-0960-89-

Application Year:89Issue Date:6/21/1989Approval Type:Municipal waterStatus:Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: TORONTO CITY, YORK CIVIC SERVICE CENTRE

LONBOROUGH AVE. SAN. DET. FAC. TORONTO CITY ON

Database:

 Certificate #:
 3-0944-99

 Application Year:
 99

 Issue Pate:
 9/10/1999

Issue Date:9/10/1999Approval Type:Municipal sewageStatus:Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: CITY

CAMERON AVE. YORK CITY ON

Database: CA

 Certificate #:
 3-0645-85-006

 Application Year:
 85

Application Year: 85
Issue Date: 7/31/85

Approval Type: Municipal sewage Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: CITY

W.OF KEELE ST. (LANE) TORONTO ON

Database:

Order No: 22090803393

Certificate #: 3-0653-85-006

Application Year:85Issue Date:8/9/85

Approval Type:Municipal sewageStatus:Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: CITY

CAMERON AVE. YORK CITY ON

Database:

Certificate #: 3-1111-85-006

Application Year:85Issue Date:10/29/85

Approval Type: Municipal sewage Status: Approved

Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:

Contaminants: Emission Control:

Site: YORK CITY

BICKNELL AVE. YORK CITY ON

Database: CA

Certificate #: 3-1364-85-006

Application Year:85Issue Date:12/13/85

Approval Type: Municipal sewage Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

Emission Control:

<u>Site:</u> TORONTO CITY, WORKS & EMERGENCY SERVICES LOWER KEELE TRUNK RELIEF SEWER TORONTO ON

Database: CA

Order No: 22090803393

Certificate #:8-3410-98-Application Year:98Issue Date:12/22/1998Approval Type:Industrial airStatus:Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code:

Project Description: ODOUR ABSORPTION UNIT FOR T.R. SEWER

Contaminants: Odour/Fumes
Emission Control: Act. Charcoal Filter

Site: METROPOLITAN TORONTO WORK DEPART.

KEELE STREET YORK CITY ON

Certificate #: 7-0273-86-Application Year: 86

Issue Date:4/21/1986Approval Type:Municipal waterStatus:Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: LANDAWN SHOPPING CENTRE 3-1139-89

BLACK CREEK PLAZA KEELE ST. YORK CITY ON

Certificate #: 3-1127-89Application Year: 89
Issue Date: 6/21/1989
Approval Type: Municipal sewage
Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: Icon Partners Limited

Ypres Rd Toronto ON L3R 1G4

Approval No: 8130-9LFTND **MOE District:** Approval Date: 2014-06-30 City: Status: Approved Longitude: Record Type: **ECA** Latitude: IDS Link Source: Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Icon Partners Limited

Address: Ypres Rd

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/9851-9LCRMG-14.pdf

PDF Site Location:

Site: City of Toronto

Greenacres Rd Toronto ON M9C 2Y2

 Approval No:
 5320-7BJPGZ
 MOE District:

 Approval Date:
 2008-02-07
 City:

 Status:
 Approved
 Longitude:

 Record Type:
 ECA
 Latitude:

 Link Source:
 IDS
 Geometry X:

SWP Area Name:

Approval Type:

Project Type:

Geometry Y:

ECA-Municipal Drinking Water Systems

Municipal Drinking Water Systems

CA

Database:

Database:

Database:

ECA

Database: ECA

Business Name: City of Toronto Address: Greenacres Rd

Full Address: Full PDF Link: PDF Site Location:

Site: Aecon Infrastructure Management Inc., Dragados Canada, Inc., EllisDon Civil

Database: ECA

Ltd., and SNC-Lavalin Constructors (Pacific) Inc., carrying on business under the general partnership firm name "Crosslinx Transit Solutions Constructors" Eglinton Ave W (Between Black Creek Drive and Bicknell Avenue)

Toronto ON M2N 7E4

 Approval No:
 7168-BA8RFZ
 MOE District:

 Approval Date:
 2019-03-21
 City:

 Status:
 Approved
 Longitude:

 Record Type:
 ECA
 Latitude:

 Link Source:
 IDS
 Geometry X:

SWP Area Name:Geometry Y:Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Aecon Infrastructure Management Inc., Dragados Canada, Inc., EllisDon Civil Ltd., and SNC-Lavalin Constructors

(Pacific) Inc., carrying on business under the general partnership firm name "Crosslinx Transit Solutions

Constructors"

Address: Eglinton Ave W (Between Black Creek Drive and Bicknell Avenue)

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8765-B8NR3L-13.pdf

PDF Site Location:

Site: Aecon Infrastructure Management Inc., Dragados Canada, Inc., EllisDon Civil

Database: ECA

Ltd., and SNC-Lavalin Constructors (Pacific) Inc., carrying on business under the general partnership firm name "Crosslinx Transit Solutions Constructors" Eglinton Ave W (Between Black Creek Drive and Bicknell Avenue)

Toronto ON M2N 7E4

Approval No: 2105-AZ9L8A **MOE District:** 2018-06-05 Approval Date: City: Lonaitude: Status: Approved Record Type: **ECA** Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Aecon Infrastructure Management Inc., Dragados Canada, Inc., EllisDon Civil Ltd., and SNC-Lavalin Constructors

(Pacific) Inc., carrying on business under the general partnership firm name "Crosslinx Transit Solutions

Constructors"

Address: Eglinton Ave W (Between Black Creek Drive and Bicknell Avenue)

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1036-AZ7GBJ-14.pdf PDF Site Location:

<u>Site:</u> Aecon Infrastructure Management Inc., Dragados Canada, Inc., EllisDon Civil

Database:

Order No: 22090803393

Ltd., and SNC-Lavalin Constructors (Pacific) Inc., carrying on business under the general partnership firm name "Crosslinx Transit Solutions Constructors" Eglinton Ave W between West of Black Creek Dr. and Black Creek

Toronto ON M2N 7E4

 Approval No:
 2884-AQKGL8
 MOE District:

 Approval Date:
 2017-08-29
 City:

 Status:
 Approved
 Longitude:

 Record Type:
 ECA
 Latitude:

 Link Source:
 IDS
 Geometry X:

SWP Area Name: Geometry Y:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Aecon Infrastructure Management Inc., Dragados Canada, Inc., EllisDon Civil Ltd., and SNC-Lavalin Constructors

(Pacific) Inc., carrying on business under the general partnership firm name "Crosslinx Transit Solutions

Constructors"

Address: Eglinton Ave W between West of Black Creek Dr. and Black Creek

Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8574-AQCLPS-14.pdf

PDF Site Location:

Site: City of Toronto

Keele Street Toronto ON M5V 3C6

Database: ECA

Database:

ECA

Order No: 22090803393

Approval No: 7849-5F5RW9 **MOE District:** Approval Date: 2002-11-01 City: Status: Approved Longitude: Record Type: **ECA** Latitude: **IDS** Link Source: Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-Municipal and Private Water WorksProject Type:Municipal and Private Water Works

Business Name: City of Toronto Address: Keele Street

Full Address: Full PDF Link: PDF Site Location:

Site: City of Toronto

Irving Road Toronto ON M9C 2Y2

3796-6GURGD **MOE District:** Approval No: 2005-10-07 Approval Date: City: Status: Approved Longitude: Record Type: **ECA** Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-Municipal Drinking Water SystemsProject Type:Municipal Drinking Water Systems

Business Name: City of Toronto Address: Irving Road

Full Address: Full PDF Link: PDF Site Location:

Site: City of Toronto Database: ECA ECA

Approval No: 1033-9K4HUK

MOE District: 2014-05-20 Approval Date: City: Status: Approved Longitude: Record Type: **ECA** Latitude: IDS Link Source: Geometry X: SWP Area Name: Geometry Y: Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS

Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Rusiness Name: City of Toronto

Business Name: City of Toronto Address: Keele St Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1122-9JTKYA-14.pdf

PDF Site Location:

Site:
Cameron St Toronto ON
Database:
EHS

Order No: 20110727042 Nearest Intersection:

Status: C Municipality:

Report Type: Custom Report Client Prov/State: ON

Report Date: 8/9/2011 Search Radius (km): 0.25 7/27/2011 -79.399011 Date Received: X: 43.650978

Previous Site Name: Lot/Building Size: Additional Info Ordered:

Site: Metrolinx Database: Richardson Ave and Bicknell Ave Toronto ON M6M 1T3 GEN

Generator No: ON8214125 Status:

485990 SIC Code: Co Admin: Alyssa Santiago SIC Description: 485990 Choice of Contact: CO_OFFICIAL 905-567-4444 Ext.1494 2014 Approval Years: Phone No Admin:

PO Box No:

Contam. Facility: No Canada Country: MHSW Facility: No

Detail(s)

Waste Class:

OIL SKIMMINGS & SLUDGES Waste Class Desc:

GFL Infrastructure Group Database: Site: Yore Rd Toronto ON M6M1W7 **GEN**

Generator No: ON7314825 Status: Registered

Co Admin: SIC Code:

Choice of Contact: SIC Description: As of Oct 2019 Phone No Admin: Approval Years:

PO Box No: Contam. Facility:

Country: Canada MHSW Facility:

Detail(s)

Waste Class: 146 L

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Site: TRANS-NORTHERN PIPELINES INC Database: KEELE ST TERMINAL C/O 3355 ELMBANK RD MISSISSAUGA ON L4V 1A6

Generator No: ON0174701 SIC Code: 0000 Co Admin: *** NOT DEFINED *** SIC Description: Choice of Contact:

Approval Years: 86,87,88,89,90,92,93,94 Phone No Admin: PO Box No: Contam. Facility: Country: MHSW Facility:

Site: **MUNICIPALITY OF METRO TORONTO** Database: **NPCB** KEELE PUMPING STATION; DEPARTMENT OF WORKS TORONTO ON

> Database: **NPCB**

Order No: 22090803393

Company Code:

Government (not Fed) Industry:

Site Status:

9/28/1990 Transaction Date:

Inspection Date:

MUNICIPALITY OF METRO TORONTO Site:

WORKS DEPARTMENT; KEELE PUMPING STATION TORONTO ON

Company Code: O0242K

Industry: Government (not Fed)

Site Status:

8/31/1993 Transaction Date:

erisinfo.com | Environmental Risk Information Services

Site: PIPELINE HIT - 1/2"

TORONTO,,TORONTO,ON,,CA ON

Database: PINC

Incident Id:

Incident No: 1113372 Incident Reported Dt: 6/6/2013

Type: Status Code: FS-Pipeline Incident

TORONTO,,TORONTO,ON,,CA

Status Code: Tank Status:

: Pipeline Damage Reason Est

Task No:

Spills Action Centre:

Fuel Type:

Fuel Occurrence Tp: Date of Occurrence:

Occurrence Start Dt:

Depth:

Notes:

Customer Acct Name: PIPELINE HIT - 1/2"

Incident Address:

Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc: Damage Reason: Fuel Category: Health Impact: Environment Impact:

Property Damage: Service Interrupt: Enforce Policy: Public Relation:

Pipeline System:

Pipe Material:

PSIG:

Attribute Category: Regulator Location: Method Details:

Site: PIPELINE HIT - 1/2"

TORONTO,,TORONTO,ON,,CA ON

Incident Id:

Incident No: 1113372 Incident Reported Dt: 6/6/2013

Type:

FS-Pipeline Incident

Status Code:

Tank Status: Pipeline Damage Reason Est

Task No:

Spills Action Centre:

Fuel Type:

Fuel Occurrence Tp: Date of Occurrence:

Occurrence Start Dt:

Depth:

Customer Acct Name:

Incident Address:

Operation Type: Pipeline Type: Regulator Type:

Summary: Reported By: Affiliation: Occurrence Desc:

Damage Reason:

Notes:

Database: PINC

Pipe Material: Fuel Category: Health Impact:

Environment Impact:
Property Damage:

Service Interrupt: Enforce Policy: Public Relation: Pipeline System:

PSIG:

Attribute Category: Regulator Location: Method Details:

Site: PIPELINE HIT - 1/2"

TORONTO,,TORONTO,ON,,CA ON

Incident ld:

Incident No: 1113372 Incident Reported Dt: 6/6/2013 Pipe Material: Fuel Category: Health Impact: Database: PINC

PIPELINE HIT - 1/2"

TORONTO,,TORONTO,ON,,CA

FS-Pipeline Incident Environment Impact: Type: Status Code:

PIPELINE HIT - 1/2"

TORONTO,,TORONTO,ON,,CA

Pipeline Damage Reason Est Tank Status:

Task No: Spills Action Centre: Fuel Type:

Fuel Occurrence Tp:

Date of Occurrence: Occurrence Start Dt:

Depth: **Customer Acct Name:**

Incident Address: Operation Type: Pipeline Type:

Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc: Damage Reason: Notes:

Property Damage: Service Interrupt: Enforce Policy:

Public Relation: Pipeline System:

PSIG:

Attribute Category: Regulator Location: Method Details:

Site: **UNKNOWN** Database:

BLACK CREEK AT BLACK CREEK DRIVE/TRETHEWEY DRIVE. TORONTO CITY ON

Ref No: 140573 Discharger Report: Site No: Material Group: Health/Env Conseq: Incident Dt: 5/9/1997 Year: Client Type: Incident Cause: **UNKNOWN** Sector Type:

Agency Involved: Incident Event: Contaminant Code: Nearest Watercourse: Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region:

Environment Impact: POSSIBLE Site Municipality: 01106

Water course or lake Nature of Impact: Site Lot: Receiving Medium: WATER Site Conc: Northing:

Receiving Env: Easting: MOE Response:

Dt MOE Arvl on Scn: Site Geo Ref Accu: 5/9/1997 **MOE** Reported Dt: Site Map Datum: SAC Action Class:

Dt Document Closed:

Incident Reason: **UNKNOWN**

Site Name: Site County/District:

Site Geo Ref Meth: Incident Summary:

SOURCE UNKNOWN-UNK QUANT GASOLINE IN BLACK CREEK, FD & WORKS, DISSIPATED.

Source Type:

YORK, NORTH YORK & TOR. FD'S & WORKS

Order No: 22090803393

Contaminant Qty:

Site: KEM OIL Database: KEELE ST TERMINAL TANK TRUCK (CARGO) TORONTO CITY ON SPL

Ref No: 46976 Discharger Report: Site No: Material Group:

Incident Dt: 2/25/1991 Health/Env Conseq: Year: Client Type: Incident Cause: VALVE/FITTING LEAK OR FAILURE Sector Type:

Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: Contaminant Name: Site Address: Site District Office: Contaminant Limit 1:

Contam Limit Freg 1: Site Postal Code: Contaminant UN No 1: Site Region:

Environment Impact: **NOT ANTICIPATED** Site Municipality: 01106 Nature of Impact: Site Lot: Receiving Medium: LAND Site Conc: Receiving Env: Northing: MOE Response:

Easting:

Dt MOE Arvl on Scn: MOE Reported Dt: **Dt Document Closed:**

2/25/1991

Site Geo Ref Accu: Site Map Datum:

Incident Reason:

GASKET/JOINT

SAC Action Class: Source Type:

Site Name: Site County/District:

Site Geo Ref Meth:

Incident Summarv: KEM OIL - 120 L. GASOLINETO LAND AT SHELL TERMINALTANK TRUCK GASKET BLEW.

Contaminant Qty:

Site: TORONTO TRANSIT COMMISSION

EAST BOUND KEEL TO KANE. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON

Database: SPL

Site No: Incident Dt: 147350 10/3/1997

10/3/1997

Discharger Report: Material Group: Health/Env Conseq:

Year. Incident Cause:

Ref No:

PIPE/HOSE LEAK

Client Type: Sector Type:

Incident Event: Contaminant Code: Contaminant Name: Agency Involved: Nearest Watercourse: Site Address: Site District Office:

Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:

Site Postal Code: Site Region:

Environment Impact:

NOT ANTICIPATED Site Municipality:

Nature of Impact: Receiving Medium: LAND Receiving Env:

Site Conc: Northing: Easting:

Site Lot:

MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt:

Site Geo Ref Accu: Site Map Datum:

Dt Document Closed: Incident Reason:

SAC Action Class: **EQUIPMENT FAILURE** Source Type:

Site Name:

Site County/District: Site Geo Ref Meth:

T.T.C.-UKN QTY MOTOR OIL TO ROADWAY OVER 1.666 M FROM BUS.CLEANUP UNDERWAY Incident Summary: Contaminant Qty:

CRH Canada Group Inc. Site:

Keele Street & Eglinton Ave.W Toronto ON M6M 1T4

Database: SPL

Order No: 22090803393

Ref No: 3584-BDCPYC Site No: NA

DIESEL FUEL

Material Group: Health/Env Conseq: 2 - Minor Environment

Discharger Report:

Incident Dt: 6/21/2019

Client Type: Corporation

Incident Cause:

Year.

Sector Type: Miscellaneous Industrial

Incident Event: Contaminant Code: Collision/Accident Agency Involved: Nearest Watercourse:

Contaminant Name: Contaminant Limit 1: Site Address: Keele Street & Eglinton Ave.W Toronto - District

01106

Contam Limit Freq 1: Contaminant UN No 1: 1202 Site District Office: Site Postal Code: M6M 1T4 Site Region: Central Site Municipality: Toronto

Environment Impact: Nature of Impact: Receiving Medium:

Site Lot: Site Conc:

Receiving Env: Land MOE Response: No

Northing: 4838618.83 Easting: 622993.67

Dt MOE Arvl on Scn:

Site Geo Ref Accu:

MOE Reported Dt: 6/21/2019 **Dt Document Closed:**

Site Map Datum: SAC Action Class:

Incident Reason: Operator/Human Error

Land Spills Source Type: Motor Vehicle

Construction Site<UNOFFICIAL> Site Name:

Site County/District: Site Geo Ref Meth:

Diesel Spill - 100L from saddle tank on concrete truck - Toronto Incident Summary:

Contaminant Qty: 100 L

Site: Database: just west of Keele St Toronto ON SPL

Site Map Datum:

Source Type:

SAC Action Class:

Order No: 22090803393

6220-75DEGT Discharger Report:

Ref No: Material Group: Oil Site No: Incident Dt: Health/Env Conseq:

Client Type: Year: Incident Cause: Overturn - Truck Or Trailer Sector Type: Tank Truck

Agency Involved: Incident Event: Contaminant Code: 14 Nearest Watercourse:

Contaminant Name: TAR Site Address: Site District Office: Contaminant Limit 1: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region:

Environment Impact: Confirmed Site Municipality: Toronto

Nature of Impact: Human Health/Safety; Soil Contamination Site Lot: Receiving Medium: Land Site Conc: Receiving Env: Northing:

MOE Response: Priority Field Response Easting: Dt MOE Arvl on Scn: 7/23/2007 Site Geo Ref Accu:

MOE Reported Dt: 7/23/2007 **Dt Document Closed:**

Unknown - Reason not determined Incident Reason:

Hwy 401 Westbound<UNOFFICIAL> Site Name: Site County/District:

Site Geo Ref Meth: Incident Summary: Tanker truck rollover - tar and diesel to hwy/catch basins

Contaminant Qty: uknown unknown

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial

AAGR

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Nov 2021

Abandoned Mine Information System:

Provincial

AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Mar 2022

Anderson's Waste Disposal Sites:

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

AST

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

AUWR

Order No: 22090803393

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-May 31, 2022

Borehole: Provincial BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities: Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2020

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

<u>Chemical Register:</u> Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-May 31, 2022

Compressed Natural Gas Stations:

Private CNC

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Apr 2022

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial

COAL

Order No: 22090803393

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Jun 2022

Certificates of Property Use: Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Jul 31, 2022

Drill Hole Database:

Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2020

Delisted Fuel Tanks:

Provincial DTNK

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Feb 28, 2022

Environmental Activity and Sector Registry:

Provincial EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011- Jul 31, 2022

Environmental Registry:

Provincial EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Jul 31, 2022

Environmental Compliance Approval:

Provincial

FCA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- Jul 31, 2022

Environmental Effects Monitoring:

Federal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Mar 31, 2022

Environmental Issues Inventory System:

Federal

EIIS

Order No: 22090803393

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Apr 30, 2022

Environmental Penalty Annual Report:

Provincial

EPAR

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2021

List of Expired Fuels Safety Facilities:

Provincial

EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Federal Convictions: Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Jun 2022

Fisheries & Oceans Fuel Tanks:

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal

FRST

Order No: 22090803393

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank: Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information. Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Fuel Storage Tank - Historic:

Provincial FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Apr 30, 2022

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2019

TSSA Historic Incidents:

Provincial HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

NC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Mar 21, 2022

Canadian Mine Locations:

Private

MINE

Order No: 22090803393

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2022

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2020

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2021

National Energy Board Wells:

Federal

NEBP

Order No: 22090803393

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory: Federal NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal NPRI

Federal

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells: Private OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-May 31, 2022

Ontario Oil and Gas Wells:

Provincial OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jan 2021

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders: Provincial ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Jul 31, 2022

<u>Canadian Pulp and Paper:</u> Private PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Order No: 22090803393

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011- Jul 31, 2022

Provincial PINC Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Jul 31, 2022

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2019

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Jul 2022

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-May 31, 2022

Scott's Manufacturing Directory:

Private

SCT

Order No: 22090803393

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Sep 2020; Dec 2020-Mar 2021

Wastewater Discharger Registration Database:

Provincial

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2020

Private Anderson's Storage Tanks: **TANK**

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal **TCFT**

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Dec 2020

Variances for Abandonment of Underground Storage Tanks:

Provincial

VAR

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Waste Disposal Sites - MOE CA Inventory:

Provincial

WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011- Jul 31, 2022

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

WDSH

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

WWIS

Order No: 22090803393

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Jan 31, 2022

Definitions

<u>Database Descriptions:</u> This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

<u>Detail Report</u>: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

<u>Distance:</u> The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

<u>Direction</u>: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

Order No: 22090803393



Property Information

Order Number: 22090803393p

Date Completed: September 9, 2022

Project Number: CT3639.00

Project Property: 2636-2654 Eglinton Avenue West, Toronto

2636 - 2654 Eglinton Avenue West York ON M6M 1T7

Coordinates:

Latitude: 43.69057677 Longitude: -79.47434437

UTM Northing: 4838637.7174 Metres UTM Easting: 622952.666077 Metres

UTM Zone: UTM Zone 17T Elevation: 129.89 m Slope Direction: NW

Property Information	1
Topographic Information	2
Hydrologic Information	
Geologic Information	
Soil Information	
Wells and Additional Sources	
Report Summary	13
Detail Report	17
Radon Information	
Area of Natural and Scientific Interest	590
Appendix	
Liability Notice	594


The ERIS *Physical Setting Report - PSR* provides comprehensive information about the physical setting around a site and includes a complete overview of topography as well as hydrologic, geologic and soil characteristics. The location and detailed attributes of oil and gas wells, water wells, and radon are also included for review.

The compilation of both physical characteristics of a site and additional attribute data is useful in assessing the impact of migration of contaminants and subsequent impact on soils and groundwater.

Disclaimer

This Report does not provide a full environmental evaluation for the site or adjacent properties. Please see the terms and disclaimer at the end of the Report for greater detail.

Topographic Information




Topographic Information


The previous topographic map(s) show general topographic information in the surrounding area of the project property, using Toporama data or a provincial source when available. Below are shaded relief map(s), derived from Digital Elevation data to depict terrain in further detail.


Topographic information at project property:

Elevation: 129.89 m Slope Direction: NW



Hydrologic Information





Detailed bedrock geology information about each unit within the search radius is provided below.

Unit ID 20475

Unit Name:

Rock Type: Shale, limestone, dolostone, siltstone

Strata: Georgian Bay Formation; Blue Mountain Formation; Billings Formation;

Collingwood Member; Eastview Member


Order No: 22090803393p

Super Eon:

Eon: PHANEROZOIC (Present to 542.0 Ma)
Era: PALEOZOIC (251.0 Ma to 542.0 Ma)
Period: ORDOVICIAN (443.7 Ma to 488.3 Ma)

Epoch: UPPER ORDOVICIAN

Province: Tectonic Zone:



Detailed surficial geology information about each unit within the search radius is provided below.

Unit ID 3f

Geological Deposit: Glacial deposits (Newmarket/Northern/Bowmanville Till)

Deposit Age: Quaternary Primary Material: diamicton

Secondary Material:

Primary General: glacial

Primary General Modifier:

Veneer:

Episode: Wisconsin
Sub Episode: Michigan
Strata Modifier: Surface
Provenance: Simcoe

Carbon Content:

Formation: Newmarket Till Permeability: Low-Medium

Material Description: sandy silt to snd till; 3% stone content, stratified interbeds, 1-50m thick

Unit ID 8a

Geological Deposit: Glacial lake deposits

Deposit Age: Quaternary Primary Material: sand

Secondary Material:

Primary General: glaciolacustrine
Primary General Modifier: foreshore/basinal

Veneer:

Episode: Wisconsin
Sub Episode: Michigan
Strata Modifier: Surface

Provenance:
Carbon Content:
Formation:

Permeability: High

Material Description: Sand and silty sand; 1->50m thick; occurs in basin lows and nearshore flats

Order No: 22090803393p

Unit ID 10

Geological Deposit: River deposits
Deposit Age: Quaternary
Primary Material: sand, gravel

Secondary Material:

Primary General: fluvial

Primary General Modifier: abandoned floodplain

Veneer:

Episode: Hudson

Sub Episode:


Strata Modifier: Surface

Provenance:
Carbon Content:
Formation:

Permeability: Variable

Material Description: Sand and gravel

Soil Information



This map shows soil units around the target property. Please refer to the report for detailed soil descriptions.



Soil Information

Detailed soil information about each unit within the search radius is provided below.

Ontario Detailed Soil Survey (DSS3)

Polygon ID: OND012096345

Component

Component ID: OND01209634501 **Components(%):** 100

Soil Name ID: ONZUN~~~~N Slope Steepness(%): Unknown or Not applicable

Component No: 1 Slope Length(m):

Surface Stoniness Not Applicable

Class:

Component Rating

Field Crops Capability:

First CLI Limitation

Subclass:

Second CLI Limitation Subclass:

Drainage:

Soil Texture of A Horizon:

Hydrological Soil

Groups:

Soil Name

Soil Name: UNCLASSIFIED
Kind of Surface Material: Unclassified
Soil Drainage Class: Not applicable
Water Table Unspecified period

Charateristics:

Layer that Restricts Root No root restricting layer

Growth:

Type of Root Restricting n/a

Layer:

Parent Material 1, 2, 3: Not Applicable; Not Applicable; Not Applicable; Not Applicable; Not Applicable; Not Applicable

Not Applicable

1,2,3:

Parent Material Chemical Not Applicable; Not Applicable; Not Applicable

Property 1,2,3:

Wells and Additional Sources



Federal Sources

National Energy Board Wells

Map Key Distance (m) Direction

No records found

Provincial Sources

Ontario Oil and Gas Wells

Distance (m) Direction Map Key

No records found

Provincial Groundwater Monitoring Network

Map Key Distance (m) Direction

No records found

Water Well Information System

Map Key	Well ID	Distance (m)	Direction
1	7227394	0.	-
2	7298513	0.	-
3	7230839	1.95	NW
4	7298515	2.1	SSW
5	7275999	3.61	WSW
5	7261369	3.61	WSW
6	7275998	3.95	W
7	7276000	4.08	SW
8	7275996	5.86	W
8	7275997	5.86	W
9	7154471	6.45	SSW
10	7230840	7.06	WNW
11	7156541	7.18	NE
12	7261358	8.54	NNW
13	7276021	8.8	W
14	7276017	9.01	W
15	7276016	9.21	W
15	7301931	9.21	W
16	7261357	9.33	NNE
16	7202150	9.33	NNE
17	7261360	10.49	W
18	7262341	10.64	WNW
19	7262339	12.26	WNW
20	7276018	13.58	W
21	7262338	14.05	WNW
22	7275995	14.68	NW
23	7301932	16.01	W
24	7262340	16.95	W
25	7180622	18.16	SSW
26	7261353	18.95	W
27	7276019	19.17	W
13	erisinfo.com Environmental Risk Information Services		Order No: 22090803393p

27	7261361	19.17	W
28	7337213	21.03	NNE
29	7272526	21.43	SSW
30	7230841	22.11	W
31	7261359	23.06	WSW
32	7299820	23.58	W
33	7261355	23.79	NW
34	7275993	24.02	W
34	7379605	24.02	W
35	7275992	25.7	WSW
36	7261362	25.92	WSW
37	7276001	26.29	WSW
38	7261363	27.1	WSW
39	7276022	27.26	W
39	7276020	27.26	W
40	7298516	27.83	WSW
			SSW
41	7261364	28.99	
42	7261356	29.05	WNW
43	7253181	29.09	SW
44	7261348	29.09	SSW
45	7272523	29.37	S
46	7188180	30.41	NNW
47	7272522	30.56	S
48	7272529	30.77	SSW
			SSW
48	7193053	30.77	
49	7298517	30.91	WSW
50	7272530	34.05	SSW
50	7379603	34.05	SSW
51	7261365	34.24	SSW
51	7180623	34.24	SSW
52	7272527	35.36	SSW
53	7227393	35.8	S
54	7337165	36.92	N
55	7188181	37.07	WNW
56	7180621	37.15	SSW
57	7298512	39.73	WSW
58	7180626	40.25	S
			3
59	7261349	41.92	S
60	7272528	42.44	SSW
60	7379604	42.44	SSW
61	7272549	43.74	SW
62	7298509	46.7	WSW
	7298511		
62		46.7	WSW
63	7180627	46.74	SSW
64	7261347	47.66	SSW
65	7272531	48.93	SSW
66	7261368	48.98	S
67	7261354	54.18	NNW
		56.6	
68	7337152		N
69	7261366	56.63	SSW
70	7188179	56.68	NNW
71	7261367	57.18	SSW
72	7272741	57.86	SW
73	7180624	59.67	SSW
73			SSW
	7180625	59.67	
73	7180628	59.67	SSW
74	7272742	60.78	SW
75	7289117	61.73	WSW
76	7298518	61.82	W
77	7185114	62.12	SSW
78	7276452	63.12	WSW
79	7201493	63.66	WSW
79	7276453	63.66	WSW
79	7202149	63.66	WSW
80	7289119	64.01	WSW
81	7289116	64.45	WSW

82	7289118	65.12	W
			WSW
83	7276446	65.58	
83	7301929	65.58	WSW
84	7276445	65.84	WSW
85	7276448	73.31	WSW
85	7276449	73.31	WSW
86	7272745	75.09	SW
87	7356458	75.77	WSW
			W
88	7201492	77.63	
89	7272824	77.71	WSW
89	7276451	77.71	WSW
90	7276450	78.64	WSW
91	7272743	80.68	SW
92	7272749	84.08	WSW
93	7212579	86.22	SSW
93	7212577	86.22	SSW
94	7272740	86.48	SW
95	7259790	86.49	SSW
96	7276447	86.88	SW
97	7214948	90.39	SW
98	7272748	90.62	WSW
99	7272746	91.99	SW
100	7272747	95.39	WSW
101	7272744	96.44	SW
102	7171538	101.66	WSW
103	7276002	102.35	WSW
104	7177982	107.6	E
105	7298510	111.2	WSW
106	7265771	113.41	WSW
107	7261346	117.76	SW
108	7287372	118.08	WSW
109	7298514	118.48	WSW
110	7276009	119.51	SW
111	7196174	119.55	SW
112	7276007	120.38	SW
113	7301930	120.99	SW
113	7276003	120.99	SW
113	7276004	120.99	SW
114	7261351	121.39	SW
115	7276005	121.7	SW
116	7276006	121.7	SW
117	7261352	123.72	SW
118	7301933	124.28	SW
119	7276012	127.28	SW
120	7276015	127.99	SW
120	7261345	127.99	SW
121	7196178	128.19	SW
122	7196176	129.51	SW
123	7196175	130.68	SW
124	7276013	132.08	SW
125	7276008	132.79	SW
126	7153850	133.33	SW
127	7276010	134.59	SW
128	7276011	135.08	SW
128			SW
	7379606	135.08	
129	7196177	136.53	SW
130	7261350	136.76	SW
131	7153849	167.81	WSW
132	7204804	209.32	S
133	7260483	234.57	WSW
134	7260482	247.49	WSW
-		<u> </u>	

Private Sources

Oil and Gas Wells

Map Key ID Distance (m) Direction

No records found

Water Well Information System

Мар Кеу	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
1	-	0.00	0.00	129.92	WWIS
Well ID:	7227	394	Flowing (Y/N):		
Construction Date			Flow Rate:		
Use 1st:	Moni	toring	Data Entry Status:		
Use 2nd:			Data Src:		
Final Well Status:	Obse	ervation Wells	Date Received:	12-Sep-2014 00:00:00	
Water Type:			Selected Flag:	TRUE	
Casing Material:			Abandonment Rec:		
Audit No:	Z187	604	Contractor:	7201	
Tag:	A150	890	Form Version:	7	
Constructn Metho	d:		Owner:		
Elevation (m):			County:	YORK AND TORONT	
Elevatn Reliabilty:			Lot:		
Depth to Bedrock:			Concession:		
Well Depth:			Concession Name:		
Overburden/Bedro	ock:		Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Leve	l:		Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:	YOR	K BOROUGH			
Site Info:					
PDF URL (Map):	https	://d2khazk8e83rdv.cloud	front.net/moe_mapping/downlo	pads/2Water/Wells_pdfs/722\722	7394.pdf
Well Completed D	eate: 2014.	/08/15			
Year Completed:	2014				
Depth (m):	27.43	32			
Latitude:	43.69	004525798291			
Longitude:	-79.4	742937390784			
Path:	722\7	7227394.pdf			
Bore Hole ID:	1005	124144	Elevation:		
DP2BR:			Elevrc:		
Spatial Status:			Zone:	17	
Code OB:			East83:	622957.00	
Code OB Desc:			North83:	4838624.00	
Open Hole:			Org CS:	G83dd	
Cluster Kind:			UTMRC:	4	
Date Completed:	15-Aı	ug-2014 00:00:00	UTMRC Desc:	margin of error : 30 m -	100 m
Remarks:			Location Method:	wwr	

Elevrc Desc:

Location Source Date:

Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1005355171

Layer: 3 Color: 2

General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 15.0 Formation End Depth: 25.0

UOM:

Formation ID: 1005355169

ft

Layer: 1

Formation End Depth

Color:

General Color:

Mat1: 28
Most Common Material: SAND
Mat2: 11

Mat2 Desc: GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 5.0
Formation End Depth ft

UOM:

Formation ID: 1005355170

Layer: 2 Color: 6

General Color: BROWN

Mat1: 28
Most Common Material: SAND
Mat2: 06

Mat2 Desc:SILTMat3:81Mat3 Desc:SANDYFormation Top Depth:5.0Formation End Depth:15.0Formation End Depthft

UOM:

Formation ID: 1005355174

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3:

Mat3 Desc:

Formation Top Depth: 45.0 Formation End Depth: 75.0 Formation End Depth ft

UOM:

Formation ID: 1005355175

 Layer:
 7

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

Mat2 Desc:

GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 75.0
Formation End Depth: 90.0
Formation End Depth ft

UOM:

Formation ID: 1005355173

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 84

 Mat2 Desc:
 SILTY

Mat3:

Mat3 Desc:

Formation Top Depth: 35.0 Formation End Depth: 45.0 Formation End Depth ft

UOM:

Formation ID: 1005355172

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 84

 Mat2 Desc:
 SILTY

Mat3: Mat3 Desc:

Formation Top Depth: 25.0
Formation End Depth: 35.0
Formation End Depth ft

UOM:

Plug ID: 1005355184

 Layer:
 3

 Plug From:
 75.0

 Plug To:
 4.0

 Plug Depth UOM:
 ft

Plug ID: 1005355183

 Layer:
 2

 Plug From:
 78.0

 Plug To:
 75.0

 Plug Depth UOM:
 ft

Plug ID: 1005355182

 Layer:
 1

 Plug From:
 90.0

 Plug To:
 78.0

 Plug Depth UOM:
 ft

Method Construction ID: 1005355181

Method Construction 6

Code:

Method Construction: Boring

Other Method Construction:

Pipe ID: 1005355168

Casing No: 0

Comment: Alt Name:

Casing ID: 1005355178

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 80.0
Depth To: 0.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1005355179

1 Layer: Slot: 10 Screen Top Depth: 90.0 Screen End Depth: 0.08 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.5

Water ID: 1005355177

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1005355176

Diameter: 8.25
Depth From: 40.0
Depth To: 0.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1005124144
 Tag No:
 A150890

 Depth M:
 27.432
 Contractor:
 7201

 Year Completed:
 2014
 Path:
 722\7227394.pdf

 Well Completed Dt:
 2014/08/15
 Latitude:
 43.6904525798291

 Audit No:
 Z187604
 Longitude:
 -79.4742937390784

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB2-0.000.00129.95WWIS

Well ID: 7298513 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 03-Nov-2017 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z251353
 Contractor:
 3413

 Tag:
 A220851
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7298513.pdf

Well Completed Date: 2017/03/29
Year Completed: 2017
Depth (m): 32.004

Latitude: 43.6904012244476
Longitude: -79.474493574067
Path: 729\7298513.pdf

Bore Hole ID: 1006788076 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622941.00

 Code OB Desc:
 North83:
 4838618.00

Open Hole: Org CS: UTMRC: Cluster Kind:

Date Completed: 29-Mar-2017 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

UTM83

Remarks: Location Method: wwr

Location Source Date:

Improvement Location Source:

Elevrc Desc:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

1006879737 Formation ID:

6 Layer: Color: 2 General Color: **GREY** Mat1: 17 Most Common Material: **SHALE**

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 98.0 Formation End Depth: 105.0 Formation End Depth ft

UOM:

Formation ID: 1006879735

Layer: 4 Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 84.0 Formation End Depth: 93.0 Formation End Depth ft

UOM:

Formation ID: 1006879732

Layer: 1 Color: 6

General Color: BROWN
Mat1: 11
Most Common Material: GRAVEL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006879733

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 27.0
Formation End Depth ft

UOM:

Formation ID: 1006879734

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 27.0
Formation End Depth: 84.0
Formation End Depth ft

UOM:

Formation ID: 1006879736

Layer: 5
Color: 2
General Color: GREY

Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 93.0 Formation End Depth: 98.0 Formation End Depth ft

UOM:

Formation ID: 1006879738

Layer: 7

Color:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 105.0

Formation End Depth:

Formation End Depth

UOM:

Plug ID: 1006879745

ft

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Plug ID: 1006879746

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 105.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006879744

Method Construction

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006879731

Casing No: 0

Comment: Alt Name:

Casing ID: 1006879741

Layer: 1 Material: 5

Casing Depth UOM:

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch

Screen ID: 1006879742

ft

Layer: 1
Slot: 10
Screen Top Depth: 25.0
Screen End Depth: 105.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006879740

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006879739

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006788076
 Tag No:
 A220851

 Depth M:
 32.004
 Contractor:
 3413

Year Completed: 2017 Path: 729\7298513.pdf

 Well Completed Dt:
 2017/03/29
 Latitude:
 43.6904012244476

 Audit No:
 Z251353
 Longitude:
 -79.474493574067

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB3NW0.001.95129.84WWIS

Well ID: 7230839 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: 0 Data Src:

Final Well Status: Test Hole Date Received: 03-Nov-2014 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

Audit No: Z196664 Contractor: 7241

 Tag:
 A171261
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

PDF URL (Map):

Site Info:

Well Completed Date: 2014/10/14
Year Completed: 2014

Depth (m): 4.572

Latitude: 43.6906987476521

Longitude: -79.4745232563913

Path:

Bore Hole ID: 1005198311 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622938.00

 Code OB Desc:
 North83:
 4838651.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 14-Oct-2014 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Wells and Additional Sources Detail Report Location Method: Remarks: wwr Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Formation ID: 1005396189 Layer: 4 2 Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND Mat3: 05 Mat3 Desc: **CLAY** Formation Top Depth: 8.0 Formation End Depth: 15.0 Formation End Depth ft UOM: Formation ID: 1005396188 3 Layer: Color:

General Color: **BROWN**

Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND

Mat3: Mat3 Desc:

Formation Top Depth: 2.0 Formation End Depth: 8.0 Formation End Depth ft

UOM:

Formation ID: 1005396187

2 Layer: Color: 6

General Color: **BROWN** Mat1: 28 Most Common Material: SAND

Mat2: 11

Mat2 Desc: GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 0.25
Formation End Depth: 2.0
Formation End Depth ft

UOM:

Formation ID: 1005396186

Layer: 1
Color: 8
General Color: BLACK

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 0.25
Formation End Depth ft

UOM:

Plug ID: 1005396197

 Layer:
 1

 Plug From:
 15.0

 Plug To:
 4.0

 Plug Depth UOM:
 ft

Plug ID: 1005396198

 Layer:
 2

 Plug From:
 4.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1005396196

D

Method Construction

Code:

Method Construction: Direct Push

Other Method Construction:

Pipe ID: 1005396185

Casing No:

Comment: Alt Name:

Casing ID: 1005396192

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 5.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1005396193

1 Layer: Slot: .10 Screen Top Depth: 5.0 Screen End Depth: 15.0 5 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.25

Water ID: 1005396191

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1005396190

Diameter: 8.0
Depth From: 0.0
Depth To: 15.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1005198311
 Tag No:
 A171261

 Depth M:
 4.572
 Contractor:
 7241

 Year Completed:
 2014
 Path:
 723\7230839.pdf

 Well Completed Dt:
 2014/10/14
 Latitude:
 43.6906987476521

 Audit No:
 Z196664
 Longitude:
 -79.4745232563913

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
4	SSW	0.00	2.10	129.95	wwis
Well ID:	7298	515	Flowing (Y/N):		
Construction Date:			Flow Rate:		
Use 1st:	Dewa	tering	Data Entry Status:		
Use 2nd:			Data Src:		
Final Well Status:	Dewa	tering	Date Received:	03-Nov-2017 00:00:	00
Water Type:			Selected Flag:	TRUE	
Casing Material:			Abandonment Rec:		
Audit No:	Z251	354	Contractor:	3413	
Tag:	A220	850	Form Version:	7	
Constructn Method:			Owner:		
Elevation (m):			County:	YORK AND TORON	IT
Elevatn Reliabilty:			Lot:		
Depth to Bedrock:			Concession:		
Well Depth:			Concession Name:		
Overburden/Bedroc	k:		Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:	YORI	K BOROUGH			
Site Info:					
PDF URL (Map):	https:	//d2khazk8e83rdv.cloud	front.net/moe_mapping/downlo	oads/2Water/Wells_pdfs/729\	7298515.pdf
Well Completed Dat	te: 2017/	03/29			
Year Completed:	2017				
Depth (m):	27.73	68			
Latitude:		03743876181			
Longitude:		745066627244			
Path:	_	298515.pdf			
Para Hala ID:	1006	700000	Clayation		
Bore Hole ID:	1006	788082	Elevation:		
DP2BR:			Elevrc:	47	
Spatial Status:			Zone:	17	
Code OB:			East83:	622940.00	
Code OB Desc:			North83:	4838615.00	
Open Hole:			Org CS:	UTM83	
Cluster Kind:	00.11	0047 00:00:00	UTMRC:	4	400
Date Completed:	29-Ma	ar-2017 00:00:00	UTMRC Desc:	margin of error : 30	m - 100 m
Remarks: Elevrc Desc:			Location Method:	digit	

Location Source Date: Improvement Location Source: Improvement Location

Method: Source Revision

Comment:

Supplier Comment:

Formation ID: 1006879858

Layer: 1 Color: 6

General Color: BROWN Mat1: 11

Most Common Material: GRAVEL

Mat2: Mat2 Desc: Mat3:

Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006879862

Layer: 5

Color:

General Color:

Mat1:

Mat2:

Most Common Material:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 91.0

Formation End Depth:

Formation End Depth ft

UOM:

Formation ID: 1006879859

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 25.0
Formation End Depth ft

UOM:

Formation ID: 1006879860

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 25.0
Formation End Depth: 85.0
Formation End Depth ft

UOM:

Formation ID: 1006879861

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 85.0
Formation End Depth: 91.0
Formation End Depth ft

UOM:

Plug ID: 1006879870

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 91.0

 Plug Depth UOM:
 ft

Plug ID: 1006879869

Layer: 1

Plug From: 0.0
Plug To: 20.0
Plug Depth UOM: ft

Method Construction ID: 1006879868

Method Construction

Code:

Method Construction:

Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1006879857

Casing No: 0

Comment: Alt Name:

Casing ID: 1006879865

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0

Depth To: 31.0

Casing Diameter: 4.0

Casing Diameter UOM: inch

Casing Depth UOM: ft

Screen ID: 1006879866

Layer: 1 Slot: 10 Screen Top Depth: 31.0 91.0 Screen End Depth: Screen Material: 5 ft Screen Depth UOM: Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006879864

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: f

Hole ID: 1006879863

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006788082
 Tag No:
 A220850

 Depth M:
 27.7368
 Contractor:
 3413

 Year Completed:
 2017
 Path:
 729\7298515.pdf

 Well Completed Dt:
 2017/03/29
 Latitude:
 43.6903743876181

 Audit No:
 Z251354
 Longitude:
 -79.4745066627244

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB5WSW0.003.61129.86WWIS

Data Src:

Owner:

Well ID: 7275999 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245154
 Contractor:
 3413

 Tag:
 A215334
 Form Version:
 7

Constructn Method:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

 $PDF\ URL\ (Map): \\ https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\\ \ 7275999.pdf$

Order No: 22090803393p

 Well Completed Date:
 2016/09/12

 Year Completed:
 2016

 Depth (m):
 27.72156

Latitude: 43.6905205528532

-79.4746642654892 Longitude: Path: 727\7275999.pdf

Bore Hole ID: 1006298951 Elevation:

DP2BR: Elevrc:

Spatial Status: 17 Zone:

Code OB: East83: 622927.00 Code OB Desc: North83: 4838631.00 Open Hole: Org CS: UTM83

Cluster Kind: UTMRC:

UTMRC Desc: Date Completed: 12-Sep-2016 00:00:00 margin of error: 30 m - 100 m

Location Method: Remarks: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1006458616

Layer: 3 2 Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 57.0 Formation End Depth: 62.0 Formation End Depth ft

UOM:

Formation ID: 1006458619

Layer: 6 Color: 2 General Color: **GREY** Mat1: 17

Most Common Material: SHALE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 89.0

Formation End Depth: 90.94999694824219

ft

Formation End Depth

UOM:

Formation ID: 1006458617

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 62.0
Formation End Depth: 87.0
Formation End Depth ft

UOM:

Formation ID: 1006458615

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

Mat3: 85

Mat3 Desc: SOFT

Formation Top Depth: 15.0

Formation End Depth: 57.0

Formation End Depth ft

UOM:

Formation ID: 1006458614

Layer: 1 Color: 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11

Mat2 Desc: GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 15.0 Formation End Depth ft

UOM:

Formation ID: 1006458618

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 87.0
Formation End Depth: 89.0
Formation End Depth ft

UOM:

Plug ID: 1006458627

Layer: 2 Plug From: 25.0

Plug To: 90.94999694824219

Plug Depth UOM: ft

Plug ID: 1006458626

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006458625

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1006458613

Casing No: 0

Comment: Alt Name:

Casing ID: 1006458622

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 2.5
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006458623

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 2.5

Screen End Depth: 90.94999694824219

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006458621

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006458620

Diameter: 8.0
Depth From: 0.0

Depth To: 90.94999694824219

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298951
 Tag No:
 A215334

 Depth M:
 27.72156
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7275999.pdf

 Well Completed Dt:
 2016/09/12
 Latitude:
 43.6905205528532

 Audit No:
 Z245154
 Longitude:
 -79.4746642654892

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
5	WSW	0.00	3.61	129.86	WWIS

Well ID: 7261369 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Data Src:

Water Type: **TRUE** Selected Flag: Casing Material: Abandonment Rec: Yes

Z232434 6946 Audit No: Contractor: Tag: Form Version:

Constructn Method: Owner:

Elevation (m): YORK AND TORONT County:

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: **UTM Reliability:**

Municipality: YORK BOROUGH

PDF URL (Map):

Site Info:

Use 2nd:

Well Completed Date: 2016/02/29

Year Completed: 2016

Depth (m):

Latitude: 43.6905203872922 Longitude: -79.4746518613569

Path:

Bore Hole ID: 1005929296 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

Code OB: East83: 622928.00 Code OB Desc: North83: 4838631.00 Open Hole: Org CS: UTM83

Cluster Kind: UTMRC:

Date Completed: 29-Feb-2016 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Plug ID: 1006023352

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 14.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006023351

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006023345

Casing No: 0

Comment: Alt Name:

Casing ID: 1006023349

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0

Depth To: 14.0

Casing Diameter: 2.0

Casing Diameter UOM: inch

Casing Depth UOM: ft

Screen ID: 1006023350

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006023348

Layer:

Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006023347

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005929296 Tag No:

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7261369.pdf

 Well Completed Dt:
 2016/02/29
 Latitude:
 43.6905203872922

 Audit No:
 Z232434
 Longitude:
 -79.4746518613569

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
6	W	0.00	3.95	129.95	WWIS

Flow Rate:

Data Src:

Owner:

Lot:

Abandonment Rec:

Order No: 22090803393p

Well ID: 7275998 Flowing (Y/N):

Construction Date:

Use 1st: Dewatering Data Entry Status:

Use 2nd:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material:

 Audit No:
 Z245155
 Contractor:
 3413

 Tag:
 A215341
 Form Version:
 7

Constructn Method:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7275998.pdf

 Well Completed Date:
 2016/09/20

 Year Completed:
 2016

 Depth (m):
 27.7368

Latitude: 43.6905838895917 Longitude: -79.4746874766509 Path: 727\7275998.pdf

Bore Hole ID: 1006298948 Elevation:

DP2BR: Elevro:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622925.00

 Code OB Desc:
 North83:
 4838638.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 20-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006458588

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 55.0
Formation End Depth: 62.0
Formation End Depth ft

UOM:

Formation ID: 1006458591

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

Most Common Material: SHALE

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 90.0
Formation End Depth: 91.0
Formation End Depth ft

UOM:

Formation ID: 1006458586

Layer: 1 Color: 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND

Most Common Material: Mat2: Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 14.0
Formation End Depth ft

UOM:

Formation ID: 1006458590

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 88.0 Formation End Depth: 90.0 Formation End Depth ft

UOM:

Formation ID: 1006458587

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 14.0
Formation End Depth: 55.0
Formation End Depth ft

UOM:

Formation ID: 1006458589

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 62.0
Formation End Depth: 88.0
Formation End Depth ft

UOM:

Plug ID: 1006458599

 Layer:
 2

 Plug From:
 2.5

 Plug To:
 91.0

 Plug Depth UOM:
 ft

Plug ID: 1006458598

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 2.5

 Plug Depth UOM:
 ft

Method Construction ID: 1006458597

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006458585

Casing No:

Comment: Alt Name:

Casing ID: 1006458594

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006458595

1 Layer: Slot: 10 Screen Top Depth: 25.0 Screen End Depth: 91.0 5 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006458593

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006458592

Diameter: 8.0
Depth From: 0.0
Depth To: 91.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298948
 Tag No:
 A215341

 Depth M:
 27.7368
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7275998.pdf

 Well Completed Dt:
 2016/09/20
 Latitude:
 43.6905838895917

 Audit No:
 Z245155
 Longitude:
 -79.4746874766509

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
7	SW	0.00	4.08	129.86	wwis
Well ID: Construction Date:	72760		Flowing (Y/N): Flow Rate:		
Use 1st: Use 2nd:	Dewa	ıtering	Data Entry Status: Data Src:		
Final Well Status: Water Type: Casing Material: Audit No: Tag:	Dewa Z245 [,] A215;		Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version:	29-Nov-2016 00:00:00 TRUE 3413 7	
Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:		333	Owner: County: Lot: Concession: Concession Name:	YORK AND TORONT	
Overburden/Bedroc Pump Rate: Static Water Level: Clear/Cloudy: Municipality:		(BOROUGH	Easting NAD83: Northing NAD83: Zone: UTM Reliability:		
Site Info: PDF URL (Map):	https:	//d2khazk8e83rdv.cloudfr	ont.net/moe_mapping/downlo	oads/2Water/Wells_pdfs/727\727	'6000.pdf
Well Completed Dat Year Completed: Depth (m): Latitude: Longitude: Path:	2016 27.53 43.69 -79.47	09/15 34984 04028801649 746176151404 276000.pdf			
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks:		298954 ep-2016 00:00:00	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 622931.00 4838618.00 UTM83 4 margin of error : 30 m - wwr	100 m

Location Source Date:

Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1006458648

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

Mat2:

Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 89.0

Formation End Depth: 90.33300018310547

ft

Formation End Depth

UOM:

Formation ID: 1006458647

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 87.0
Formation End Depth: 89.0
Formation End Depth ft

UOM:

Formation ID: 1006458646

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 62.0 Formation End Depth: 87.0 Formation End Depth ft

UOM:

Formation ID: 1006458645

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 27.0
Formation End Depth: 62.0
Formation End Depth ft

UOM:

Formation ID: 1006458644

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc:

Mat3: 85

Mat3 Desc: SOFT

Formation Top Depth: 15.0

Formation End Depth: 27.0

Formation End Depth ft

UOM:

Formation ID: 1006458643

Layer: 1 Color: 6

General Color: BROWN

Mat1: 28
Most Common Material: SAND
Mat2: 11

Mat2 Desc: GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 15.0
Formation End Depth ft

UOM:

Plug ID: 1006458656

Layer: 2
Plug From: 25.0

Plug To: 90.33300018310547

Plug Depth UOM: ft

Plug ID: 1006458655

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006458654

В

Method Construction

Code:

Method Construction: Other Method
Other Method AIR ROTARY

Construction:

Pipe ID: 1006458642

Casing No: 0

Comment: Alt Name:

Casing ID: 1006458651

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006458652

Layer: 1 Slot: 10

Screen Top Depth: 25.0

Screen End Depth: 90.33300018310547

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006458650

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006458649

Diameter: 8.0
Depth From: 0.0

Depth To: 90.33300018310547

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298954
 Tag No:
 A215353

 Depth M:
 27.5334984
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276000.pdf

 Well Completed Dt:
 2016/09/15
 Latitude:
 43.6904028801649

 Audit No:
 Z245174
 Longitude:
 -79.4746176151404

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
8	W	0.01	5.86	129.95	WWIS

Well ID: 7275996 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245157
 Contractor:
 3413

 Tag:
 A215339
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Lot:

Order No: 22090803393p

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Clear/Cloudy: UTM Reliability:

YORK BOROUGH Municipality:

Site Info:

Static Water Level:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7275996.pdf

Zone:

Well Completed Date: 2016/09/25 Year Completed: 2016 Depth (m): 27.870912

Latitude: 43.6905842207049 Longitude: -79.4747122849423 Path: 727\7275996.pdf

Bore Hole ID: 1006298942 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

Code OB: East83: 622923.00 Code OB Desc: North83: 4838638.00 Open Hole: Org CS: UTM83

Cluster Kind: UTMRC:

Date Completed: 25-Sep-2016 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006458544

3 Layer: Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 12.0
Formation End Depth: 56.0
Formation End Depth ft

UOM:

Formation ID: 1006458546

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 62.0 Formation End Depth: 78.0 Formation End Depth ft

UOM:

Formation ID: 1006458545

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 08

Mat2 Desc: FINE SAND

Mat3: Mat3 Desc:

Formation Top Depth: 56.0 Formation End Depth: 62.0 Formation End Depth ft

UOM:

Formation ID: 1006458543

Layer: 2 Color: 6

General Color: BROWN

Mat1: 28
Most Common Material: SAND
Mat2: 05
Mat2 Desc: CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 2.0

Formation End Depth: 12.0 Formation End Depth ft

UOM:

Formation ID: 1006458547

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 11

Most Common Material: GRAVEL

Mat2: 31

Mat2 Desc: COARSE GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 78.0
Formation End Depth: 86.0
Formation End Depth ft

UOM:

Formation ID: 1006458542

 Layer:
 1

 Color:
 2

 General Color:
 GREY

Mat1:

Most Common Material:

Mat2: Mat2 Desc:

Mat3: 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0
Formation End Depth: 2.0
Formation End Depth ft

UOM:

Formation ID: 1006458549

 Layer:
 8

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 90.0

Formation End Depth: 91.44000244140625

Formation End Depth

UOM:

ft

Formation ID: 1006458548

 Layer:
 7

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 86.0
Formation End Depth: 90.0
Formation End Depth ft

UOM:

Plug ID: 1006458556

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 2.5

 Plug Depth UOM:
 ft

Plug ID: 1006458557

Layer: 2 Plug From: 2.5

Plug To: 91.44000244140625

Plug Depth UOM: ft

Method Construction ID: 1006458555

Method Construction B

Code:

Method Construction: Other Method
Other Method AIR ROTARY

Construction:

Pipe ID: 1006458541

Casing No: 0

Comment: Alt Name:

Casing ID: 1006458552

Layer:

Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 2.5
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006458553

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 91.44000244140625

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006458551

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1006458550

Diameter: 8.0
Depth From: 0.0

Depth To: 91.44000244140625

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298942
 Tag No:
 A215339

 Depth M:
 27.870912
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7275996.pdf

 Well Completed Dt:
 2016/09/25
 Latitude:
 43.6905842207049

 Audit No:
 Z245157
 Longitude:
 -79.4747122849423

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
8	W	0.01	5.86	129.95	WWIS

Order No: 22090803393p

Well ID: 7275997 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245156
 Contractor:
 3413

 Tag:
 A215340
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7275997.pdf

Well Completed Date: 2016/09/22 Year Completed: 2016

Depth (m): 27.742896000000002
Latitude: 43.6905842207049
Longitude: -79.4747122849423
Path: 727\7275997.pdf

Bore Hole ID: 1006298945 Elevation:

DP2BR: Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622923.00

 Code OB Desc:
 North83:
 4838638.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 22-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006458573

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 14.0
Formation End Depth: 55.0
Formation End Depth ft

UOM:

Formation ID: 1006458575

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 62.0
Formation End Depth: 84.0
Formation End Depth ft

UOM:

Formation ID: 1006458576

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 84.0 Formation End Depth: 90.0 Formation End Depth ft

UOM:

Formation ID: 1006458577

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

Mat2: Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 90.0

Formation End Depth: 91.0199966430664

ft

Formation End Depth

UOM:

Formation ID: 1006458574

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 55.0 Formation End Depth: 62.0 Formation End Depth ft

UOM:

Formation ID: 1006458572

Layer: 1 Color: 6

General Color: BROWN

Mat1: 28
Most Common Material: SAND
Mat2: 05
Mat2 Desc: CLAY

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 14.0
Formation End Depth ft

UOM:

Plug ID: 1006458584

Layer: 2 Plug From: 2.5

Plug To: 91.0199966430664

Plug Depth UOM: ft

Plug ID: 1006458583

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 2.5

 Plug Depth UOM:
 ft

Method Construction ID: 1006458582

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006458571

Casing No: 0

Comment: Alt Name:

Casing ID: 1006458580

Layer: 1 Material: 5

Casing Depth UOM:

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch

Screen ID: 1006458581

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 91.0199966430664

ft

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006458579

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1006458578

Diameter: 8.0 Depth From: 0.0

Depth To: 91.0199966430664

Hole Depth UOM: Hole Diameter UOM: inch

Bore Hole ID: Tag No: 1006298945 A215340 Depth M: 27.742896000000002 Contractor: 3413

2016 Path: Year Completed: 727\7275997.pdf Well Completed Dt: 2016/09/22 Latitude: 43.6905842207049 Z245156 -79.4747122849423 Audit No: Longitude:

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
9	SSW	0.01	6.45	129.81	WWIS

Flow Rate:

Data Src:

Data Entry Status:

15-Nov-2010 00:00:00

Order No: 22090803393p

TRUE

7075

7

Date Received:

Selected Flag:

Contractor:

Owner:

Form Version:

Abandonment Rec:

Well ID: 7154471 Flowing (Y/N):

Construction Date:

Use 1st:

Use 2nd:

Monitoring

Final Well Status: **Observation Wells**

Water Type:

Casing Material:

Audit No: Z122939 Tag: A096202

Constructn Method:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

YORK BOROUGH Municipality:

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7154471.pdf

Well Completed Date: 2010/10/14
Year Completed: 2010
Depth (m): 10.0584

Latitude: 43.6903465573098 Longitude: -79.4744453267963 Path: 715\7154471.pdf

Bore Hole ID: 1003406294 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622945.00

 Code OB Desc:
 North83:
 4838612.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 3

Date Completed: 14-Oct-2010 00:00:00 UTMRC Desc: margin of error : 10 - 30 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment: Supplier Comment:

Formation ID: 1003532236

2 Layer: Color: 2 General Color: **GREY** Mat1: 34 Most Common Material: TILL Mat2: 06 Mat2 Desc: SILT Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 10.0 Formation End Depth: 33.0

UOM:

Formation End Depth

Formation ID: 1003532235

Layer: 1 Color: 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11

Mat2 Desc: GRAVEL
Mat3: 68
Mat3 Desc: DRY
Formation Top Depth: 0.0
Formation End Depth: 10.0
Formation End Depth ft

UOM:

Plug ID: 1003532238

 Layer:
 1

 Plug From:
 0.5

 Plug To:
 21.0

 Plug Depth UOM:
 ft

Plug ID: 1003532239

 Layer:
 2

 Plug From:
 21.0

 Plug To:
 22.0

 Plug Depth UOM:
 ft

Method Construction ID: 1003532244

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1003532234

Casing No: 0

Comment: Alt Name:

Casing ID: 1003532241

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.5
Depth To: 23.0

Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1003532242

Layer: 1 Slot: 10 Screen Top Depth: 23.0 Screen End Depth: 33.0 Screen Material: 5 ft Screen Depth UOM: Screen Diameter UOM: inch Screen Diameter: 2.0

Water ID: 1003532240

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1003532237

Diameter: 8.0
Depth From: 0.0
Depth To: 33.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1003406294
 Tag No:
 A096202

 Depth M:
 10.0584
 Contractor:
 7075

 Year Completed:
 2010
 Path:
 715\7154471.pdf

 Well Completed Dt:
 2010/10/14
 Latitude:
 43.6903465573098

 Audit No:
 Z122939
 Longitude:
 -79.4744453267963

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
10	WNW	0.01	7.06	129.87	WWIS

Order No: 22090803393p

Well ID: 7230840 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: 0 Data Src:

Final Well Status: Test Hole Date Received: 03-Nov-2014 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z196665
 Contractor:
 7241

 Tag:
 A171260
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

PDF URL (Map):

Site Info:

Well Completed Date: 2014/10/14
Year Completed: 2014

Depth (m): 4.572

Latitude: 43.690683560646 Longitude: -79.4747345835714

Path:

Bore Hole ID: 1005198314 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622921.00

 Code OB Desc:
 North83:
 4838649.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 14-Oct-2014 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:
Location Source Date:

Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1005396203

Layer: 4

Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 8.0 15.0 Formation End Depth: Formation End Depth ft UOM:

Formation ID: 1005396201

Layer: 2 Color: 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11

Mat2 Desc: GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 0.25
Formation End Depth: 2.0
Formation End Depth ft

UOM:

Formation ID: 1005396200

Layer: 1 Color: 8

General Color: BLACK

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 0.25
Formation End Depth ft

UOM:

Formation ID: 1005396202

Layer: 3 Color: 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 06

Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 2.0
Formation End Depth: 8.0
Formation End Depth ft

UOM:

Plug ID: 1005396211

 Layer:
 1

 Plug From:
 15.0

 Plug To:
 4.0

 Plug Depth UOM:
 ft

Plug ID: 1005396213

Layer: 3

Plug From: Plug To:

Plug Depth UOM: ft

Plug ID: 1005396212

 Layer:
 2

 Plug From:
 4.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1005396210

Method Construction

Code:

Method Construction: Direct Push

Other Method Construction:

Pipe ID: 1005396199

Casing No: 0

Comment: Alt Name:

Casing ID: 1005396206

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 5.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1005396207

1 Layer: Slot: .10 Screen Top Depth: 5.0 Screen End Depth: 15.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.25

Water ID: 1005396205

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1005396204

Diameter: 8.0
Depth From: 0.0
Depth To: 15.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1005198314
 Tag No:
 A171260

 Depth M:
 4.572
 Contractor:
 7241

Year Completed: 2014

 Well Completed Dt:
 2014/10/14
 Latitude:
 43.690683560646

 Audit No:
 Z196665
 Longitude:
 -79.4747345835714

Мар Кеу	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
11	NE	0.01	7.18	130.29	WWIS

Path:

Well ID: 7156541 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring Data Entry Status:

Use 2nd:

Final Well Status: 0 Date Received: 17-Dec-2010 00:00:00

Data Src:

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z099576
 Contractor:
 7075

 Tag:
 A105958
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7156541.pdf

Well Completed Date: 2010/10/20
Year Completed: 2010
Depth (m): 25.146

 Latitude:
 43.6907369618993

 Longitude:
 -79.4740135442812

 Path:
 715√7156541.pdf

Bore Hole ID: 1003439514 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622979.00

 Code OB Desc:
 North83:
 4838656.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 3

Date Completed: 20-Oct-2010 00:00:00 UTMRC Desc: margin of error : 10 - 30 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1003636358

3 Layer: 2 Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND Mat3: 11 Mat3 Desc: **GRAVEL**

Mat3 Desc: GRAVEL
Formation Top Depth: 13.0
Formation End Depth: 60.0
Formation End Depth ft

UOM:

Formation ID: 1003636356

Layer: 1 Color: 6

General Color: BROWN

 Mat1:
 01

 Most Common Material:
 FILL

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 79

Mat3 Desc: PACKED

Formation Top Depth: 0.0
Formation End Depth: 5.0
Formation End Depth ft

UOM:

Formation ID: 1003636359

Layer: 4 2 Color: General Color: **GREY** Mat1: 28 SAND Most Common Material: Mat2: 06 Mat2 Desc: SILT Mat3: 80

Mat3 Desc: POROUS
Formation Top Depth: 60.0
Formation End Depth: 82.5
Formation End Depth ft

UOM:

Formation ID: 1003636357

Layer: 2 Color: 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 80

Mat3 Desc: POROUS
Formation Top Depth: 5.0
Formation End Depth: 13.0
Formation End Depth ft

UOM:

Plug ID: 1003636362

 Layer:
 2

 Plug From:
 4.0

 Plug To:
 70.0

 Plug Depth UOM:
 ft

Plug ID: 1003636361

 Layer:
 1

 Plug From:
 1.0

 Plug To:
 4.0

 Plug Depth UOM:
 ft

Plug ID: 1003636363

 Layer:
 3

 Plug From:
 70.0

 Plug To:
 71.0

 Plug Depth UOM:
 ft

Method Construction ID: 1003636368

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1003636355

Casing No: 0

Comment: Alt Name:

Casing ID: 1003636365

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.5
Depth To: 72.5
Casing Diameter: 2.0

Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1003636366

Layer: 1

Slot:

Screen Top Depth: 72.5
Screen End Depth: 82.5
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.0

Water ID: 1003636364

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1003636360

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1003439514
 Tag No:
 A105958

 Depth M:
 25.146
 Contractor:
 7075

 Year Completed:
 2010
 Path:
 715\7156541.pdf

 Well Completed Dt:
 2010/10/20
 Latitude:
 43.6907369618993

 Audit No:
 Z099576
 Longitude:
 -79.4740135442812

Мар Кеу	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
12	NNW	0.01	8.54	129.82	WWIS
Well ID: Construction Date: Use 1st: Use 2nd:	7261	358	Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:		
Final Well Status: Water Type: Casing Material:	Aban	doned-Other	Date Received: Selected Flag: Abandonment Rec:	12-Apr-2016 00:00:00 TRUE Yes	
Audit No: Tag: Constructn Method Elevation (m):	Z232 :	334	Contractor: Form Version: Owner: County:	6946 7 YORK AND TORONT	
Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedroc Pump Rate: Static Water Level: Clear/Cloudy:			Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:		
Municipality: Site Info:	YOR	K BOROUGH			
PDF URL (Map):					
Well Completed Da Year Completed: Depth (m):	2016 2016	/02/29			
Latitude: Longitude: Path:		907787613859 744467776278			
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:	1005	929263	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC:	17 622944.00 4838660.00 UTM83 4	
Date Completed: Remarks:	29-Fe	eb-2016 00:00:00	UTMRC Desc: Location Method:	margin of error : 30 m - 100 wwr) m

Order No: 22090803393p

Elevrc Desc:

Location Source Date:

Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Plug ID: 1006022964

 Layer:
 1

 Plug From:
 12.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006022963

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006022957

Casing No: 0

Comment: Alt Name:

Casing ID: 1006022961

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 12.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006022962

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch

Scroon	Diameter:
Screen	Diameter.

Water ID: 1006022960

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006022959

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005929263 Tag No:

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7261358.pdf

 Well Completed Dt:
 2016/02/29
 Latitude:
 43.6907787613859

 Audit No:
 Z232334
 Longitude:
 -79.4744467776278

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
13	W	0.01	8.80	129.85	WWIS

Well ID: 7276021 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z230289
 Contractor:
 3413

 Tag:
 A215337
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

YORK BOROUGH Municipality:

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276021.pdf

Well Completed Date: 2016/09/12 Year Completed: 2016 Depth (m): 26.93

Latitude: 43.6906118853248 Longitude: -79.4747612170852 727\7276021.pdf Path:

Bore Hole ID: 1006298843 Elevation:

DP2BR: Elevrc:

Zone: **Spatial Status:** 17

Code OB: East83: 622919.00 Code OB Desc: North83: 4838641.00 Open Hole: Org CS: UTM83

UTMRC: 4 Cluster Kind:

Date Completed: 12-Sep-2016 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Location Method: Remarks: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1006459124

2 Layer: 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: **CLAY** Mat2: 28 Mat2 Desc: SAND Mat3: 66 Mat3 Desc: **DENSE**

Formation Top Depth: 1.0 Formation End Depth: 3.0 Formation End Depth m

UOM:

Formation ID: 1006459125

Layer: 3 Color: 2

General Color: GREY
Mat1: 05
Most Common Material: CLAY

Mat2: 81
Mat2 Desc: SANDY

Mat3: 84

Mat3 Desc: SILTY

Formation Top Depth: 3.0

Formation End Depth: 4.0

Formation End Depth m

UOM:

Formation ID: 1006459123

Layer: 1 Color: 6

General Color: BROWN Mat1: 02

Most Common Material: TOPSOIL

Mat2:

Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 1.0
Formation End Depth m

UOM:

Formation ID: 1006459127

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

Mat3: 66

Mat3 Desc: DENSE

Formation Top Depth: 5.0

Formation End Depth: 20.0

Formation End Depth

UOM:

Formation ID: 1006459126

m

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

Mat3: 84

Mat3 Desc: SILTY

Formation Top Depth: 4.0

Formation End Depth: 5.0

Formation End Depth m

UOM:

Formation ID: 1006459128

Layer: 6 Color: 6

 General Color:
 BROWN

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 05

 Mat2 Desc:
 CLAY

 Mat3:
 28

Mat3 Desc: SAND Formation Top Depth: 20.0

Formation End Depth: 26.93000030517578

Formation End Depth m

UOM:

Plug ID: 1006459135

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 6.0

 Plug Depth UOM:
 m

Plug ID: 1006459136

Layer: 2 Plug From: 6.0

Plug To: 26.93000030517578

Plug Depth UOM: m

Method Construction ID: 1006459134

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006459122

Casing No: 0

Comment: Alt Name:

Casing ID: 1006459131

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 6.5
Casing Diameter: 4.0
Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1006459132

Layer: 1
Slot: 10
Screen Top Depth: 6.5

Screen End Depth: 26.93000030517578

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 4.5

Water ID: 1006459130

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1006459129

Diameter: 8.0
Depth From: 0.0

Depth To: 26.93000030517578

Hole Depth UOM: m
Hole Diameter UOM: cm

 Bore Hole ID:
 1006298843
 Tag No:
 A215337

 Depth M:
 26.93
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276021.pdf

 Well Completed Dt:
 2016/09/12
 Latitude:
 43.6906118853248

 Audit No:
 Z230289
 Longitude:
 -79.4747612170852

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB14W0.019.01129.85WWIS

Well ID: 7276017 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245162
 Contractor:
 3413

 Tag:
 A215328
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276017.pdf

Well Completed Date: 2016/09/05 Year Completed: 2016 Depth (m): 28.4226

Latitude: 43.6906390532837 Longitude: -79.4747729368006 Path: 727\7276017.pdf

Bore Hole ID: 1006298831 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622918.00

 Code OB Desc:
 North83:
 4838644.00

Open Hole: Org CS: UTM83 UTMRC: Cluster Kind: Date Completed: 05-Sep-2016 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m Remarks: Location Method: wwr Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: 1006459060 Formation ID: Layer: 1 Color: 2 General Color: **GREY** Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: 60 Mat3 Desc: **CEMENTED** Formation Top Depth: 0.0 Formation End Depth: 1.0 Formation End Depth ft UOM: 1006459067 Formation ID: Layer: 8 Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: 93.25 Formation End Depth: Formation End Depth ft UOM:

Order No: 22090803393p

Formation ID: 1006459062

Layer: 3 Color: 6

General Color: **BROWN** Mat1: Most Common Material: SAND Mat2: 11

Mat2 Desc: **GRAVEL**

Mat3: Mat3 Desc:

5.0 Formation Top Depth: Formation End Depth: 12.0 Formation End Depth ft

UOM:

Formation ID: 1006459061

2 Layer: 6 Color:

General Color: **BROWN**

Mat1: 28 Most Common Material: SAND Mat2: 05 Mat2 Desc: CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 1.0 Formation End Depth: 5.0 Formation End Depth ft

UOM:

Formation ID: 1006459063

Layer: 4 Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 12.0 Formation End Depth: 58.0 ft

Formation End Depth

UOM:

Formation ID: 1006459066

Layer: 7 2 Color: General Color: **GREY**

Mat1: 06
Most Common Material: SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 88.0 Formation End Depth: 93.25 Formation End Depth ft

UOM:

Formation ID: 1006459064

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 58.0 Formation End Depth: 62.0 Formation End Depth ft

UOM:

Formation ID: 1006459065

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 62.0
Formation End Depth: 88.0
Formation End Depth ft

UOM:

Plug ID: 1006459074

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Plug ID: 1006459075

Layer: 2 Plug From: 25.0

Plug To: 90.38999938964844

2

Plug Depth UOM: ft

Method Construction ID: 1006459073

Method Construction

Code:

Method Construction:

Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006459059

Casing No: 0

Comment: Alt Name:

Casing ID: 1006459070

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 2.5
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006459071

Layer: 1 10 Slot: Screen Top Depth: 2.5 Screen End Depth: 93.25 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006459069

Layer: Kind Code:

84

Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006459068

Diameter: 8.0
Depth From: 0.0

Depth To: 90.38999938964844

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298831
 Tag No:
 A215328

 Depth M:
 28.4226
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276017.pdf

 Well Completed Dt:
 2016/09/05
 Latitude:
 43.6906390532837

 Audit No:
 Z245162
 Longitude:
 -79.4747729368006

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
15	W	0.01	9.21	129.85	WWIS

Flow Rate:

Well ID: 7276016 Flowing (Y/N):

Construction Date:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245163
 Contractor:
 3413

 Tag:
 A215323
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276016.pdf

Well Completed Date: 2016/10/23
Year Completed: 2016
Depth (m): 27.6606

Latitude: 43.6905848829153
Longitude: -79.4747619015263
Path: 727\7276016.pdf

Bore Hole ID: 1006298828 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622919.00

 Code OB Desc:
 North83:
 4838638.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 23-Oct-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1006459045

Layer: 1
Color: 2
General Color: GREY

Mat1:

Most Common Material:

Mat2: Mat2 Desc:

Mat3: 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0
Formation End Depth: 1.0
Formation End Depth ft

UOM:

Formation ID: 1006459048

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: 69

Mat2 Desc: FINE-GRAINED

Mat3:

Mat3 Desc:

Formation Top Depth: 58.0 Formation End Depth: 63.0 Formation End Depth ft

UOM:

Formation ID: 1006459046

Layer: 2 Color: 6

General Color: BROWN

Mat1: 28
Most Common Material: SAND
Mat2: 05
Mat2 Desc: CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 1.0
Formation End Depth: 12.0
Formation End Depth ft

UOM:

Formation ID: 1006459049

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 63.0
Formation End Depth: 87.0
Formation End Depth ft

UOM:

Formation ID: 1006459050

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 69

Mat2 Desc: FINE-GRAINED

Mat3: Mat3 Desc:

Formation Top Depth: 87.0
Formation End Depth: 90.75
Formation End Depth ft

UOM:

Formation ID: 1006459047

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 12.0
Formation End Depth: 58.0
Formation End Depth ft

UOM:

Plug ID: 1006459058

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 90.75

 Plug Depth UOM:
 ft

Plug ID: 1006459057

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006459056

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006459044

Casing No: 0

Comment:

Alt Name:

Casing ID: 1006459053

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006459054

Layer: 1 Slot: 10 Screen Top Depth: 25.0 Screen End Depth: 90.75 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006459052

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006459051

Diameter: 8.0

Depth From: 0.0

Depth To: 90.75

Hole Depth UOM: ft

Hole Diameter UOM: inch

 Bore Hole ID:
 1006298828
 Tag No:
 A215323

 Depth M:
 27.6606
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276016.pdf

 Well Completed Dt:
 2016/10/23
 Latitude:
 43.6905848829153

 Audit No:
 Z245163
 Longitude:
 -79.4747619015263

Map Key Direction Distance (km) Distance (m) Elevation (m) DB

W 0.01 9.21 **WWIS** 15 129.85

Well ID: 7301931 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Date Received: 21-Dec-2017 00:00:00 Dewatering

Water Type: Selected Flag: **TRUE**

Casing Material: Abandonment Rec:

7607 Audit No: Z254860 Contractor:

Tag: A223709 Form Version: 7 Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession: Well Depth: Concession Name:

Easting NAD83: Overburden/Bedrock: Pump Rate: Northing NAD83:

Static Water Level: Zone:

UTM Reliability: Clear/Cloudy:

YORK BOROUGH Municipality:

Site Info:

Well Completed Date: 2017/11/27

Year Completed: 2017 Depth (m): 27

Latitude: 43.6905847173647 -79.4747494973801 Longitude:

Path:

Source:

90

PDF URL (Map):

Bore Hole ID: 1006926251 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

Code OB: East83: 622920.00 Code OB Desc: North83: 4838638.00 Open Hole: Org CS: UTM83

Cluster Kind: UTMRC: 4

Date Completed: 27-Nov-2017 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Remarks: Location Method: cnrev

Elevrc Desc:

Location Source Date: Improvement Location

erisinfo.com Environmental Risk Information Services

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1007090081

Layer: 1

Color: 8

General Color: BLACK

Mat1: 02

Most Common Material: TOPSOIL

Mat2: 12

Mat2 Desc: STONES

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 3.0
Formation End Depth m

UOM:

Formation ID: 1007090084

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: 05 Mat2 Desc: CLAY

Mat3:

Mat3 Desc:

Formation Top Depth: 25.0 Formation End Depth: 27.0 Formation End Depth m

UOM:

Formation ID: 1007090083

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3: Mat3 Desc:

Formation Top Depth: 10.0

Formation End Depth: 25.0 Formation End Depth m

UOM:

Formation ID: 1007090082

Layer: 2 Color: 6

General Color: BROWN
Mat1: 06
Most Common Material: SILT
Mat2: 11

Mat2 Desc: GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 3.0
Formation End Depth: 10.0
Formation End Depth m

UOM:

Plug ID: 1007090091

 Layer:
 2

 Plug From:
 8.0

 Plug To:
 27.0

 Plug Depth UOM:
 m

Plug ID: 1007090090

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 8.0

 Plug Depth UOM:
 m

Method Construction ID: 1007090089

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1007090080

Casing No: 0

Comment: Alt Name:

Casing ID: 1007090087

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 9.0
Casing Diameter: 10.0
Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1007090088

Layer: 1
Slot: .5
Screen Top Depth: 9.0
Screen End Depth: 27.0
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 10.0

Water ID: 1007090086

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1007090085

Diameter:
Depth From:
Depth To:

Hole Depth UOM: m
Hole Diameter UOM: cm

 Bore Hole ID:
 1006926251
 Tag No:
 A223709

 Depth M:
 27
 Contractor:
 7607

Year Completed: 2017

 Well Completed Dt:
 2017/11/27
 Latitude:
 43.6905847173647

 Audit No:
 Z254860
 Longitude:
 -79.4747494973801

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
16	NNE	0.01	9.33	130.01	WWIS

Path:

Well ID: 7261357 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd:

Data Entry Status

Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type:Selected Flag:TRUECasing Material:Abandonment Rec:YesAudit No:Z232335Contractor:6946

Tag: Contractor: 6946

Form Version: 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

PDF URL (Map):

Site Info:

Well Completed Date: 2016/02/29

Year Completed: 2016

Depth (m):

Latitude: 43.6908557941689 Longitude: -79.4741470230694

Path:

Bore Hole ID: 1005929260 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622968.00

 Code OB Desc:
 North83:
 4838669.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 29-Feb-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Plug ID: 1006022923

 Layer:
 1

 Plug From:
 10.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006022922

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006022916

Casing No: 0

Comment: Alt Name:

Casing ID: 1006022920

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0

Depth To: 10.0

Casing Diameter: 2.0

Casing Diameter UOM: inch

Casing Depth UOM: ft

Screen ID: 1006022921

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006022919

Layer:

Kind Code: Kind: Water Found Depth: Water Found Depth UOM: 1006022918 Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch Tag No: Bore Hole ID: 1005929260 Depth M: Contractor: 6946 Year Completed: 2016 Path: 726\7261357.pdf 2016/02/29 Latitude: 43.6908557941689 Well Completed Dt: Audit No: Z232335 Longitude: -79.4741470230694 Map Key **Direction** Distance (km) Distance (m) Elevation (m) DB **WWIS** 16 NNE 0.01 9.33 130.01 Well ID: 7202150 Flowing (Y/N): Construction Date: Flow Rate: Use 1st: Data Entry Status: Yes Use 2nd: Data Src: Final Well Status: Date Received: 28-May-2013 00:00:00 Water Type: Selected Flag: **TRUE** Casing Material: Abandonment Rec: Audit No: C20464 7215 Contractor: Tag: A139597 Form Version: 8 Constructn Method: Owner: Elevation (m): County: YORK AND TORONT Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone: Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7202150.pdf

Well Completed Date: 2012/10/23 Year Completed: 2012

Depth (m):

Latitude: 43.6908557941689 -79.4741470230694 Longitude: Path: 720\7202150.pdf

Bore Hole ID: 1004313581 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 17

Code OB: East83: 622968.00 Code OB Desc: North83: 4838669.00 Open Hole: Org CS: UTM83

Cluster Kind: UTMRC: 4

Date Completed: 23-Oct-2012 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Location Method: Remarks: wwr

Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Bore Hole ID: Tag No: 1004313581 A139597

Depth M: Contractor: 7215

Year Completed: 2012 Path: 720\7202150.pdf Well Completed Dt: 2012/10/23 Latitude: 43.6908557941689 Audit No: C20464 Longitude: -79.4741470230694

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
17	W	0.01	10.49	129.69	WWIS

Order No: 22090803393p

Well ID: 7261360 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type: Selected Flag: **TRUE** Casing Material: Abandonment Rec: Yes Audit No: Z232342 6946 Contractor:

7 Form Version: Tag:

Constructn Method: Owner:

YORK AND TORONT Elevation (m): County: Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone: Clear/Cloudy: UTM Reliability: Municipality: YORK BOROUGH Site Info: PDF URL (Map): Well Completed Date: 2016/02/29 Year Completed: 2016 Depth (m): 43.6905307125455 Latitude: -79.4747508662705 Longitude: Path: Bore Hole ID: 1005929269 Elevation: DP2BR: Elevrc: **Spatial Status:** 17 Zone: Code OB: East83: 622920.00 Code OB Desc: North83: 4838632.00 Open Hole: Org CS: UTM83 UTMRC: Cluster Kind: 4 Date Completed: 29-Feb-2016 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m Location Method: Remarks: wwr Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: **Supplier Comment:** Plug ID: 1006023020

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 14.0

 Plug Depth UOM:
 ft

1006023019

Method Construction ID:

Method Construction

Method Construction:

Code:

Other Method Construction: Pipe ID: 1006023013 0 Casing No: Comment: Alt Name: Casing ID: 1006023017 Layer: 1 Material: 5 Open Hole or Material: **PLASTIC** Depth From: 0.0 Depth To: 14.0 Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft Screen ID: 1006023018 Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: Water ID: 1006023016 Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: ft Hole ID: 1006023015 Diameter: Depth From: Depth To: Order No: 22090803393p

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005929269 Tag No:

Depth M:

Contractor: 6946

Path:

Data Src:

Lot:

Northing NAD83:

Year Completed: 2016
Well Completed Dt: 2016/02/29
Audit No: Z232342

Latitude: 43.6905307125455

Longitude: -79.4747508662705

726\7261360.pdf

Order No: 22090803393p

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB18WNW0.0110.64129.87WWIS

Well ID: 7262341 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: 0

Final Well Status: Abandoned-Other Date Received: 29-Apr-2016 00:00:00

Water Type:Selected Flag:TRUECasing Material:Abandonment Rec:YesAudit No:Z232482Contractor:6946

Tag: Form Version: 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

Well Completed Date: 2016/03/23

Year Completed: 2016

Depth (m):

Latitude: 43.6906842228478 Longitude: -79.4747842002378

Path:

Pump Rate:

PDF URL (Map):

Bore Hole ID: 1005952972 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622917.00

 Code OB Desc:
 North83:
 4838649.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 23-Mar-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source: Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Plug ID: 1006071961

 Layer:
 1

 Plug From:
 100.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006071960

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006071952

Casing No: 0

Comment: Alt Name:

Casing ID: 1006071956

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 100.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006071957

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

ft Screen Depth UOM: Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006071955

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1006071954

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

1005952972 Tag No: Bore Hole ID:

Depth M: Contractor: 6946

Year Completed: 2016 Path: 726\7262341.pdf 43.6906842228478 Well Completed Dt: 2016/03/23 Latitude: Audit No: Z232482 Longitude: -79.4747842002378

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
19	WNW	0.01	12.26	129.87	wwis

Well ID: 7262339 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Data Entry Status: Monitoring and Test Hole

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 29-Apr-2016 00:00:00

Water Type: Selected Flag: **TRUE** Abandonment Rec: Casing Material: Yes 6946 Audit No: Z232481 Contractor:

7 Tag:

Form Version:

Constructn Method:

Elevation (m):

County:

YORK AND TORONT

Elevatn Reliability:

Lot:

Depth to Bedrock:

Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

PDF URL (Map):

Site Info:

Well Completed Date: 2016/03/23 Year Completed: 2016

Depth (m):

Latitude: 43.6906755531374 Longitude: -79.4748092367122

Path:

Bore Hole ID: 1005952966 Elevation:

DP2BR: Elevrc:

 Code OB:
 East83:
 622915.00

 Code OB Desc:
 North83:
 4838648.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 23-Mar-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Zone:

17

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Spatial Status:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source R

Source Revision Comment:

Supplier Comment:

Plug ID: 1006071941

 Layer:
 1

 Plug From:
 100.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006071940 **Method Construction** Code: Method Construction: Other Method Construction: Pipe ID: 1006071932 Casing No: 0 Comment: Alt Name: Casing ID: 1006071936 Layer: 1 Material: 5 Open Hole or Material: **PLASTIC** Depth From: 0.0 Depth To: 100.0 Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: Screen ID: 1006071937 Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: Water ID: 1006071935 Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: Hole ID: 1006071934

Diameter: Depth From:

Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Bore Hole ID: 1005952966

Depth M:

Contractor: 6946

Tag No:

Path: Year Completed: 2016 726\7262339.pdf Well Completed Dt: 2016/03/23 Latitude: 43.6906755531374 Audit No: Z232481 Longitude: -79.4748092367122

Map Key Direction Distance (km) Distance (m) Elevation (m) DB 20 W 13.58 129.51 **WWIS** 0.01

Well ID: 7276018 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Domestic Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Date Received: 29-Nov-2016 00:00:00 Dewatering

Water Type: Selected Flag: **TRUE**

Casing Material: Abandonment Rec:

Audit No: Z245161 Contractor: 3413 Tag: A215329 Form Version: 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276018.pdf

Order No: 22090803393p

Well Completed Date: 2016/10/05 Year Completed: 2016 Depth (m): 27.3558

Latitude: 43.6906127130582 Longitude: -79.4748232378454 Path: 727\7276018.pdf

1006298834 Elevation: Bore Hole ID: DP2BR: Elevrc:

Spatial Status: Zone: 17

Code OB: East83: 622914.00 Code OB Desc: North83: 4838641.00 Open Hole: Org CS: UTM83 UTMRC: 4

Date Completed: 05-Oct-2016 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Remarks: Location Method:

Elevrc Desc:

Cluster Kind:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006459077

Layer: Color: 8 General Color: **BLACK**

Mat1:

Most Common Material:

Mat2: Mat2 Desc:

Mat3: 60

Mat3 Desc: **CEMENTED**

Formation Top Depth: 0.0 Formation End Depth: 0.5 Formation End Depth

UOM:

Formation ID: 1006459080

Layer: 4 2 Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 69

Mat2 Desc: **FINE-GRAINED**

Mat3: Mat3 Desc:

Formation Top Depth: 56.0 Formation End Depth: 61.0 Formation End Depth ft

UOM:

Formation ID: 1006459079

Layer: 3 Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 11 Mat2 Desc: **GRAVEL**

Mat3: 12

Mat3 Desc: **STONES** Formation Top Depth: 10.0 Formation End Depth: 56.0 Formation End Depth ft

UOM:

Formation ID: 1006459081

Layer: 5 Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: **CLAY**

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 61.0 Formation End Depth: 87.0 Formation End Depth ft

UOM:

Formation ID: 1006459082

Layer: 6 2 Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 87.0 Formation End Depth: 89.75 Formation End Depth ft

UOM:

Formation ID: 1006459078

Layer: 2 Color: 6

General Color: BROWN

Mat1: 28 Most Common Material: SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.5
Formation End Depth: 10.0
Formation End Depth ft

UOM:

Plug ID: 1006459090

 Layer:
 2

 Plug From:
 0.0

 Plug To:
 89.75

 Plug Depth UOM:
 ft

Plug ID: 1006459089

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006459088

Method Construction

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006459076

Casing No: 0

Comment: Alt Name:

Casing ID: 1006459085

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006459086

Layer: 1
Slot: 10
Screen Top Depth: 25.0
Screen End Depth: 89.75
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006459084

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ff

Hole ID: 1006459083

Diameter: 8.0

Depth From: 0.0

Depth To: 89.75

Hole Depth UOM: ft

Hole Diameter UOM: inch

 Bore Hole ID:
 1006298834
 Tag No:
 A215329

 Depth M:
 27.3558
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276018.pdf

 Well Completed Dt:
 2016/10/05
 Latitude:
 43.6906127130582

 Audit No:
 Z245161
 Longitude:
 -79.4748232378454

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
21	WNW	0.01	14.05	129.54	WWIS

Order No: 22090803393p

Well ID: 7262338 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: 0 Data Src:

Final Well Status: Abandoned-Other Date Received: 29-Apr-2016 00:00:00

Selected Flag:

Owner:

TRUE

Order No: 22090803393p

Water Type: Casing Material:

Casing Material:Abandonment Rec:YesAudit No:Z232480Contractor:6946Tag:Form Version:7

Constructn Method:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

Well Completed Date: 2016/03/23

Year Completed: 2016

Depth (m):

PDF URL (Map):

Latitude: 43.6906668834214 Longitude: -79.4748342731795

Path:

Bore Hole ID: 1005952963 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622913.00

 Code OB Desc:
 North83:
 4838647.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 23-Mar-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Courses

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Plug ID: 1006071931

 Layer:
 1

 Plug From:
 32.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006071930

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006071922

Casing No: 0

Comment: Alt Name:

Casing ID: 1006071926

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 32.0
Casing Diameter: 2.0
Casing Diameter UOM: inch

Casing Depth UOM: ft

Screen ID: 1006071927

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006071925

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006071924

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005952963 Tag No:

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7262338.pdf

 Well Completed Dt:
 2016/03/23
 Latitude:
 43.6906668834214

 Audit No:
 Z232480
 Longitude:
 -79.4748342731795

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB22NW0.0114.68129.92WWIS

Well ID: 7275995 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245158
 Contractor:
 3413

 Tag:
 A215338
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7275995.pdf

Order No: 22090803393p

Well Completed Date: 2016/09/15 Year Completed: 2016

Depth (m): 27.770328

Latitude: 43.6907734031203 Longitude: -79.4747198978638 Path: 727\7275995.pdf

Bore Hole ID: 1006298939

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622922.00

 Code OB Desc:
 North83:
 4838659.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 15-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Elevation:

Remarks: Location Method: ww

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment: Supplier Comment:

Formation ID: 1006458513

Layer: 2 Color: 6

General Color: BROWN

Mat1: 28
Most Common Material: SAND
Mat2: 05
Mat2 Desc: CLAY

Mat3:

Mat3 Desc:

Formation Top Depth: 2.0
Formation End Depth: 12.0
Formation End Depth ft

UOM:

Formation ID: 1006458512

 Layer:
 1

 Color:
 2

 General Color:
 GREY

Mat1:

Most Common Material:

Mat2: Mat2 Desc:

Mat3: 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0
Formation End Depth: 2.0
Formation End Depth ft

UOM:

Formation ID: 1006458516

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 60.0
Formation End Depth: 88.0
Formation End Depth ft

UOM:

Formation ID: 1006458517

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 69

Mat2 Desc: FINE-GRAINED

Mat3: Mat3 Desc:

Formation Top Depth: 88.0
Formation End Depth: 90.0
Formation End Depth ft

UOM:

Formation ID: 1006458518

Layer: 7 Color: 2

General Color: GREY
Mat1: 17

Most Common Material:

SHALE

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 90.0

Formation End Depth: 91.11000061035156

Formation End Depth

UOM:

Formation ID: 1006458515

Layer: 4

Color:

General Color:

Mat1: 06
Most Common Material: SILT
Mat2: 28
Mat2 Desc: SAND

Mat3: Mat3 Desc:

Formation Top Depth: 55.0
Formation End Depth: 60.0
Formation End Depth ft

UOM:

Formation ID: 1006458514

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 12.0
Formation End Depth: 55.0
Formation End Depth ft

UOM:

Plug ID: 1006458526

Layer: 2 Plug From: 25.0

Plug To: 91.11000061035156

Plug Depth UOM: ft

Plug ID: 1006458525

Layer: 1
Plug From: 0.0

Plug To: 25.0 Plug Depth UOM: ft

Method Construction ID: 1006458524

Method Construction

Code:

Method Construction:

Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006458511

Casing No: 0

Comment: Alt Name:

Casing ID: 1006458521

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006458522

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 91.11000061035156

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006458520

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006458519

Diameter: 8.0
Depth From: 0.0

Depth To: 91.11000061035156

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298939
 Tag No:
 A215338

 Depth M:
 27.770328
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7275995.pdf

 Well Completed Dt:
 2016/09/15
 Latitude:
 43.6907734031203

 Audit No:
 Z245158
 Longitude:
 -79.4747198978638

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB23W0.0216.01129.51WWIS

Well ID: 7301932 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 21-Dec-2017 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z254856
 Contractor:
 7607

 Tag:
 A223696
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date: 2017/11/26
Year Completed: 2017
Depth (m): 27

Latitude: 43.6905678745833 Longitude: -79.4748367826768

Path:

Bore Hole ID: 1006926373 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

Code OB: 622913.00 East83: Code OB Desc: 4838636.00 North83: Open Hole: Org CS: UTM83

Cluster Kind: UTMRC: 4

Date Completed: 26-Nov-2017 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Location Method: Remarks: cnrev

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Comment:

Improvement Location

Method: Source Revision

Supplier Comment:

Formation ID: 1007090095

Layer: 3 Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28

Mat3:

Mat3 Desc:

Mat2 Desc:

Formation Top Depth: 10.0 Formation End Depth: 25.0 Formation End Depth m

UOM:

Formation ID: 1007090096

4 Layer: Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 05 Mat2 Desc: **CLAY** Mat3: 79 Mat3 Desc: **PACKED**

Formation Top Depth: 25.0 erisinfo.com | Environmental Risk Information Services

SAND

Formation End Depth: 27.0
Formation End Depth m

UOM:

Formation ID: 1007090094

Layer: 2 Color: 6

General Color: BROWN
Mat1: 06
Most Common Material: SILT
Mat2: 11

Mat2 Desc: GRAVEL
Mat3: 77
Mat3 Desc: LOOSE
Formation Top Depth: 3.0
Formation End Depth: 10.0

UOM:

Formation End Depth

Formation ID: 1007090093

m

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

 Mat1:
 02

Most Common Material: TOPSOIL

Mat2: 12

Mat2 Desc: STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 3.0 Formation End Depth m

UOM:

Plug ID: 1007090103

 Layer:
 2

 Plug From:
 8.0

 Plug To:
 27.0

 Plug Depth UOM:
 m

Plug ID: 1007090102

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 8.0

 Plug Depth UOM:
 m

Method Construction ID: 1007090101

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1007090092

Casing No: 0

Comment: Alt Name:

Casing ID: 1007090099

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 9.0
Casing Diameter: 10.0
Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1007090100

Layer: 1 Slot: .5 Screen Top Depth: 9.0 Screen End Depth: 27.0 Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: 10.0

Water ID: 1007090098

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1007090097

Diameter:

Depth From: Depth To:

Hole Depth UOM: m
Hole Diameter UOM: cm

 Bore Hole ID:
 1006926373
 Tag No:
 A223696

 Depth M:
 27
 Contractor:
 7607

Year Completed: 2017 Path:

 Well Completed Dt:
 2017/11/26
 Latitude:
 43.6905678745833

 Audit No:
 Z254856
 Longitude:
 -79.4748367826768

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB24W0.0216.95129.54WWIS

Well ID: 7262340 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: 0 Data Src:

Final Well Status: Abandoned-Other Date Received: 29-Apr-2016 00:00:00

Water Type: Selected Flag: TRUE
Casing Material: Abandonment Rec: Yes

 Audit No:
 Z232483
 Contractor:
 6946

 Tag:
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

Well Completed Date: 2016/03/23

Year Completed: 2016

Latitude: 43.6906583792387

Longitude: -79.4748717138016

Path:

Depth (m):

PDF URL (Map):

Bore Hole ID: 1005952969 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622910.00

 Code OB Desc:
 North83:
 4838646.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 23-Mar-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Plug ID: 1006071951

 Layer:
 1

 Plug From:
 64.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006071950

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006071942

Casing No: 0

Comment: Alt Name:

Casing ID: 1006071946

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0

Depth To: 64.0
Casing Diameter: 2.0
Casing Diameter UOM: inch

Casing Depth UOM: ft

Screen ID: 1006071947

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006071945

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006071944

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005952969 Tag No:

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7262340.pdf

 Well Completed Dt:
 2016/03/23
 Latitude:
 43.6906583792387

 Audit No:
 Z232483
 Longitude:
 -79.4748717138016

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
25	SSW	0.02	18.16	129.37	wwis

Well ID: 7180622 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: 0 Date Received: 10-May-2012 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z147051
 Contractor:
 7241

 Tag:
 A123831
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Concession:

Elevatn Reliability: Lot:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

PDF URL (Map):

Site Info:

Depth to Bedrock:

Well Completed Date: 2012/02/27
Year Completed: 2012
Depth (m): 4.572

Latitude: 43.6902225329735 Longitude: -79.4745973703177

Path:

Bore Hole ID: 1003758801 Elevation:

DP2BR: Elevro:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622933.00

 Code OB Desc:
 North83:
 4838598.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 27-Feb-2012 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1004302521

Layer: 2
Color: 2

General Color: GREY

Mat1: 06
Most Common Material: SILT
Mat2: 28
Mat2 Desc: SAND

Mat3:

Mat3 Desc:

Formation Top Depth: 10.0
Formation End Depth: 15.0
Formation End Depth ft

UOM:

UOM:

Formation ID: 1004302520

Layer: 1 2 Color: General Color: **GREY** Mat1: 01 Most Common Material: **FILL** Mat2: 28 Mat2 Desc: SAND Mat3: 06 Mat3 Desc: SILT Formation Top Depth: 0.0 Formation End Depth: 10.0 Formation End Depth ft

Plug ID: 1004302529

 Layer:
 3

 Plug From:
 4.0

 Plug To:
 15.0

 Plug Depth UOM:
 ft

Plug ID: 1004302527

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Plug ID: 1004302528

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 4.0

 Plug Depth UOM:
 ft

Method Construction ID: 1004302526

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1004302519

Casing No: 0

Comment: Alt Name:

Casing ID: 1004302524

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 5.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1004302525

1 Layer: Slot: 10 Screen Top Depth: 5.0 Screen End Depth: 15.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.25

Water ID: 1004302523

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1004302522

Diameter: 4.5
Depth From: 0.0

Depth To: 15.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1003758801
 Tag No:
 A123831

 Depth M:
 4.572
 Contractor:
 7241

Year Completed: 2012

 Well Completed Dt:
 2012/02/27
 Latitude:
 43.6902225329735

 Audit No:
 Z147051
 Longitude:
 -79.4745973703177

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB26W0.0218.95129.54WWIS

Path:

Well ID: 7261353 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type: Selected Flag: TRUE
Casing Material: Abandonment Rec: Yes

 Audit No:
 Z140379
 Contractor:
 6946

 Tag:
 A136139
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date: 2016/02/29 Year Completed: 2016

Depth (m):

Latitude: 43.6906587103124 Longitude: -79.4748965221258

Path:

Bore Hole ID: 1005929248 Elevation: DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622908.00

 Code OB Desc:
 North83:
 4838646.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 29-Feb-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: ww

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Plug ID: 1006022685

 Layer:
 1

 Plug From:
 14.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006022684

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006022678

Casing No: 0

Comment: Alt Name:

Casing ID: 1006022682

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 14.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006022683

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006022681

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006022680

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005929248 Tag No: A136139

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7261353.pdf

 Well Completed Dt:
 2016/02/29
 Latitude:
 43.6906587103124

 Audit No:
 Z140379
 Longitude:
 -79.4748965221258

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
27	W	0.02	19.17	129.51	WWIS

Well ID: 7276019 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

Audit No: Z245160 Contractor: 3413

Tag: A215331 Form Version: 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Lot:

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276019.pdf

Well Completed Date: 2016/10/22 Year Completed: 2016

Depth (m): 27.243024

Latitude: 43.6905593703987
Longitude: -79.4748742232366
Path: 727\7276019.pdf

Bore Hole ID: 1006298837 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622910.00

 Code OB Desc:
 North83:
 4838635.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 22-Oct-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date:
Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1006459095

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

Most Common Material: SILT Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: 54.0 Formation End Depth: 60.0 Formation End Depth ft UOM: 1006459097 Formation ID: Layer: 6 Color: 2 General Color: **GREY**

Mat2:

Mat1:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 85.0

Formation End Depth: 89.37999725341797

06

SILT

Formation End Depth

Most Common Material:

UOM:

Formation ID: 1006459092

Layer: 1
Color: 8
General Color: BLACK

Mat1:

Most Common Material:

Mat2: Mat2 Desc:

Mat3: 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0 Formation End Depth: 0.5 Formation End Depth ft

UOM:

Formation ID: 1006459094

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: 11

Mat2 Desc: GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 54.0 Formation End Depth ft

UOM:

Formation ID: 1006459096

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 60.0
Formation End Depth: 85.0
Formation End Depth ft

UOM:

Formation ID: 1006459093

Layer: 2 Color: 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11
Mat2 Desc: GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 0.5
Formation End Depth: 10.0
Formation End Depth ft

UOM:

Plug ID: 1006459105

Layer: 2
Plug From: 25.0

Plug To: 89.37999725341797

Plug Depth UOM: ft

Plug ID: 1006459104

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006459103

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006459091

Casing No: 0

Comment: Alt Name:

Casing ID: 1006459100

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch

Casing Diameter UOM: in Casing Depth UOM: ft

Screen ID: 1006459101

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 89.37999725341797

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006459099

Layer: Kind Code: Kind:

Water Found Depth:

ft

Water Found Depth UOM:

Hole ID: 1006459098

Diameter: 8.0
Depth From: 0.0

Depth To: 89.37999725341797

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298837
 Tag No:
 A215331

 Depth M:
 27.243024
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276019.pdf

 Well Completed Dt:
 2016/10/22
 Latitude:
 43.6905593703987

 Audit No:
 Z245160
 Longitude:
 -79.4748742232366

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
27	W	0.02	19.17	129.51	wwis

Order No: 22090803393p

Well ID: 7261361 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type: Selected Flag: TRUE
Casing Material: Abandonment Rec: Yes

 Audit No:
 Z232340
 Contractor:
 6946

 Tag:
 Form Version:
 7

Constructn Method: Owner: Elevation (m): County: Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: Site Info:

Bore Hole ID: 1005929272 Elevation:
DP2BR: Elevro:

Spatial Status: Zone: Code OB: East83:

Code OB Desc: North83:

Open Hole: Org CS: UTM83
Cluster Kind: UTMRC: 9

Date Completed: 29-Feb-2016 00:00:00 UTMRC Desc: unknown UTM

Location Method:

wwr

Order No: 22090803393p

Remarks:

Location Source Date:

Improvement Location Source:

Elevrc Desc:

Improvement Location Method: Source Revision

Comment: Supplier Comment:

Plug ID: 1006023028

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 14.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006023027

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006023021

Casing No: 0

Comment: Alt Name:

Casing ID: 1006023025

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 14.0
Casing Diameter: 2.0

Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006023026

Layer:

Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006023024

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006023023

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
28	NNE	0.02	21.03	129.94	WWIS

Well ID: 7337213 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Observation Wells Date Received: 26-Jun-2019 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 T8S5Q78M
 Contractor:
 6607

 Tag:
 A271860
 Form Version:
 9

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info: BH 101

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7337213.pdf

Well Completed Date: 2019/05/31
Year Completed: 2019
Depth (m): 15.1

Latitude: 43.6909554654314 Longitude: -79.4741941292887 Path: 733\7337213.pdf

Bore Hole ID: 1007507193 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622964.00

 Code OB Desc:
 North83:
 4838680.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 31-May-2019 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment:

Supplier Comment:

Formation ID: 1007507825

Layer: 3 Color: 6

General Color: BROWN Mat1: 28

Most Common Material: SAND
Mat2: 06
Mat2 Desc: SILT
Mat3: 66
Mat3 Desc: DENSE

Formation Top Depth: 4.5

Formation End Depth: 11.699999809265137

Formation End Depth

UOM:

Formation ID: 1007507824

Layer: 2 Color: 6

General Color: BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 77

Mat3 Desc: LOOSE

Formation Top Depth: 0.6000000238418579

Formation End Depth: 4.5
Formation End Depth m

UOM:

Formation ID: 1007507823

Layer: 1 Color: 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND

Mat2: 11

Mat2 Desc: GRAVEL

Mat3: 01
Mat3 Desc: FILL
Formation Top Depth: 0.0

Formation End Depth: 0.6000000238418579

Formation End Depth m

UOM:

Formation ID: 1007507826

Layer: 4 2 Color: General Color: **GREY** 06 Mat1: Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND Mat3: 85 Mat3 Desc: **SOFT**

Formation Top Depth: 11.699999809265137 Formation End Depth: 15.100000381469727

Formation End Depth

UOM:

Plug ID: 1007508209

Layer: 1

Plug From: Plug To:

Plug Depth UOM: m

Plug ID: 1007508357

Layer: 1
Plug From: 0.0

Plug To: 0.30000001192092896

Plug Depth UOM: m

Plug ID: 1007508358

Layer: 2

Plug From: 0.30000001192092896 Plug To: 11.800000190734863

6

Plug Depth UOM: m

Method Construction ID: 1007507494

Method Construction

Code:

Method Construction: Boring

Other Method Construction:

Pipe ID: 1007507342

Casing No: 0

Comment: Alt Name:

Casing ID: 1007507934

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0

Depth To: 12.100000381469727

Casing Diameter: 5.099999904632568

Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1007508018

Layer: 1 Slot: 10

Screen Top Depth: 12.100000381469727

Screen End Depth: 15.100000381469727

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 6.400000095367432

Pump Test ID: 1007507343

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump

Depth:

Pumping Rate: Flowing Rate:

Recommended Pump

Rate:

Levels UOM: m
Rate UOM: LPM

Water State After Test

Code:

Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:

Flowing:

Hole ID: 1007508116

Diameter: 21.0 Depth From: 0.0

Depth To: 15.100000381469727

Hole Depth UOM: m
Hole Diameter UOM: cm

 Bore Hole ID:
 1007507193
 Tag No:
 A271860

 Depth M:
 15.1
 Contractor:
 6607

 Year Completed:
 2019
 Path:
 733\7337213.pdf

 Well Completed Dt:
 2019/05/31
 Latitude:
 43.6909554654314

 Audit No:
 T8S5Q78M
 Longitude:
 -79.4741941292887

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
29	SSW	0.02	21.43	129.44	WWIS

Well ID: 7272526 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 03-Oct-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z232860
 Contractor:
 7238

 Tag:
 A202796
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Concession:

Elevatn Reliabilty: Lot:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Rating NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

Depth to Bedrock:

PDF URL (Map):

Well Completed Date: 2016/08/17
Year Completed: 2016

Depth (m): 28.22448

Latitude: 43.6902027100538 Longitude: -79.4744613819254

Path:

Bore Hole ID: 1006261161 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622944.00

 Code OB Desc:
 North83:
 4838596.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 17-Aug-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment: Supplier Comment:

Formation ID: 1006337510

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 12

Mat3 Desc: STONES
Formation Top Depth: 12.0
Formation End Depth: 38.0
Formation End Depth ft

UOM:

UOM:

Formation ID: 1006337512

Layer: 4 2 Color: General Color: **GREY** Mat1: 28 Most Common Material: SAND Mat2: 06 Mat2 Desc: SILT Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 56.0 Formation End Depth: 78.0 Formation End Depth ft

Formation ID: 1006337514

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 11

GRAVEL Most Common Material: Mat2: 28 Mat2 Desc: SAND Mat3: 06 Mat3 Desc: SILT Formation Top Depth: 86.0 Formation End Depth: 90.0 Formation End Depth ft

UOM:

Formation ID: 1006337513

5 Layer: Color: 2 General Color: **GREY** Mat1: 06 SILT Most Common Material: Mat2: 05 Mat2 Desc: CLAY Mat3: 11

Mat3 Desc: GRAVEL
Formation Top Depth: 78.0
Formation End Depth: 86.0
Formation End Depth ft
UOM:

Formation ID: 1006337515

Layer: 7
Color: 2
General Color: GREY
Mat1: 11
Most Common Material: GRAVEL

Most Common Material. GRAVI

Mat2: 12

Mat2 Desc: STONES Mat3: 06

Mat3 Desc: SILT Formation Top Depth: 90.0

Formation End Depth: 92.5999984741211

Formation End Depth ft

UOM:

Formation ID: 1006337511

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 38.0
Formation End Depth: 56.0
Formation End Depth ft

UOM:

Formation ID: 1006337509

Layer: 1

Color: 6

General Color: BROWN Mat1: 01

Most Common Material:

FILL

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 12.0
Formation End Depth ft

UOM:

Plug ID: 1006337523

Layer: 1

Plug From: 82.5999984741211

Plug To: 20.0 Plug Depth UOM: ft

Plug ID: 1006337524

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006337522

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006337508

Casing No: 0

Comment: Alt Name:

Casing ID: 1006337519

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 22.600000381469727

Depth To: 3.0
Casing Diameter: 4.0

Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006337520

Layer: 1 Slot: 20

Screen Top Depth: 92.5999984741211

Screen End Depth: 8.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.25

Water ID: 1006337518

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006337517

Diameter: 8.0
Depth From: 8.0

Depth To: 92.5999984741211

Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1006337516

Diameter: 10.0
Depth From: 0.0
Depth To: 8.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006261161
 Tag No:
 A202796

 Depth M:
 28.22448
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272526.pdf

 Well Completed Dt:
 2016/08/17
 Latitude:
 43.6902027100538

 Audit No:
 Z232860
 Longitude:
 -79.4744613819254

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
30	W	0.02	22.11	129.06	WWIS

Well ID: 7230841 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: 0 Data Src:

Final Well Status: Test Hole Date Received: 03-Nov-2014 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z196663
 Contractor:
 7241

 Tag:
 A171985
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date: 2014/10/14

Year Completed: 2014
Depth (m): 4.572

Latitude: 43.6905870349501 Longitude: -79.474923155436

Path:

Bore Hole ID: 1005198317 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622906.00

 Code OB Desc:
 North83:
 4838638.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 14-Oct-2014 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment: Supplier Comment:

Formation ID: 1005396216

Layer: 2 Color: 6

General Color: BROWN

Mat1: 28
Most Common Material: SAND
Mat2: 11

Mat2 Desc: GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 0.25
Formation End Depth: 2.0
Formation End Depth ft

UOM:

Formation ID: 1005396215

Layer: 1 Color: 8

General Color: BLACK

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 0.25
Formation End Depth ft

UOM:

Formation ID: 1005396218

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 9.0 Formation End Depth: 15.0

Formation End Depth

UOM:

ft

Formation ID: 1005396217

3 Layer: Color: 6

General Color: **BROWN** Mat1: 05 Most Common Material: CLAY

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 2.0 Formation End Depth: 9.0 Formation End Depth ft

UOM:

1005396227 Plug ID:

Layer: 2 Plug From: 4.0 Plug To: 0.0 Plug Depth UOM: ft

Plug ID: 1005396226

Layer: 1 Plug From: 15.0 Plug To: 4.0 Plug Depth UOM: ft

Method Construction ID: 1005396225

Method Construction Code:

Method Construction:

Direct Push

D

Other Method Construction:

Pipe ID: 1005396214

Casing No: 0

Comment: Alt Name:

Casing ID: 1005396221

Layer:

Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 5.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1005396222

Layer: 1 Slot: .10 5.0 Screen Top Depth: Screen End Depth: 15.0 Screen Material: 5 ft Screen Depth UOM: Screen Diameter UOM: inch Screen Diameter: 2.25

Water ID: 1005396220

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1005396219

Diameter: 8.0
Depth From: 0.0
Depth To: 15.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1005198317
 Tag No:
 A171985

 Depth M:
 4.572
 Contractor:
 7241

Year Completed: 2014

 Well Completed Dt:
 2014/10/14
 Latitude:
 43.6905870349501

 Audit No:
 Z196663
 Longitude:
 -79.474923155436

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
31	WSW	0.02	23.06	129.39	WWIS

Path:

Order No: 22090803393p

Well ID: 7261359 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type: Selected Flag: TRUE
Casing Material: Abandonment Rec: Yes
Audit No: Z232435 Contractor: 6946

Tag: Form Version: 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

PDF URL (Map):

Site Info:

Well Completed Date: 2016/02/29

Year Completed: 2016

Depth (m):

Latitude: 43.6904695278972 Longitude: -79.4748889086531

Path:

Bore Hole ID: 1005929266 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622909.00

 Code OB Desc:
 North83:
 4838625.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 29-Feb-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Method:

Improvement Location

Source Revision Comment:

Supplier Comment:

Plug ID: 1006023003

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 14.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006023002

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006022996

Casing No: 0

Comment: Alt Name:

Casing ID: 1006023000

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 14.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006023001

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006022999

Layer: Kind Code:

Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006022998

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID:

1005929266

Tag No:

Path:

Depth M:

Contractor: 6946

Year Completed: 2016
Well Completed Dt: 2016/02/29
Audit No: Z232435

Latitude: 43.6904695278972 Longitude: -79.4748889086531

726\7261359.pdf

Order No: 22090803393p

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
32	W	0.02	23 58	129.05	wwis

Well ID: 7299820 Flowing (Y/N):

Construction Date:

Flow Rate:

Use 1st: Dewatering

Data Entry Status:

Use 2nd:

Data Src:

Final Well Status: Abandoned-Other

Date Received: 27-Nov-2017 00:00:00

Water Type: Casing Material: Selected Flag: TRUE
Abandonment Rec: Yes

Audit No: Z254855
Tag: A215328

Contractor: 7607
Form Version: 7

Constructn Method:

Owner:

Elevation (m):

County: YORK AND TORONT

Elevatn Reliabilty:

Lot:

Depth to Bedrock:

Concession:

Well Depth:
Overburden/Bedrock:

Concession Name: Easting NAD83:

Overburden/Bedrock: Pump Rate:

Northing NAD83:

Static Water Level:

Zone:

Clear/Cloudy:

UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7299820.pdf

Well Completed Date: 2017/11/03 Year Completed: 2017 Depth (m): Latitude: 43.6905420309305 Longitude: -79.4749242960485 Path: 729\7299820.pdf Bore Hole ID: 1006822910 Elevation: DP2BR: Elevrc: Spatial Status: Zone: 17 Code OB: East83: 622906.00 Code OB Desc: North83: 4838633.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC: Date Completed: 03-Nov-2017 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m Remarks: Location Method: cnrev Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Formation ID: 1006920379 2 Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth m UOM:

Order No: 22090803393p

1006920378 Formation ID:

Layer:

Color:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth:

Formation End Depth m

UOM:

Plug ID:

1006920386

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 2.0

 Plug Depth UOM:
 m

Plug ID: 1006920387

 Layer:
 2

 Plug From:
 2.0

 Plug To:
 17.0

 Plug Depth UOM:
 m

Plug ID: 1006920391

 Layer:
 3

 Plug From:
 23.0

 Plug To:
 27.0

 Plug Depth UOM:
 m

Plug ID: 1006920389

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 3.0

 Plug Depth UOM:
 m

Plug ID: 1006920388

 Layer:
 3

 Plug From:
 17.0

 Plug To:
 27.0

 Plug Depth UOM:
 m

Plug ID: 1006920390

Layer: 2 Plug From: 3.0

Plug To: 23.0 Plug Depth UOM: m

Method Construction ID:

1006920385

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006920377

Casing No: 0

Comment: Alt Name:

Casing ID: 1006920382

Layer: Material:

Open Hole or Material:

Depth From: Depth To:

Casing Diameter:

Casing Diameter UOM: cm Casing Depth UOM: m

Screen ID: 1006920383

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter:

Water ID: 1006920381

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1006920380

Diameter: Depth From: Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

Bore Hole ID: 1006822910 Tag No: A215328

Depth M: Contractor: 7607

Year Completed: 2017 Path: 729\7299820.pdf Latitude: 43.6905420309305 Well Completed Dt: 2017/11/03 Z254855 Audit No: Longitude: -79.4749242960485

Distance (m) Elevation (m) DB Map Key **Direction** Distance (km) NW 0.02 23.79 **WWIS** 33 129.87

Well ID: 7261355 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type: Selected Flag: **TRUE** Abandonment Rec: Yes Casing Material:

Audit No: Z140380 Contractor: 6946 A136140 Form Version: 7 Tag:

Constructn Method:

Elevation (m): County: YORK AND TORONT

Owner:

Northing NAD83:

Order No: 22090803393p

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Concession Name: Well Depth: Overburden/Bedrock: Easting NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

Well Completed Date: 2016/02/29

Year Completed: 2016

Depth (m): Latitude: 43.6908802538296

Longitude: -79.4746303305536

Pump Rate:

PDF URL (Map):

Path:

Bore Hole ID: 1005929254 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622929.00

 Code OB Desc:
 North83:
 4838671.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 29-Feb-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment: Supplier Comment:

Plug ID: 1006022814

 Layer:
 1

 Plug From:
 14.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006022813

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006022807

Casing No: 0

Comment: Alt Name:

Casing ID: 1006022811

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 14.0

Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006022812

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006022810

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006022809

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005929254 Tag No: A136140

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7261355.pdf

 Well Completed Dt:
 2016/02/29
 Latitude:
 43.6908802538296

 Audit No:
 Z140380
 Longitude:
 -79.4746303305536

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
34	W	0.02	24.02	129.06	WWIS

Order No: 22090803393p

Well ID: 7275993 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Domestic Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245159
 Contractor:
 3413

 Tag:
 A215325
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7275993.pdf

 Well Completed Date:
 2016/10/20

 Year Completed:
 2016

 Depth (m):
 27.047952

Latitude: 43.6905873660122
Longitude: -79.4749479637314
Path: 727\7275993.pdf

Bore Hole ID: 1006298933 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622904.00

 Code OB Desc:
 North83:
 4838638.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 20-Oct-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1006458453

Layer:

Color: 8
General Color: BLACK

Mat1:

Most Common Material:

Mat2:

Mat2 Desc:

Mat3: 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0
Formation End Depth: 0.5
Formation End Depth ft

UOM:

Formation ID: 1006458457

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 62.0
Formation End Depth: 85.0
Formation End Depth ft

UOM:

Formation ID: 1006458456

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 54.0 Formation End Depth: 62.0 Formation End Depth ft

UOM:

Formation ID: 1006458458

Layer: 6 Color: 2

General Color: GREY
Mat1: 06
Most Common Material: SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 85.0

Formation End Depth: 88.73999786376953

ft

Formation End Depth

UOM:

Formation ID: 1006458455

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 54.0 Formation End Depth ft

UOM:

Formation ID: 1006458454

Layer: 2 Color: 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND

Mat2: 11

Mat2 Desc: GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 0.5
Formation End Depth: 10.0
Formation End Depth ft

UOM:

Plug ID: 1006458466

Layer: 2
Plug From: 2.5

Plug To: 88.73999786376953

Plug Depth UOM: ft

Plug ID: 1006458465

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 2.5

 Plug Depth UOM:
 ft

Method Construction ID: 1006458464

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006458452

Casing No: 0

Comment: Alt Name:

Casing ID: 1006458461

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0

Depth To: 2.5

Casing Diameter: 4.0

Casing Diameter UOM: inch

Casing Depth UOM: ft

Screen ID: 1006458462

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 88.73999786376953

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006458460

Layer:

Kind Code: Kind: Water Found Depth: Water Found Depth UOM: Hole ID: 1006458459 8.0 Diameter: Depth From: 0.0 Depth To: 85.73999786376953 Hole Depth UOM: Hole Diameter UOM: inch Tag No: Bore Hole ID: 1006298933 A215325 Depth M: 27.047952 Contractor: 3413 Year Completed: 2016 Path: 727\7275993.pdf 2016/10/20 Latitude: 43.6905873660122 Well Completed Dt: Z245159 Audit No: Longitude: -79.4749479637314 Map Key **Direction** Distance (km) Distance (m) Elevation (m) 34 W 0.02 24.02 129.06 Well ID: 7379605 Flowing (Y/N): Construction Date: Flow Rate: Use 1st: Data Entry Status: Yes Use 2nd: Data Src:

Final Well Status: Date Received: 02-Feb-2021 00:00:00 DB

WWIS

Order No: 22090803393p

Water Type: Selected Flag: **TRUE**

Casing Material: Abandonment Rec:

Audit No: Z352430 6875 Contractor: 7 Tag: Form Version:

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Lot:

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Northing NAD83: Pump Rate:

Static Water Level: Zone:

1008628855

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Elevation:

Bore Hole ID:

Site Info:

DP2BR: Elevrc:

Spatial Status: Zone: 17

Code OB: East83: 622904.00 Code OB Desc: North83: 4838638.00 Open Hole: Org CS: UTM83

UTMRC: 4 Cluster Kind:

UTMRC Desc: Date Completed: 16-Dec-2020 00:00:00 margin of error: 30 m - 100 m

Location Method: Remarks: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Bore Hole ID: 1008628855 Tag No:

Depth M: Contractor: 6875

Year Completed: 2020 Path:

Well Completed Dt: 2020/12/16 Latitude: 43.6905873660122 Audit No: Z352430 Longitude: -79.4749479637314

Map Key DB Direction Distance (km) Distance (m) Elevation (m) **WWIS** 35 **WSW** 0.03 25.70 129.13

Well ID: 7275992 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status: Dewatering

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

TRUE Water Type: Selected Flag:

Casing Material: Abandonment Rec:

Audit No: Z245151 Contractor: 3413 A215335 Form Version: 7 Tag:

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: **UTM Reliability:**

YORK BOROUGH Municipality:

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7275992.pdf

 Well Completed Date:
 2016/09/10

 Year Completed:
 2016

 Depth (m):
 26.977848

Latitude: 43.6903885206613 Longitude: -79.4748909617914 Path: 727\7275992.pdf

Bore Hole ID: 1006298930 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622909.00

 Code OB Desc:
 North83:
 4838616.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 10-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1006458438

Layer: 1 Color: 8

General Color: BLACK

Mat1:

Most Common Material:

Mat2:

Mat2 Desc:

Mat3: 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0
Formation End Depth: 1.0
Formation End Depth ft

UOM:

Formation ID: 1006458439

Layer: 2

Color: 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 1.0
Formation End Depth: 16.0
Formation End Depth ft

UOM:

Formation ID: 1006458442

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 54.0
Formation End Depth: 65.0
Formation End Depth ft

UOM:

Formation ID: 1006458441

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 24.0 Formation End Depth: 54.0 Formation End Depth ft

UOM:

Formation ID: 1006458440

Layer: 3 Color: 6

General Color: BROWN
Mat1: 05
Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 16.0
Formation End Depth: 24.0
Formation End Depth ft

UOM:

Formation ID: 1006458443

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 65.0

Formation End Depth: 88.51000213623047

Formation End Depth

UOM:

Plug ID: 1006458450

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 2.5

 Plug Depth UOM:
 ft

Plug ID: 1006458451

Layer: 2 Plug From: 2.5

Plug To: 88.51000213623047

Plug Depth UOM: ft

Method Construction ID: 1006458449

Method Construction

Code:

В

Method Construction: Other Method
Other Method AIR ROTARY

Construction:

Pipe ID: 1006458437

Casing No: 0

Comment: Alt Name:

Casing ID: 1006458446

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 2.5
Casing Diameter: 4.0
Casing Diameter UOM: inch

Screen ID: 1006458447

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Casing Depth UOM:

Screen End Depth: 88.51000213623047

ft

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006458445

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006458444

Diameter: 8.0
Depth From: 0.0

Depth To: 88.51000213623047

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298930
 Tag No:
 A215335

 Depth M:
 26.977848
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7275992.pdf

 Well Completed Dt:
 2016/09/10
 Latitude:
 43.6903885206613

 Audit No:
 Z245151
 Longitude:
 -79.4748909617914

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
36	WSW	0.03	25.92	129.05	WWIS

Well ID: 7261362 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type:Selected Flag:TRUECasing Material:Abandonment Rec:YesAudit No:Z232341Contractor:6946

Tag: Form Version: 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Lot:

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date: 2016/02/29 Year Completed: 2016

. . .

Depth (m):

Latitude: 43.6904700244984 Longitude: -79.474926121023

Path:

Bore Hole ID: 1005929275 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622906.00

 Code OB Desc:
 North83:
 4838625.00

 Open Hole:
 Org CS:
 UTM83

Order No: 22090803393p

Cluster Kind: UTMRC: 4

Date Completed: 29-Feb-2016 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Location Method:

Remarks:

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment: **Supplier Comment:**

Plug ID: 1006023036

Layer: 0.0 Plug From: Plug To: 15.0 Plug Depth UOM: ft

Method Construction ID: 1006023035

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006023029

0 Casing No:

Comment: Alt Name:

Casing ID: 1006023033

Layer: 1 Material:

Open Hole or Material: **PLASTIC**

Depth From: 0.0 Depth To: 15.0 Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Screen ID: 1006023034

Layer: Slot:

170

Screen Top Depth: Screen End Depth:

Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006023032

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006023031

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005929275

Depth M:

Year Completed: 2016 Path:

 Well Completed Dt:
 2016/02/29
 Latitude:
 43.6904700244984

 Audit No:
 Z232341
 Longitude:
 -79.474926121023

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB37WSW0.0326.29129.05WWIS

Tag No:

Contractor:

6946

Order No: 22090803393p

Well ID: 7276001 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z230288
 Contractor:
 3413

 Tag:
 A215349
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276001.pdf

Well Completed Date: 2016/09/28
Year Completed: 2016
Depth (m): 29.2608

Latitude: 43.6904881916377

Longitude: -79.4749380689073

Path: 727\7276001.pdf

Bore Hole ID: 1006298960 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622905.00

 Code OB Desc:
 North83:
 4838627.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 28-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006458702

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 11

Mat2 Desc: GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 20.0

Formation End Depth

UOM:

ft

Formation ID: 1006458707

Layer: 9 Color: 8

General Color: BLACK
Mat1: 17
Most Common Material: SHALE

Mat2:

Mat2 Desc:

Mat3: 73

Mat3 Desc: HARD

Formation Top Depth: 92.5

Formation End Depth: 96.0

Formation End Depth ft

UOM:

Formation ID: 1006458699

Layer: 1

Color:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc:

Mat3: 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0
Formation End Depth: 0.5
Formation End Depth ft

UOM:

Formation ID: 1006458703

Layer: 5 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: **CLAY** Mat2: 28 Mat2 Desc: SAND Mat3: 66 Mat3 Desc: **DENSE** Formation Top Depth: 20.0

UOM:

40.0

Formation End Depth:

Formation End Depth

Formation ID: 1006458701

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 2.5
Formation End Depth: 10.0
Formation End Depth ft

UOM:

Formation ID: 1006458705

 Layer:
 7

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3: Mat3 Desc:

Formation Top Depth: 60.0 Formation End Depth: 72.0 Formation End Depth ft

UOM:

Formation ID: 1006458704

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

Mat3: 66

Mat3 Desc: DENSE

Formation Top Depth: 40.0

Formation End Depth: 60.0

Formation End Depth ft

UOM:

Formation ID: 1006458700

Layer: 2 Color: 6

General Color: BROWN

Mat1: 11

Most Common Material: GRAVEL

Mat2: 28 Mat2 Desc: SAND

Mat3:

Mat3 Desc:

Formation Top Depth: 0.5
Formation End Depth: 2.5
Formation End Depth ft

UOM:

Formation ID: 1006458706

 Layer:
 8

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3:

Mat3 Desc:

Formation Top Depth: 72.0
Formation End Depth: 92.5
Formation End Depth ft

UOM:

Plug ID: 1006458715

 Layer:
 2

 Plug From:
 22.0

 Plug To:
 96.0

 Plug Depth UOM:
 ft

Plug ID: 1006458714

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 22.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006458713

2

Method Construction

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006458698

Casing No:

Comment: Alt Name:

Casing ID: 1006458710

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006458711

Layer: 1 Slot: 10 Screen Top Depth: 25.0 Screen End Depth: 96.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.5

Water ID: 1006458709

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006458708

Diameter: 8.0
Depth From: 0.0
Depth To: 96.0
Hole Depth UOM: ft

Hole Diameter UOM: inch

 Bore Hole ID:
 1006298960
 Tag No:
 A215349

 Depth M:
 29.2608
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276001.pdf

 Well Completed Dt:
 2016/09/28
 Latitude:
 43.6904881916377

 Audit No:
 Z230288
 Longitude:
 -79.4749380689073

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB38WSW0.0327.10128.97WWIS

Well ID: 7261363 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type:Selected Flag:TRUECasing Material:Abandonment Rec:YesAudit No:Z232339Contractor:6946

Audit No: 2232339 Contractor: 6946
Tag: Form Version: 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7261363.pdf

Order No: 22090803393p

Well Completed Date: 2016/02/29 Year Completed: 2016

Depth (m):

Latitude: 43.690434021282
Longitude: -79.4749270335078
Path: 726\7261363.pdf

Bore Hole ID: 1005929278 Elevation: DP2BR: Elevro:

Zone:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

17

4

wwr

622906.00

4838621.00

margin of error: 30 m - 100 m

Order No: 22090803393p

UTM83

Spatial Status: Code OB: Code OB Desc: Open Hole:

Date Completed: 29-Feb-2016 00:00:00

Remarks:

Cluster Kind:

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment: Supplier Comment:

Plug ID: 1006023044

Layer: 1 Plug From: 0.0 Plug To: 14.0 Plug Depth UOM: ft

Method Construction ID: 1006023043

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006023037

0 Casing No:

Comment: Alt Name:

Casing ID: 1006023041

1 Layer: Material: 5

Open Hole or Material: **PLASTIC**

Depth From: 0.0 Depth To: 14.0 Casing Diameter: 2.0 Casing Diameter UOM: inch ft Casing Depth UOM:

Screen ID: 1006023042

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006023040

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: f

Hole ID: 1006023039

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005929278 Tag No:

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7261363.pdf

 Well Completed Dt:
 2016/02/29
 Latitude:
 43.690434021282

 Audit No:
 Z232339
 Longitude:
 -79.4749270335078

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
39	W	0.03	27.26	129.05	WWIS

Order No: 22090803393p

Well ID: 7276022 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z230291
 Contractor:
 3413

 Tag:
 A215330
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276022.pdf

Well Completed Date: 2016/07/13
Year Completed: 2016
Depth (m): 19.812

Latitude: 43.6905426930483

Longitude: -79.4749739126026

Path: 727\7276022.pdf

Bore Hole ID: 1006298846 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622902.00

 Code OB Desc:
 North83:
 4838633.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 13-Jul-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006459138

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 11

Most Common Material: GRAVEL Mat2: 02

Mat2 Desc: TOPSOIL

Mat3: 28

Mat3 Desc: SAND

Formation Top Depth: 0.0

Formation End Depth: 2.0

Formation End Depth ft

UOM:

Formation ID: 1006459143

Layer: 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 81 Mat2 Desc: SANDY Mat3: 84 Mat3 Desc: SILTY Formation Top Depth: 60.0 Formation End Depth: 65.0 Formation End Depth ft

UOM:

Formation ID: 1006459141

Layer: 4
Color: 2
General Color: G

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 84

 Mat3 Desc:
 SILTY

 Formation Top Depth:
 40.0

Formation End Depth: 45.0 Formation End Depth ft

UOM:

Formation ID: 1006459142

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 84

 Mat2 Desc:
 SILTY

Mat3:

Mat3 Desc:

Formation Top Depth: 45.0 Formation End Depth: 60.0 Formation End Depth ft

UOM:

Formation ID: 1006459139

Layer: 2 Color: 6

General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 11

Mat2 Desc: GRAVEL

Mat3: 66

Mat3 Desc: DENSE

Formation Top Depth: 2.0

Formation End Depth: 20.0

Formation End Depth ft

UOM:

Formation ID: 1006459140

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc:

Mat3: 66

Mat3 Desc: DENSE

Formation Top Depth: 20.0

Formation End Depth: 40.0

Formation End Depth ft

UOM:

Plug ID: 1006459151

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 65.0

 Plug Depth UOM:
 ft

Plug ID: 1006459150

Layer: 1

Plug From: 0.0
Plug To: 20.0
Plug Depth UOM: ft

Method Construction ID: 1006459149

Method Construction

Code:

Method Construction:

Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1006459137

Casing No: 0

Comment: Alt Name:

Casing ID: 1006459146

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 27.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006459147

Layer: 1 Slot: 10 Screen Top Depth: 27.0 Screen End Depth: 65.0 Screen Material: 5 ft Screen Depth UOM: Screen Diameter UOM: inch Screen Diameter: 4.5

Water ID: 1006459145

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: f

Hole ID: 1006459144

Diameter: 8.0
Depth From: 0.0
Depth To: 65.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298846
 Tag No:
 A215330

 Depth M:
 19.812
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276022.pdf

 Well Completed Dt:
 2016/07/13
 Latitude:
 43.6905426930483

 Audit No:
 Z230291
 Longitude:
 -79.4749739126026

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
39	W	0.03	27.26	129.05	wwis

Data Src:

Owner:

Well ID: 7276020 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z230290
 Contractor:
 3413

 Tag:
 A215350
 Form Version:
 7

Constructn Method:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

 $PDF\ URL\ (Map): \\ https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\\ \ 7276020.pdf$

Order No: 22090803393p

Well Completed Date: 2016/07/14
Year Completed: 2016
Depth (m): 19.812

Latitude: 43.6905516938525

-79.4749736844878 Longitude: Path: 727\7276020.pdf

Bore Hole ID: 1006298840 Elevation:

DP2BR: Elevrc:

Spatial Status: 17 Zone:

Code OB: East83: 622902.00 Code OB Desc: North83: 4838634.00 Open Hole: Org CS: UTM83

Cluster Kind: UTMRC:

UTMRC Desc: Date Completed: 14-Jul-2016 00:00:00 margin of error: 30 m - 100 m

Location Method: Remarks: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1006459107

Layer: 6 Color:

General Color: **BROWN**

Mat1: 28 Most Common Material: SAND Mat2: 28 Mat2 Desc: SAND Mat3:

Mat3 Desc: **TOPSOIL** Formation Top Depth: 0.0 Formation End Depth: 2.0 Formation End Depth ft

UOM:

Formation ID: 1006459112

Layer: 6 Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 84 Mat2 Desc: SILTY Mat3: 12

Order No: 22090803393p

STONES

Mat3 Desc:

Formation Top Depth: 40.0
Formation End Depth: 50.0
Formation End Depth ft

UOM:

Formation ID: 1006459110

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

Mat2 Desc: STONES

Mat3: Mat3 Desc:

Formation Top Depth: 5.5
Formation End Depth: 20.0
Formation End Depth ft

UOM:

Formation ID: 1006459109

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 13

Most Common Material: BOULDERS

Mat2:

Mat2 Desc:

Mat3: 73

Mat3 Desc: HARD

Formation Top Depth: 4.5

Formation End Depth: 5.5

Formation End Depth ft

UOM:

Formation ID: 1006459113

Layer: 7 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 28 Mat2 Desc: SAND Mat3: 84 Mat3 Desc: SILTY

Order No: 22090803393p

50.0

Formation Top Depth:

Formation End Depth: 65.0 Formation End Depth ft

UOM:

Formation ID: 1006459108

Layer: 2 Color: 6

General Color: BROWN

Mat1: 11

Most Common Material: GRAVEL

 Mat2:
 05

 Mat2 Desc:
 CLAY

 Mat3:
 74

Mat3 Desc: LAYERED

Formation Top Depth: 2.0
Formation End Depth: 4.5
Formation End Depth ft

UOM:

Formation ID: 1006459111

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 84

 Mat2 Desc:
 SILTY

 Mat3:
 12

Mat3 Desc: STONES
Formation Top Depth: 20.0
Formation End Depth: 40.0
Formation End Depth ft

UOM:

Plug ID: 1006459120

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Plug ID: 1006459121

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 65.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006459119

Method Construction

Code:

Method Construction:

Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006459106

Casing No: 0

Comment: Alt Name:

Casing ID: 1006459116

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006459117

Layer: 1 Slot: 10 Screen Top Depth: 25.0 Screen End Depth: 65.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.5

Water ID: 1006459115

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006459114

Diameter: 8.0

Depth From: 0.0
Depth To: 65.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298840
 Tag No:
 A215350

 Depth M:
 19.812
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276020.pdf

 Well Completed Dt:
 2016/07/14
 Latitude:
 43.6905516938525

 Audit No:
 Z230290
 Longitude:
 -79.4749736844878

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB40WSW0.0327.83128.86WWIS

Well ID: 7298516 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 03-Nov-2017 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z251357
 Contractor:
 3413

 Tag:
 A220852
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7298516.pdf

Order No: 22090803393p

 Well Completed Date:
 2017/03/30

 Year Completed:
 2017

 Depth (m):
 26.8224

Latitude: 43.6903526829793 Longitude: -79.4749042783937 Path: 729\7298516.pdf

Bore Hole ID: 1006788085 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622908.00

 Code OB Desc:
 North83:
 4838612.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 30-Mar-2017 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1006879916

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 25.0
Formation End Depth ft

UOM:

Formation ID: 1006879917

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

Mat3:

Mat3 Desc:

Mat2 Desc:

Formation Top Depth: 25.0
Formation End Depth: 81.0
Formation End Depth ft

Order No: 22090803393p

SILT

UOM:

Formation ID: 1006879915

Layer: 1

Color: 6

General Color: BROWN Mat1: 11

Most Common Material: GRAVEL

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006879918

 Layer:
 4

 Color:
 2

 General Color:
 GREY

Mat1:

Most Common Material:

Mat2: 06 Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 81.0 Formation End Depth: 88.0

Formation End Depth

UOM:

Plug ID: 1006879926

ft

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 88.0

 Plug Depth UOM:
 ft

Plug ID: 1006879925

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006879924

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006879914

Casing No: 0

Comment: Alt Name:

Casing ID: 1006879921

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 28.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006879922

1 Layer: Slot: 10 Screen Top Depth: 28.0 Screen End Depth: 0.88 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006879920

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006879919

Diameter: Depth From:

Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006788085
 Tag No:
 A220852

 Depth M:
 26.8224
 Contractor:
 3413

 Year Completed:
 2017
 Path:
 729\7298516.pdf

 Well Completed Dt:
 2017/03/30
 Latitude:
 43.6903526829793

 Audit No:
 Z251357
 Longitude:
 -79.4749042783937

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB41SSW0.0328.99129.04WWIS

Well ID: 7261364 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type: Selected Flag: TRUE Casing Material: Abandonment Rec: Yes

Audit No: Z232347 Contractor: 6946
Tag: Form Version: 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

Well Completed Date: 2016/02/29

Year Completed: 2016

Latitude: 43.6901233585718

Longitude: -79.4745874761156

Path:

Depth (m):

PDF URL (Map):

Bore Hole ID: 1005929281 Elevation: DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622934.00

 Code OB Desc:
 North83:
 4838587.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 29-Feb-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: ww

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Plug ID: 1006023081

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 70.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006023080

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006023074

Casing No: 0

Comment: Alt Name:

Casing ID: 1006023078

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 70.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006023079

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006023077

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: 1

Hole ID: 1006023076

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005929281 Tag No:

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7261364.pdf

 Well Completed Dt:
 2016/02/29
 Latitude:
 43.6901233585718

 Audit No:
 Z232347
 Longitude:
 -79.4745874761156

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
42	WNW	0.03	29.05	129.28	wwis

Order No: 22090803393p

Well ID: 7261356 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type: Selected Flag: TRUE
Casing Material: Abandonment Rec: Yes

Audit No: Z140378 Contractor: 6946

Form Version: 7 Tag: Constructn Method: Owner: Elevation (m): County: YORK AND TORONT Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone: Clear/Cloudy: UTM Reliability: Municipality: YORK BOROUGH Site Info: PDF URL (Map): Well Completed Date: 2016/02/29 Year Completed: 2016 Depth (m): Latitude: 43.6908123861071 Longitude: -79.4749422607218 Path: Bore Hole ID: Elevation: 1005929257 DP2BR: Elevrc: **Spatial Status:** Zone: 17 Code OB: East83: 622904.00 Code OB Desc: North83: 4838663.00 Org CS: UTM83 Open Hole: Cluster Kind: UTMRC: Date Completed: 29-Feb-2016 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m Remarks: Location Method: wwr Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: 1006022903

Order No: 22090803393p

Plug ID:

Layer: Plug From: 14.0 Plug To: 0.0 Plug Depth UOM:

Method Construction ID: 1006022902

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006022896

Casing No: 0

Comment: Alt Name:

Casing ID: 1006022900

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 14.0

Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006022901

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006022899

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006022898

Diameter:

Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID:

1005929257

Tag No:

Depth M:

Audit No:

Contractor:

6946

Year Completed: Well Completed Dt:

2016 2016/02/29 Z140378

0.03

Path: Latitude: Longitude: 726\7261356.pdf 43.6908123861071

-79.4749422607218

01-Dec-2015 00:00:00

YORK AND TORONT

Order No: 22090803393p

Map Key

Direction Distance (km)

Distance (m)

Elevation (m)

TRUE

DB

43

SW

29.09

128.78

WWIS

Well ID:
Construction Date:

7253181

Flow Rate:

Use 1st:

Monitoring

Data Entry Status:

Flowing (Y/N):

Use 2nd:

Z194272

Data Src:

Final Well Status:

Observation Wells

Date Received: Selected Flag:

Water Type:

Casing Material:

Abandonment Rec:

Audit No:

Contractor: 6032 Form Version: 7

Tag: A194320

-

Elevation (m):

Owner:

Elevatn Reliabilty:

Constructn Method:

Lot:

County:

Depth to Bedrock:

Concession:

Well Depth:

Concession Name: Easting NAD83:

Overburden/Bedrock:

Northing NAD83:

Pump Rate: Static Water Level:

Zone:

Clear/Cloudy:

UTM Reliability:

Municipality:

Site Info:

PDF URL (Map):

Well Completed Date: 2015/08/28
Year Completed: 2015
Depth (m): 28.956

Latitude: 43.6901800123025 Longitude: -79.474784572091

Path:

YORK BOROUGH

Bore Hole ID: 1005822849 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622918.00

 Code OB Desc:
 North83:
 4838593.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 28-Aug-2015 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1005844853

Layer: 2 Color: 6

General Color: BROWN

Mat1: 28 Most Common Material: SAND Mat2: 06 Mat2 Desc: SILT Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 4.0 43.0 Formation End Depth: Formation End Depth ft

UOM:

Formation ID: 1005844854

Layer: 3 Color: 6

General Color: BROWN

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 11

Mat3 Desc: GRAVEL
Formation Top Depth: 43.0
Formation End Depth: 78.0
Formation End Depth ft

UOM:

Formation ID: 1005844855

4 Layer: 2 Color: General Color: **GREY** Mat1: 28 Most Common Material: SAND Mat2: 06 Mat2 Desc: SILT Mat3: 11 Mat3 Desc: **GRAVEL**

Formation Top Depth: 78.0
Formation End Depth: 95.0
Formation End Depth ft

UOM:

Formation ID: 1005844852

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

 Mat1:
 01

Most Common Material: FILL

Mat2:

Mat2 Desc:

Mat3: 77

Mat3 Desc: LOOSE

Formation Top Depth: 0.0

Formation End Depth: 4.0

Formation End Depth ft

UOM:

Plug ID: 1005844863

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 5.0

 Plug Depth UOM:
 ft

Plug ID: 1005844865

 Layer:
 4

 Plug From:
 80.0

 Plug To:
 83.0

 Plug Depth UOM:
 ft

Plug ID: 1005844864

 Layer:
 3

 Plug From:
 5.0

 Plug To:
 80.0

 Plug Depth UOM:
 ft

Plug ID: 1005844862

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Method Construction ID: 1005844861

Method Construction

Code:

Method Construction: Boring

Other Method Construction:

Pipe ID: 1005844851

Casing No: 0

Comment: Alt Name:

Casing ID: 1005844858

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 85.0

Casing Diameter: 1.7999999523162842

Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1005844859

Layer: 1
Slot: .01
Screen Top Depth: 85.0
Screen End Depth: 95.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter: 2.0

Water ID: 1005844857

Layer: 1 Kind Code: 8

Kind: Untested
Water Found Depth: 32.0
Water Found Depth UOM: ft

Hole ID: 1005844856

Diameter: 8.0
Depth From: 0.0
Depth To: 100.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1005822849
 Tag No:
 A194320

 Depth M:
 28.956
 Contractor:
 6032

Year Completed: 2015

 Well Completed Dt:
 2015/08/28
 Latitude:
 43.6901800123025

 Audit No:
 Z194272
 Longitude:
 -79.474784572091

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
44	SSW	0.03	29.09	129.05	WWIS

Path:

7

Order No: 22090803393p

Well ID: 7261348 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type:Selected Flag:TRUECasing Material:Abandonment Rec:YesAudit No:Z232346Contractor:6946

Tag: A108644 Form Version: Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date: 2016/02/29 Year Completed: 2016

Depth (m):

Latitude: 43.6901225307178 Longitude: -79.4745254558665

Path:

Bore Hole ID: 1005929233 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622939.00

 Code OB Desc:
 North83:
 4838587.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 29-Feb-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Plug ID: 1006022597

 Layer:
 1

 Plug From:
 15.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006022596

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006022590

0

Casing No:
Comment:
Alt Name:

Casing ID: 1006022594

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 15.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006022595

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006022593

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006022592

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005929233 Tag No: A108644

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7261348.pdf

 Well Completed Dt:
 2016/02/29
 Latitude:
 43.6901225307178

Z232346 Audit No: Longitude: -79.4745254558665 Map Key Direction Distance (km) Distance (m) Elevation (m) DB 45 S 0.03 29.37 129.05 **WWIS** Well ID: 7272523 Flowing (Y/N): Construction Date: Flow Rate: Use 1st: Dewatering Data Entry Status: Use 2nd: Data Src: Final Well Status: Dewatering Date Received: 03-Oct-2016 00:00:00 Water Type: Selected Flag: **TRUE** Casing Material: Abandonment Rec: Audit No: Z232877 Contractor: 7238 7 Form Version: Tag: A202819 Constructn Method: Owner: Elevation (m): County: YORK AND TORONT Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Concession Name: Well Depth: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone: Clear/Cloudy: UTM Reliability: **TORONTO CITY** Municipality: Site Info: PDF URL (Map): Well Completed Date: 2016/08/22 Year Completed: 2016 Depth (m): 27.432 Latitude: 43.6901305380512 Longitude: -79.4744508033813 Path: Bore Hole ID: Elevation: 1006261152 DP2BR: Elevrc: **Spatial Status:** Zone: 17 Code OB: East83: 622945.00 Code OB Desc: North83: 4838588.00 Open Hole: Org CS: **UTM83** Cluster Kind: UTMRC: Date Completed: 22-Aug-2016 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Location Method:

wwr

Order No: 22090803393p

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1006337303

Layer: 2 Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND Mat3: 12

Mat3 Desc: STONES
Formation Top Depth: 6.0
Formation End Depth: 41.0
Formation End Depth ft

UOM:

Formation ID: 1006337306

5 Layer: Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND Mat3: 11

Mat3 Desc: GRAVEL
Formation Top Depth: 80.0
Formation End Depth: 88.0
Formation End Depth ft

UOM:

Formation ID: 1006337304

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 10

Most Common Material: COARSE SAND

Mat2: 06

Mat2 Desc: SILT

Mat3: 77

Mat3 Desc: LOOSE

Formation Top Depth: 41.0

Formation End Depth: 60.0

Formation End Depth ft

UOM:

Formation ID: 1006337302

Layer: 1 Color: 6

General Color: BROWN

Mat1: 01
Most Common Material: FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006337305

4 Layer: 2 Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 05 Mat2 Desc: CLAY Mat3: 12

Mat3 Desc: STONES
Formation Top Depth: 60.0
Formation End Depth: 80.0
Formation End Depth ft

UOM:

Formation ID: 1006337307

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: 11

Mat3 Desc: GRAVEL
Formation Top Depth: 88.0
Formation End Depth: 90.0
Formation End Depth ft

UOM:

Method Construction ID: 1006337314

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method BORING

Construction:

Pipe ID: 1006337301

Casing No: 0

Comment: Alt Name:

Casing ID: 1006337311

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 22.0
Depth To: 3.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006337312

Layer: 1 20 Slot: Screen Top Depth: 90.0 Screen End Depth: 22.0 5 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.25

Water ID: 1006337310

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: f

Hole ID: 1006337308

Diameter: 10.0
Depth From: 0.0
Depth To: 8.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1006337309

Diameter: 8.0
Depth From: 8.0
Depth To: 90.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006261152
 Tag No:
 A202819

 Depth M:
 27.432
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272523.pdf

 Well Completed Dt:
 2016/08/22
 Latitude:
 43.6901305380512

 Audit No:
 Z232877
 Longitude:
 -79.4744508033813

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
46	NNW	0.03	30.41	129.82	WWIS

Well ID: 7188180 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Test Hole Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Test Hole Date Received: 27-Sep-2012 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

Audit No: Z146137 Contractor: 7215

Tag: A136140 Form Version: 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7188180.pdf

Well Completed Date: 2012/07/25
Year Completed: 2012
Depth (m): 3.9624

Latitude: 43.6909432594445
Longitude: -79.4746287333687
Path: 718\7188180.pdf

Bore Hole ID: 1004166639 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622929.00

 Code OB Desc:
 North83:
 4838678.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 25-Jul-2012 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1004459878

Layer: 1 Color: 6

General Color: BROWN

Mat1: 01
Most Common Material: FILL
Mat2: 02

Mat2 Desc: TOPSOIL

Mat3: 28

Mat3 Desc: SAND

Formation Top Depth: 0.0

Formation End Depth: 5.0

Formation End Depth ft

UOM:

Formation ID: 1004459879

Layer: 2 Color: 2

General Color: GREY Mat1: 28

Most Common Material: SAND Mat2: 05
Mat2 Desc: CLAY Mat3: 06
Mat3 Desc: SILT

Formation Top Depth: 5.0
Formation End Depth: 13.0
Formation End Depth ft

UOM:

Plug ID: 1004459886

 Layer:
 1

 Plug From:
 13.0

 Plug To:
 2.0

 Plug Depth UOM:
 ft

Plug ID: 1004459888

 Layer:
 3

 Plug From:
 1.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Plug ID: 1004459887

 Layer:
 2

 Plug From:
 2.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Method Construction ID: 1004459885

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1004459877

Casing No: 0

Comment: Alt Name:

Casing ID: 1004459882

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 3.0
Depth To: 0.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1004459883

Layer: 1 Slot: 10 Screen Top Depth: 13.0 Screen End Depth: 3.0 5 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.0

Water ID: 1004459881

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1004459880

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1004166639
 Tag No:
 A136140

 Depth M:
 3.9624
 Contractor:
 7215

 Year Completed:
 2012
 Path:
 718/7188180.pdf

 Well Completed Dt:
 2012/07/25
 Latitude:
 43.6909432594445

 Audit No:
 Z146137
 Longitude:
 -79.4746287333687

Map Key Direction Distance (km) Distance (m) Elevation (m) DB

47 S 0.03 30.56 129.02 **WWIS**

7272522 Well ID: Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status: Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 03-Oct-2016 00:00:00

Selected Flag: **TRUE** Water Type: Casing Material: Abandonment Rec: Yes Audit No: 7238 Z232876 Contractor: Tag: A202797 Form Version: 7

Constructn Method: Owner:

YORK AND TORONT Elevation (m): County:

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83: Zone:

Static Water Level:

Clear/Cloudy: **UTM Reliability:**

TORONTO CITY Municipality:

PDF URL (Map):

Site Info:

Path:

Well Completed Date: 2016/08/18 Year Completed: 2016 27.98064 Depth (m):

Latitude: 43.6901298757113 -79.474401187179

Longitude:

Bore Hole ID: 1006261149 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

Code OB: 622949.00 East83: Code OB Desc: 4838588.00 North83: Open Hole: Org CS: UTM83

UTMRC: Cluster Kind:

Date Completed: 18-Aug-2016 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1006337240

Layer: 5

Color:

General Color:

Mat1: 06

Most Common Material: SILT

Mat2: 05

Mat2 Desc: CLAY

Mat3: 11

Mat3 Desc: GRAVEL

Formation Top Depth: 76.0

Formation End Depth: 85.0
Formation End Depth ft

UOM:

Formation ID: 1006337239

Layer: 4

Color:

General Color:

Mat1: 28 Most Common Material: SAND Mat2: 06 Mat2 Desc: SILT Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 55.0 Formation End Depth: 76.0 Formation End Depth ft UOM:

Formation ID: 1006337241

Layer: 6

Color:

General Color:

Mat1: 11

Most Common Material: GRAVEL Mat2: 10

Mat2 Desc: COARSE SAND

Mat3: 06
Mat3 Desc: SILT
Formation Top Depth: 85.0

Formation End Depth: 91.80000305175781

Formation End Depth

UOM:

Formation ID: 1006337236

Layer: 1 Color: 6

General Color: BROWN Mat1: 01

Most Common Material: FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 11.0
Formation End Depth ft

UOM:

Formation ID: 1006337237

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 12

Mat3 Desc: STONES
Formation Top Depth: 11.0
Formation End Depth: 38.0
Formation End Depth ft

UOM:

Formation ID: 1006337238

Layer: 3

Color:

General Color:

Mat1: 10

Most Common Material: COARSE SAND

Mat2: 08

Mat2 Desc: FINE SAND

Mat3: 77
Mat3 Desc: LOOSE
Formation Top Depth: 38.0
Formation End Depth: 55.0

Formation End Depth

UOM:

ft

Plug ID: 1006337248

Layer: 1

Plug From: 91.80000305175781

Plug To: 20.0 Plug Depth UOM: ft

Plug ID: 1006337249

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006337247

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1006337235

Casing No: 0

Comment: Alt Name:

Casing ID: 1006337245

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 21.799999237060547

Depth To: 3.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006337246

Layer: 1

Slot:

 Screen Top Depth:
 91.80000305175781

 Screen End Depth:
 21.799999237060547

Screen Material: 5

Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.25

Water ID: 1006337244

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1006337242

Diameter: 10.0 Depth From: 0.0 Depth To: 8.0 ft Hole Depth UOM: Hole Diameter UOM: inch

Hole ID: 1006337243

Diameter: 8.0 Depth From: 8.0

Depth To: 91.80000305175781

Hole Depth UOM: Hole Diameter UOM: inch

Tag No: Bore Hole ID: 1006261149 A202797 Depth M: Contractor: 27.98064 7238

2016 Path: Year Completed: 727\7272522.pdf Well Completed Dt: 2016/08/18 Latitude: 43.6901298757113 Audit No: Z232876 Longitude: -79.474401187179

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
48	SSW	0.03	30.77	129.05	WWIS
Well ID:	7272529		Flowing (Y/N):		

Construction Date: Flow Rate: Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 03-Oct-2016 00:00:00

Selected Flag: **TRUE** Water Type:

Casing Material: Abandonment Rec:

7238 Audit No: Z232880 Contractor:

Tag:A202820Form Version:7Constructn Method:Owner:Elevation (m):County:YORK AND TORONT

Lot:

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

PDF URL (Map):

Site Info:

Well Completed Date: 2016/08/25
Year Completed: 2016
Depth (m): 28.0416

Latitude: 43.6901133643401 Longitude: -79.4745132799973

Path:

Bore Hole ID: 1006261176 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622940.00

 Code OB Desc:
 North83:
 4838586.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 25-Aug-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date:
Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1006337624

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 11

Most Common Material: GRAVEL Mat2: 10

Mat2 Desc: COARSE SAND

Mat3: 85

Mat3 Desc: SOFT

Formation Top Depth: 78.0

Formation End Depth: 92.0

Formation End Depth ft

UOM:

Formation ID: 1006337622

Layer: 3 Color: 2 General Color: **GREY** Mat1: 28 Most Common Material: SAND Mat2: 06 Mat2 Desc: SILT Mat3: 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 39.0
Formation End Depth: 60.0
Formation End Depth ft

UOM:

Formation ID: 1006337623

4 Layer: Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 05 Mat2 Desc: **CLAY** Mat3: 11

Mat3 Desc: GRAVEL
Formation Top Depth: 60.0
Formation End Depth: 78.0
Formation End Depth ft

UOM:

Formation ID: 1006337621

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: 28

Mat2 Desc: SAND

Mat3: 66

Mat3 Desc: DENSE

Formation Top Depth: 6.0

Formation End Depth: 39.0

Formation End Depth ft

UOM:

Formation ID: 1006337620

Layer: 1 Color: 6

General Color: BROWN

Mat1: 01
Most Common Material: FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0

Formation End Depth

UOM:

Plug ID: 1006337633

ft

 Layer:
 2

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Plug ID: 1006337632

 Layer:
 1

 Plug From:
 20.0

 Plug To:
 92.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006337631

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method BORING

Construction:

Pipe ID: 1006337619

Casing No:

Comment: Alt Name:

Casing ID: 1006337628

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 22.0
Depth To: 3.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006337629

Layer: 1
Slot: 20
Screen Top Depth: 92.0
Screen End Depth: 22.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.25

Water ID: 1006337627

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006337625

Diameter: 10.0
Depth From: 0.0
Depth To: 8.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1006337626

Diameter: 8.0
Depth From: 8.0
Depth To: 92.0
Hole Depth UOM: ft

Hole Diameter UOM: inch

 Bore Hole ID:
 1006261176
 Tag No:
 A202820

 Depth M:
 28.0416
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272529.pdf

 Well Completed Dt:
 2016/08/25
 Latitude:
 43.6901133643401

 Audit No:
 Z232880
 Longitude:
 -79.4745132799973

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB48SSW0.0330.77129.05WWIS

Well ID: 7193053 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Test Hole Data Entry Status:

Use 2nd: Data Src:

Final Well Status: 0 Date Received: 06-Dec-2012 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z161035
 Contractor:
 1663

 Tag:
 A116163
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info: KYYLE

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7193053.pdf

Order No: 22090803393p

Well Completed Date: 2012/04/17
Year Completed: 2012
Depth (m): 29.8704

Latitude: 43.6901041979611 Longitude: -79.4745011041319 Path: 719\7193053.pdf

Bore Hole ID: 1004216825 Elevation: DP2BR: Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622941.00

 Code OB Desc:
 North83:
 4838585.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 17-Apr-2012 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1004548069

Layer: 8 Color: 2 General Color: **GREY** Mat1: 28 Most Common Material: SAND Mat2: 05 Mat2 Desc: CLAY Mat3: 84 Mat3 Desc: SILTY Formation Top Depth: 85.0 92.0 Formation End Depth: Formation End Depth ft

Formation ID: 1004548068

 Layer:
 7

 Color:
 2

 General Color:
 GREY

 Mat1:
 09

Most Common Material: MEDIUM SAND

Mat2: 08

Mat2 Desc: FINE SAND

Mat3: Mat3 Desc:

UOM:

Formation Top Depth: 83.0
Formation End Depth: 85.0
Formation End Depth ft

UOM:

Formation ID: 1004548063

Layer: 2 Color: 2

General Color: GREY
Mat1: 05
Most Common Material: CLAY

Most Common Material: CLAY
Mat2: 06
Mat2 Desc: SILT
Mat3: 28
Mat3 Desc: SAND
Formation Top Depth: 10.0
Formation End Depth: 58.0

UOM:

Formation End Depth

Formation ID: 1004548066

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

Mat2:

Mat2 Desc:

Mat3: 84

Mat3 Desc: SILTY

Formation Top Depth: 68.0

Formation End Depth: 80.0

Formation End Depth ft

UOM:

Formation ID: 1004548070

 Layer:
 9

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 92.0
Formation End Depth: 98.0
Formation End Depth ft

UOM:

Formation ID: 1004548065

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 63.0 Formation End Depth: 68.0 Formation End Depth ft

UOM:

Formation ID: 1004548062

Layer: 1 Color: 6

General Color: BROWN
Mat1: 01
Most Common Material: FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 10.0
Formation End Depth ft

UOM:

Formation ID: 1004548064

Layer: 3 Color: 2 General Color: **GREY** Mat1: 28 Most Common Material: SAND Mat2: 06 Mat2 Desc: SILT Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 58.0 Formation End Depth: 63.0 Formation End Depth ft

UOM:

Formation ID: 1004548067

Layer: 6

Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: **CLAY** Mat2: 06 Mat2 Desc: SILT Mat3: 28 Mat3 Desc: SAND Formation Top Depth: 0.08 83.0 Formation End Depth: Formation End Depth ft

UOM:

Plug ID: 1004548103

 Layer:
 2

 Plug From:
 38.0

 Plug To:
 92.0

 Plug Depth UOM:
 ft

Plug ID: 1004548102

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 38.0

 Plug Depth UOM:
 ft

Method Construction ID: 1004548101

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1004548060

Casing No: 0

Comment: Alt Name:

Casing ID: 1004548073

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 68.0
Casing Diameter: 5.0

Casing Diameter UOM: inch
Casing Depth UOM: ft

Casing ID: 1004548074

Layer: 2 Material: 1

Open Hole or Material: STEEL

Depth From: 89.0

Depth To: 92.0

Casing Diameter: 5.0

Casing Diameter UOM: inch

Casing Depth UOM: ft

Screen ID: 1004548075

1 Layer: Slot: 12 Screen Top Depth: 68.0 Screen End Depth: 89.0 1 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 6.0

Pump Test ID: 1004548061

Pump Set At: 75.0

Static Level: 7.599999904632568 Final Level After Pumping: 64.30000305175781

Recommended Pump

Depth:

Pumping Rate: 6.0

Flowing Rate:

Recommended Pump

Rate:

Levels UOM: ft
Rate UOM: GPM
Water State After Test 1

Code:

Water State After Test: CLEAR

Pumping Test Method: 0
Pumping Duration HR: 1
Pumping Duration MIN: 30
Flowing: No

Pump Test Detail ID: 1004548083 Test Type: Recovery

Test Duration: 4

Test Level: 44.400001525878906

Test Level UOM: ft

Pump Test Detail ID: 1004548084 Test Type: Draw Down

Test Duration: 5

Test Level: 23.200000762939453

Test Level UOM: ft

Pump Test Detail ID: 1004548097 Test Type: Draw Down

Test Duration: 50
Test Level: 53.0
Test Level UOM: ft

Pump Test Detail ID: 1004548079
Test Type: Recovery

Test Duration: 2

Test Level: 50.20000076293945

Test Level UOM: ft

Pump Test Detail ID: 1004548099
Test Type: Recovery

Test Duration: 60

Test Level: 19.700000762939453

Test Level UOM: ft

Pump Test Detail ID: 1004548086 Test Type: Draw Down

Test Duration: 10

Test Level: 33.70000076293945

Test Level UOM: ft

Pump Test Detail ID: 1004548089
Test Type: Recovery

Test Duration: 15

Test Level: 31.799999237060547

Test Level UOM: ft

Pump Test Detail ID: 1004548093
Test Type: Recovery
Test Duration: 25

Test Level: 26.899999618530273

Test Level UOM: ft

Pump Test Detail ID: 1004548098 Test Type: Draw Down

Test Duration: 60

Test Level: 53.900001525878906

Test Level UOM: ft

Pump Test Detail ID: 1004548078 Test Type: Draw Down

Test Duration: 2
Test Level: 18.5
Test Level UOM: ft

Pump Test Detail ID: 1004548091
Test Type: Recovery

Test Duration: 20

Test Level: 29.059999465942383

Test Level UOM: ft

Pump Test Detail ID: 1004548077
Test Type: Recovery

Test Duration: 1

Test Level: 54.599998474121094

Test Level UOM: ft

Pump Test Detail ID: 1004548081 Test Type: Recovery

Test Duration: 3

Test Level: 50.20000076293945

Test Level UOM: ft

Pump Test Detail ID: 1004548090 Test Type: Draw Down

Test Duration: 20
Test Level: 40.5
Test Level UOM: ft

Pump Test Detail ID: 1004548092 Test Type: Draw Down

Test Duration: 25

Test Level: 43.20000076293945

Test Level UOM: ft

Pump Test Detail ID: 1004548080 Test Type: Draw Down

Test Duration: 3

Test Level: 20.100000381469727

Test Level UOM: ft

Pump Test Detail ID: 1004548082 Test Type: Draw Down

Test Duration: 4
Test Level: 22.5
Test Level UOM: ft

Pump Test Detail ID: 1004548085 Test Type: Recovery

Test Duration: 5
Test Level: 42.5
Test Level UOM: ft

Pump Test Detail ID: 1004548094 Test Type: Draw Down

Test Duration: 30

Test Level: 45.70000076293945

Test Level UOM: ft

Pump Test Detail ID: 1004548096 Test Type: Draw Down

Test Duration: 40

Test Level: 49.900001525878906

Test Level UOM: ft

Pump Test Detail ID: 1004548076 Test Type: Draw Down

Test Duration: 1

Test Level: 16.299999237060547

Test Level UOM:

Pump Test Detail ID: 1004548087 Test Type: Recovery **Test Duration:** 10

Test Level: 35.70000076293945

Test Level UOM:

Pump Test Detail ID: 1004548088 Test Type: Draw Down

Test Duration:

Test Level: 37.400001525878906

Test Level UOM: ft

Pump Test Detail ID: 1004548095 Test Type: Recovery

Test Duration: 30

Test Level: 25.399999618530273

Test Level UOM: ft

Water ID: 1004548072

Layer: 1 Kind Code: 8

Untested Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1004548071

Diameter: 8.5 0.0 Depth From: 92.0 Depth To: Hole Depth UOM: Hole Diameter UOM: inch

Bore Hole ID: 1004216825 Tag No: A116163 Depth M: 29.8704 Contractor: 1663

Year Completed: 2012 Path: 719\7193053.pdf Well Completed Dt: 2012/04/17 Latitude: 43.6901041979611 Audit No: Z161035 Longitude: -79.4745011041319

DB Map Key **Direction** Distance (km) Distance (m) Elevation (m)

49 WSW 0.03 30.91 128.77 WWIS

Well ID: 7298517 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Data Src:

Final Well Status: Dewatering Date Received: 03-Nov-2017 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z251359
 Contractor:
 3413

 Tag:
 A220854
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

Use 2nd:

Well Completed Date: 2017/04/03
Year Completed: 2017
Depth (m): 26.8224

Latitude: 43.6903170108269
Longitude: -79.4749299990714
Path: 729\7298517.pdf

Bore Hole ID: 1006788088 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622906.00

 Code OB Desc:
 North83:
 4838608.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 03-Apr-2017 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1006879973

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2:

Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 80.0
Formation End Depth: 88.0
Formation End Depth ft

UOM:

Formation ID: 1006879970

Layer: 1 Color: 6

General Color: BROWN
Mat1: 11
Most Common Material: GRAVEL

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006879972

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 26.0

Formation End Depth: 80.0 Formation End Depth ft

UOM:

Formation ID: 1006879971

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 26.0
Formation End Depth ft

UOM:

Plug ID: 1006879980

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Plug ID: 1006879981

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 88.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006879979

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1006879969

Casing No: 0

Comment: Alt Name:

Casing ID: 1006879976

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 28.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006879977

Layer: 1 Slot: 10 Screen Top Depth: 28.0 Screen End Depth: 88.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006879975

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006879974

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006788088
 Tag No:
 A220854

 Depth M:
 26.8224
 Contractor:
 3413

 Year Completed:
 2017
 Path:
 729\7298517.pdf

 Well Completed Dt:
 2017/04/03
 Latitude:
 43.6903170108269

 Audit No:
 Z251359
 Longitude:
 -79.4749299990714

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
50	SSW	0.03	34.05	128.85	wwis

Well ID: 7272530

Construction Date:

Use 1st: Dewatering

Use 2nd:

Final Well Status: Dewatering

Water Type:

Casing Material:

Audit No: Z232878
Tag: A202818

Constructn Method:

Elevation (m):

Elevatn Reliabilty:

Depth to Bedrock:

Well Depth:
Overburden/Bedrock:

Pump Rate:

Static Water Level:

Clear/Cloudy:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map):

Well Completed Date: 2016/08/23
Year Completed: 2016
Depth (m): 27.432

Latitude: 43.6900785201221 Longitude: -79.4746010210016

Path:

Bore Hole ID: 1006261179

DP2BR:

Spatial Status: Zone:

 Code OB:
 East83:
 622933.00

 Code OB Desc:
 North83:
 4838582.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC:

Date Completed: 23-Aug-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Flowing (Y/N): Flow Rate:

Data Entry Status:

Data Src:

Date Received: 03-Oct-2016 00:00:00

Selected Flag: TRUE

Abandonment Rec:

Contractor: 7238
Form Version: 7

Owner:

County: YORK AND TORONT

17

Order No: 22090803393p

Concession:

Lot:

Concession Name: Easting NAD83: Northing NAD83:

Zone:

Elevation:

Elevrc:

UTM Reliability:

Supplier Comment:

Formation ID: 1006337673 3 Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: 39.0 Formation End Depth: 59.0 Formation End Depth ft UOM: Formation ID: 1006337674 Layer: 4 Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: 59.0 Formation End Depth: 79.0 Formation End Depth ft UOM: Formation ID: 1006337671 Layer: 1 Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: 0.0 6.0 Formation End Depth: Formation End Depth ft UOM:

Formation ID: 1006337675 Layer: 5 Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: 79.0 Formation End Depth: 90.0 Formation End Depth ft UOM: Formation ID: 1006337672 Layer: 2 Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: 6.0 Formation End Depth: 39.0 Formation End Depth ft UOM: Method Construction ID: 1006337682 Method Construction 2 Code: Method Construction: Rotary (Convent.) **BORING** Other Method Construction: Pipe ID: 1006337670 Casing No: 0 Comment: Alt Name: Casing ID: 1006337679 Layer:

Material: 5

Open Hole or Material: PLASTIC
Depth From: 22.0
Depth To: 3.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006337680

Layer: 1 Slot: 20 90.0 Screen Top Depth: Screen End Depth: 22.0 5 Screen Material: ft Screen Depth UOM: Screen Diameter UOM: inch Screen Diameter: 4.25

Water ID: 1006337678

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006337677

Diameter: 8.0
Depth From: 8.0
Depth To: 90.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1006337676

Diameter: 10.0
Depth From: 0.0
Depth To: 8.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006261179
 Tag No:
 A202818

 Depth M:
 27.432
 Contractor:
 7238

Year Completed: 2016 Path: 727\7272530.pdf

 Well Completed Dt:
 2016/08/23
 Latitude:
 43.6900785201221

 Audit No:
 Z232878
 Longitude:
 -79.4746010210016

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB50SSW0.0334.05128.85WWIS

Well ID: 7379603 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status: Yes

Use 2nd: Data Src:

Final Well Status: Date Received: 02-Feb-2021 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

Audit No: Z352429 Contractor: 6875

Tag: Form Version: 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

Bore Hole ID: 1008628849 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622933.00

 Code OB Desc:
 North83:
 4838582.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 20-Dec-2020 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc: Location Source Date:

Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Bore Hole ID:

1008628849

Tag No:

Path:

Depth M:

2020

Contractor:

Year Completed:

2020/12/20

Latitude:

6875

Well Completed Dt: Audit No:

Z352429

7261365

Z232336

Longitude:

43.6900785201221 -79.4746010210016

Map Key

Direction

Distance (km)

Distance (m)

Elevation (m)

DB

51

SSW

0.03

Abandoned-Other

YORK BOROUGH

34.24

128.74

WWIS

Well ID:

Construction Date:

Use 1st:

Use 2nd:

Final Well Status:

Water Type:

Casing Material:

Audit No:

Tag:

Constructn Method:

Elevation (m):

Elevatn Reliabilty:

Depth to Bedrock:

Well Depth: Overburden/Bedrock:

Pump Rate:

Static Water Level:

Clear/Cloudy:

Municipality: Site Info:

PDF URL (Map):

Well Completed Date:

Year Completed:

Depth (m):

Latitude: Longitude:

Bore Hole ID:

DP2BR:

Path:

1005929284

2016/02/29

43.690088348738

-79.4746628130499

2016

Spatial Status:

Code OB: Code OB Desc: Flowing (Y/N): Flow Rate:

Data Entry Status:

Data Src:

Date Received:

12-Apr-2016 00:00:00

Selected Flag: **TRUE** Abandonment Rec: Yes Contractor: 6946 7 Form Version:

Owner:

County: YORK AND TORONT

Lot:

Concession:

Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation:

Elevrc:

Zone:

East83:

622928.00 4838583.00

17

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

UTM83

margin of error : 30 m - 100 m

4

wwr

Open Hole: Cluster Kind:

Date Completed: 29-Feb-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Plug ID: 1006029828

1 Layer:

Plug From: Plug To:

Plug Depth UOM: ft

Method Construction ID: 1006023088

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006023082

0 Casing No:

Comment: Alt Name:

Casing ID: 1006023086

Layer: 1 Material: 5

Open Hole or Material: **PLASTIC**

Depth From: 0.0 Depth To: 15.0 Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Screen ID: 1006023087

Layer: Slot:

242

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006023085

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1006023084

Diameter: Depth From: Depth To:

ft Hole Depth UOM: Hole Diameter UOM: inch

Bore Hole ID: Tag No: 1005929284

Depth M: Contractor: 6946

Year Completed: 2016 Path: 726\7261365.pdf Well Completed Dt: 2016/02/29 Latitude: 43.690088348738 Audit No: Z232336 Longitude: -79.4746628130499

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
51	SSW	0.03	34.24	128.74	WWIS

Well ID: 7180623 Flowing (Y/N): Construction Date:

Flow Rate:

Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: 0 Data Src:

Final Well Status: Test Hole Date Received: 10-May-2012 00:00:00

Water Type: Selected Flag: **TRUE**

Casing Material: Abandonment Rec:

Audit No: Z146551 Contractor: 7241 Tag: A123782 Form Version: 7

Constructn Method: Owner:

YORK AND TORONT Elevation (m): County:

Lot:

Elevatn Reliabilty:

Depth to Bedrock: Concession:

243

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone: Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date: 2012/02/27 Year Completed: 2012 Depth (m): 4.8768

Latitude: 43.6900791823746 Longitude: -79.4746506371661

Path:

Bore Hole ID: 1003758804

DP2BR: Elevrc:

Spatial Status: Zone: 17

Code OB: East83: 622929.00 Code OB Desc: North83: 4838582.00 Open Hole: Org CS: UTM83

UTMRC: Cluster Kind:

Date Completed: 27-Feb-2012 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Elevation:

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1004302532

2 Layer: Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND

Mat3: Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 16.0 Formation End Depth ft

UOM:

Formation ID: 1004302531

1 Layer: 2 Color: General Color: **GREY** Mat1: Most Common Material: **FILL** Mat2: 28 Mat2 Desc: SAND Mat3: 06 Mat3 Desc: SILT Formation Top Depth: 0.0 Formation End Depth: 10.0 Formation End Depth ft

UOM:

Plug ID: 1004302541

Layer: Plug From: 1.0 Plug To: 4.0 Plug Depth UOM: ft

Plug ID: 1004302542

Layer: 3 Plug From: 4.0 Plug To: 15.0 Plug Depth UOM: ft

Plug ID: 1004302540

Layer: 1 Plug From: 0.0 1.0 Plug To: Plug Depth UOM: ft

Method Construction ID: 1004302539

Method Construction

Code: Method Construction:

Direct Push

D

Other Method Construction:

Pipe ID: 1004302530

Casing No: 0

Comment: Alt Name:

Casing ID: 1004302535

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 5.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1004302536

Layer: 1
Slot: 10
Screen Top Depth: 5.0
Screen End Depth: 15.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.25

Water ID: 1004302534

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1004302533

Diameter: 4.5

Depth From: 0.0

Depth To: 15.0

Hole Depth UOM: ft

Hole Diameter UOM: inch

 Bore Hole ID:
 1003758804
 Tag No:
 A123782

 Depth M:
 4.8768
 Contractor:
 7241

Year Completed: 2012

 Well Completed Dt:
 2012/02/27
 Latitude:
 43.6900791823746

 Audit No:
 Z146551
 Longitude:
 -79.4746506371661

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
52	SSW	0.04	35.36	128.53	WWIS

Path:

Well ID: 7272527 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 03-Oct-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z232882
 Contractor:
 7238

 Tag:
 A202836
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Lot:

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY
Site Info:

PDF URL (Map):

Well Completed Date: 2016/08/29
Year Completed: 2016
Depth (m): 27.432

Latitude: 43.6900891765169 Longitude: -79.4747248332677

Longitude. -79.474724633267

Path:

Bore Hole ID: 1006261164 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622923.00

 Code OB Desc:
 North83:
 4838583.00

 Open Hole:
 Org CS:
 UTM83

Order No: 22090803393p

Cluster Kind: UTMRC: 4

Date Completed: 29-Aug-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Location Method:

Order No: 22090803393p

Remarks:

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment: Supplier Comment:

Formation ID: 1006337566

Layer: 1

Color:

General Color:

Mat1: 01
Most Common Material: FILL

Mat2:

Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006337570

Layer: 5

Color:

General Color:

Mat1: 28

Most Common Material: SAND

Mat2: 06

Mat2 Desc: SILT

Mat3:

Mat3 Desc:

Formation Top Depth: 82.0
Formation End Depth: 90.0
Formation End Depth ft

UOM:

Formation ID: 1006337569

Layer: 4

Color:

General Color:

Mat1: 06

Most Common Material: SILT
Mat2: 28
Mat2 Desc: SAND
Mat3: 12

Mat3 Desc: STONES
Formation Top Depth: 59.0
Formation End Depth: 82.0
Formation End Depth ft

UOM:

Formation ID: 1006337567

Layer: 2

Color:

General Color:

Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND Mat3: 66 Mat3 Desc: **DENSE** Formation Top Depth: 6.0 40.0 Formation End Depth: Formation End Depth ft

UOM:

Formation ID: 1006337568

Layer: 3

Color:

General Color:

Mat1: 28
Most Common Material: SAND

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 40.0 Formation End Depth: 59.0 Formation End Depth ft

UOM:

Plug ID: 1006337578

 Layer:
 1

 Plug From:
 90.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Plug ID: 1006337579

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006337577

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method BORING

Construction:

Pipe ID: 1006337565

Casing No: 0

Comment: Alt Name:

Casing ID: 1006337574

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 3.0
Depth To: 22.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006337575

Layer: 1
Slot: 20
Screen Top Depth: 22.0
Screen End Depth: 90.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.25

Water ID: 1006337573

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006337572

Diameter: 8.0
Depth From: 8.0
Depth To: 90.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1006337571

Diameter: 10.0
Depth From: 0.0
Depth To: 8.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006261164
 Tag No:
 A202836

 Depth M:
 27.432
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272527.pdf

 Well Completed Dt:
 2016/08/29
 Latitude:
 43.6900891765169

 Audit No:
 Z232882
 Longitude:
 -79.4747248332677

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
53	S	0.04	35.80	128.98	WWIS

Well ID: 7227393 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: 0 Data Src:

Final Well Status: Observation Wells Date Received: 12-Sep-2014 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z187603
 Contractor:
 7201

 Tag:
 A150897
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Lot:

Order No: 22090803393p

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

251

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/722\7227393.pdf

Well Completed Date: 2014/08/15
Year Completed: 2014
Depth (m): 16.002

 Latitude:
 43.6901015485608

 Longitude:
 -79.4743026394151

 Path:
 722√7227393.pdf

Bore Hole ID: 1005124141 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622957.00

 Code OB Desc:
 North83:
 4838585.00

 Open Hole:
 Org CS:
 G83dd

Cluster Kind: UTMRC: 4

Date Completed: 15-Aug-2014 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1005355120

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 34

Mat3:

Mat3 Desc:

Mat2 Desc:

Formation Top Depth: 15.0
Formation End Depth: 52.5
Formation End Depth ft

UOM:

TILL

Formation ID: 1005355119

Layer: 2

Color:

General Color:

Mat1: 28
Most Common Material: SAND
Mat2: 06
Mat2 Desc: SILT

Mat3:

Mat3 Desc:

Formation Top Depth: 2.0
Formation End Depth: 15.0
Formation End Depth ft

UOM:

Formation ID: 1005355118

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 11

Most Common Material: GRAVEL

Mat2: 73

Mat2 Desc: HARD

Mat3: 68

Mat3 Desc: DRY

Formation Top Depth: 0.0

Formation End Depth: 2.0

Formation End Depth ft

UOM:

Plug ID: 1005355128

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 3.0

 Plug Depth UOM:
 ft

Plug ID: 1005355129

 Layer:
 2

 Plug From:
 3.0

 Plug To:
 41.0

 Plug Depth UOM:
 ft

Plug ID: 1005355130

 Layer:
 3

 Plug From:
 41.0

 Plug To:
 52.5

 Plug Depth UOM:
 ft

Method Construction ID: 1005355127

6

Method Construction

Code:

Method Construction: Boring

Other Method Construction:

Pipe ID: 1005355117

Casing No: 0

Comment: Alt Name:

Casing ID: 1005355123

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 42.5
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1005355124

Layer: 1 Slot: 01 Screen Top Depth: 42.5 Screen End Depth: 52.5 5 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.0

Water ID: 1005355122

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1005355121

Diameter: 8.25
Depth From: 0.0
Depth To: 52.5
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1005124141
 Tag No:
 A150897

 Depth M:
 16.002
 Contractor:
 7201

 Year Completed:
 2014
 Path:
 722\7227393.pdf

 Well Completed Dt:
 2014/08/15
 Latitude:
 43.6901015485608

 Audit No:
 Z187603
 Longitude:
 -79.4743026394151

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
54	N	0.04	36.92	130.26	WWIS

Well ID: 7337165 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Observation Wells Date Received: 26-Jun-2019 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 8L96SRYO
 Contractor:
 6607

 Tag:
 A264663
 Form Version:
 9

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Lot:

Elevatn Reliability:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info: BH 102

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7337165.pdf

Order No: 22090803393p

Well Completed Date: 2019/06/03 Year Completed: 2019 Depth (m): 12.1

 Latitude:
 43.6910572894628

 Longitude:
 -79.4744024907905

 Path:
 733\7337165.pdf

Bore Hole ID: 1007507049 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622947.00

 Code OB Desc:
 North83:
 4838691.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Cluster Kind: UTMRC: 4

Date Completed: 03-Jun-2019 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1007507694

Layer: 2 Color: 6

General Color: BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 77

 Mat3 Desc:
 LOOSE

Formation Top Depth: 0.30000001192092896 Formation End Depth: 4.300000190734863

Formation End Depth m

UOM:

Formation ID: 1007507695

Layer: 3 Color: 6

General Color: BROWN

Mat1: 28
Most Common Material: SAND
Mat2: 06
Mat2 Desc: SILT
Mat3: 66

Mat3 Desc: DENSE

Formation Top Depth: 4.300000190734863 Formation End Depth: 11.600000381469727

Formation End Depth

UOM:

m

Formation ID: 1007507693

Layer: 1 Color: 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11
Mat2 Desc: GRAVEL

Mat3: 01
Mat3 Desc: FILL
Formation Top Depth: 0.0

Formation End Depth: 0.30000001192092896

Formation End Depth

UOM:

Formation ID: 1007507696

Layer: 4 Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND Mat3: 85 Mat3 Desc: SOFT

Formation Top Depth: 11.600000381469727 Formation End Depth: 12.100000381469727

Formation End Depth m

UOM:

Plug ID: 1007508262

Layer: 1
Plug From: 0.0

Plug To: 0.30000001192092896

Plug Depth UOM: m

Plug ID: 1007508263

Layer: 2

Plug From: 0.30000001192092896

Plug To: 8.800000190734863

Plug Depth UOM:

1007508161 Plug ID:

Layer:

Plug From: Plug To:

Plug Depth UOM: m

Method Construction ID: 1007507437

Method Construction

Code:

Method Construction:

Boring

Other Method Construction:

Pipe ID: 1007507414

0 Casing No:

Comment: Alt Name:

Casing ID: 1007507886

Layer: 1 5 Material:

Open Hole or Material: **PLASTIC** Depth From: 0.0

Depth To: 9.100000381469727 Casing Diameter: 5.099999904632568

Casing Diameter UOM: cm Casing Depth UOM: m

Screen ID: 1007507970

Layer: 1 Slot: 10

9.100000381469727 Screen Top Depth: Screen End Depth: 12.100000381469727

Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter: 6.400000095367432

Pump Test ID: 1007507415

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump

Depth:

Pumping Rate: Flowing Rate:

Recommended Pump

Rate:

Levels UOM: m
Rate UOM: LPM

Water State After Test

Code:

Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:

Flowing:

Hole ID: 1007508057

Diameter: 21.0 Depth From: 0.0

Depth To: 12.100000381469727

Hole Depth UOM: m
Hole Diameter UOM: cm

 Bore Hole ID:
 1007507049
 Tag No:
 A264663

 Depth M:
 12.1
 Contractor:
 6607

 Year Completed:
 2019
 Path:
 733\7337165.pdf

 Well Completed Dt:
 2019/06/03
 Latitude:
 43.6910572894628

 Audit No:
 8L96SRYO
 Longitude:
 -79.4744024907905

Мар Кеу	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
55	WNW	0.04	37.07	129.07	WWIS

Well ID: 7188181 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Test Hole Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Test Hole Date Received: 27-Sep-2012 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z146138
 Contractor:
 7215

 Tag:
 A136139
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone: Clear/Cloudy: UTM Reliability: YORK BOROUGH Municipality: Site Info: PDF URL (Map): $https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\footnote{thm:property} https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\footnote{thm:property} https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\footnote{thm:property} https://d2khazk8e83rdv.cloudfront.net/moe_mapping$ Well Completed Date: 2012/07/25 Year Completed: 2012 Depth (m): 3.9624 Latitude: 43.6908228766356 Longitude: -79.4750536703683 Path: 718\7188181.pdf Bore Hole ID: 1004166642 Elevation: DP2BR: Elevrc: **Spatial Status:** Zone: 17 Code OB: East83: 622895.00 Code OB Desc: North83: 4838664.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC: 3 Date Completed: 25-Jul-2012 00:00:00 **UTMRC Desc:** margin of error: 10 - 30 m Remarks: Location Method: wwr Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: **Supplier Comment:** Formation ID: 1004459891 2 Layer: Color: 2 General Color: **GREY**

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 05

 Mat2 Desc:
 CLAY

Mat3: 06
Mat3 Desc: SILT
Formation Top Depth: 5.0
Formation End Depth: 13.0
Formation End Depth ft

UOM:

Formation ID: 1004459890

Layer: 1 Color: 6

General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 02

Mat2 Desc: TOPSOIL

Mat3: 28

Mat3 Desc: SAND

Formation Top Depth: 0.0

Formation End Depth: 5.0

Formation End Depth ft

UOM:

Plug ID: 1004459899

 Layer:
 2

 Plug From:
 2.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Plug ID: 1004459900

 Layer:
 3

 Plug From:
 1.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Plug ID: 1004459898

 Layer:
 1

 Plug From:
 13.0

 Plug To:
 2.0

 Plug Depth UOM:
 ft

Method Construction ID: 1004459897

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1004459889

Casing No: 0

Comment: Alt Name:

Casing ID: 1004459894

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 3.0
Depth To: 0.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1004459895

1 Layer: Slot: 10 Screen Top Depth: 13.0 Screen End Depth: 3.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.0

Water ID: 1004459893

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1004459892

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Tag No: Bore Hole ID: 1004166642 A136139 Depth M: 3.9624 Contractor: 7215

Year Completed: 2012 Path: 718\7188181.pdf Well Completed Dt: 2012/07/25 Latitude: 43.6908228766356 Audit No: Z146138 Longitude: -79.4750536703683

Map Key Direction Distance (km) Distance (m) Elevation (m) DB 56 SSW 0.04 37.15 128.88 **WWIS**

Well ID: 7180621 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Test Hole Date Received: 10-May-2012 00:00:00

Water Type: Selected Flag: **TRUE**

Casing Material: Abandonment Rec:

Audit No: Z146489 Contractor: 7241 Form Version: 7 Tag: A132302

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: **UTM Reliability:** Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date: 2012/02/29 Year Completed: 2012 Depth (m): 4.27

Latitude: 43.6900503587193

Longitude: -79.4745148772568

Path:

Bore Hole ID: 1003758798 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

Code OB: East83: 622940.00 Code OB Desc: North83: 4838579.00

Open Hole:Org CS:UTM83Cluster Kind:UTMRC:4

Date Completed: 29-Feb-2012 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Location Source Date: Improvement Location

Source:

Elevrc Desc:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1004302506

Layer: 1 Color: 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 1.8300000429153442

Formation End Depth m

UOM:

Formation ID: 1004302508

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 3.0999999046325684
Formation End Depth: 4.26999980926514

Formation End Depth m

UOM:

Formation ID: 1004302507

Layer: 2 Color: 2

General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 06
Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 1.8300000429153442 Formation End Depth: 3.0999999046325684

Formation End Depth

UOM:

Plug ID: 1004302516

Layer: 1
Plug From: 0.0

Plug To: 0.3100000023841858

Plug Depth UOM: m

Plug ID: 1004302518

Layer: 3

Plug From: 0.9100000262260437 Plug To: 4.269999980926514

Plug Depth UOM: m

Plug ID: 1004302517

Layer: 2

Plug From: 0.3100000023841858 Plug To: 0.9100000262260437

Plug Depth UOM: m

Method Construction ID: 1004302515

Method Construction

Code:

Method Construction: Direct Push

Other Method Construction:

Pipe ID: 1004302505

Casing No: 0

Comment: Alt Name:

Casing ID: 1004302511

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0

Depth To: 1.2200000286102295 Casing Diameter: 3.450000047683716

Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1004302512

Layer: 1 Slot: 10

Screen Top Depth: 1.2200000286102295 Screen End Depth: 4.269999980926514

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 4.210000038146973

Water ID: 1004302510

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: n

Hole ID: 1004302509

Diameter: 5.710000038146973

Depth From: 0.0

Depth To: 4.269999980926514

Hole Depth UOM: m
Hole Diameter UOM: cm

 Bore Hole ID:
 1003758798
 Tag No:
 A132302

 Depth M:
 4.27
 Contractor:
 7241

Year Completed: 2012

 Well Completed Dt:
 2012/02/29
 Latitude:
 43.6900503587193

 Audit No:
 Z146489
 Longitude:
 -79.4745148772568

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
57	WSW	0.04	39.73	128.78	WWIS

Path:

Well ID: 7298512 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd:

Final Well Status: Date Received: 03-Nov-2017 00:00:00 Dewatering

Data Src:

Water Type:

TRUE Selected Flag:

Casing Material: Abandonment Rec:

3413 Audit No: Z251358 Contractor: Tag: A220855 Form Version:

Constructn Method: Owner:

Elevation (m): YORK AND TORONT County:

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone:

UTM Reliability: Clear/Cloudy:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7298512.pdf

Well Completed Date: 2017/03/27 Year Completed: 2017 Depth (m): 30.7848

Latitude: 43.6902823318115 Longitude: -79.4750301442289 Path: 729\7298512.pdf

Bore Hole ID: 1006788073 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

Code OB: East83: 622898.00 Code OB Desc: North83: 4838604.00 Open Hole: Org CS: UTM83

UTMRC: Cluster Kind:

Date Completed: 27-Mar-2017 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Location Method: Remarks: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1006879682

5 Layer: 2 Color: General Color: **GREY** Mat1: 17

Most Common Material: Mat2:

SHALE

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 96.0 Formation End Depth: 101.0 Formation End Depth ft

UOM:

Formation ID: 1006879680

Layer: 3 Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT

Mat3: Mat3 Desc:

27.0 Formation Top Depth: Formation End Depth: 80.0 Formation End Depth ft

UOM:

Formation ID: 1006879678

Layer: 1 Color: 6

General Color: **BROWN** Mat1: 11

GRAVEL Most Common Material:

Mat2 Desc: Mat3: Mat3 Desc:

Mat2:

Formation Top Depth: 0.0 6.0 Formation End Depth:

Formation End Depth ft

UOM:

Formation ID: 1006879681

 Layer:
 4

 Color:
 2

 General Color:
 GREY

Mat1:

Most Common Material:

Mat2: 06 Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 80.0
Formation End Depth: 96.0
Formation End Depth ft

UOM:

Formation ID: 1006879679

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 27.0
Formation End Depth ft

UOM:

Plug ID: 1006879689

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006879688

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006879677

Casing No: 0

Comment: Alt Name:

Casing ID: 1006879685

Layer: 1 Material: 5

Casing Depth UOM:

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 41.0
Casing Diameter: 4.0
Casing Diameter UOM: inch

Screen ID: 1006879686

ft

Layer: 1 10 Slot: Screen Top Depth: 41.0 Screen End Depth: 101.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006879684

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006879683

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006788073
 Tag No:
 A220855

 Depth M:
 30.7848
 Contractor:
 3413

 Year Completed:
 2017
 Path:
 729\7298512.pdf

 Well Completed Dt:
 2017/03/27
 Latitude:
 43.6902823318115

Audit No: Z251358 Longitude: -79.4750301442289

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
58	S	0.04	40.25	128.88	WWIS

Well ID: 7180626 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: 0 Data Src:

Final Well Status: Test Hole Date Received: 10-May-2012 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z146454
 Contractor:
 7241

 Tag:
 A132417
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date: 2012/02/29
Year Completed: 2012
Depth (m): 3.96

Latitude: 43.6900231907346

Longitude: -79.474503157766

Path:

Bore Hole ID: 1003759020 Elevation:
DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622941.00

 Code OB Desc:
 North83:
 4838576.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 29-Feb-2012 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1004302568

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 2.740000009536743 Formation End Depth: 3.9600000381469727

Formation End Depth

UOM:

Formation ID: 1004302567

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3:

Mat3 Desc:

Formation Top Depth: 1.8300000429153442 Formation End Depth: 2.740000009536743

Formation End Depth m

UOM:

Formation ID: 1004302566

Layer: 1 Color: 6

General Color: BROWN Mat1: 28

Most Common Material: SAND

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 1.8300000429153442

Formation End Depth

UOM:

Plug ID: 1004302577

Layer: 2

Plug From: 0.3100000023841858 Plug To: 0.9100000262260437

Plug Depth UOM: m

Plug ID: 1004302576

Layer: 1
Plug From: 0.0

Plug To: 0.3100000023841858

Plug Depth UOM: m

Plug ID: 1004302578

Layer: 3

Plug From: 0.9100000262260437 Plug To: 3.9600000381469727

Plug Depth UOM: m

Method Construction ID: 1004302575

Method Construction

Code:

Method Construction:

Direct Push

D

Other Method Construction:

Pipe ID: 1004302565

Casing No: 0

Comment: Alt Name:

Casing ID: 1004302571

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0

Depth To: 0.9100000262260437 Casing Diameter: 3.450000047683716

Casing Diameter UOM: cm Casing Depth UOM: m

Screen ID: 1004302572

Layer: 1 Slot: 10

 Screen Top Depth:
 0.9100000262260437

 Screen End Depth:
 3.9600000381469727

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 4.210000038146973

Water ID: 1004302570

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1004302569

Diameter: 5.710000038146973

Depth From: 0.0

Depth To: 3.9600000381469727

Hole Depth UOM: m
Hole Diameter UOM: cm

 Bore Hole ID:
 1003759020
 Tag No:
 A132417

 Depth M:
 3.96
 Contractor:
 7241

Year Completed: 2012

 Well Completed Dt:
 2012/02/29
 Latitude:
 43.6900231907346

 Audit No:
 Z146454
 Longitude:
 -79.474503157766

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB59S0.0441.92128.88WWIS

Path:

Order No: 22090803393p

Well ID: 7261349 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type: Selected Flag: TRUE
Casing Material: Abandonment Rec: Yes

 Audit No:
 Z232338
 Contractor:
 6946

 Tag:
 A132302
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability: Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date: 2016/02/29 Year Completed: 2016

Depth (m):

Latitude: 43.6900135276159 Longitude: -79.4744537698394

Path:

Bore Hole ID: 1005929236 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622945.00

 Code OB Desc:
 North83:
 4838575.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 29-Feb-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment: Supplier Comment:

Plug ID: 1006022615

 Layer:
 1

 Plug From:
 15.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006022614

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006022608

Casing No: 0

Comment: Alt Name:

Casing ID: 1006022612

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0

Depth To: 15.0

Casing Diameter: 2.0

Casing Diameter UOM: inch

Casing Depth UOM: ft

Screen ID: 1006022613

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006022611

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006022610

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Bore Hole ID: 1005929236 Tag No: A132302

Depth M: Contractor: 6946

Year Completed: 2016 Path: 726\7261349.pdf Well Completed Dt: 2016/02/29 Latitude: 43.6900135276159 Longitude: Audit No: Z232338 -79.4744537698394

Map Key DB **Direction** Distance (km) Distance (m) Elevation (m) **WWIS** 60 SSW 0.04 42.44 128.53

Well ID: 7272528 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status: Dewatering

Use 2nd: Data Src:

Final Well Status: Date Received: 03-Oct-2016 00:00:00 Dewatering

Water Type: Selected Flag: **TRUE**

Casing Material: Abandonment Rec:

Audit No: Contractor: 7238 Z232881

Form Version: Tag: A202784

Constructn Method: Owner:

Elevation (m): YORK AND TORONT County:

Elevatn Reliabilty:

Lot:

Concession:

Order No: 22090803393p

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: **TORONTO CITY**

Site Info:

Depth to Bedrock:

PDF URL (Map):

Well Completed Date: 2016/08/30 Year Completed: 2016 27.432 Depth (m):

Latitude: 43.6900358338914 Longitude: -79.4747758182883

Path:

Bore Hole ID: 1006261173 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622919.00

 Code OB Desc:
 North83:
 4838577.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 30-Aug-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1006337583

Layer: 3

Color:

General Color:

Mat1: 28

Most Common Material: SAND

Mat2: 06

Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 40.0
Formation End Depth: 59.0
Formation End Depth ft

UOM:

Formation ID: 1006337581

Layer: 1

Color:

General Color:

Mat1: 01
Most Common Material: FILL

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006337585

Layer: 5

Color:

General Color:

Mat1: 28
Most Common Material: SAND
Mat2: 06
Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 82.0
Formation End Depth: 90.0
Formation End Depth ft

UOM:

Formation ID: 1006337584

Layer: 4

Color:

General Color:

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 12

Mat3 Desc: STONES
Formation Top Depth: 59.0
Formation End Depth: 82.0
Formation End Depth ft

UOM:

Formation ID: 1006337582

Layer: 2

Color:

General Color:

Mat1: 06
Most Common Material: SILT
Mat2: 28
Mat2 Desc: SAND

Mat3: Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 40.0
Formation End Depth ft

UOM:

Plug ID: 1006337594

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Plug ID: 1006337593

 Layer:
 1

 Plug From:
 90.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006337592

Method Construction

Code:

Method Construction: Rotary (Convent.)

Other Method BORING

Construction:

Pipe ID: 1006337580

Casing No: 0

Comment: Alt Name:

Casing ID: 1006337589

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 3.0
Depth To: 22.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006337590

 Layer:
 1

 Slot:
 20

 Screen Top Depth:
 22.0

Screen End Depth: 90.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.25

Water ID: 1006337588

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006337586

Diameter: 10.0
Depth From: 0.0
Depth To: 8.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1006337587

Diameter: 8.0

Depth From: 8.0

Depth To: 90.0

Hole Depth UOM: ft

Hole Diameter UOM: inch

 Bore Hole ID:
 1006261173
 Tag No:
 A202784

 Depth M:
 27.432
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272528.pdf

 Well Completed Dt:
 2016/08/30
 Latitude:
 43.6900358338914

 Audit No:
 Z232881
 Longitude:
 -79.4747758182883

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
60	99///	0.04	42.44	129 52	14/14/16

Order No: 22090803393p

Well ID: 7379604 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status: Yes

Use 2nd: Data Src:

Final Well Status: Date Received: 02-Feb-2021 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z352431
 Contractor:
 6875

 Tag:
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

Bore Hole ID: 1008628852 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622919.00

 Code OB Desc:
 North83:
 4838577.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 14-Dec-2020 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:
Location Source Date:

Improvement Location

Source:

Improvement Location
Method:
Source Revision

Bore Hole ID: 1008628852 Tag No:

Depth M: Contractor: 6875

 Year Completed:
 2020
 Path:

 Well Completed Dt:
 2020/12/14
 Latitude:
 43.6900358338914

Audit No: Z352431 Longitude: -79.4747758182883

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB61SW0.0443.74128.42WWIS

Order No: 22090803393p

Well ID: 7272549 Flowing (Y/N):

Well ID: 7272549 Flowing (Y/N):
Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Comment:

Supplier Comment:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 03-Oct-2016 00:00:00

Water Type: Selected Flag: **TRUE**

Casing Material: Abandonment Rec:

Audit No: Z232884 Contractor: 7238 Form Version: 7 Tag: A185393

Constructn Method: Owner:

YORK AND TORONT Elevation (m): County:

Concession:

Zone:

Elevatn Reliabilty: Lot:

Concession Name: Well Depth: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

UTM Reliability: Clear/Cloudy:

Municipality: **TORONTO CITY** Site Info:

PDF URL (Map):

Static Water Level:

Depth to Bedrock:

Well Completed Date: 2016/09/01 Year Completed: 2016 Depth (m): 27.432

Latitude: 43.6902286580188 Longitude: -79.4750563210018

Path:

Bore Hole ID: 1006261302 Elevation:

DP2BR: Elevrc: Zone: **Spatial Status:**

17 Code OB: East83: 622896.00 Code OB Desc: North83: 4838598.00

Open Hole: Org CS: **UTM83**

UTMRC: Cluster Kind:

UTMRC Desc: Date Completed: 01-Sep-2016 00:00:00 margin of error: 30 m - 100 m

Order No: 22090803393p

Location Method: Remarks: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment: Supplier Comment:

Formation ID: 1006338479

Layer: 4 Color: 2

General Color: GREY Mat1: 28

Most Common Material: SAND Mat2: 06
Mat2 Desc: SILT Mat3: 11

Mat3 Desc: GRAVEL
Formation Top Depth: 71.0
Formation End Depth: 79.0
Formation End Depth ft

UOM:

Formation ID: 1006338477

Layer: 2 2 Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 6.0

Formation End Depth: 56.0 Formation End Depth ft

UOM:

Formation ID: 1006338476

Layer: 1 Color: 6

General Color: BROWN

Mat1: 01
Most Common Material: FILL

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006338480

Layer: 5

Color:

General Color:

Mat1: 10

Most Common Material: COARSE SAND

Mat2: 06 Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 79.0
Formation End Depth: 86.0
Formation End Depth ft

UOM:

Formation ID: 1006338481

Layer: 6

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 86.0 Formation End Depth: 90.0 Formation End Depth ft

UOM:

Formation ID: 1006338478

Layer: 3 Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND Mat3: 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 56.0
Formation End Depth: 71.0
Formation End Depth ft

UOM:

Plug ID: 1006338489

Layer: 1

Plug From: 90.0
Plug To: 20.0
Plug Depth UOM: ft

Plug ID: 1006338490

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006338488

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1006338475

Casing No: 0

Comment: Alt Name:

Casing ID: 1006338485

Layer: 1 Material: 5

Casing Depth UOM:

Open Hole or Material: PLASTIC
Depth From: 3.0
Depth To: 22.0
Casing Diameter: 4.0
Casing Diameter UOM: inch

Screen ID: 1006338486

1 Layer: Slot: 20 Screen Top Depth: 22.0 Screen End Depth: 90.0 Screen Material: 5 ft Screen Depth UOM: Screen Diameter UOM: inch Screen Diameter: 4.25

Water ID: 1006338484

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006338483

Diameter: 8.0
Depth From: 8.0
Depth To: 90.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1006338482

Diameter: 10.0
Depth From: 0.0
Depth To: 8.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006261302
 Tag No:
 A185393

 Depth M:
 27.432
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272549.pdf

 Well Completed Dt:
 2016/09/01
 Latitude:
 43.6902286580188

 Audit No:
 Z232884
 Longitude:
 -79.4750563210018

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
62	WSW	0.05	46.70	128.40	WWIS

Well ID: 7298509 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 03-Nov-2017 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z251370
 Contractor:
 3413

 Tag:
 A220844
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Lot:

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Municipality: TORONTO CITY

Site Info:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7298509.pdf

UTM Reliability:

Well Completed Date: 2017/04/03
Year Completed: 2017
Depth (m): 24.384

Latitude: 43.6902473216859

Longitude: -79.4751054811153

Path: 729\7298509.pdf

Bore Hole ID: 1006788059 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622892.00

 Code OB Desc:
 North83:
 4838600.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 03-Apr-2017 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006879603

Layer: 1 Color: 6

General Color: BROWN Mat1: 11

Most Common Material: GRAVEL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006879606

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 70.0
Formation End Depth: 80.0
Formation End Depth ft

UOM:

Formation ID: 1006879604

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 42.0
Formation End Depth ft

UOM:

Formation ID: 1006879605

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 42.0

Formation End Depth: 70.0 Formation End Depth ft

UOM:

Plug ID: 1006879613

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Plug ID: 1006879614

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 88.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006879612

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1006879602

Casing No: 0

Comment: Alt Name:

Casing ID: 1006879609

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 28.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006879610

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 28.0

 Screen End Depth:
 88.0

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006879608

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006879607

Diameter: Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006788059
 Tag No:
 A220844

 Depth M:
 24.384
 Contractor:
 3413

 Year Completed:
 2017
 Path:
 729\7298509.pdf

 Well Completed Dt:
 2017/04/03
 Latitude:
 43.6902473216859

 Audit No:
 Z251370
 Longitude:
 -79.4751054811153

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
62	WSW	0.05	46.70	128.40	wwis

Well ID: 7298511 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 03-Nov-2017 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z251352
 Contractor:
 3413

 Tag:
 A220865
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

291

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7298511.pdf

Well Completed Date: 2017/03/29
Year Completed: 2017
Depth (m): 26.67

Latitude: 43.6902473216859
Longitude: -79.4751054811153
Path: 729\7298511.pdf

Bore Hole ID: 1006788070 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622892.00

 Code OB Desc:
 North83:
 4838600.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 29-Mar-2017 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006879671

Layer: 1 Color: 6

General Color: BROWN Mat1: 11

Most Common Material: GRAVEL

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 4.0

Formation End Depth

UOM:

ft

Formation ID: 1007974854

3 Layer: Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 21.0 Formation End Depth: 78.0 Formation End Depth ft

UOM:

Formation ID: 1007974855

Layer: 4 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: **CLAY**

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 78.0 Formation End Depth: 87.5 Formation End Depth ft

UOM:

Formation ID: 1007974853

Layer: 2 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: **CLAY**

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 4.0 21.0 Formation End Depth: Formation End Depth UOM:

Plug ID: 1007974858

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 87.5

 Plug Depth UOM:
 ft

Plug ID: 1007974857

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006879676

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1006879670

Casing No: 0

Comment: Alt Name:

Casing ID: 1006879674

Layer: 1
Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 47.5
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006879675

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 7.5

 Screen End Depth:
 87.5

 Screen Material:
 5

 Screen Depth UOM:
 ft

Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006879673

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006879672

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006788070
 Tag No:
 A220865

 Depth M:
 26.67
 Contractor:
 3413

 Year Completed:
 2017
 Path:
 729\7298511.pdf

 Well Completed Dt:
 2017/03/29
 Latitude:
 43.6902473216859

 Audit No:
 Z251352
 Longitude:
 -79.4751054811153

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
63	SSW	0.05	46.74	128.21	WWIS

Well ID: 7180627 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: 0 Date Received: 10-May-2012 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z147053
 Contractor:
 7241

 Tag:
 A128397
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Lot:

Order No: 22090803393p

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date: 2012/02/27 Year Completed: 2012 Depth (m): 4.572

Latitude: 43.6899811668698 Longitude: -79.4747275710417

Path:

Bore Hole ID: 1003759023 Elevation:

DP2BR: Elevrc:

Spatial Status: 17 Zone:

Code OB: East83: 622923.00 Code OB Desc: North83: 4838571.00 Org CS: UTM83 Open Hole:

Cluster Kind: UTMRC: 4

27-Feb-2012 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m Date Completed:

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1004302581

2 Layer: Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28

Mat3:

Mat3 Desc:

Mat2 Desc:

Formation Top Depth: 10.0 Formation End Depth: 15.0 Formation End Depth ft

UOM:

296

SAND

Formation ID: 1004302580

1 Layer: Color: 2 General Color: **GREY** Mat1: 01 Most Common Material: **FILL** Mat2: 28 Mat2 Desc: SAND Mat3: 06 Mat3 Desc: SILT Formation Top Depth: 0.0 Formation End Depth: 10.0

UOM:

Formation End Depth

Plug ID: 1004302588

ft

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 4.0

 Plug Depth UOM:
 ft

Plug ID: 1004302587

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Plug ID: 1004302589

 Layer:
 3

 Plug From:
 4.0

 Plug To:
 15.0

 Plug Depth UOM:
 ft

Method Construction ID: 1004302586

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1004302579

Casing No: 0

Comment:

Alt Name:

Casing ID: 1004302584

Layer: 1 Material: 5

Open Hole or Material: **PLASTIC** Depth From: 0.0 Depth To: 5.0 2.0 Casing Diameter: Casing Diameter UOM: inch Casing Depth UOM: ft

Screen ID: 1004302585

Layer: 1 Slot: 10 Screen Top Depth: 5.0 Screen End Depth: 15.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.25

Water ID: 1004302583

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1004302582

Diameter: 4.5 Depth From: 0.0 Depth To: 15.0 Hole Depth UOM: ft Hole Diameter UOM: inch

Bore Hole ID: 1003759023 Tag No: A128397 Contractor: Depth M: 4.572 7241

Year Completed: 2012 Path:

Well Completed Dt: 2012/02/27 Latitude: 43.6899811668698 Z147053 Audit No: Longitude: -79.4747275710417

DB Map Key **Direction** Distance (km) Distance (m) Elevation (m) Order No: 22090803393p

64 SSW 0.05 47.66 128.21 WWIS

Well ID: 7261347 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type: Selected Flag: TRUE
Casing Material: Abandonment Rec: Yes

 Audit No:
 Z232345
 Contractor:
 6946

 Tag:
 A128380
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

Well Completed Date: 2016/02/29 Year Completed: 2016

Depth (m):

PDF URL (Map):

Latitude: 43.6899816635192 Longitude: -79.4747647831069

Path:

Bore Hole ID: 1005929230 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622920.00

 Code OB Desc:
 North83:
 4838571.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 29-Feb-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location Method: Source Revision Comment:

Supplier Comment:

Plug ID: 1006022589

 Layer:
 1

 Plug From:
 15.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006022588

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006022582

Casing No: 0

Comment: Alt Name:

Casing ID: 1006022586

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0

Depth To: 15.0

Casing Diameter: 2.0

Casing Diameter UOM: inch

Casing Depth UOM: ft

Screen ID: 1006022587

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft

Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006022585

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006022584

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005929230 Tag No: A128380

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7261347.pdf

 Well Completed Dt:
 2016/02/29
 Latitude:
 43.6899816635192

 Audit No:
 Z232345
 Longitude:
 -79.4747647831069

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
65	SSW	0.05	48 93	128 74	WWIS

Well ID: 7272531 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 03-Oct-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z232879
 Contractor:
 7238

 Tag:
 A202799
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

301

PDF URL (Map):

 Well Completed Date:
 2016/08/24

 Year Completed:
 2016

 Depth (m):
 31.0896

Latitude: 43.6899430113692 Longitude: -79.4745672314542

Path:

Bore Hole ID: 1006261185 Elevation:

DP2BR: Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622936.00

 Code OB Desc:
 North83:
 4838567.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 24-Aug-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006337720

Layer: 3

Color:

General Color:

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 38.0
Formation End Depth: 58.0
Formation End Depth ft

UOM:

Formation ID: 1006337718

Layer: 1

Color:

General Color:

Mat1: 01
Most Common Material: FILL

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006337722

Layer: 5

Color:

General Color:

Mat1: 11

Most Common Material: GRAVEL

Mat2: 10

Mat2 Desc: COARSE SAND

Mat3: 06
Mat3 Desc: SILT
Formation Top Depth: 80.0
Formation End Depth: 92.0
Formation End Depth ft

UOM:

Formation ID: 1006337721

Layer: 4

Color:

General Color:

Mat1: 06
Most Common Material: SILT
Mat2: 05
Mat2 Desc: CLAY
Mat3: 11

Mat3 Desc: GRAVEL
Formation Top Depth: 58.0
Formation End Depth: 80.0
Formation End Depth ft

UOM:

Formation ID: 1006337723

Layer: 6

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2:

Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 92.0
Formation End Depth: 102.0
Formation End Depth ft

UOM:

Formation ID: 1006337719

Layer: 2

Color:

General Color:

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 12

Mat3 Desc: STONES
Formation Top Depth: 6.0
Formation End Depth: 38.0
Formation End Depth ft

UOM:

Plug ID: 1006337731

 Layer:
 1

 Plug From:
 102.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Plug ID: 1006337732

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006337730

Method Construction

Code:

Method Construction: Rotary (Convent.)

Other Method BORING

Construction:

Pipe ID: 1006337717

Casing No: 0

Comment: Alt Name:

Casing ID: 1006337727

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 22.0
Depth To: 3.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006337728

1 Layer: Slot: 20 Screen Top Depth: 102.0 Screen End Depth: 22.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.25

Water ID: 1006337726

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006337725

Diameter: 8.0

Depth From: 8.0

Depth To: 102.0

Hole Depth UOM: ft

Hole Diameter UOM: inch

Hole ID: 1006337724

Diameter: 10.0 Depth From: 0.0

Depth To: 8.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006261185
 Tag No:
 A202799

 Depth M:
 31.0896
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272531.pdf

 Well Completed Dt:
 2016/08/24
 Latitude:
 43.6899430113692

 Audit No:
 Z232879
 Longitude:
 -79.4745672314542

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB66S0.0548.98128.82WWIS

Well ID: 7261368 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type: Selected Flag: TRUE
Casing Material: Abandonment Rec: Yes

Audit No: Z232344 Contractor: 6946
Tag: Form Version: 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7261368.pdf

Order No: 22090803393p

Well Completed Date: 2016/02/29 Year Completed: 2016

Depth (m):

Latitude: 43.6899503564138 Longitude: -79.4744429631419 Path: 726\7261368.pdf

Bore Hole ID: 1005929293 Elevation: DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622946.00

 Code OB Desc:
 North83:
 4838568.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 5

Date Completed: 29-Feb-2016 00:00:00 UTMRC Desc: margin of error : 100 m - 300 m

Remarks: Location Method: ww

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment: Supplier Comment:

Plug ID: 1006023344

Layer: 1
Plug From: 0.0
Plug To: 15.0
Plug Depth UOM: ft

Method Construction ID: 1006023343

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006023337

Casing No: 0

Comment: Alt Name:

Casing ID: 1006023341

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 15.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006023342

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006023340

Laver: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1006023339

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Bore Hole ID: 1005929293

Depth M: Contractor: 6946

Path: Year Completed: 2016 726\7261368.pdf Well Completed Dt: 2016/02/29 Latitude: 43.6899503564138 Audit No: Z232344 Longitude: -79.4744429631419

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
67	NNW	0.05	54.18	129.85	WWIS

Tag No:

Order No: 22090803393p

Well ID: 7261354 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Selected Flag: **TRUE** Water Type: Casing Material: Abandonment Rec: Yes 6946

Z140377 Audit No: Contractor:

Tag: A128855 Form Version: 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatin Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

Well Completed Date: 2016/02/29

Year Completed: 2016

Depth (m):

PDF URL (Map):

Latitude: 43.6911257588285 Longitude: -79.4748102338125

Path:

Bore Hole ID: 1005929251 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622914.00

 Code OB Desc:
 North83:
 4838698.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 29-Feb-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Plug ID: 1006022713

 Layer:
 1

 Plug From:
 14.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006022712

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006022706

Casing No: 0

Comment: Alt Name:

Casing ID: 1006022710

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 14.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006022711

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006022709

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006022708

Diameter:

Depth From: Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005929251

Contractor: 6946

A128855

Depth M:

 Year Completed:
 2016
 Path:
 726\7261354.pdf

 Well Completed Dt:
 2016/02/29
 Latitude:
 43.6911257588285

 Audit No:
 Z140377
 Longitude:
 -79.4748102338125

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB68N0.0656.60130.99WWIS

Well ID: 7337152 Flowing (Y/N):

Construction Date:

Flow Rate:

Tag No:

Use 1st: Monitoring

Data Entry Status:

Use 2nd:

Casing Material:

Elevation (m):

Data Src:

Final Well Status: Observation Wells

Date Received: 26-Jun-2019 00:00:00

TRUE

Order No: 22090803393p

Water Type: Selected Flag:

Abandonment Rec:

 Audit No:
 4KTPNBRS

 Tag:
 A271734

Contractor: 6607 Form Version: 9

Owner:

Constructn Method:

County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock:

Concession:

Well Depth:

Concession Name: Easting NAD83:

Overburden/Bedrock: Pump Rate:

Northing NAD83:

Static Water Level:

Zone:

Clear/Cloudy:

UTM Reliability:

Municipality: YORK BOROUGH

Site Info: BH 103; Other Well Owners - PANCHACHARAMOORTHY, R

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7337152.pdf

Well Completed Date: 2019/06/03 Year Completed: 2019 Depth (m): 12.1

Latitude: 43.6912716526986 Longitude: -79.4742729710004 Path: 733\7337152.pdf

Bore Hole ID: 1007507010 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622957.00

 Code OB Desc:
 North83:
 4838715.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 03-Jun-2019 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1007507656

Layer: 3 Color: 6

General Color: BROWN Mat1: 28

Most Common Material: SAND
Mat2: 06
Mat2 Desc: SILT
Mat3: 66

Mat3 Desc: DENSE

Formation Top Depth: 4.800000190734863 Formation End Depth: 11.600000381469727

Formation End Depth m

UOM:

Formation ID: 1007507654

Layer: 1 Color: 6

General Color: BROWN

Mat1: 28
Most Common Material: SAND
Mat2: 11

Mat2 Desc: GRAVEL

Mat3: 01
Mat3 Desc: FILL
Formation Top Depth: 0.0

Formation End Depth: 0.6000000238418579

Formation End Depth m

UOM:

Formation ID: 1007507657

4 Layer: 2 Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND Mat3: 85 Mat3 Desc: **SOFT**

Formation Top Depth: 11.600000381469727 Formation End Depth: 12.100000381469727

Formation End Depth m

UOM:

Formation ID: 1007507655

Layer: 2 Color: 6

General Color: BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 77

 Mat3 Desc:
 LOOSE

Formation Top Depth: 0.6000000238418579 Formation End Depth: 4.800000190734863

m

Formation End Depth

UOM:

Plug ID: 1007508236

Layer: 1
Plug From: 0.0

Plug To: 0.30000001192092896

Plug Depth UOM: m

Plug ID: 1007508148

Layer: 1

Plug From:

Plug To:

Plug Depth UOM: m

Plug ID: 1007508237

Layer: 2

Plug From: 0.30000001192092896

Plug To: 8.5
Plug Depth UOM: m

Method Construction ID: 1007507422

Method Construction

Code:

Method Construction:

Boring

6

Other Method Construction:

Pipe ID: 1007507388

Casing No: 0

Comment: Alt Name:

Casing ID: 1007507873

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0

Depth To: 9.100000381469727 Casing Diameter: 5.099999904632568

Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1007507957

Layer: 1 Slot: 10

 Screen Top Depth:
 9.100000381469727

 Screen End Depth:
 12.100000381469727

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 6.400000095367432

Pump Test ID: 1007507389

Pump Set At: Static Level:

Final Level After Pumping:

Recommended Pump

Depth:

Pumping Rate: Flowing Rate:

Recommended Pump

Rate:

Levels UOM: m
Rate UOM: LPM

Water State After Test

Code:

Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:

Flowing:

Hole ID: 1007508042

Diameter: 21.0 Depth From: 0.0

Depth To: 12.100000381469727

Hole Depth UOM: m
Hole Diameter UOM: cm

 Bore Hole ID:
 1007507010
 Tag No:
 A271734

 Depth M:
 12.1
 Contractor:
 6607

 Year Completed:
 2019
 Path:
 733\7337152.pdf

 Well Completed Dt:
 2019/06/03
 Latitude:
 43.6912716526986

 Audit No:
 4KTPNBRS
 Longitude:
 -79.4742729710004

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
69	SSW	0.06	56.63	128.29	WWIS

Well ID: 7261366 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type:Selected Flag:TRUECasing Material:Abandonment Rec:YesAudit No:Z232337Contractor:6946

Tag: Form Version: 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Order No: 22090803393p

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone: Clear/Cloudy: **UTM Reliability:** YORK BOROUGH Municipality: Site Info: PDF URL (Map): Well Completed Date: 2016/02/29 Year Completed: 2016 Depth (m): Latitude: 43.689881495809 Longitude: -79.4746804646504 Path: Bore Hole ID: Elevation: 1005929287 DP2BR: Elevrc: 17 **Spatial Status:** Zone: Code OB: East83: 622927.00 Code OB Desc: North83: 4838560.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC: 4 UTMRC Desc: Date Completed: 29-Feb-2016 00:00:00 margin of error: 30 m - 100 m Remarks: Location Method: wwr Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Plug ID: 1006023217 Layer: 65.0 Plug From: Plug To: 0.0 Plug Depth UOM: ft

Order No: 22090803393p

Method Construction ID:

1006023216

Method Construction

Code:

Method Construction:

Other Method

Construction:

Pipe ID: 1006023210

Casing No: 0

Comment: Alt Name:

Casing ID: 1006023214

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 65.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006023215

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006023213

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006023212

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005929287

Depth M: Contractor:

Year Completed: 2016 Path:

 Well Completed Dt:
 2016/02/29
 Latitude:
 43.689881495809

 Audit No:
 Z232337
 Longitude:
 -79.4746804646504

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB70NNW0.0656.68129.85WWIS

Tag No:

6946

Order No: 22090803393p

Well ID: 7188179 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Test Hole Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Test Hole Date Received: 27-Sep-2012 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z146136
 Contractor:
 7215

 Tag:
 A128855
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7188179.pdf

Well Completed Date: 2012/07/25
Year Completed: 2012
Depth (m): 3.9624

Latitude: 43.6911610998419 Longitude: -79.4747597041752 Path: 718\7188179.pdf

Bore Hole ID: 1004166636 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622918.00

 Code OB Desc:
 North83:
 4838702.00

Open Hole: Cluster Kind:

Date Completed: 25-Jul-2012 00:00:00

Remarks: Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

25-Jul-2012 00:00:00

Org CS: UTM83 UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Location Method: wwr

Formation ID: 1004459866

Layer: 1 Color: 6

General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 02

Mat2 Desc: TOPSOIL

Mat3: 28

Mat3 Desc: SAND

Formation Top Depth: 0.0

Formation End Depth: 5.0

Formation End Depth ft

UOM:

Formation ID: 1004459867

Layer: 2 Color: 2 General Color: **GREY** Mat1: 28 Most Common Material: SAND Mat2: 05 Mat2 Desc: CLAY Mat3: 06 Mat3 Desc: SILT Formation Top Depth: 5.0 Formation End Depth: 13.0 Formation End Depth ft

Plug ID: 1004459876

Layer: 3
Plug From: 1.0

UOM:

Plug To: 0.0
Plug Depth UOM: ft

Plug ID: 1004459875

 Layer:
 2

 Plug From:
 2.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Plug ID: 1004459874

 Layer:
 1

 Plug From:
 13.0

 Plug To:
 2.0

 Plug Depth UOM:
 ft

Method Construction ID: 1004459873

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1004459865

Casing No: 0

Comment: Alt Name:

Casing ID: 1004459870

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 3.0
Depth To: 0.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1004459871

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 13.0

 Screen End Depth:
 3.0

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.0

Water ID: 1004459869

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1004459868

Diameter: 9.0
Depth From: 13.0
Depth To: 0.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1004166636
 Tag No:
 A128855

 Depth M:
 3.9624
 Contractor:
 7215

 Year Completed:
 2012
 Path:
 718\7188179.pdf

 Well Completed Dt:
 2012/07/25
 Latitude:
 43.6911610998419

 Audit No:
 Z146136
 Longitude:
 -79.4747597041752

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
71	SSW	0.06	57.18	128.29	WWIS

Well ID: 7261367 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type:Selected Flag:TRUECasing Material:Abandonment Rec:YesAudit No:Z232343Contractor:6946Tag:Form Version:7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7261367.pdf

Well Completed Date: 2016/02/29 Year Completed: 2016

Depth (m):

Latitude: 43.6898819924728
Longitude: -79.4747176766533
Path: 726\7261367.pdf

Bore Hole ID: 1005929290 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622924.00

 Code OB Desc:
 North83:
 4838560.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 29-Feb-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location

Method:
Source Revision
Comment:

Supplier Comment:

Plug ID: 1006023235

 Layer:
 1

 Plug From:
 15.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006023234

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006023228 Casing No: 0 Comment: Alt Name: Casing ID: 1006023232 1 Layer: Material: 5 Open Hole or Material: **PLASTIC** Depth From: 0.0 Depth To: 15.0 Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft Screen ID: 1006023233 Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: Water ID: 1006023231 Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: Hole ID: 1006023230 Diameter: Depth From: Depth To: ft Hole Depth UOM: Hole Diameter UOM: inch

Tag No:

Order No: 22090803393p

1005929290

Bore Hole ID:

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7261367.pdf

 Well Completed Dt:
 2016/02/29
 Latitude:
 43.6898819924728

 Audit No:
 Z232343
 Longitude:
 -79.4747176766533

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB72SW0.0657.86128.01WWIS

Flow Rate:

Data Src:

Owner:

Well ID: 7272741 Flowing (Y/N):

Construction Date:

Use 1st: Dewatering Data Entry Status:

Use 2nd:

Final Well Status: Dewatering Date Received: 06-Oct-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z232886
 Contractor:
 7238

 Tag:
 A202798
 Form Version:
 7

Constructn Method:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:
Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date: 2016/09/06 Year Completed: 2016

Depth (m): 26.5176

Latitude: 43.6901131371438 Longitude: -79.4751709227508

Path:

Bore Hole ID: 1006262619 Elevation:
DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622887.00

 Code OB Desc:
 North83:
 4838585.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind:

Date Completed: 06-Sep-2016 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1006395130

4 Layer: 2 Color:

General Color: **GREY** Mat1: 28 Most Common Material: SAND

Mat2: 84 Mat2 Desc: SILTY Mat3: 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 68.0 Formation End Depth: 86.0 Formation End Depth ft

UOM:

Formation ID: 1006395129

3 Layer: Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 81 Mat2 Desc: **SANDY**

Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 46.0 Formation End Depth: 68.0 Formation End Depth ft

UOM:

Formation ID: 1006395131

5 Layer: Color: 2 General Color: **GREY** UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393p

Location Method: wwr

Mat1: 15

LIMESTONE Most Common Material:

Mat2:

Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 86.0 Formation End Depth: 87.0 Formation End Depth ft

UOM:

Formation ID: 1006395127

Layer: Color: 6

General Color: **BROWN**

Mat1: 01 Most Common Material: **FILL**

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth ft

UOM:

Formation ID: 1006395128

Layer: 2 Color: 2 General Color: **GREY** Mat1: 28 Most Common Material: SAND Mat2: Mat2 Desc: SILTY

Mat3: Mat3 Desc:

Formation Top Depth: 6.0 Formation End Depth: 46.0 ft

Formation End Depth

UOM:

Plug ID: 1006395140

2 Layer: Plug From: 20.0 87.0 Plug To: Plug Depth UOM:

Plug ID: 1006395139

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006395138

2

Method Construction

Code:

Method Construction: Rotary (Convent.)

Other Method BORING

Construction:

Pipe ID: 1006395126

Casing No: 0

Comment: Alt Name:

Casing ID: 1006395135

Layer: 1 Material: 7

Open Hole or Material:

Depth From:
-3.0

Depth To:
22.0

Casing Diameter:
4.0

Casing Diameter UOM:

Casing Depth UOM:

ft

Screen ID: 1006395136

Layer: 1 Slot: 0.2 Screen Top Depth: 22.0 Screen End Depth: 87.0 Screen Material: 7 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.25

Water ID: 1006395134

Layer: Kind Code:

327

Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006395132

Diameter: 10.0
Depth From: 0.0
Depth To: 8.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1006395133

Diameter: 8.0

Depth From: 8.0

Depth To: 87.0

Hole Depth UOM: ft

Hole Diameter UOM: inch

 Bore Hole ID:
 1006262619
 Tag No:
 A202798

 Depth M:
 26.5176
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272741.pdf

 Well Completed Dt:
 2016/09/06
 Latitude:
 43.6901131371438

 Audit No:
 Z232886
 Longitude:
 -79.4751709227508

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
73	SSW	0.06	59.67	127.99	WWIS

Well ID: 7180624 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: 0 Date Received: 10-May-2012 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z147061
 Contractor:
 7241

 Tag:
 A128380
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

YORK BOROUGH

Static Water Level:

Zone:

Clear/Cloudy:

UTM Reliability:

Municipality:

Site Info:

PDF URL (Map):

Well Completed Date: 2012/02/28 Year Completed: 2012 Depth (m): 4.2672

Latitude: 43.6898641564163 Longitude: -79.4747305369463

Path:

Bore Hole ID:

1003758807

28-Feb-2012 00:00:00

DP2BR:

Spatial Status:

Code OB:

Code OB Desc: Open Hole: Cluster Kind:

Date Completed:

Remarks:

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment:

Supplier Comment:

Elevrc:

Elevation:

Zone: 17

East83: 622923.00 North83: 4838558.00 Org CS: UTM83

UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Location Method: wwr

Formation ID: 1004302545

Layer: 2 2 Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND

Mat3:

Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 14.0 Formation End Depth

UOM:

329

Formation ID: 1004302544

Layer: 1 Color: 2 General Color: **GREY** Mat1: 01 Most Common Material: **FILL** Mat2: 28 Mat2 Desc: SAND Mat3: 06 Mat3 Desc: SILT Formation Top Depth: 0.0 Formation End Depth: 10.0

UOM:

Formation End Depth

Plug ID: 1004302551

ft

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Plug ID: 1004302553

 Layer:
 3

 Plug From:
 3.0

 Plug To:
 14.0

 Plug Depth UOM:
 ft

Plug ID: 1004302552

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 3.0

 Plug Depth UOM:
 ft

Method Construction ID: 1004302550

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1004302543

Casing No: 0

Comment: Alt Name:

Casing ID: 1004302548

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 4.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1004302549

Layer: 1
Slot: 10
Screen Top Depth: 4.0
Screen End Depth: 14.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.25

Water ID: 1004302547

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1004302546

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1003758807
 Tag No:
 A128380

 Depth M:
 4.2672
 Contractor:
 7241

Year Completed: 2012 Path:

 Well Completed Dt:
 2012/02/28
 Latitude:
 43.6898641564163

 Audit No:
 Z147061
 Longitude:
 -79.4747305369463

Мар Кеу	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
73	SSW	0.06	59.67	127.99	WWIS
Well ID: Construction Date:	71800	625	Flowing (Y/N): Flow Rate:		
Use 1st:			Data Entry Status:		
Use 2nd:			Data Src:		
Final Well Status:	0		Date Received:	10-May-2012 00:00:00	
Water Type:			Selected Flag:	TRUE	
Casing Material:			Abandonment Rec:		
Audit No:	Z147	060	Contractor:	7241	
Tag:	A111	683	Form Version:	7	
Constructn Method:			Owner:		
Elevation (m):			County:	YORK AND TORONT	
Elevatn Reliabilty:			Lot:		
Depth to Bedrock:			Concession:		
Well Depth:			Concession Name:		
Overburden/Bedroc	k:		Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:	YORI	K BOROUGH			
Site Info:					
PDF URL (Map):					
Well Completed Da	te: 2012/	/02/28			
Year Completed:	2012				
Depth (m):	4.267				
Latitude:		98641564163			
Longitude:	-79.4	747305369463			
Path:					
Bore Hole ID:	1003	758934	Elevation:		
DP2BR:	1000	. 5555 1	Elevation.		
Spatial Status:			Zone:	17	
Code OB:			East83:	622923.00	
Code OB Desc:			North83:	4838558.00	
Open Hole:			Org CS:	UTM83	
Cluster Kind:			UTMRC:	4	
Date Completed:	28-Fe	eb-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 10	00 m
Remarks: Elevro Desc:			Location Method:	wwr	

Location Source Date:

Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1004302555

Layer: 1 Color: 2 General Color: **GREY** Mat1: 01 Most Common Material: **FILL** Mat2: 28 Mat2 Desc: SAND Mat3: 06 Mat3 Desc: SILT Formation Top Depth: 0.0 Formation End Depth: 10.0

UOM:

Formation End Depth

Formation ID: 1004302556

ft

2 Layer: Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND

Mat3: Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 14.0 ft

Formation End Depth

UOM:

Plug ID: 1004302563

Layer: Plug From: 1.0 Plug To: 3.0 Plug Depth UOM: ft

Plug ID: 1004302562

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Plug ID: 1004302564

 Layer:
 3

 Plug From:
 3.0

 Plug To:
 14.0

 Plug Depth UOM:
 ft

Method Construction ID: 1004302561

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1004302554

Casing No: 0

Comment: Alt Name:

Casing ID: 1004302559

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 4.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1004302560

1 Layer: Slot: 10 Screen Top Depth: 4.0 Screen End Depth: 14.0 5 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.25

Water ID: 1004302558

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1004302557

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

Bore Hole ID: 1003758934 Tag No: A111683 Depth M: 4.2672 Contractor: 7241

2012 Year Completed:

Well Completed Dt: 2012/02/28 Latitude: 43.6898641564163 Audit No: Z147060 Longitude: -79.4747305369463

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
73	SSW	0.06	59.67	127.99	wwis

Path:

Well ID: 7180628 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Date Received: Final Well Status: 0 10-May-2012 00:00:00

Water Type: Selected Flag: **TRUE**

Casing Material: Abandonment Rec:

Audit No: Z147052 Contractor: 7241 Tag: A108644 Form Version: 7

Constructn Method: Owner:

YORK AND TORONT Elevation (m): County:

Lot:

Order No: 22090803393p

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date: 2012/02/27
Year Completed: 2012
Depth (m): 4.572

Latitude: 43.6898551556121 Longitude: -79.474730765092

Path:

Bore Hole ID: 1003759060 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622923.00

 Code OB Desc:
 North83:
 4838557.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 27-Feb-2012 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1004302592

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3:

Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 15.0 Formation End Depth ft

UOM:

Formation ID: 1004302591

Layer: 1

Color: 2 General Color: **GREY** Mat1: 01 Most Common Material: **FILL** Mat2: 28 Mat2 Desc: SAND Mat3: 06 Mat3 Desc: SILT Formation Top Depth: 0.0 10.0 Formation End Depth: Formation End Depth ft

UOM:

Plug ID: 1004302600

 Layer:
 3

 Plug From:
 4.0

 Plug To:
 15.0

 Plug Depth UOM:
 ft

Plug ID: 1004302598

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Plug ID: 1004302599

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 4.0

 Plug Depth UOM:
 ft

Method Construction ID: 1004302597

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1004302590

Casing No: 0

Comment: Alt Name:

Casing ID: 1004302595

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 5.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1004302596

1 Layer: Slot: 10 Screen Top Depth: 5.0 Screen End Depth: 15.0 5 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.25

Water ID: 1004302594

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1004302593

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1003759060
 Tag No:
 A108644

 Depth M:
 4.572
 Contractor:
 7241

Year Completed: 2012

 Well Completed Dt:
 2012/02/27
 Latitude:
 43.6898551556121

 Audit No:
 Z147052
 Longitude:
 -79.474730765092

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
74	SW	0.06	60.78	128.00	WWIS

Path:

Well ID: 7272742 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st:

Use 2nd:

Data Entry Status:

Data Src:

Final Well Status: 0 Date Received: 06-Oct-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z232885
 Contractor:
 7238

 Tag:
 A202803
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

UTM Reliability:

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Municipality: YORK BOROUGH

Site Info:

Clear/Cloudy:

PDF URL (Map):

Well Completed Date: 2016/09/08
Year Completed: 2016
Depth (m): 26.2128

Latitude: 43.6901227999553 Longitude: -79.4752203108825

Path:

Bore Hole ID: 1006262622 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622883.00

 Code OB Desc:
 North83:
 4838586.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 08-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1006395308

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 81

 Mat2 Desc:
 SANDY

Mat3: Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 22.0
Formation End Depth ft

UOM:

Formation ID: 1006395309

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 84

 Mat2 Desc:
 SILTY

 Mat3:
 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 22.0
Formation End Depth: 77.0
Formation End Depth ft

UOM:

Formation ID: 1006395312

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 86.0 Formation End Depth: 86.0

Formation End Depth

UOM:

ft

Formation ID: 1006395307

Layer: 1 Color: 6

General Color: BROWN

Mat1: 01
Most Common Material: FILL

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006395310

Layer: 4 2 Color: General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 81 Mat2 Desc: SANDY Mat3: 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 77.0
Formation End Depth: 82.0
Formation End Depth ft

UOM:

Formation ID: 1006395311

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 84

 Mat2 Desc:
 SILTY

Mat3: Mat3 Desc:

Formation Top Depth: 82.0
Formation End Depth: 86.0
Formation End Depth ft

UOM:

Plug ID: 1006395319

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Plug ID: 1006395320

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 86.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006395318

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method BORING

Construction:

Pipe ID: 1006395306

Casing No: 0

Comment: Alt Name:

Casing ID: 1006395316

Layer: 1 Material: 7

Open Hole or Material:

Depth From:
-3.0

Depth To:
22.0

Casing Diameter:
4.0

Casing Diameter UOM:

Casing Depth UOM:

ft

Screen ID: 1006395317

 Layer:
 1

 Slot:
 0.2

 Screen Top Depth:
 22.0

 Screen End Depth:
 86.0

 Screen Material:
 7

 Screen Depth UOM:
 ft

Screen Diameter UOM: inch Screen Diameter: 4.25

Water ID: 1006395315

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1006395314

Diameter: 8.0 Depth From: 8.0 Depth To: 86.0 Hole Depth UOM: ft Hole Diameter UOM: inch

Hole ID: 1006395313

Diameter: 10.0 Depth From: 0.0 Depth To: 8.0 Hole Depth UOM: ft Hole Diameter UOM: inch

Tag No: Bore Hole ID: 1006262622 A202803 Depth M: 26.2128 Contractor: 7238

Year Completed: Path: 2016 727\7272742.pdf Well Completed Dt: 2016/09/08 Latitude: 43.6901227999553 Audit No: Z232885 Longitude: -79.4752203108825

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
75	WSW	0.06	61.73	128.60	wwis

Order No: 22090803393p

Well ID: 7289117 Flowing (Y/N): Construction Date:

Flow Rate:

Use 1st: Data Entry Status: Dewatering

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 26-Jun-2017 00:00:00

Water Type: Selected Flag: **TRUE**

Abandonment Rec: Casing Material:

Audit No: Z245126 Contractor: 3413 7 Tag: A215324 Form Version:

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7289117.pdf

Well Completed Date: 2016/11/04
Year Completed: 2016
Depth (m): 15.5448

Latitude: 43.6904038108371
Longitude: -79.4753620898587
Path: 728\7289117.pdf

Bore Hole ID: 1006576887 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622871.00

 Code OB Desc:
 North83:
 4838617.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 04-Nov-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment: Supplier Comment:

Formation ID: 1006802568

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

CLAY

Mat2: 26 Mat2 Desc: ROCK

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 20.0
Formation End Depth ft

UOM:

Formation ID: 1006802569

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

Most Common Material:

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 20.0
Formation End Depth: 51.0
Formation End Depth ft

UOM:

Plug ID: 1006802577

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 51.0

 Plug Depth UOM:
 ft

Plug ID: 1006802576

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006802575

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006802567

Casing No:

Comment: Alt Name:

Casing ID: 1006802572

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006802573

Layer: 1 Slot: 10 Screen Top Depth: 25.0 Screen End Depth: 51.0 5 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006802571

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006802570

Diameter: 8.0
Depth From: 0.0
Depth To: 51.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006576887
 Tag No:
 A215324

 Depth M:
 15.5448
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 728\7289117.pdf

 Well Completed Dt:
 2016/11/04
 Latitude:
 43.6904038108371

 Audit No:
 Z245126
 Longitude:
 -79.4753620898587

Мар Кеу	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
76	W	0.06	61.82	128.62	WWIS
Wall ID:	7200	E40	Flouring (V/N)		
Well ID:	7298	010	Flowing (Y/N): Flow Rate:		
Construction Date Use 1st:		atoring	Data Entry Status:		
Use 2nd:	Dewa	atering	Data Entry Status. Data Src:		
Final Well Status	· Dows	atering	Date Received:	03-Nov-2017 00:00:00	
Water Type:	. Dewa	itering	Selected Flag:	TRUE	
Casing Material:			Abandonment Rec:	TRUE	
Audit No:	Z251:	371	Contractor:	3413	
Tag:	A220		Form Version:	7	
Constructn Metho		040	Owner:	,	
Elevation (m):	ou.		County:	YORK AND TORONT	
Elevato Reliabilty	<i>r</i> -		Lot:	TOTAL TOTAL	
Depth to Bedrock			Concession:		
Well Depth:			Concession Name:		
Overburden/Bedi	rock:		Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Leve	el:		Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:	TORG	ONTO CITY	• · · · · · · · · · · · · · · · · · · ·		
Site Info:	_				
PDF URL (Map):	https:	//d2khazk8e83rdv.cloud	front.net/moe_mapping/downl	oads/2Water/Wells_pdfs/729\729	8518.pdf
Well Completed I	Date: 2017	/04/03			
Year Completed:	2017				
Depth (m):	26.82	224			
Latitude:	43.69	05214832427			
Longitude:	-79.4	754087416728			
Path:	729\7	'298518.pdf			
Doro Hele ID:	4000	700004	Florestica		
Bore Hole ID:	1006	788091	Elevation:		
DP2BR:			Elevro:	47	
Spatial Status:			Zone:	17	
Code OB:			East83:	622867.00	
Code OB Desc:			North83:	4838630.00	
Open Hole:			Org CS:	UTM83	
Cluster Kind:			UTMRC:	4	

UTMRC Desc:

Location Method:

margin of error: 30 m - 100 m

Order No: 22090803393p

wwr

03-Apr-2017 00:00:00

Remarks:

Elevrc Desc:

Date Completed:

Location Source Date:

Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1006880153

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3:

Mat3 Desc:

Formation Top Depth: 42.0
Formation End Depth: 80.0
Formation End Depth ft

UOM:

Formation ID: 1006880151

Layer: 1 Color: 6

General Color: BROWN Mat1: 11

Most Common Material: GRAVEL

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006880152

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 42.0
Formation End Depth ft

UOM:

Formation ID: 1006880154

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 80.0
Formation End Depth: 88.0
Formation End Depth ft

UOM:

Plug ID: 1006880161

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Plug ID: 1006880162

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 88.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006880160

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1006880150

Casing No: 0

Comment: Alt Name:

Casing ID: 1006880157

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 28.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006880158

Layer: 1 Slot: 10 Screen Top Depth: 28.0 Screen End Depth: 88.0 5 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006880156

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1006880155

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006788091
 Tag No:
 A220843

 Depth M:
 26.8224
 Contractor:
 3413

 Year Completed:
 2017
 Path:
 729\7298518.pdf

 Well Completed Dt:
 2017/04/03
 Latitude:
 43.6905214832427

 Audit No:
 Z251371
 Longitude:
 -79.4754087416728

Map Key Direction Distance (km) Distance (m) Elevation (m) DB

77 SSW 0.06 62.12 128.29 WWIS

Well ID: 7185114 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status: Yes

Use 2nd: Data Src:

Final Well Status: Date Received: 09-Aug-2012 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 M01980
 Contractor:
 6032

 Tag:
 A116450
 Form Version:
 5

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7185114.pdf

Well Completed Date: 2012/02/18
Year Completed: 2012

Depth (m):

Latitude: 43.6898268287489 Longitude: -79.4746322176114 Path: 718\7185114.pdf

Bore Hole ID: 1004102030 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622931.00

 Code OB Desc:
 North83:
 4838554.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC:

Date Completed: 18-Feb-2012 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location Method: Source Revision

Comment:

Supplier Comment:

Bore Hole ID: 1004102030 Tag No: A116450

Depth M: Contractor: 6032

 Year Completed:
 2012
 Path:
 718\7185114.pdf

 Well Completed Dt:
 2012/02/18
 Latitude:
 43.6898268287489

 Audit No:
 M01980
 Longitude:
 -79.4746322176114

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB78WSW0.0663.12128.35WWIS

Well ID: 7276452 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 05-Dec-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245129
 Contractor:
 3413

 Tag:
 A215314
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276452.pdf

Order No: 22090803393p

Well Completed Date: 2016/10/28
Year Completed: 2016
Depth (m): 15.24

Latitude: 43.6903316389041 Longitude: -79.4753515102032 Path: 727\7276452.pdf

Bore Hole ID: 1006300995 Elevation: DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622872.00

 Code OB Desc:
 North83:
 4838609.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 28-Oct-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment:

Supplier Comment:

Formation ID: 1006468905

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

Mat3: 85

Mat3 Desc: SOFT

Formation Top Depth: 22.0

Formation End Depth: 50.0

Formation End Depth ft

UOM:

Formation ID: 1006468904

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 26

 Mat2 Desc:
 ROCK

Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 22.0
Formation End Depth ft

UOM:

Plug ID: 1006468913

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 50.0

 Plug Depth UOM:
 ft

Plug ID: 1006468912

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006468911

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1006468903

Casing No: 0

Comment: Alt Name:

Casing ID: 1006468908

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006468909

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

 Screen End Depth:
 50.0

 Screen Material:
 5

 Screen Depth UOM:
 ft

Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006468907

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006468906

Diameter: 8.0
Depth From: 0.0
Depth To: 50.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006300995
 Tag No:
 A215314

 Depth M:
 15.24
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276452.pdf

 Well Completed Dt:
 2016/10/28
 Latitude:
 43.6903316389041

 Audit No:
 Z245129
 Longitude:
 -79.4753515102032

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
79	WSW	0.06	63.66	128.33	WWIS

Well ID: 7201493 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Test Hole Data Entry Status:

Use 2nd: Data Src:

Se ziiu. Dala Si

Final Well Status: Test Hole Date Received: 14-May-2013 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z146207
 Contractor:
 7215

 Tag:
 A136186
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Lot:

Order No: 22090803393p

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7201493.pdf

Well Completed Date: 2012/08/24 Year Completed: 2012

Depth (m):

Latitude: 43.6903769739024 Longitude: -79.4753751781321 Path: 720\7201493.pdf

Bore Hole ID: 1004297096 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622870.00

 Code OB Desc:
 North83:
 4838614.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 24-Aug-2012 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Plug ID: 1004817725

 Layer:
 2

 Plug From:
 4.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Plug ID: 1004817724

Layer: 1
Plug From: 15.0
Plug To: 4.0
Plug Depth UOM: ft

Plug ID: 1004817726

 Layer:
 3

 Plug From:
 1.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1004817723

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1004817716

Casing No: 0

Comment: Alt Name:

Casing ID: 1004817720

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 5.0
Depth To: 0.0
Casing Diameter: 2.0
Casing Diameter UOM: inch

Casing Depth UOM: ft

Screen ID: 1004817721

Layer: 1 Slot: 10 Screen Top Depth: 15.0 Screen End Depth: 5.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.0

Water ID: 1004817719

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1004817718

Diameter: 9.0

Depth From: 15.0

Depth To: 0.0

Hole Depth UOM: ft

Hole Diameter UOM: inch

Bore Hole ID: 1004297096 Tag No: A136186

Depth M: Contractor: 7215

 Year Completed:
 2012
 Path:
 720\7201493.pdf

 Well Completed Dt:
 2012/08/24
 Latitude:
 43.6903769739024

 Audit No:
 Z146207
 Longitude:
 -79.4753751781321

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB79WSW0.0663.66128.33WWIS

Well ID: 7276453 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: 0 Date Received: 05-Dec-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245130
 Contractor:
 3413

 Tag:
 A215319
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276453.pdf

Order No: 22090803393p

Well Completed Date: 2016/10/12 Year Completed: 2016

Depth (m): Latitude: 43.6903861401906 Longitude: -79.4753873541874 Path: 727\7276453.pdf Bore Hole ID: 1006300998 Elevation: DP2BR: Elevrc: **Spatial Status:** Zone: 17 Code OB: East83: 622869.00 Code OB Desc: North83: 4838615.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC: 4 Date Completed: 12-Oct-2016 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m Remarks: Location Method: wwr Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: **Supplier Comment:** Formation ID: 1006468929 Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth ft UOM: Method Construction ID: 1006468934 Method Construction Code: Method Construction:

Order No: 22090803393p

Other Method Construction:

Pipe ID: 1006468928

Casing No: 0 Comment: Alt Name: Casing ID: 1006468932 Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: inch Casing Depth UOM: ft Screen ID: 1006468933 Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: Water ID: 1006468931 Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: Hole ID: 1006468930 Diameter: Depth From: Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch Bore Hole ID: 1006300998 Tag No: A215319 Contractor: Depth M: 3413 Year Completed: 2016 Path: 727\7276453.pdf Well Completed Dt: 2016/10/12 Latitude: 43.6903861401906

Audit No:	<i>7</i> 245130	Longitude:	-79 4753873541874

Мар Кеу	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
79	WSW	0.06	63.66	128.33	WWIS
Wall ID:	7202	21.40	Flowing (V/N):		

Well ID: 7202149 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Data Entry Status: Yes

Use 2nd: Data Src:

Final Well Status: Date Received: 28-May-2013 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 C19319
 Contractor:
 7215

 Tag:
 A136186
 Form Version:
 8

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7202149.pdf

Well Completed Date: 2012/10/24 Year Completed: 2012

Depth (m):

Latitude: 43.6903859747085

Longitude: -79.4753749500786

Path: 720\7202149.pdf

Bore Hole ID: 1004313534 Elevation:
DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622870.00

 Code OB Desc:
 North83:
 4838615.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 24-Oct-2012 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Bore Hole ID: 1004313534 Tag No: A136186

Depth M: Contractor: 7215

 Year Completed:
 2012
 Path:
 720\7202149.pdf

 Well Completed Dt:
 2012/10/24
 Latitude:
 43.6903859747085

 Audit No:
 C19319
 Longitude:
 -79.4753749500786

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
80	WSW	0.06	64.01	128.33	WWIS

Well ID: 7289119 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 26-Jun-2017 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245147
 Contractor:
 3413

 Tag:
 A215344
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7289119.pdf

Order No: 22090803393p

Well Completed Date: 2016/11/06
Year Completed: 2016
Depth (m): 15.5448

Latitude: 43.690422308896

Longitude: -79.4753988460959 Path: 728\7289119.pdf

Bore Hole ID: 1006577132 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622868.00

 Code OB Desc:
 North83:
 4838619.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 06-Nov-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1006802666

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 20.0
Formation End Depth: 51.0
Formation End Depth ft

UOM:

Formation ID: 1006802665

Layer: 1
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 12

Mat2 Desc: STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 20.0
Formation End Depth ft

UOM:

Plug ID: 1006802673

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Plug ID: 1006802674

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 51.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006802672

Method Construction

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006802664

Casing No: 0

Comment: Alt Name:

Casing ID: 1006802669

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006802670

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 51.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006802668

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006802667

Diameter: 8.0
Depth From: 0.0
Depth To: 51.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006577132
 Tag No:
 A215344

 Depth M:
 15.5448
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 728\7289119.pdf

 Well Completed Dt:
 2016/11/06
 Latitude:
 43.690422308896

 Audit No:
 Z245147
 Longitude:
 -79.4753988460959

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
81	WSW	0.06	64.45	128.05	wwis

Well ID: 7289116 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 26-Jun-2017 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245134
 Contractor:
 3413

 Tag:
 A215320
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Lot:

Order No: 22090803393p

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone: Clear/Cloudy: **UTM Reliability:** YORK BOROUGH Municipality: Site Info: PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7289116.pdf Well Completed Date: 2016/11/08 2016 Year Completed: Depth (m): 15.5448 Latitude: 43.690349971484 Longitude: -79.4753758622921 Path: 728\7289116.pdf Elevation: Bore Hole ID: 1006576859 DP2BR: Elevrc: **Spatial Status:** Zone: 17 Code OB: East83: 622870.00 Code OB Desc: North83: 4838611.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC: 3 Date Completed: 08-Nov-2016 00:00:00 UTMRC Desc: margin of error: 10 - 30 m Remarks: Location Method: gis Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Formation ID: 1006802180 2 Layer: 2 Color: General Color: **GREY** Mat1:

Order No: 22090803393p

05 **CLAY**

Most Common Material: Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 20.0

Formation End Depth: 51.0 Formation End Depth ft

UOM:

Formation ID: 1006802179

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

Mat2 Desc: STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 20.0
Formation End Depth ft

UOM:

Plug ID: 1006802188

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 51.0

 Plug Depth UOM:
 ft

Plug ID: 1006802187

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006802186

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1006802178

Casing No: 0

Comment: Alt Name:

Casing ID: 1006802183

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006802184

Layer: 1 Slot: 10 Screen Top Depth: 25.0 Screen End Depth: 51.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006802182

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006802181

Diameter: 8.0
Depth From: 0.0
Depth To: 51.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006576859
 Tag No:
 A215320

 Depth M:
 15.5448
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 728\7289116.pdf

 Well Completed Dt:
 2016/11/08
 Latitude:
 43.690349971484

 Audit No:
 Z245134
 Longitude:
 -79.4753758622921

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
82	W	0.07	65.12	128.62	WWIS

Well ID: 7289118 Flowing (Y/N):

Construction Date:

Flow Rate: Data Entry Status:

Use 1st: **Domestic**

Dewatering Data Src:

Final Well Status:

Use 2nd:

Date Received: 26-Jun-2017 00:00:00

Dewatering Water Type:

TRUE Selected Flag:

Casing Material:

3413 Contractor:

Audit No: Z245146 Tag: A201830

Owner:

Form Version:

Abandonment Rec:

Constructn Method: Elevation (m):

YORK AND TORONT County:

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Zone:

Static Water Level:

UTM Reliability: Clear/Cloudy:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7289118.pdf

Well Completed Date: 2012/11/18 Year Completed: 2012 15.5448 Depth (m):

Latitude: 43.6904768101682 Longitude: -79.475434690175 Path: 728\7289118.pdf

Bore Hole ID: 1006577053 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

Code OB: East83: 622865.00 Code OB Desc: North83: 4838625.00 Open Hole: Org CS: UTM83

UTMRC: Cluster Kind:

Date Completed: 18-Nov-2012 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Location Method: Remarks: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

erisinfo.com Environmental Risk Information Services

Supplier Comment:

Formation ID: 1006802653

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

Mat2 Desc: STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 18.0
Formation End Depth ft

UOM:

Formation ID: 1006802654

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 18.0
Formation End Depth: 51.0
Formation End Depth ft

UOM:

Plug ID: 1006802662

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Plug ID: 1006802663

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 51.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006802661

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006802652

Casing No: 0

Comment: Alt Name:

Casing ID: 1006802657

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006802658

1 Layer: Slot: 10 Screen Top Depth: 25.0 Screen End Depth: 51.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006802656

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006802655

Diameter: 8.0
Depth From: 0.0

Depth To: 51.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006577053
 Tag No:
 A201830

 Depth M:
 15.5448
 Contractor:
 3413

 Year Completed:
 2012
 Path:
 728\7289118.pdf

 Well Completed Dt:
 2012/11/18
 Latitude:
 43.6904768101682

 Audit No:
 Z245146
 Longitude:
 -79.475434690175

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB83WSW0.0765.58128.13WWIS

Well ID: 7276446 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 05-Dec-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245132
 Contractor:
 3413

 Tag:
 A215318
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276446.pdf

Order No: 22090803393p

Well Completed Date: 2016/10/02
Year Completed: 2016
Depth (m): 30.48

Latitude: 43.6902416308425 Longitude: -79.4753537907647 Path: 727\7276446.pdf

Bore Hole ID: 1006300977 Elevation: DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622872.00

 Code OB Desc:
 North83:
 4838599.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 02-Oct-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: ww

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006468803

Layer: 5 Color: 2 General Color: **GREY** Mat1: 28 Most Common Material: SAND Mat2: 26 Mat2 Desc: **ROCK** Mat3: 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 82.0
Formation End Depth: 91.0
Formation End Depth ft

UOM:

Formation ID: 1006468800

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 34.0
Formation End Depth: 61.0
Formation End Depth ft

UOM:

Formation ID: 1006468802

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 69.0 Formation End Depth: 82.0 Formation End Depth ft

UOM:

Formation ID: 1006468799

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

Mat2 Desc: STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 34.0
Formation End Depth ft

UOM:

Formation ID: 1006468801

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3:

Mat3 Desc:

Formation Top Depth: 61.0
Formation End Depth: 69.0
Formation End Depth ft

UOM:

Formation ID: 1006468804

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

Mat2:

Mat2 Desc:

Mat3: 71

Mat3 Desc: FRACTURED

Formation Top Depth: 91.0
Formation End Depth: 100.0
Formation End Depth ft

UOM:

Plug ID: 1006468812

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 100.0

 Plug Depth UOM:
 ft

Plug ID: 1006468811

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006468810

Method Construction

Code:

Method Construction: Other Method
Other Method AIR ROTARY

Construction:

Pipe ID: 1006468798

Casing No: 0

Comment: Alt Name:

Casing ID: 1006468807

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006468808

Layer: 1
Slot: 10
Screen Top Depth: 25.0
Screen End Depth: 100.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006468806

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ff

Hole ID: 1006468805

Diameter: 8.0

Depth From: 0.0

Depth To: 100.0

Hole Depth UOM: ft

Hole Diameter UOM: inch

 Bore Hole ID:
 1006300977
 Tag No:
 A215318

 Depth M:
 30.48
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276446.pdf

 Well Completed Dt:
 2016/10/02
 Latitude:
 43.6902416308425

 Audit No:
 Z245132
 Longitude:
 -79.4753537907647

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
83	WSW	0.07	65.58	128.13	WWIS

Order No: 22090803393p

Well ID: 7301929 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 21-Dec-2017 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z254859
 Contractor:
 7607

 Tag:
 A223693
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

Well Completed Date: 2017/11/27

Year Completed: 2017
Depth (m): 27

Latitude: 43.6902414653572 Longitude: -79.4753413866859

Path:

PDF URL (Map):

Bore Hole ID: 1006926199 Elevation:

DP2BR: Elevro:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622873.00

 Code OB Desc:
 North83:
 4838599.00

Open Hole: Org CS: UTM83

Cluster Kind: UTMRC: 4

Date Completed: 27-Nov-2017 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: cnrev

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1007090060

Layer: 4 2 Color:

General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 05 Mat2 Desc: CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 25.0 Formation End Depth: 27.0 Formation End Depth

UOM:

Formation ID: 1007090057

Layer: 1 Color: 8 General Color: **BLACK** Mat1: 02

Most Common Material: **TOPSOIL**

Mat2: 12

Mat2 Desc: **STONES**

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 3.0 Formation End Depth m

UOM:

Formation ID: 1007090058

2 Layer: Color:

General Color: **BROWN** Mat1: 06 Most Common Material: SILT Mat2: 11

Mat2 Desc: **GRAVEL**

Mat3: 77 Mat3 Desc: LOOSE Formation Top Depth: 3.0 Formation End Depth: 10.0 Formation End Depth

UOM:

Formation ID: 1007090059

m

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3: Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 25.0 Formation End Depth m

UOM:

Plug ID: 1007090067

 Layer:
 2

 Plug From:
 8.0

 Plug To:
 27.0

 Plug Depth UOM:
 m

Plug ID: 1007090066

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 8.0

 Plug Depth UOM:
 m

Method Construction ID: 1007090065

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1007090056

Casing No: 0

Comment: Alt Name:

Casing ID: 1007090063

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 9.0

Casing Diameter: 10.0
Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1007090064

Layer: 1 Slot: .5 Screen Top Depth: 9.0 Screen End Depth: 27.0 Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: 10.0

Water ID: 1007090062

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1007090061

Diameter:
Depth From:
Depth To:

Hole Depth UOM: m
Hole Diameter UOM: cm

 Bore Hole ID:
 1006926199
 Tag No:
 A223693

 Depth M:
 27
 Contractor:
 7607

Year Completed: 2017 Path:

 Well Completed Dt:
 2017/11/27
 Latitude:
 43.6902414653572

 Audit No:
 Z254859
 Longitude:
 -79.4753413866859

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
84	WSW	0.07	65.84	128.35	WWIS

Order No: 22090803393p

Well ID: 7276445 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 05-Dec-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245128
 Contractor:
 3413

 Tag:
 A215326
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276445.pdf

Well Completed Date: 2016/10/14
Year Completed: 2016
Depth (m): 26.5176

 Latitude:
 43.6902777995515

 Longitude:
 -79.4753652826277

 Path:
 727√7276445.pdf

Bore Hole ID: 1006300974 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622871.00

 Code OB Desc:
 North83:
 4838603.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC:

Date Completed: 14-Oct-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1006468782

Layer: 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 67.0
Formation End Depth: 80.0
Formation End Depth ft

UOM:

Formation ID: 1006468780

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

 Most 2 Dass:
 STONE

Mat2 Desc: STONES

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 22.0
Formation End Depth ft

UOM:

Formation ID: 1006468783

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 11

 Most Common Material:
 GRAVEL

Mat2: 12

viatz.

Mat2 Desc: STONES

Mat3: Mat3 Desc:

Formation Top Depth: 80.0 Formation End Depth: 87.0 Formation End Depth ft

UOM:

Formation ID: 1006468781

Layer: 2 Color: 2

General Color: GREY
Mat1: 05
Most Common Material: CLAY

Mat2:

Mat2 Desc:

Mat3: 85

Mat3 Desc: SOFT

Formation Top Depth: 22.0

Formation End Depth: 67.0

Formation End Depth ft

UOM:

Plug ID: 1006468791

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 87.0

 Plug Depth UOM:
 ft

Plug ID: 1006468790

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006468789

Method Construction

Code:

Method Construction: Other Method
Other Method AIR ROTARY

Construction:

Pipe ID: 1006468779

Casing No:

Comment: Alt Name:

Casing ID: 1006468786

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch

Casing Depth UOM: ft

Screen ID: 1006468787

Layer: 1 Slot: 10 Screen Top Depth: 25.0 Screen End Depth: 87.0 Screen Material: 5 ft Screen Depth UOM: Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006468785

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006468784

Diameter: 8.0
Depth From: 0.0
Depth To: 87.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006300974
 Tag No:
 A215326

 Depth M:
 26.5176
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276445.pdf

 Well Completed Dt:
 2016/10/14
 Latitude:
 43.6902777995515

 Audit No:
 Z245128
 Longitude:
 -79.4753652826277

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
85	WSW	0.07	73.31	128.09	WWIS

Order No: 22090803393p

Well ID: 7276448 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 05-Dec-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245133
 Contractor:
 3413

 Tag:
 A215333
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:
Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276448.pdf

Well Completed Date: 2016/10/02
Year Completed: 2016
Depth (m): 25.908

Latitude: 43.6903877949375

Longitude: -79.4755113952813

Path: 727\7276448.pdf

Bore Hole ID: 1006300983 Elevation:

DP2BR: Elevro: Spatial Status: Zone:

 Code OB:
 East83:
 622859.00

 Code OB Desc:
 North83:
 4838615.00

Open Hole: Org CS: UTM83

Cluster Kind: UTMRC: 4

Date Completed: 02-Oct-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

17

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1006468829

 Layer:
 2

 Color:
 2

 General Color:
 GREY

Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 42.0 Formation End Depth: 65.0 Formation End Depth ft

UOM:

Formation ID: 1006468830

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 65.0
Formation End Depth: 85.0
Formation End Depth ft

UOM:

Formation ID: 1006468828

 Layer:
 1

 Color:
 2

 General Color:
 GREY

Mat1:

Most Common Material:

Mat2: Mat2 Desc:

Mat3: 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0
Formation End Depth: 42.0
Formation End Depth ft

UOM:

Plug ID: 1006468837

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Plug ID: 1006468838

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 85.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006468836

Method Construction

Code:

Method Construction:

Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1006468827

Casing No: 0

Comment: Alt Name:

Casing ID: 1006468833

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006468834

Layer: 1 10 Slot: Screen Top Depth: 25.0 Screen End Depth: 85.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006468832

Layer: Kind Code:

Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006468831

Diameter: 8.0
Depth From: 0.0
Depth To: 85.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006300983
 Tag No:
 A215333

 Depth M:
 25.908
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276448.pdf

 Well Completed Dt:
 2016/10/02
 Latitude:
 43.6903877949375

 Audit No:
 Z245133
 Longitude:
 -79.4755113952813

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
85	WSW	0.07	73.31	128.09	WWIS

Well ID: 7276449 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: 0 Date Received: 05-Dec-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245131
 Contractor:
 3413

 Tag:
 A215332
 Form Version:
 7

Constructn Method:

Elevation (m): YORK AND TORONT

Owner:

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276449.pdf

Well Completed Date: 2016/10/02
Year Completed: 2016
Depth (m): 25.908

Latitude: 43.6903876294689
Longitude: -79.4754989911714
Path: 727\7276449.pdf

Bore Hole ID: 1006300986 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622860.00

 Code OB Desc:
 North83:
 4838615.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 02-Oct-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006468846

Layer: 1
Color: 2
General Color: GREY

Mat1:

Most Common Material:

Mat2: Mat2 Desc:

Mat3: 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006468847

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 65.0
Formation End Depth ft

UOM:

Formation ID: 1006468848

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 65.0
Formation End Depth: 85.0
Formation End Depth ft

UOM:

Plug ID: 1006468855

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Plug ID: 1006468856

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 85.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006468854

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006468845

Casing No:

Comment: Alt Name:

Casing ID: 1006468851

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006468852

1 Layer: Slot: 10 Screen Top Depth: 25.0 Screen End Depth: 85.0 5 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006468850

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006468849

Diameter: 8.0
Depth From: 0.0
Depth To: 85.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006300986
 Tag No:
 A215332

 Depth M:
 25.908
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276449.pdf

 Well Completed Dt:
 2016/10/02
 Latitude:
 43.6903876294689

 Audit No:
 Z245131
 Longitude:
 -79.4754989911714

Мар Кеу	Direction	n Distance (km)	Distance (m)	Elevation (m)	DB
86	SW	0.08	75.09	127.44	WWIS
Well ID:	72	272745	Flowing (Y/N):		
Construction Date	:		Flow Rate:		
Use 1st:	De	ewatering	Data Entry Status:		
Use 2nd:			Data Src:		
Final Well Status:	De	ewatering	Date Received:	06-Oct-2016 00:00:00	
Water Type:			Selected Flag:	TRUE	
Casing Material:			Abandonment Rec:		
Audit No:		232889	Contractor:	7238	
Tag:	A2	202804	Form Version:	7	
Constructn Method	d:		Owner:		
Elevation (m):			County:	YORK AND TORONT	
Elevatn Reliabilty:			Lot:		
Depth to Bedrock:			Concession:		
Well Depth:			Concession Name:		
Overburden/Bedro	ock:		Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level	l:		Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:	Y	ORK BOROUGH			
Site Info:					
PDF URL (Map):					
Well Completed D	rate: 20	016/09/12			
Year Completed:		016			
Depth (m):		3.3652			
Latitude:		3.689998112613			
Longitude:	-7	9.4753227361419			
Path:					
Bore Hole ID:	10	006262631	Elevation:		
DP2BR:			Elevrc:		
Spatial Status:			Zone:	17	
Code OB:			East83:	622875.00	
Code OB Desc:			North83:	4838572.00	
Open Hole:			Org CS:	UTM83	
Cluster Kind:			UTMRC:	4	
Date Completed:	12	2-Sep-2016 00:00:00	UTMRC Desc:	margin of error : 30 m - 10	00 m
Remarks:			Location Method:	wwr	
Elevrc Desc:					

Location Source Date:

Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1006395399

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 10

Most Common Material: COARSE SAND

Mat2: 08

Mat2 Desc: FINE SAND

Mat3: 06
Mat3 Desc: SILT
Formation Top Depth: 6.0
Formation End Depth: 75.0
Formation End Depth ft

UOM:

Formation ID: 1006395398

Layer: 1 Color: 6

General Color: BROWN

Mat1: 01
Most Common Material: FILL

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006395400

Layer: 3

Color:

General Color:

Mat1: 10

Most Common Material: COARSE SAND

Mat2: 06 Mat2 Desc: SILT

Mat3:

Mat3 Desc:

75.0 Formation Top Depth: Formation End Depth: 85.0 Formation End Depth ft

UOM:

Formation ID: 1006395401

4 Layer:

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 85.0 Formation End Depth: 86.5 Formation End Depth ft

UOM:

Plug ID: 1006395410

2 Layer: Plug From: 20.0 86.5 Plug To: Plug Depth UOM: ft

Plug ID: 1006395409

Layer: 1 0.0 Plug From: 20.0 Plug To: Plug Depth UOM: ft

Method Construction ID: 1006395408

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1006395397

0 Casing No:

Comment: Alt Name:

Casing ID: 1006395405

Layer: 1 Material: 7

Open Hole or Material:

Depth From:

Depth To:

Casing Diameter:

Casing Diameter UOM:

Casing Depth UOM:

OTHER

-3.0

4.0

the control of t

Screen ID: 1006395406

Layer: 1
Slot: 0.2
Screen Top Depth: 22.0
Screen End Depth: 86.5
Screen Material: 7
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.25

Water ID: 1006395404

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006395403

Diameter: 8.0
Depth From: 8.0
Depth To: 86.5
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1006395402

Diameter: 10.0
Depth From: 0.0
Depth To: 8.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006262631
 Tag No:
 A202804

 Depth M:
 26.3652
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272745.pdf

 Well Completed Dt:
 2016/09/12
 Latitude:
 43.689998112613

 Audit No:
 Z232889
 Longitude:
 -79.4753227361419

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB87WSW0.0875.77127.86WWIS

Well ID: 7356458 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status: Yes

Use 2nd: Data Src:

Final Well Status: Date Received: 06-Apr-2020 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 C38084
 Contractor:
 6875

 Tag:
 A220865
 Form Version:
 8

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Lot:

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date:

Year Completed:

Depth (m):

Latitude: 43.6902976214021 Longitude: -79.4755012715168

Path:

Bore Hole ID: 1008245736 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

Code OB: East83: 622860.00

Code OB Desc: North83: 4838605.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC: 4

Date Completed: **UTMRC Desc:** margin of error: 30 m - 100 m

wwr

Order No: 22090803393p

Remarks: Location Method: Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Bore Hole ID: 1008245736 Tag No: A220865 6875

Depth M: Contractor:

Path: Year Completed:

Well Completed Dt: Latitude: 43.6902976214021 C38084 Audit No: Longitude: -79.4755012715168

Map Key Direction Distance (km) Distance (m) Elevation (m) DB 88 W 0.08 77.63 128.02 **WWIS**

Well ID: 7201492 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Test Hole Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Test Hole Date Received: 14-May-2013 00:00:00

Selected Flag: **TRUE** Water Type:

Casing Material: Abandonment Rec:

Audit No: Z146208 Contractor: 7215

Form Version: 7 Tag: A128801

Constructn Method: Owner:

YORK AND TORONT Elevation (m): County:

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: **UTM Reliability:**

YORK BOROUGH Municipality:

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7201492.pdf

Well Completed Date: 2012/08/24 Year Completed: 2012

Depth (m):

Latitude: 43.6905151299357 Longitude: -79.4756074358964 Path: 720\7201492.pdf

Bore Hole ID: 1004297093 Elevation: Elevrc:

DP2BR:

Spatial Status: Zone: 17

Code OB: East83: 622851.00 Code OB Desc: North83: 4838629.00 Open Hole: Org CS: UTM83

Cluster Kind: UTMRC: 4

Date Completed: 24-Aug-2012 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393p

Location Method: Remarks: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Plug ID: 1004817713

Layer: 1 Plug From: 14.0 3.0 Plug To: Plug Depth UOM: ft

Plug ID: 1004817715

Layer: 3 Plug From: 1.0 Plug To: 0.0 Plug Depth UOM: ft

Plug ID: 1004817714

Layer: 2 Plug From: 3.0 Plug To: 1.0 Plug Depth UOM: ft

Method Construction ID: 1004817712

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1004817705

Casing No: 0

Comment: Alt Name:

Casing ID: 1004817709

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 4.0
Depth To: 0.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1004817710

1 Layer: Slot: 10 Screen Top Depth: 14.0 Screen End Depth: 4.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.0

Water ID: 1004817708

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1004817707

Diameter: 9.0
Depth From: 14.0

Depth To: 0.0

Hole Depth UOM: ft

Hole Diameter UOM: inch

Bore Hole ID: 1004297093 Tag No: A128801

Depth M: Contractor: 7215

 Year Completed:
 2012
 Path:
 720\7201492.pdf

 Well Completed Dt:
 2012/08/24
 Latitude:
 43.6905151299357

 Audit No:
 Z146208
 Longitude:
 -79.4756074358964

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB89WSW0.0877.71127.65WWIS

Well ID: 7272824 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 11-Oct-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z232894
 Contractor:
 7238

 Tag:
 A202809
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Order No: 22090803393p

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

Well Completed Date: 2016/09/22 Year Completed: 2016

Latitude: 43.6902527828359

27.1272

Longitude: -79.4755148157676

Path:

Depth (m):

PDF URL (Map):

Bore Hole ID: 1006265715 Elevation: DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622859.00

 Code OB Desc:
 North83:
 4838600.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 22-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: ww

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment:

Supplier Comment:

Formation ID: 1006397620

Layer: 3

Color:

General Color:

Mat1: 28 Most Common Material: SAND Mat2: 84 Mat2 Desc: SILTY Mat3: 05 Mat3 Desc: **CLAY** Formation Top Depth: 18.0 Formation End Depth: 78.0 Formation End Depth

Formation ID: 1006397622

Layer: 5

Color:

UOM:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 89.0 Formation End Depth: 89.0 Formation End Depth ft

UOM:

Formation ID: 1006397619

Layer: 2 Color: 2 General Color: **GREY** Mat1: 28 Most Common Material: SAND Mat2: 12

Mat2 Desc: **STONES**

Mat3: 06 Mat3 Desc: SILT Formation Top Depth: 2.0 Formation End Depth: 18.0 Formation End Depth ft

UOM:

Formation ID: 1006397621

Layer:

Color:

General Color:

Mat1: 10

COARSE SAND Most Common Material:

Mat2: 06 Mat2 Desc: SILT Mat3: 12

Mat3 Desc: **STONES** Formation Top Depth: 78.0 Formation End Depth: 89.0 Formation End Depth ft

UOM:

Formation ID: 1006397618

Layer: 1 6 Color:

General Color: **BROWN**

Mat1: 01 Most Common Material: **FILL**

Mat2:

Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth:

0.0 Formation End Depth: 2.0 Formation End Depth ft

UOM:

Plug ID: 1006397631

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 89.0

 Plug Depth UOM:
 ft

Plug ID: 1006397630

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006397629

Method Construction

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006397617

Casing No: 0

Comment:
Alt Name:

Casing ID: 1006397626

Layer: 1 Material: 7

Open Hole or Material:

Depth From:
-3.0

Depth To:
22.0

Casing Diameter:
4.0

Casing Diameter UOM:

Casing Depth UOM:

ft

Screen ID: 1006397627

Layer: 1
Slot: 0.2
Screen Top Depth: 22.0
Screen End Depth: 89.0
Screen Material: 7
Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter: 4.25

Water ID: 1006397625

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006397623

Diameter: 10.0

Depth From: 0.0

Depth To: 8.0

Hole Depth UOM: ft

Hole Diameter UOM: inch

Hole ID: 1006397624

Diameter: 8.0
Depth From: 8.0
Depth To: 89.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006265715
 Tag No:
 A202809

 Depth M:
 27.1272
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272824.pdf

 Well Completed Dt:
 2016/09/22
 Latitude:
 43.6902527828359

 Audit No:
 Z232894
 Longitude:
 -79.4755148157676

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
89	WSW	0.08	77.71	127.65	WWIS

Order No: 22090803393p

Well ID: 7276451 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 05-Dec-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245138
 Contractor:
 3413

 Tag:
 A215322
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276451.pdf

Well Completed Date: 2016/10/28
Year Completed: 2016
Depth (m): 26.2128

Latitude: 43.6902526173681

Longitude: -79.4755024116856

Path: 727\7276451.pdf

Bore Hole ID: 1006300992 Elevation: DP2BR: Elevrc:

Spatial Status: Zone:

 Code OB:
 East83:
 622860.00

 Code OB Desc:
 North83:
 4838600.00

Open Hole: Org CS: UTM83

Cluster Kind: UTMRC: 4

Date Completed: 28-Oct-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

17

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006468890

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: 12

Mat2 Desc: STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 36.0
Formation End Depth ft

UOM:

Formation ID: 1006468892

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 62.0 Formation End Depth: 72.0 Formation End Depth ft

UOM:

Formation ID: 1006468894

Layer: 5
Color: 2
General Color: G

General Color: GREY
Mat1: 28
Most Common Material: SAND
Mat2: 12

Mat2 Desc: STONES

Mat3: 63

Mat3 Desc: COARSE-GRAINED

Formation Top Depth: 81.0
Formation End Depth: 86.0
Formation End Depth ft

UOM:

Formation ID: 1006468891

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc:

Mat3:85Mat3 Desc:SOFTFormation Top Depth:36.0Formation End Depth:62.0Formation End Depthft

UOM:

Formation ID: 1006468893

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 72.0 Formation End Depth: 81.0

Formation End Depth UOM:

Plug ID: 1006468901

ft

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Plug ID: 1006468902

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 86.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006468900

Method Construction

Code:

Method Construction: Other Method
Other Method AIR ROTARY

В

Construction:

Pipe ID: 1006468889

Casing No: 0

Comment: Alt Name:

Casing ID: 1006468897

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006468898

Layer: 1 Slot: 10 Screen Top Depth: 25.0 Screen End Depth: 86.0 5 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006468896

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1006468895

Diameter: 8.0
Depth From: 0.0
Depth To: 86.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006300992
 Tag No:
 A215322

 Depth M:
 26.2128
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276451.pdf

 Well Completed Dt:
 2016/10/28
 Latitude:
 43.6902526173681

 Audit No:
 Z245138
 Longitude:
 -79.4755024116856

Map Key Direction Distance (km) Distance (m) Elevation (m) DB

90 WSW 0.08 78.64 127.86 WWIS

Flow Rate:

Data Src:

Well ID: 7276450 Flowing (Y/N):

Construction Date:

Use 1st: Dewatering Data Entry Status:

Use 2nd:

Final Well Status: Dewatering Date Received: 05-Dec-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245139
 Contractor:
 3413

 Tag:
 A215327
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276450.pdf

Well Completed Date: 2016/10/13
Year Completed: 2016
Depth (m): 26.5176

Latitude: 43.6902981178024 Longitude: -79.4755384837912 Path: 727\7276450.pdf

Bore Hole ID: 1006300989 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622857.00

 Code OB Desc:
 North83:
 4838605.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 13-Oct-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1006468864

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

Mat2 Desc: STONES

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 36.0
Formation End Depth ft

UOM:

Formation ID: 1006468868

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 26

 Mat2 Desc:
 ROCK

 Mat3:
 63

Mat3 Desc: COARSE-GRAINED

Formation Top Depth: 81.0
Formation End Depth: 87.0
Formation End Depth ft

UOM:

Formation ID: 1006468866

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 05

 Mat2 Desc:
 CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 62.0

Formation End Depth: 73.0 Formation End Depth ft

UOM:

Formation ID: 1006468865

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

Mat3: 85

Mat3 Desc: SOFT

Formation Top Depth: 36.0

Formation End Depth: 62.0

Formation End Depth ft

UOM:

Formation ID: 1006468867

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 73.0
Formation End Depth: 81.0
Formation End Depth ft

UOM:

Plug ID: 1006468875

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Plug ID: 1006468876

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 87.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006468874

Method Construction

В

Code:

Method Construction: Other Method
Other Method AIR ROTARY

Construction:

Pipe ID: 1006468863

Casing No: 0

Comment: Alt Name:

Casing ID: 1006468871

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0

Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006468872

Layer: 1 Slot: 10 Screen Top Depth: 25.0 Screen End Depth: 87.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006468870

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006468869

Diameter: 8.0

Depth From: 0.0
Depth To: 87.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006300989
 Tag No:
 A215327

 Depth M:
 26.5176
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276450.pdf

 Well Completed Dt:
 2016/10/13
 Latitude:
 43.6902981178024

 Audit No:
 Z245139
 Longitude:
 -79.4755384837912

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB91SW0.0880.68127.17WWIS

Well ID: 7272743 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 06-Oct-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z232888
 Contractor:
 7238

 Tag:
 A202805
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH
Site Info:

PDF URL (Map):

Well Completed Date: 2016/09/08
Year Completed: 2016
Depth (m): 27.2796

Latitude: 43.6899627713245 Longitude: -79.4753732644596

Path:

Bore Hole ID: 1006262625 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622871.00

 Code OB Desc:
 North83:
 4838568.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 08-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1006395350

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 10

Most Common Material: COARSE SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 08

Mat3 Desc: FINE SAND

Formation Top Depth: 6.0
Formation End Depth: 75.0
Formation End Depth ft

UOM:

Formation ID: 1006395352

Layer: 4

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 85.0
Formation End Depth: 89.5
Formation End Depth ft

UOM:

Formation ID: 1006395349

Layer: 1

Color: 6

General Color: BROWN Mat1: 01

Most Common Material: FILL

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006395351

Layer: 3

Color:

General Color:

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 12

Mat3 Desc: STONES
Formation Top Depth: 75.0
Formation End Depth: 85.0
Formation End Depth ft

UOM:

Plug ID: 1006395360

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Plug ID: 1006395361

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 89.5

 Plug Depth UOM:
 ft

Method Construction ID: 1006395359

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

BORING

1006395348

Casing No: 0

Comment: Alt Name:

Pipe ID:

Casing ID: 1006395356

Layer: 1 Material: 7

Open Hole or Material:

Depth From:
-3.0

Depth To:
22.0

Casing Diameter:
4.0

Casing Diameter UOM:

Casing Depth UOM:

ft

Screen ID: 1006395357

1 Layer: Slot: 0.2 Screen Top Depth: 22.0 Screen End Depth: 89.5 Screen Material: 7 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.25

Water ID: 1006395355

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006395354

Diameter: 8.0
Depth From: 8.0

Depth To: 89.5
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1006395353

Diameter: 10.0
Depth From: 0.0
Depth To: 8.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006262625
 Tag No:
 A202805

 Depth M:
 27.2796
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272743.pdf

 Well Completed Dt:
 2016/09/08
 Latitude:
 43.6899627713245

 Audit No:
 Z232888
 Longitude:
 -79.4753732644596

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB92WSW0.0884.08127.69WWIS

Well ID: 7272749 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 06-Oct-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z232900
 Contractor:
 7238

 Tag:
 A202810
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Order No: 22090803393p

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

 Well Completed Date:
 2016/09/23

 Year Completed:
 2016

 Depth (m):
 27.1272

Latitude: 43.690308111374 Longitude: -79.4756126803253

Path:

Bore Hole ID: 1006262643 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17
Code OB: East83: 622

 Code OB:
 East83:
 622851.00

 Code OB Desc:
 North83:
 4838606.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 23-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1006395481

Layer: 4

Color:

General Color:

Mat1: 26
Most Common Material: ROCK

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 89.0

Formation End Depth:

Formation End Depth ft

UOM:

Formation ID: 1006395479

Layer: 2

Color:

General Color:

Mat1: 06
Most Common Material: SILT

 Mat2:
 81

 Mat2 Desc:
 SANDY

 Mat3:
 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 1.0
Formation End Depth: 76.0
Formation End Depth ft

UOM:

Formation ID: 1006395478

Layer: 1

Color:

General Color:

Mat1: 02

Most Common Material: TOPSOIL

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 1.0
Formation End Depth ft

UOM:

Formation ID: 1006395480

Layer: 3

Color:

General Color:

Mat1: 28 Most Common Material: SAND Mat2: 84 Mat2 Desc: **SILTY** Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 76.0 Formation End Depth: 89.0 Formation End Depth ft UOM:

Plug ID: 1006395490

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 89.0

 Plug Depth UOM:
 ft

Plug ID: 1006395489

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006395488

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006395477

Casing No: 0

Comment: Alt Name:

Casing ID: 1006395485

Layer: 1 Material: 7

Open Hole or Material:

Depth From:
-3.0

Depth To:
22.0

Casing Diameter:
4.0

Casing Diameter UOM:

Casing Depth UOM:

ft

Screen ID: 1006395486

Layer: 1 0.2 Slot: Screen Top Depth: 22.0 Screen End Depth: 89.0 Screen Material: 7 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.25

Water ID: 1006395484

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1006395482

Diameter: 10.0
Depth From: 0.0
Depth To: 8.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1006395483

Diameter: 8.0
Depth From: 8.0
Depth To: 89.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006262643
 Tag No:
 A202810

 Depth M:
 27.1272
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272749.pdf

 Well Completed Dt:
 2016/09/23
 Latitude:
 43.690308111374

 Audit No:
 Z232900
 Longitude:
 -79.4756126803253

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
93	SSW	0.09	86.22	127.35	WWIS

Well ID: 7212579 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status: Yes

Use 2nd: Data Src:

Final Well Status: Date Received: 10-Dec-2013 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

Audit No: C24311 Contractor: 7230

Tag: Form Version: 8

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date: 2013/03/15 Year Completed: 2013

Depth (m):

Latitude: 43.6896214657938 Longitude: -79.47476150474

Path:

Bore Hole ID: 1004663665 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622921.00

 Code OB Desc:
 North83:
 4838531.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 15-Mar-2013 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location Method:

Source Revision Comment:

Supplier Comment:

Bore Hole ID: 1004663665 Tag No:

Depth M: Contractor: 7230

Year Completed: 2013 Path:

 Well Completed Dt:
 2013/03/15
 Latitude:
 43.6896214657938

 Audit No:
 C24311
 Longitude:
 -79.47476150474

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
93	SSW	0.09	86.22	127.35	WWIS

Order No: 22090803393p

Well ID: 7212577 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status: Yes

Use 2nd: Data Src:

Final Well Status: Date Received: 10-Dec-2013 00:00:00

Water Type: Selected Flag: **TRUE** Casing Material: Abandonment Rec: Audit No: C24312 Contractor: 7230 Tag: Form Version: 8 Constructn Method: Owner: YORK AND TORONT Elevation (m): County: Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone: Clear/Cloudy: **UTM Reliability:** Municipality: YORK BOROUGH Site Info: PDF URL (Map): Well Completed Date: 2013/11/08 Year Completed: 2013 Depth (m): Latitude: 43.6896214657938 Longitude: -79.47476150474 Path: Bore Hole ID: 1004663659 Elevation: DP2BR: Elevrc: **Spatial Status:** Zone: 17 Code OB: East83: 622921.00 Code OB Desc: North83: 4838531.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC: Date Completed: 08-Nov-2013 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m Remarks: Location Method: wwr Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision

Bore Hole ID: 1004663659 Tag No:

Depth M: Contractor: 7230

Order No: 22090803393p

Comment:

Supplier Comment:

Year Completed: 2013 Path:

 Well Completed Dt:
 2013/11/08
 Latitude:
 43.6896214657938

 Audit No:
 C24312
 Longitude:
 -79.47476150474

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB94SW0.0986.48127.17WWIS

Flow Rate:

Well ID: 7272740 Flowing (Y/N):

Construction Date:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 06-Oct-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material:

Abandonment Rec:

 Audit No:
 Z232887
 Contractor:
 7238

Tag: A202806 Form Version: 7
Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Widniospanty.

Site Info:

PDF URL (Map):

 Well Completed Date:
 2016/09/07

 Year Completed:
 2016

 Depth (m):
 26.2128

Latitude: 43.689936596295 Longitude: -79.4754359686918

Path:

Bore Hole ID: 1006262616 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622866.00

 Code OB Desc:
 North83:
 4838565.00

 Open Hole:
 Org CS:
 UTM83

Order No: 22090803393p

Cluster Kind: UTMRC: 4

Date Completed: 07-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Location Method:

Order No: 22090803393p

Remarks:

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment: Supplier Comment:

Formation ID: 1006395114

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 10

Most Common Material: COARSE SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 08

Mat3 Desc: FINE SAND

Formation Top Depth: 6.0
Formation End Depth: 76.0
Formation End Depth ft

UOM:

Formation ID: 1006395113

Layer: 1 Color: 6

General Color: BROWN

Mat1: 01
Most Common Material: FILL

Mat2: Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006395115

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 10

Most Common Material: COARSE SAND

Mat2: 12

Mat2 Desc: STONES

Mat3: 06
Mat3 Desc: SILT
Formation Top Depth: 76.0
Formation End Depth: 85.0
Formation End Depth ft

UOM:

Formation ID: 1006395116

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 85.0 Formation End Depth: 86.0 Formation End Depth ft

UOM:

Plug ID: 1006395124

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Plug ID: 1006395125

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 86.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006395123

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method BORING

Construction:

Pipe ID: 1006395112

Casing No: 0

Comment: Alt Name:

Casing ID: 1006395120

Layer: 1 Material: 7

Open Hole or Material:

Depth From:
-3.0

Depth To:
22.0

Casing Diameter:
4.0

Casing Diameter UOM:

inch

Casing Depth UOM:

ft

Screen ID: 1006395121

Layer: 1 Slot: 0.2 Screen Top Depth: 22.0 Screen End Depth: 86.0 Screen Material: 7 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.25

Water ID: 1006395119

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006395117

Diameter: 10.0
Depth From: 0.0
Depth To: 8.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1006395118

 Diameter:
 8.0

 Depth From:
 8.0

 Depth To:
 86.0

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006262616
 Tag No:
 A202806

 Depth M:
 26.2128
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272740.pdf

 Well Completed Dt:
 2016/09/07
 Latitude:
 43.689936596295

 Audit No:
 Z232887
 Longitude:
 -79.4754359686918

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB95SSW0.0986.49127.17WWIS

Well ID: 7259790 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status: Yes

Use 2nd: Data Src:

Final Well Status: Date Received: 23-Mar-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 C29807
 Contractor:
 7230

 Tag:
 A163742
 Form Version:
 8

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

Well Completed Date: 2015/04/16

Year Completed: 2015

Depth (m):

PDF URL (Map):

Latitude: 43.6897254404679 Longitude: -79.4751311142909

Path:

Bore Hole ID: 1005912654 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622891.00

 Code OB Desc:
 North83:
 4838542.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 16-Apr-2015 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

 Bore Hole ID:
 1005912654
 Tag No:
 A163742

 Depth M:
 Contractor:
 7230

Year Completed: 2015 Path:

 Well Completed Dt:
 2015/04/16
 Latitude:
 43.6897254404679

 Audit No:
 C29807
 Longitude:
 -79.4751311142909

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB96SW0.0986.88127.17WWIS

Well ID: 7276447 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 05-Dec-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245137
 Contractor:
 3413

 Tag:
 A215317
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: TORONTO CITY

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276447.pdf

 Well Completed Date:
 2016/10/14

 Year Completed:
 2016

 Depth (m):
 25.908

Latitude: 43.6899184292055 Longitude: -79.4754240207606 Path: 727\7276447.pdf

Bore Hole ID: 1006300980 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622867.00

 Code OB Desc:
 North83:
 4838563.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 14-Oct-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1006468818

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 12

Mat2 Desc: STONES

Mat3: 63

Mat3 Desc: COARSE-GRAINED

Formation Top Depth: 82.0
Formation End Depth: 85.0
Formation End Depth ft

UOM:

Formation ID: 1006468814

Layer: 1

Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: **CLAY** Mat2: 12

Mat2 Desc: **STONES**

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 34.0 Formation End Depth: Formation End Depth ft

UOM:

Formation ID: 1006468815

2 Layer: 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY

Mat2:

Mat2 Desc:

Mat3: 85 Mat3 Desc: SOFT Formation Top Depth: 34.0 Formation End Depth: 61.0 Formation End Depth ft

UOM:

Formation ID: 1006468816

Layer: 3 Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 05 Mat2 Desc: CLAY

Mat3:

Mat3 Desc:

Formation Top Depth: 61.0 Formation End Depth: 68.0 Formation End Depth ft

UOM:

Formation ID: 1006468817

4 Layer: Color: 2

General Color: GREY
Mat1: 05
Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 68.0 Formation End Depth: 82.0 Formation End Depth ft

UOM:

Plug ID: 1006468826

 Layer:
 2

 Plug From:
 0.0

 Plug To:
 85.0

 Plug Depth UOM:
 ft

Plug ID: 1006468825

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006468824

Method Construction

Code:

Method Construction: Other Method
Other Method AIR ROTARY

Construction:

Pipe ID: 1006468813

Casing No: 0

Comment: Alt Name:

Casing ID: 1006468821

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0

Order No: 22090803393p

inch

Casing Diameter UOM:

Casing Depth UOM: ft

Screen ID: 1006468822

Layer: 1 Slot: 10 Screen Top Depth: 25.0 Screen End Depth: 85.0 Screen Material: 5 ft Screen Depth UOM: Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006468820

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006468819

Diameter: 8.0
Depth From: 0.0
Depth To: 85.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006300980
 Tag No:
 A215317

 Depth M:
 25.908
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276447.pdf

 Well Completed Dt:
 2016/10/14
 Latitude:
 43.6899184292055

 Audit No:
 Z245137
 Longitude:
 -79.4754240207606

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
97	SW	0.09	90.39	126.98	WWIS

Order No: 22090803393p

Well ID: 7214948 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Data Entry Status: Yes

Use 2nd: Data Src:

Final Well Status: Date Received: 17-Jan-2014 00:00:00

Water Type: Selected Flag: TRUE Casing Material: Abandonment Rec: Yes

Audit No: C21856 Contractor: 6964
Tag: Form Version: 8

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Concession:

Elevatn Reliabilty: Lot:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH Site Info:

PDF URL (Map):

Depth to Bedrock:

Well Completed Date: 2013/11/07 Year Completed: 2013

Depth (m):

Latitude: 43.689950415598 Longitude: -79.4755067176247

Path:

Bore Hole ID: 1004689549 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622860.27

 Code OB Desc:
 North83:
 4838566.43

 Open Hole:
 Org CS:
 M2710

Cluster Kind: UTMRC: 5

Date Completed: 07-Nov-2013 00:00:00 UTMRC Desc: margin of error : 100 m - 300 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Bore Hole ID: 1004689549 Tag No:

Depth M: Contractor: 6964

Year Completed: 2013 Path:

Well Completed Dt: 2013/11/07 Latitude: 43.689950415598

C21856 Audit No: Longitude: -79.4755067176247 Map Key Direction Distance (km) Distance (m) Elevation (m) DB 98 WSW 0.09 90.62 127.20 **WWIS** Well ID: 7272748 Flowing (Y/N): Construction Date: Flow Rate: Use 1st: Dewatering Data Entry Status: Use 2nd: Data Src: Final Well Status: Dewatering Date Received: 06-Oct-2016 00:00:00 Water Type: Selected Flag: **TRUE** Casing Material: Abandonment Rec: Audit No: Z232899 Contractor: 7238 7 Form Version: Tag: A202811 Constructn Method: Owner: Elevation (m): County: YORK AND TORONT Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Concession Name: Well Depth: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone: Clear/Cloudy: UTM Reliability: YORK BOROUGH Municipality: Site Info: PDF URL (Map): Well Completed Date: 2016/09/26 Year Completed: 2016 Depth (m): 28.3464 Latitude: 43.6902549337958 Longitude: -79.4756760688441 Path: Bore Hole ID: Elevation: 1006262640 DP2BR: Elevrc: 17 **Spatial Status:** Zone: Code OB: East83: 622846.00 Code OB Desc: North83: 4838600.00 Open Hole: Org CS: **UTM83** Cluster Kind: UTMRC:

UTMRC Desc:

Location Method:

margin of error: 30 m - 100 m

Order No: 22090803393p

wwr

26-Sep-2016 00:00:00

Remarks:

Date Completed:

Elevrc Desc:

Location Source Date:

Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1006395465

Layer: 2

Color:

General Color:

Mat1: 28

Most Common Material: SAND

Mat2: 06

Mat2 Desc: SILT

Mat3: 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 1.0
Formation End Depth: 76.0
Formation End Depth ft

UOM:

Formation ID: 1006395466

Layer: 3

Color:

General Color:

Mat1: 28 Most Common Material: SAND Mat2: 84 Mat2 Desc: SILTY Mat3: 05 Mat3 Desc: **CLAY** Formation Top Depth: 76.0 Formation End Depth: 89.0

Formation End Depth UOM:

Formation ID: 1006395467

ft

Layer: 4

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2: 26

Mat2 Desc: **ROCK**

Mat3: Mat3 Desc:

Formation Top Depth: 89.0 Formation End Depth: 93.0 Formation End Depth ft

UOM:

Formation ID: 1006395464

Layer:

Color:

General Color:

Mat1: 02

TOPSOIL Most Common Material:

Mat2: Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 1.0 Formation End Depth ft

UOM:

Plug ID: 1006395476

2 Layer: 20.0 Plug From: Plug To: 93.0 Plug Depth UOM: ft

Plug ID: 1006395475

Layer: 1 0.0 Plug From: Plug To: 20.0 Plug Depth UOM: ft

Method Construction ID: 1006395474

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006395463

0 Casing No:

Comment:

Alt Name:

Casing ID: 1006395471

Layer: 1 Material: 7

Open Hole or Material:

Depth From:
-3.0

Depth To:
22.0

Casing Diameter:
4.0

Casing Diameter UOM:
inch

Casing Depth UOM:
ft

Screen ID: 1006395472

Layer: 1 0.2 Slot: Screen Top Depth: 22.0 Screen End Depth: 93.0 Screen Material: 7 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.25

Water ID: 1006395470

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006395468

Diameter: 10.0
Depth From: 0.0
Depth To: 8.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1006395469

Diameter: 8.0
Depth From: 8.0
Depth To: 93.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006262640
 Tag No:
 A202811

 Depth M:
 28.3464
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272748.pdf

 Well Completed Dt:
 2016/09/26
 Latitude:
 43.6902549337958

 Audit No:
 Z232899
 Longitude:
 -79.4756760688441

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB99SW0.0991.99126.98WWIS

Flow Rate:

Well ID: 7272746 Flowing (Y/N):

Construction Date:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 06-Oct-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material:

Abandonment Rec:

Audit No: Z232890 Contractor: 7238

Tag: A202807 Form Version: 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date: 2016/09/15
Year Completed: 2016

Year Completed: 2016 Depth (m): 27.432

Latitude: 43.6899559216653 Longitude: -79.4755347447748

Path:

Bore Hole ID: 1006262634 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622858.00

 Code OB Desc:
 North83:
 4838567.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 15-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: ww

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1006395418

Layer: 1 Color: 6

General Color: BROWN Mat1: 01

Mat1: 01
Most Common Material: FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006395420

Layer: 3

Color:

General Color:

Mat1: 06
Most Common Material: SILT
Mat2: 10

Mat2 Desc: COARSE SAND

Mat3: 13

Mat3 Desc: BOULDERS

Formation Top Depth: 78.0
Formation End Depth: 86.0
Formation End Depth ft

UOM:

Formation ID: 1006395421

Layer: 4

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 86.0 Formation End Depth: 90.0 Formation End Depth ft

UOM:

Formation ID: 1006395419

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 10

Mat2 Desc: COARSE SAND

Mat3:

Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 78.0
Formation End Depth ft

UOM:

Plug ID: 1006395430

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 90.0

 Plug Depth UOM:
 ft

Plug ID: 1006395429

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006395428

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1006395417

Casing No: 0

Comment: Alt Name:

Casing ID: 1006395425

Layer: 1 Material: 7

Open Hole or Material:

Depth From:
-3.0

Depth To:
22.0

Casing Diameter:
4.0

Casing Diameter UOM:

Casing Depth UOM:

ft

Screen ID: 1006395426

1 Layer: Slot: 0.2 Screen Top Depth: 22.0 Screen End Depth: 90.0 Screen Material: 7 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.25

Water ID: 1006395424

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006395422

Diameter: 10.0
Depth From: 0.0
Depth To: 8.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1006395423

Diameter: 8.0 Depth From: 8.0 Depth To: 90.0 Hole Depth UOM: ft Hole Diameter UOM: inch

Bore Hole ID: 1006262634 Tag No: A202807 Depth M: 27.432 Contractor: 7238

Year Completed: 2016 Path: 727\7272746.pdf Latitude: Well Completed Dt: 2016/09/15 43.6899559216653 Audit No: Z232890 Longitude: -79.4755347447748

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
100	WSW	0.10	95.39	126.95	WWIS

Well ID: 7272747 Flowing (Y/N):

Construction Date: Flow Rate:

Data Entry Status: Use 1st: Dewatering

Use 2nd: Data Src:

Final Well Status: Date Received: 06-Oct-2016 00:00:00 Dewatering

Water Type: Selected Flag: **TRUE**

Abandonment Rec: Casing Material:

Audit No: Z232898 Contractor: 7238 A202812 Form Version: Tag: 7

Constructn Method: Owner:

County: YORK AND TORONT Elevation (m):

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Northing NAD83: Pump Rate:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7272747.pdf

Order No: 22090803393p

Well Completed Date: 2016/09/27 Year Completed: 2016 Depth (m): 26.8224

Latitude: 43.6901380887446 Longitude: -79.4756914369925

Path: 727\7272747.pdf

Bore Hole ID: 1006262637 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622845.00

 Code OB Desc:
 North83:
 4838587.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 27-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006395452

Layer: 3

Color:

General Color:

Mat1: 28 Most Common Material: SAND Mat2: 84 Mat2 Desc: **SILTY** Mat3: 05 CLAY Mat3 Desc: Formation Top Depth: 76.0 Formation End Depth: 88.0 Formation End Depth ft UOM:

Formation ID: 1006395451

Layer: 2

Color:

General Color:

Mat1: 06
Most Common Material: SILT
Mat2: 81
Mat2 Desc: SANDY
Mat3: 10

Mat3 Desc: COARSE SAND

Formation Top Depth: 1.0

Formation End Depth: 76.0 Formation End Depth ft

UOM:

Formation ID: 1006395453

Layer: 4

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2: 26 Mat2 Desc: ROCK

Mat3:

Mat3 Desc:

Formation Top Depth: 88.0

Formation End Depth:

Formation End Depth ft

UOM:

Formation ID: 1006395450

Layer: 1

Color:

General Color:

Mat1: 02

Most Common Material: TOPSOIL

Mat2:

Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 1.0
Formation End Depth ft

UOM:

Plug ID: 1006395462

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 88.0

 Plug Depth UOM:
 ft

Plug ID: 1006395461

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006395460

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006395449

Casing No: 0

Comment: Alt Name:

Casing ID: 1006395457

Layer: 1 Material: 7

Open Hole or Material:

Depth From:
-3.0

Depth To:
22.0

Casing Diameter:
4.0

Casing Diameter UOM:

Casing Depth UOM:

ft

Screen ID: 1006395458

Layer: 1 Slot: 0.2 Screen Top Depth: 22.0 Screen End Depth: 88.0 Screen Material: 7 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.25

Water ID: 1006395456

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006395454

Diameter: 10.0

Depth From: 0.0 Depth To: 8.0 Hole Depth UOM: ft Hole Diameter UOM: inch

Hole ID: 1006395455

Diameter: 8.0 Depth From: 8.0 Depth To: 88.0 Hole Depth UOM: ft Hole Diameter UOM: inch

Tag No: Bore Hole ID: 1006262637 A202812 Depth M: 26.8224 Contractor: 7238

Year Completed: 2016 Path: 727\7272747.pdf Well Completed Dt: 2016/09/27 Latitude: 43.6901380887446 Z232898 Audit No: Longitude: -79.4756914369925

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
101	SW	0.10	96.44	126.80	WWIS

Flow Rate:

Data Src:

County:

Lot:

Abandonment Rec:

YORK AND TORONT

Order No: 22090803393p

Well ID: 7272744 Flowing (Y/N):

Construction Date:

Data Entry Status: Use 1st: Dewatering

Use 2nd:

Final Well Status: Date Received: 06-Oct-2016 00:00:00 Dewatering

Water Type: Selected Flag: **TRUE**

Casing Material:

Audit No: Z232891 7238 Contractor: 7 Tag: A202808 Form Version:

Constructn Method:

Elevation (m):

Owner:

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

 Well Completed Date:
 2016/09/20

 Year Completed:
 2016

 Depth (m):
 27.432

Latitude: 43.6899385818957 Longitude: -79.4755848168974

Path:

Bore Hole ID: 1006262628 Elevation:

DP2BR: Elevro:

 Code OB:
 East83:
 622854.00

 Code OB Desc:
 North83:
 4838565.00

Open Hole: Org CS: UTM83

Date Completed: 20-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Zone:

UTMRC:

17

4

Remarks: Location Method: wwr

Elevrc Desc:

Cluster Kind:

Spatial Status:

Location Source Date:
Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006395375

Layer: 1 Color: 6

General Color: BROWN

Mat1: 01 Most Common Material: FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Formation ID: 1006395377

Layer: 3

Color:

General Color:

Mat1: 06

Most Common Material: SILT Mat2: 10

Mat2 Desc: COARSE SAND

Mat3: 12

Mat3 Desc: STONES

Formation Top Depth: 78.0

Formation End Depth: 86.0

Formation End Depth ft

UOM:

Formation ID: 1006395376

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 10

Mat2 Desc: COARSE SAND

Mat3:

Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 78.0
Formation End Depth ft

UOM:

Formation ID: 1006395378

Layer: 4

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 86.0 Formation End Depth: 90.0 Formation End Depth ft

UOM:

Plug ID: 1006395386

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Plug ID: 1006395387

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 90.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006395385

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006395374

Casing No: 0

Comment: Alt Name:

Casing ID: 1006395382

Layer: 1 Material: 7

Open Hole or Material:

Depth From:
-3.0

Depth To:
22.0

Casing Diameter:
4.0

Casing Diameter UOM:

Casing Depth UOM:

ft

Screen ID: 1006395383

Layer: 1
Slot: 0.2
Screen Top Depth: 22.0
Screen End Depth: 90.0
Screen Material: 7
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.25

Water ID: 1006395381

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006395380

Diameter: 8.0
Depth From: 8.0
Depth To: 90.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole ID: 1006395379

Diameter: 10.0
Depth From: 0.0
Depth To: 8.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006262628
 Tag No:
 A202808

 Depth M:
 27.432
 Contractor:
 7238

 Year Completed:
 2016
 Path:
 727\7272744.pdf

 Well Completed Dt:
 2016/09/20
 Latitude:
 43.6899385818957

 Audit No:
 Z232891
 Longitude:
 -79.4755848168974

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
102	WSW	0.10	101.66	126.94	WWIS

Well ID: 7171538 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Observation Wells Date Received: 14-Nov-2011 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z136063
 Contractor:
 7075

 Tag:
 A120187
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Lot:

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7171538.pdf

Well Completed Date: 2011/10/20
Year Completed: 2011
Depth (m): 22.86

Latitude: 43.6903292564255 Longitude: -79.4758479021673 Path: 717\7171538.pdf

Bore Hole ID: 1003605942 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622832.00

 Code OB Desc:
 North83:
 4838608.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 20-Oct-2011 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1004055020

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

Mat3: 77

Mat3 Desc: LOOSE

Formation Top Depth: 35.0

Formation End Depth: 60.0

Formation End Depth ft

UOM:

11

Formation ID: 1004055018

Layer: 1 Color:

General Color: **BROWN** Mat1: Most Common Material: SILT Mat2:

Mat2 Desc: **GRAVEL**

Mat3: 68 Mat3 Desc: DRY 0.0 Formation Top Depth: Formation End Depth: 20.0 Formation End Depth ft

UOM:

Formation ID: 1004055021

4 Layer: Color: 2 General Color: **GREY** Mat1: 28 Most Common Material: SAND Mat2: 06 Mat2 Desc: SILT Mat3:

Mat3 Desc: WATER-BEARING

Formation Top Depth: 60.0 Formation End Depth: 75.0 ft Formation End Depth

UOM:

Formation ID: 1004055019

Layer: Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT

Mat3:

Mat3 Desc:

Formation Top Depth: 20.0 Formation End Depth: 35.0 Formation End Depth ft

UOM:

Plug ID: 1004055028

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 63.0

 Plug Depth UOM:
 ft

Method Construction ID: 1004055027

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1004055017

Casing No: 0

Comment: Alt Name:

Casing ID: 1004055024

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 65.0
Casing Diameter: 2.0
Casing Diameter UOM: inch

Casing Depth UOM: ft

Screen ID: 1004055025

Layer: 1 Slot: 10 Screen Top Depth: 65.0 Screen End Depth: 75.0 5 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.0

Water ID: 1004055023

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1004055022

Diameter: 8.0
Depth From: 0.0
Depth To: 75.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1003605942
 Tag No:
 A120187

 Depth M:
 22.86
 Contractor:
 7075

 Year Completed:
 2011
 Path:
 717\7171538.pdf

 Well Completed Dt:
 2011/10/20
 Latitude:
 43.6903292564255

 Audit No:
 Z136063
 Longitude:
 -79.4758479021673

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
103	WSW	0.10	102.35	126.56	WWIS

Well ID: 7276002 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245140
 Contractor:
 3413

 Tag:
 A201831
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:
Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276002.pdf

Order No: 22090803393p

Well Completed Date: 2016/10/14 Year Completed: 2016

Depth (m): 26.782776

Latitude: 43.6899579071381

Longitude: -79.4756835930351

Path: 727\7276002.pdf

Bore Hole ID: 1006298963

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622846.00

 Code OB Desc:
 North83:
 4838567.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 14-Oct-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Elevation:

Remarks: Location Method: wv

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment: Supplier Comment:

Formation ID: 1006458734

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 72.0

Formation End Depth: 87.87000274658203

Formation End Depth ft

UOM:

Formation ID: 1006458732

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 25.0
Formation End Depth ft

UOM:

Formation ID: 1006458733

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 25.0
Formation End Depth: 72.0
Formation End Depth ft

UOM:

Plug ID: 1006458741

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Plug ID: 1006458742

 Layer:
 2

 Plug From:
 25.0

Plug To: 87.87000274658203

Plug Depth UOM: ft

Method Construction ID: 1006458740

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006458731

Casing No: 0

Comment: Alt Name:

Casing ID: 1006458737

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006458738

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 87.87000274658203

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006458736

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: 1

Hole ID: 1006458735

Diameter: 8.0 Depth From: 0.0

Depth To: 87.87000274658203

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298963
 Tag No:
 A201831

 Depth M:
 26.782776
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276002.pdf

 Well Completed Dt:
 2016/10/14
 Latitude:
 43.6899579071381

 Audit No:
 Z245140
 Longitude:
 -79.4756835930351

Map Key Direction Distance (km) Distance (m) Elevation (m) DB

104 E 0.11 107.60 134.53 WWIS

Flow Rate:

Data Src:

Well ID: 7177982 Flowing (Y/N):

Construction Date:

Use 1st: Monitoring Data Entry Status:

Use 2nd:

Final Well Status: Observation Wells Date Received: 13-Mar-2012 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z136022
 Contractor:
 7075

 Tag:
 A120198
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7177982.pdf

Well Completed Date: 2011/12/15
Year Completed: 2011
Depth (m): 22.86

Latitude: 43.6905215456885 Longitude: -79.4727161326513 Path: 717\7177982.pdf

Bore Hole ID: 1003700082 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 623084.00

 Code OB Desc:
 North83:
 4838634.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC:

Date Completed: 15-Dec-2011 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1004185131

Layer: 1 Color: 6

General Color: BROWN

Mat1: 06
Most Common Material: SILT
Mat2: 28
Mat2 Desc: SAND
Mat3: 11

Mat3 Desc: GRAVEL
Formation Top Depth: 0.0
Formation End Depth: 15.0
Formation End Depth ft

UOM:

Formation ID: 1004185134

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

Mat2 Desc: GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 60.0 Formation End Depth: 75.0 Formation End Depth ft

UOM:

Formation ID: 1004185133

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 05

 Mat2 Desc:
 CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 45.0

Formation End Depth: 60.0 Formation End Depth ft

UOM:

Formation ID: 1004185132

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 15.0
Formation End Depth: 45.0
Formation End Depth ft

UOM:

Plug ID: 1004185142

 Layer:
 2

 Plug From:
 63.0

 Plug To:
 65.0

 Plug Depth UOM:
 ft

Plug ID: 1004185141

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 63.0

 Plug Depth UOM:
 ft

Method Construction ID: 1004185140

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1004185130

Casing No: 0

Comment: Alt Name:

Casing ID: 1004185137

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 65.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1004185138

Layer: 1 Slot: 10 Screen Top Depth: 65.0 Screen End Depth: 75.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.0

Water ID: 1004185136

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1004185135

Diameter: 8.0
Depth From: 0.0
Depth To: 75.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1003700082
 Tag No:
 A120198

 Depth M:
 22.86
 Contractor:
 7075

 Year Completed:
 2011
 Path:
 717\7177982.pdf

 Well Completed Dt:
 2011/12/15
 Latitude:
 43.6905215456885

 Audit No:
 Z136022
 Longitude:
 -79.4727161326513

Мар Кеу	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
105	WSW	0.11	111.20	126.56	WWIS

Well ID: 7298510 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd:

Final Well Status: Dewatering Date Received: 03-Nov-2017 00:00:00

Data Src:

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z251355
 Contractor:
 3413

 Tag:
 A220853
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7298510.pdf

Well Completed Date: 2017/04/03
Year Completed: 2017
Depth (m): 26.8224

Latitude: 43.6900955662654

Longitude: -79.4758786377781

Path: 729\7298510.pdf

Bore Hole ID: 1006788067 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622830.00

 Code OB Desc:
 North83:
 4838582.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC:

Date Completed: 03-Apr-2017 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1006879659

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 34.0
Formation End Depth ft

UOM:

Formation ID: 1006879660

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 34.0
Formation End Depth: 46.0
Formation End Depth ft

UOM:

Formation ID: 1006879661

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 46.0
Formation End Depth: 88.0
Formation End Depth ft

UOM:

Formation ID: 1006879658

Layer: 1 Color: 6

General Color: BROWN Mat1: 11

Most Common Material: GRAVEL

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth ft

UOM:

Plug ID: 1006879669

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 88.0

 Plug Depth UOM:
 ft

Plug ID: 1006879668

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006879667

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006879657

Casing No: 0

Comment: Alt Name:

Casing ID: 1006879664

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 28.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006879665

1 Layer: Slot: 10 28.0 Screen Top Depth: Screen End Depth: 88.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006879663

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006879662

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006788067
 Tag No:
 A220853

 Depth M:
 26.8224
 Contractor:
 3413

 Year Completed:
 2017
 Path:
 729\7298510.pdf

 Well Completed Dt:
 2017/04/03
 Latitude:
 43.6900955662654

 Audit No:
 Z251355
 Longitude:
 -79.4758786377781

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
106	WSW	0.11	113.41	126.34	WWIS

Order No: 22090803393p

Well ID: 7265771 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Data Entry Status: Monitoring

Use 2nd:

Final Well Status: **Observation Wells** Date Received: 27-Jun-2016 00:00:00

Data Src:

Water Type:

Selected Flag: **TRUE**

Casing Material: Abandonment Rec:

Audit No: Z230617 Contractor: 7472 Form Version: Tag: A202605 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH Site Info:

PDF URL (Map):

2016/03/09 Well Completed Date: Year Completed: 2016

Depth (m): 25.908

Latitude: 43.6900868963084 -79.4759036738541 Longitude:

Path:

Bore Hole ID: 1006081560 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

Code OB: East83: 622828.00 Code OB Desc: North83: 4838581.00 UTM83 Open Hole: Org CS:

Cluster Kind: UTMRC:

Date Completed: 09-Mar-2016 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Method: Source Revision Comment:

Location Source Date: Improvement Location

Improvement Location

Supplier Comment:

Elevrc Desc:

Source:

Formation ID: 1006133913

3 Layer: Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 79

Mat3 Desc: PACKED
Formation Top Depth: 20.0
Formation End Depth: 35.0
Formation End Depth ft

UOM:

Formation ID: 1006133914

4 Layer: Color: 2 General Color: **GREY** Mat1: 28 Most Common Material: SAND Mat2: 06 Mat2 Desc: SILT Mat3: 77 Mat3 Desc: LOOSE Formation Top Depth: 35.0

Formation End Depth: Formation End Depth

UOM:

Formation ID: 1006133912

85.0

ft

ft

Layer: 2 Color: 6

General Color: BROWN

Mat1: 06
Most Common Material: SILT
Mat2: 28
Mat2 Desc: SAND
Mat3: 79

Mat3 Desc: PACKED
Formation Top Depth: 2.0
Formation End Depth: 20.0

Formation End Depth UOM:

1006133911

Formation ID:

Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: 0.0 Formation End Depth: 2.0 Formation End Depth UOM: Plug ID: 1006133923 Layer: 2 Plug From: 79.0 Plug To: 85.0 Plug Depth UOM: ft Plug ID: 1006133922 1 Layer: Plug From: 0.0 Plug To: 79.0 Plug Depth UOM: ft Method Construction ID: 1006133921 Method Construction 6 Code: Method Construction: **Boring** Other Method Construction: Pipe ID: 1006133910 Casing No: Comment: Alt Name: Casing ID: 1006133918 Layer: Material: 5 Open Hole or Material: **PLASTIC**

Order No: 22090803393p

Depth From:

Depth To: 80.0 Casing Diameter: 1.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Screen ID: 1006133919

1 Layer: Slot: 10 Screen Top Depth: 0.08 Screen End Depth: 85.0 5 Screen Material: ft Screen Depth UOM: Screen Diameter UOM: inch Screen Diameter: 1.5

Water ID: 1006133917

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1006133916

Diameter: 4.0 Depth From: 20.0 85.0 Depth To: ft Hole Depth UOM: Hole Diameter UOM: inch

Hole ID: 1006133915

Diameter: 6.0 Depth From: 0.0 Depth To: 20.0 Hole Depth UOM: ft Hole Diameter UOM: inch

Bore Hole ID: 1006081560 Tag No: A202605 Depth M: 25.908 Contractor: 7472

Year Completed: 2016 Path:

Well Completed Dt: Latitude: 2016/03/09 43.6900868963084 Audit No: Z230617 Longitude: -79.4759036738541

DB Map Key **Direction** Distance (km) Distance (m) Elevation (m) Order No: 22090803393p

107 SW 0.12 117.76 126.06 WWIS

Well ID: 7261346 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type: Selected Flag: TRUE
Casing Material: Abandonment Rec: Yes

Audit No: Z232436 Contractor: 6946
Tag: Form Version: 7

Tag: Form Version:
Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:
Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date: 2016/03/02 Year Completed: 2016

Depth (m):

Latitude: 43.689824383986 Longitude: -79.4757986490388

Path:

Bore Hole ID: 1005929227 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622837.00

 Code OB Desc:
 North83:
 4838552.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 02-Mar-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location Source:

4-7

Improvement Location Method: Source Revision Comment:

Supplier Comment:

Plug ID: 1006022571

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 10.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006022570

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006022564

Casing No: 0

Comment: Alt Name:

Casing ID: 1006022568

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0

Depth To: 10.0

Casing Diameter: 1.5

Casing Diameter UOM: inch

Casing Depth UOM: ft

Screen ID: 1006022569

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006022567

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006022566

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005929227 Tag No:

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7261346.pdf

 Well Completed Dt:
 2016/03/02
 Latitude:
 43.689824383986

 Audit No:
 Z232436
 Longitude:
 -79.4757986490388

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB108WSW0.12118.08125.84WWIS

Well ID: 7287372 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Observation Wells Date Received: 29-May-2017 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

Audit No: Z259466 Contractor: 7472

Tag: A227369 Form Version: 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

473

PDF URL (Map): Well Completed Date: 2016/03/09 Year Completed: 2016 Depth (m): 25.908 43.6898790505691 Latitude: Longitude: -79.4758468971494 Path: Elevation: Bore Hole ID: 1006487473 DP2BR: Elevrc: Spatial Status: Zone: 17 Code OB: East83: 622833.00 Code OB Desc: North83: 4838558.00 UTM83 Open Hole: Org CS: Cluster Kind: UTMRC: Date Completed: 09-Mar-2016 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m Remarks: Location Method: wwr Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Formation ID: 1006768963 Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: 0.0 Formation End Depth: 1.0 Formation End Depth UOM:

Order No: 22090803393p

Formation ID: 1006768966

Layer: 4 Color: 2

General Color: GREY Mat1: 08

Most Common Material: FINE SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 11

 Mat3 Desc:
 GRAVEL

 Formation Top Depth:
 35.0

 Formation End Depth:
 85.0

Formation End Depth

UOM:

Formation ID: 1006768965

ft

3 Layer: 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 79 Mat3 Desc: **PACKED**

Formation End Depth: PACKE

70.0

Formation End Depth: 35.0

Formation End Depth ft

UOM:

Formation ID: 1006768964

Layer: 2 Color: 6

General Color: BROWN
Mat1: 06
Most Common Material: SILT

Mat2: 08

Mat2 Desc: FINE SAND

Mat3: 79
Mat3 Desc: PACKED

Formation Top Depth: 1.0
Formation End Depth: 20.0
Formation End Depth ft

UOM:

Plug ID: 1006768974

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 70.0

Plug Depth UOM: ft

Plug ID: 1006768975

 Layer:
 2

 Plug From:
 70.0

 Plug To:
 79.0

 Plug Depth UOM:
 ft

Plug ID: 1006768976

 Layer:
 3

 Plug From:
 79.0

 Plug To:
 85.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006768973

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method BORING

Construction:

Pipe ID: 1006768962

Casing No: 0

Comment: Alt Name:

Casing ID: 1006768970

Layer: 1 Material: 5

Casing Depth UOM:

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 80.0
Casing Diameter: 2.0
Casing Diameter UOM: inch

Screen ID: 1006768971

ft

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 80.0

 Screen End Depth:
 85.0

 Screen Material:
 5

Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.5

Water ID: 1006768969

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: f

Hole ID: 1006768967

Diameter: 6.0

Depth From: 0.0

Depth To: 20.0

Hole Depth UOM: ft

Hole Diameter UOM: inch

Hole ID: 1006768968

Diameter: 4.0
Depth From: 20.0
Depth To: 85.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006487473
 Tag No:
 A227369

 Depth M:
 25.908
 Contractor:
 7472

 Year Completed:
 2016
 Path:
 728\7287372.pdf

 Well Completed Dt:
 2016/03/09
 Latitude:
 43.6898790505691

 Audit No:
 Z259466
 Longitude:
 -79.4758468971494

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
109	WSW	0.12	118.48	126.07	WWIS

Well ID: 7298514 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 03-Nov-2017 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

Audit No: Z251356 Contractor: 3413

A220849 Form Version: 7 Tag:

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Lot:

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Concession Name: Well Depth: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: **TORONTO CITY**

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7298514.pdf

Well Completed Date: 2017/03/14 Year Completed: 2017 26.9748 Depth (m):

Latitude: 43.690078722605 Longitude: -79.4759659220692 Path: 729\7298514.pdf

1006788079 Elevation: Bore Hole ID:

DP2BR: Elevrc:

Spatial Status: Zone: 17

Code OB: East83: 622823.00 Code OB Desc: 4838580.00 North83: UTM83 Open Hole: Org CS:

Cluster Kind: UTMRC:

Date Completed: 14-Mar-2017 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1006879751

Layer: 4 Color: 2 General Color: **GREY** Mat1: 11

Most Common Material: **GRAVEL** Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: 58.0 Formation End Depth: 74.0 Formation End Depth ft UOM: 1006879749 Formation ID: Layer: 2 Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: **CLAY** Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: 1.0 23.0 Formation End Depth: Formation End Depth ft UOM: Formation ID: 1006879752 5 Layer: Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: **CLAY** Mat2: Mat2 Desc: Mat3: Mat3 Desc: 74.0 Formation Top Depth: Formation End Depth: 88.5 Formation End Depth ft UOM: Formation ID: 1006879748

Order No: 22090803393p

Layer: 1
Color: 8
General Color: BL/

General Color: BLACK

Mat1: 02

Most Common Material: TOPSOIL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 1.0
Formation End Depth ft

UOM:

Formation ID: 1006879750

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 23.0
Formation End Depth: 58.0
Formation End Depth ft

UOM:

Plug ID: 1006879760

 Layer:
 2

 Plug From:
 20.0

 Plug To:
 88.5

 Plug Depth UOM:
 ft

Plug ID: 1006879759

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006879758

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006879747

Casing No:

Comment: Alt Name:

Casing ID: 1006879755

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 48.5
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006879756

Layer: 1
Slot: 10
Screen Top Depth: 48.5
Screen End Depth: 88.5
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006879754

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006879753

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006788079
 Tag No:
 A220849

 Depth M:
 26.9748
 Contractor:
 3413

 Year Completed:
 2017
 Path:
 729\7298514.pdf

 Well Completed Dt:
 2017/03/14
 Latitude:
 43.690078722605

 Audit No:
 Z251356
 Longitude:
 -79.4759659220692

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
110	SW	0.12	119.51	126.06	WWIS
Well ID:	7276	009	Flowing (Y/N):		
Construction Date:			Flow Rate:		
Use 1st:	Dewa	atering	Data Entry Status:		
Use 2nd:			Data Src:		
Final Well Status:	Dewa	atering	Date Received:	29-Nov-2016 00:00:00	
Water Type:			Selected Flag:	TRUE	
Casing Material:			Abandonment Rec:		
Audit No:	Z245	164	Contractor:	3413	
Tag:	A215	345	Form Version:	7	
Constructn Method:			Owner:		
Elevation (m):			County:	YORK AND TORONT	
Elevatn Reliabilty:			Lot:		
Depth to Bedrock:			Concession:		
Well Depth:			Concession Name:		
Overburden/Bedroc	k:		Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:	YOR	K BOROUGH			
Site Info:					
PDF URL (Map):	https	://d2khazk8e83rdv.cloud	ront.net/moe_mapping/downlo	ads/2Water/Wells_pdfs/727\72	76009.pdf
Well Completed Date	te: 2016	/04/11			
Year Completed:	2016				
Depth (m):		543016			
Latitude:		397335487079			
Longitude:		757389090079			
Path:		7276009.pdf			
D 11.1.1D	4000	000007	- 1		
Bore Hole ID:	1006	298807	Elevation:		
DP2BR:			Elevrc:	47	
Spatial Status:			Zone:	17	
Code OB:			East83:	622842.00	
Code OB Desc:			North83:	4838542.00	
Open Hole:			Org CS:	UTM83	
Cluster Kind:	44.4	~ 2010 00:00:00	UTMRC:	4	400
Date Completed:	11-AJ	pr-2016 00:00:00	UTMRC Desc:	margin of error : 30 m	- 100 m
Remarks:			Location Method:	wwr	

Order No: 22090803393p

Elevrc Desc:

Location Source Date:

Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1006458895

 Layer:
 1

 Color:
 2

 General Color:
 GREY

Mat1:

Most Common Material:

 Mat2:
 01

 Mat2 Desc:
 FILL

 Mat3:
 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0
Formation End Depth: 4.0
Formation End Depth ft

UOM:

Formation ID: 1006458896

Layer: 2 Color: 6

General Color: BROWN

Mat1: 05
Most Common Material: CLAY
Mat2: 28
Mat2 Desc: SAND

Mat3: Mat3 Desc:

Formation Top Depth: 4.0
Formation End Depth: 14.0
Formation End Depth ft

UOM:

Formation ID: 1006458897

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 14.0
Formation End Depth: 65.0
Formation End Depth ft

UOM:

Formation ID: 1006458899

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 80.0

Formation End Depth: 89.41699981689453

Formation End Depth ft

UOM:

Formation ID: 1006458898

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 65.0
Formation End Depth: 80.0
Formation End Depth ft

UOM:

Plug ID: 1006458907

Layer: 2
Plug From: 25.0

Plug To: 89.41699981689453

Plug Depth UOM: ft

Plug ID: 1006458906

Layer: 1

Plug From: 0.0
Plug To: 25.0
Plug Depth UOM: ft

Method Construction ID: 1006458905

Method Construction

В

Code:

Method Construction: Other Method
Other Method AIR ROTARY

Construction:

Pipe ID: 1006458894

Casing No: 0

Comment: Alt Name:

Casing ID: 1006458902

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0

Depth To: 25.0

Casing Diameter: 4.0

Casing Diameter UOM: inch

Casing Depth UOM: ft

Screen ID: 1006458903

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 89.41699981689453

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006458901

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006458900

Diameter: 8.0
Depth From: 0.0

Depth To: 89.41699981689453

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298807
 Tag No:
 A215345

 Depth M:
 27.2543016
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276009.pdf

 Well Completed Dt:
 2016/04/11
 Latitude:
 43.6897335487079

 Audit No:
 Z245164
 Longitude:
 -79.4757389090079

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB111SW0.12119.55125.80WWIS

Flow Rate:

Data Src:

Owner:

Well ID: 7196174 Flowing (Y/N):

Construction Date:

Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd:

Final Well Status: Test Hole Date Received: 28-Jan-2013 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z164221
 Contractor:
 7241

 Tag:
 A142655
 Form Version:
 7

Constructn Method:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH
Site Info: WKQ-005635 A0-A04

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7196174.pdf

Order No: 22090803393p

Well Completed Date: 2013/01/10
Year Completed: 2013
Depth (m): 3.048

Latitude: 43.6896787166339

-79.4756782571448 Longitude: Path: 719\7196174.pdf

Bore Hole ID: 1004244990 Elevation:

DP2BR: Elevrc:

Spatial Status: 17 Zone:

Code OB: East83: 622847.00 Code OB Desc: North83: 4838536.00 Open Hole: Org CS: UTM83

Cluster Kind: UTMRC:

10-Jan-2013 00:00:00 **UTMRC Desc:** Date Completed: margin of error: 30 m - 100 m

Location Method: Remarks: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1004780896

Layer: 3 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3:

Mat3 Desc: **DENSE** Formation Top Depth: 3.0 Formation End Depth: 10.0 Formation End Depth ft

UOM:

Formation ID: 1004780894

Layer:

Color:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3:

Order No: 22090803393p

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 0.5
Formation End Depth ft

UOM:

Formation ID: 1004780895

Layer: 2 Color: 6

General Color: BROWN

 Mat1:
 01

 Most Common Material:
 FILL

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 77

 Mat3 Desc:
 LOOSE

Formation Top Depth: 0.5
Formation End Depth: 3.0
Formation End Depth ft

UOM:

Plug ID: 1004780906

 Layer:
 3

 Plug From:
 3.5

 Plug To:
 10.0

 Plug Depth UOM:
 ft

Plug ID: 1004780904

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 0.5

 Plug Depth UOM:
 ft

Plug ID: 1004780905

 Layer:
 2

 Plug From:
 0.5

 Plug To:
 3.5

 Plug Depth UOM:
 ft

Method Construction ID: 1004780903

Method Construction

Code:

D

Method Construction: Direct Push

Other Method Construction:

Pipe ID: 1004780893

Casing No: 0

Comment: Alt Name:

Casing ID: 1004780899

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 4.0
Casing Diameter: 1.25
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1004780900

Layer: 1
Slot: 10
Screen Top Depth: 4.0
Screen End Depth: 10.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1.5

Water ID: 1004780898

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1004780897

Diameter: 2.25

Depth From: 0.0

Depth To: 10.0

Hole Depth UOM: ft

Hole Diameter UOM: inch

 Bore Hole ID:
 1004244990
 Tag No:
 A142655

 Depth M:
 3.048
 Contractor:
 7241

 Year Completed:
 2013
 Path:
 719\7196174.pdf

 Well Completed Dt:
 2013/01/10
 Latitude:
 43.6896787166339

 Audit No:
 Z164221
 Longitude:
 -79.4756782571448

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
112	SW	0.12	120.38	125.80	wwis

Flow Rate:

Well ID: 7276007 Flowing (Y/N):

Construction Date:

Use 1st: Domestic Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245165
 Contractor:
 3413

 Tag:
 A215342
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276007.pdf

Well Completed Date: 2016/10/05 Year Completed: 2016 Depth (m): 27.2034

Latitude: 43.6896880483352
Longitude: -79.4757028370756
Path: 727\7276007.pdf

Bore Hole ID: 1006298801 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622845.00

 Code OB Desc:
 North83:
 4838537.00

 Open Hole:
 Org CS:
 UTM83

Order No: 22090803393p

Cluster Kind: UTMRC: 4

Date Completed: 05-Oct-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Location Method:

Order No: 22090803393p

Remarks:

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment: Supplier Comment:

Formation ID: 1006458840

Layer: 2 Color: 6

General Color: BROWN

Mat1: 05
Most Common Material: CLAY
Mat2: 28
Mat2 Desc: SAND

Mat3:

Mat3 Desc:

Formation Top Depth: 4.0
Formation End Depth: 14.0
Formation End Depth ft

UOM:

Formation ID: 1006458839

 Layer:
 1

 Color:
 2

 General Color:
 GREY

Mat1:

Most Common Material:

 Mat2:
 01

 Mat2 Desc:
 FILL

 Mat3:
 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0
Formation End Depth: 4.0
Formation End Depth ft

UOM:

Formation ID: 1006458841

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

Most Common Material: CLAY

Mat2: Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 14.0
Formation End Depth: 65.0
Formation End Depth ft

UOM:

Formation ID: 1006458842

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 65.0 Formation End Depth: 80.0 Formation End Depth ft

UOM:

Formation ID: 1006458843

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 80.0 Formation End Depth: 89.25 Formation End Depth ft

UOM:

Plug ID: 1006458850

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Plug ID: 1006458851

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 89.25

 Plug Depth UOM:
 ft

Method Construction ID: 1006458849

В

Method Construction

Code:

Method Construction: Other Method
Other Method AIR ROTARY

Construction:

Pipe ID: 1006458838

Casing No: 0

Comment: Alt Name:

Casing ID: 1006458846

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006458847

Layer: 1
Slot: 10
Screen Top Depth: 25.0
Screen End Depth: 89.25
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006458845

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006458844

Diameter: 8.0 Depth From: 0.0 89.25 Depth To: Hole Depth UOM: Hole Diameter UOM: inch

Tag No: Bore Hole ID: 1006298801 A215342 Depth M: 27.2034 Contractor: 3413

Path: 727\7276007.pdf Year Completed: 2016 Well Completed Dt: 2016/10/05 Latitude: 43.6896880483352 Audit No: Z245165 Longitude: -79.4757028370756

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
113	SW	0.12	120.99	125.89	wwis

Flow Rate:

Selected Flag:

Contractor:

Owner:

Zone:

Form Version:

Concession:

UTM Reliability:

Abandonment Rec:

21-Dec-2017 00:00:00

Order No: 22090803393p

TRUE

7607

7

Well ID: 7301930 Flowing (Y/N):

Construction Date:

Use 1st: Data Entry Status:

Use 2nd:

Data Src: Final Well Status: Date Received: Dewatering

Water Type:

Casing Material:

Audit No: Z254858 Tag: A223694

Constructn Method:

Elevation (m): County: YORK AND TORONT

Lot: Elevatn Reliabilty:

Depth to Bedrock:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level:

Clear/Cloudy:

YORK BOROUGH Municipality:

Site Info:

PDF URL (Map):

Well Completed Date: 2017/11/27

Year Completed: 2017 Depth (m): 27

Latitude: 43.6897885461851 Longitude: -79.4758119649691

Path:

Bore Hole ID: 1006926215 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622836.00

 Code OB Desc:
 North83:
 4838548.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 27-Nov-2017 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: cnrev

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1007090069

Layer: 1 Color: 8

General Color: BLACK Mat1: 02

Most Common Material: TOPSOIL

Mat2: 12

Mat2 Desc: STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 3.0
Formation End Depth m

UOM:

Formation ID: 1007090072

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 05

Mat2 Desc: CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 25.0 Formation End Depth: 27.0 Formation End Depth

UOM:

Formation ID: 1007090070

Layer: Color: 6

General Color: **BROWN** Mat1: 06 SILT Most Common Material: Mat2: 11

Mat2 Desc: **GRAVEL**

Mat3:

Mat3 Desc:

Formation Top Depth: 3.0 Formation End Depth: 10.0 Formation End Depth m

UOM:

Formation ID: 1007090071

3 Layer: 2 Color: General Color: **GREY** Mat1: 06

Most Common Material: SILT Mat2: 28 Mat2 Desc:

SAND

Mat3: Mat3 Desc:

Formation Top Depth: 10.0 Formation End Depth: 25.0 Formation End Depth m

UOM:

Plug ID: 1007090079

2 Layer: Plug From: 8.0 Plug To: 27.0 Plug Depth UOM: m

Plug ID: 1007090078

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 8.0

 Plug Depth UOM:
 m

Method Construction ID: 1007090077

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1007090068

Casing No: 0

Comment: Alt Name:

Casing ID: 1007090075

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 9.0
Casing Diameter: 10.0
Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1007090076

Layer: 1 Slot: .5 Screen Top Depth: 9.0 Screen End Depth: 27.0 5 Screen Material: Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: 10.0

Water ID: 1007090074

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1007090073

Diameter:
Depth From:
Depth To:

Hole Depth UOM: m
Hole Diameter UOM: cm

 Bore Hole ID:
 1006926215
 Tag No:
 A223694

 Depth M:
 27
 Contractor:
 7607

Year Completed: 2017

 Well Completed Dt:
 2017/11/27
 Latitude:
 43.6897885461851

 Audit No:
 Z254858
 Longitude:
 -79.4758119649691

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
113	SW	0.12	120.99	125.89	WWIS

Path:

Well ID: 7276003 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z230286
 Contractor:
 3413

 Tag:
 A201832
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276003.pdf

Order No: 22090803393p

 Well Completed Date:
 2016/10/14

 Year Completed:
 2016

 Depth (m):
 26.858976

498

Latitude: 43.6897885461851
Longitude: -79.4758119649691
Path: 727\7276003.pdf

Bore Hole ID: 1006299032 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622836.00

 Code OB Desc:
 North83:
 4838548.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 14-Oct-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006458744

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 25.0
Formation End Depth ft

UOM:

Formation ID: 1006458746

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 72.0

Formation End Depth: 88.12000274658203

Formation End Depth

UOM:

Formation ID: 1006458745

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 25.0
Formation End Depth: 72.0
Formation End Depth ft

UOM:

Plug ID: 1006458753

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Plug ID: 1006458754

Layer: 2 Plug From: 25.0

Plug To: 88.12000274658203

Plug Depth UOM: ft

Method Construction ID: 1006458752

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006458743

Casing No: 0

Comment: Alt Name:

Casing ID: 1006458749

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006458750

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 88.12000274658203

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006458748

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006458747

Diameter: 8.0
Depth From: 0.0

Depth To: 88.12000274658203

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006299032
 Tag No:
 A201832

 Depth M:
 26.858976
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276003.pdf

 Well Completed Dt:
 2016/10/14
 Latitude:
 43.6897885461851

 Audit No:
 Z230286
 Longitude:
 -79.4758119649691

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
113	SW	0.12	120.99	125.89	WWIS

Dewatering

Well ID: 7276004 Flowing (Y/N):

Construction Date:

Flow Rate:

Use 1st:

Dewatering

Data Src:

Final Well Status:

Date Received:

Water Type:

Use 2nd:

TRUE

3413

7

29-Nov-2016 00:00:00

YORK AND TORONT

Audit No:

Tag:

Selected Flag:

Abandonment Rec:

Data Entry Status:

Casing Material:

Z230284 Contractor: A215354

Form Version:

Constructn Method:

Owner:

Elevation (m):

County:

Lot:

Elevatn Reliabilty: Depth to Bedrock:

Concession:

Well Depth: Overburden/Bedrock: Concession Name: Easting NAD83:

Pump Rate:

Northing NAD83:

Static Water Level:

Zone:

Clear/Cloudy:

UTM Reliability:

Municipality:

YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276004.pdf

Well Completed Date: 2016/10/14 Year Completed: 2016

27.389328 Depth (m):

43.6897795453762 Latitude: -79.4758121929526 Longitude: Path: 727\7276004.pdf

Bore Hole ID: 1006299035

DP2BR:

Elevrc:

Spatial Status:

Zone: 17

Elevation:

Org CS:

Code OB: Code OB Desc: East83: 622836.00 North83: 4838547.00

UTM83

Open Hole:

UTMRC:

Date Completed:

UTMRC Desc: margin of error: 30 m - 100 m

Remarks:

Cluster Kind:

Location Method: wwr

Elevrc Desc:

Location Source Date:

Improvement Location

Source:

Improvement Location

Method:

14-Oct-2016 00:00:00

Source Revision Comment:

Supplier Comment:

Formation ID: 1006458770

Layer: 1
Color: 2
General Color: GREY

Mat1:

Most Common Material:

 Mat2:
 01

 Mat2 Desc:
 FILL

 Mat3:
 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0
Formation End Depth: 4.0
Formation End Depth ft

UOM:

Formation ID: 1006458772

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 14.0
Formation End Depth: 65.0
Formation End Depth ft

UOM:

Formation ID: 1006458774

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 81.0

Formation End Depth: 89.86000061035156

Formation End Depth

UOM:

ft

Formation ID: 1006458771

Layer: 2 Color: 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 05
Mat2 Desc: CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 4.0
Formation End Depth: 14.0
Formation End Depth ft

UOM:

Formation ID: 1006458773

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3:

Mat3 Desc:

Formation Top Depth: 65.0
Formation End Depth: 81.0
Formation End Depth ft

UOM:

Plug ID: 1006458781

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Plug ID: 1006458782

Layer: 2
Plug From: 25.0

Plug To: 89.86000061035156

Plug Depth UOM: ft

Method Construction ID: 1006458780

Method Construction B

Code:

Method Construction: Other Method
Other Method AIR ROTARY

Construction:

Pipe ID: 1006458769

Casing No: 0

Comment: Alt Name:

Casing ID: 1006458777

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006458778

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 89.86000061035156

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006458776

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006458775

Diameter: 8.0
Depth From: 0.0

Depth To: 89.66000366210938

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006299035
 Tag No:
 A215354

 Depth M:
 27.389328
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276004.pdf

 Well Completed Dt:
 2016/10/14
 Latitude:
 43.6897795453762

 Audit No:
 Z230284
 Longitude:
 -79.4758121929526

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB114SW0.12121.39125.80WWIS

Well ID: 7261351 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type: Selected Flag: TRUE
Casing Material: Abandonment Rec: Yes

 Audit No:
 Z232448
 Contractor:
 6946

 Tag:
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Order No: 22090803393p

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

Well Completed Date: 2016/03/02

Year Completed: 2016

Depth (m):

PDF URL (Map):

Latitude: 43.6897065462819 Longitude: -79.4757395929894

Path:

1005929242 Elevation: Bore Hole ID: DP2BR: Elevrc:

Spatial Status: Zone:

Code OB: East83: 622842.00 Code OB Desc: North83: 4838539.00 Open Hole: Org CS: UTM83 UTMRC: 4

UTMRC Desc: Date Completed: 02-Mar-2016 00:00:00 margin of error: 30 m - 100 m

17

Order No: 22090803393p

Remarks: Location Method:

Elevrc Desc:

Cluster Kind:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Plug ID: 1006022631

Layer: 1 Plug From: 0.0 Plug To: 10.0 Plug Depth UOM: ft

Method Construction ID: 1006022630

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006022624

Casing No: 0

Comment: Alt Name:

Casing ID: 1006022628

1 Layer: Material:

Open Hole or Material: **PLASTIC**

Depth From: 0.0 Depth To: 10.0 Casing Diameter: 1.5 Casing Diameter UOM: inch Casing Depth UOM:

Screen ID: 1006022629

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006022627

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006022626

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005929242

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7261351.pdf

 Well Completed Dt:
 2016/03/02
 Latitude:
 43.6897065462819

 Audit No:
 Z232448
 Longitude:
 -79.4757395929894

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
115	SW	0.12	121.70	125.89	WWIS

Tag No:

Order No: 22090803393p

Well ID: 7276005 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

Audit No: Z245166 Contractor: 3413

Tag: A215343 Form Version: 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Lot:

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276005.pdf

Well Completed Date: 2016/10/05 Year Completed: 2016

Depth (m): 27.2286984

Latitude: 43.6897613783243

Longitude: -79.4758002449366

Path: 727\7276005.pdf

Bore Hole ID: 1006299038 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622837.00

 Code OB Desc:
 North83:
 4838545.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 05-Oct-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1006458800

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

Most Common Material: CLAY
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:

Formation Top Depth: 14.0
Formation End Depth: 62.0
Formation End Depth ft

UOM:

Formation ID: 1006458799

Layer: 2 Color: 6

General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 28
Mat2 Desc: SAND

Mat3: Mat3 Desc:

Formation Top Depth: 4.0
Formation End Depth: 14.0
Formation End Depth ft

UOM:

Formation ID: 1006458802

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 80.0

Formation End Depth: 89.33300018310547

Formation End Depth ft

UOM:

Formation ID: 1006458798

Layer: 1
Color: 2
General Color: GREY

Mat1:

Most Common Material:

 Mat2:
 01

 Mat2 Desc:
 FILL

 Mat3:
 60

Mat3 Desc: CEMENTED

Formation Top Depth: 0.0 Formation End Depth: 4.0 Formation End Depth ft

UOM:

Formation ID: 1006458801

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 62.0
Formation End Depth: 80.0
Formation End Depth ft

UOM:

Plug ID: 1006458810

Layer: 2 Plug From: 25.0

Plug To: 89.33300018310547

Plug Depth UOM: ft

Plug ID: 1006458809

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006458808

Method Construction I

Code:

Method Construction: Other Method
Other Method AIR ROTARY

Construction:

Pipe ID: 1006458797

Casing No:

Comment: Alt Name:

Casing ID: 1006458805

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006458806

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 89.33300018310547

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006458804

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006458803

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006299038
 Tag No:
 A215343

 Depth M:
 27.2286984
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276005.pdf

 Well Completed Dt:
 2016/10/05
 Latitude:
 43.6897613783243

 Audit No:
 Z245166
 Longitude:
 -79.4758002449366

Мар Кеу	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
116	SW	0.12	121.70	125.80	WWIS
Well ID: Construction Date:	7276	006	Flowing (Y/N): Flow Rate:		
Use 1st: Use 2nd:	Dewa	atering	Data Entry Status: Data Src:		
Final Well Status: Water Type: Casing Material:		atering	Date Received: Selected Flag: Abandonment Rec:	29-Nov-2016 00:00:00 TRUE	
Audit No: Tag: Constructn Method	Z245 A201 :		Contractor: Form Version: Owner:	3413 7	
Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedroc Pump Rate: Static Water Level:			County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:	YORK AND TORONT	
Clear/Cloudy: Municipality: Site Info:	YOR	K BOROUGH	UTM Reliability:		
PDF URL (Map):	https	://d2khazk8e83rdv.cloudfron	t.net/moe_mapping/downlo	ads/2Water/Wells_pdfs/727\727600	3.pdf
Well Completed Da Year Completed: Depth (m): Latitude: Longitude: Path:	2016 27.19 43.68 -79.4	/10/05 524984 396700467181 -757032930734 7276006.pdf			
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc:		298798 ct-2016 00:00:00	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 622845.00 4838535.00 UTM83 4 margin of error : 30 m - 100 wwr	m

Location Source Date:

Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1006458826

Layer: 1 Color: 6

General Color: BROWN

Mat1: 28
Most Common Material: SAND
Mat2: 05
Mat2 Desc: CLAY

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 10.0
Formation End Depth ft

UOM:

Formation ID: 1006458829

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 82.0

Formation End Depth: 89.08300018310547

Formation End Depth

UOM:

Formation ID: 1006458828

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

Order No: 22090803393p

SILT

Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 71.0
Formation End Depth: 82.0
Formation End Depth ft

UOM:

Formation ID: 1006458827

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 10.0
Formation End Depth: 71.0
Formation End Depth ft

UOM:

Plug ID: 1006458837

Layer: 2 Plug From: 25.0

Plug To: 89.08300018310547

Plug Depth UOM: ft

Plug ID: 1006458836

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006458835

Method Construction 2

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006458825

Casing No: 0

Comment: Alt Name:

Casing ID: 1006458832

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006458833

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 89.08300018310547

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006458831

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ff

Hole ID: 1006458830

Diameter: 8.0 Depth From: 0.0

Depth To: 89.08300018310547

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298798
 Tag No:
 A201836

 Depth M:
 27.1524984
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276006.pdf

 Well Completed Dt:
 2016/10/05
 Latitude:
 43.6896700467181

 Audit No:
 Z245167
 Longitude:
 -79.4757032930734

Map Key Direction Distance (km) Distance (m) Elevation (m) DB

117 SW 0.12 123.72 125.80 WWIS

Well ID: 7261352 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type:Selected Flag:TRUECasing Material:Abandonment Rec:YesAudit No:Z232447Contractor:6946

Tag: Form Version: 7

Elevation (m): YORK AND TORONT

Owner:

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

PDF URL (Map):

Site Info:

Constructn Method:

Well Completed Date: 2016/03/02 Year Completed: 2016

Depth (m):

Latitude: 43.6896430442922 Longitude: -79.4757039770693

Path:

Bore Hole ID: 1005929245 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622845.00

 Code OB Desc:
 North83:
 4838532.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 02-Mar-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Location Source Date:

Improvement Location

Source:

Elevrc Desc:

Improvement Location Method: Source Revision Comment:

Supplier Comment:

Plug ID: 1006022677

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006022676

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006022670

Casing No: 0

Comment: Alt Name:

Casing ID: 1006022674

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0

Depth To: 20.0

Casing Diameter: 1.5

Casing Diameter UOM: inch

Casing Depth UOM: ft

Screen ID: 1006022675

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft

Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006022673

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006022672

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005929245

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7261352.pdf

 Well Completed Dt:
 2016/03/02
 Latitude:
 43.6896430442922

 Audit No:
 Z232447
 Longitude:
 -79.4757039770693

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
118	SW	0.12	124 28	125 89	wwis

Tag No:

Well ID: 7301933 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 21-Dec-2017 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z254857
 Contractor:
 7607

 Tag:
 A223695
 Form Version:
 7

Constructn Method:

Elevation (m): County: YORK AND TORONT

Owner:

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date: 2017/11/26
Year Completed: 2017
Depth (m): 8.2296

Latitude: 43.6897345413316 Longitude: -79.4758133328682

Path:

Bore Hole ID: 1006926376 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622836.00

 Code OB Desc:
 North83:
 4838542.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 26-Nov-2017 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: cnrev

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1007090108

4 Layer: Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 05 Mat2 Desc: CLAY Mat3: 79

Mat3 Desc: PACKED
Formation Top Depth: 25.0
Formation End Depth: 27.0
Formation End Depth ft

UOM:

Formation ID: 1007090106

Layer: 2 Color: 6

General Color: BROWN
Mat1: 06
Most Common Material: SILT
Mat2: 11
Mat2 Desc: GRAVEL

Mat2 Desc: GRAVE

Mat3: 77

Mat3 Desc: LOOSE

Formation Top Depth: 3.0

Formation End Depth: 10.0

Formation End Depth ft

UOM:

Formation ID: 1007090105

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

 Mat1:
 02

Most Common Material: TOPSOIL

Mat2: 12

Mat2 Desc: STONES

Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 3.0
Formation End Depth ft

UOM:

Formation ID: 1007090107

Layer: 3 Color: 2 General Color: **GREY** Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND Mat3: 77 Mat3 Desc: LOOSE

Mat3 Desc: LOOS
Formation Top Depth: 10.0
Formation End Depth: 25.0
Formation End Depth ft

UOM:

Plug ID: 1007090115

 Layer:
 2

 Plug From:
 8.0

 Plug To:
 27.0

Plug Depth UOM: ft

Plug ID: 1007090114

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 8.0

 Plug Depth UOM:
 ft

Method Construction ID: 1007090113

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1007090104

Casing No: 0

Comment: Alt Name:

Casing ID: 1007090111

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 9.0
Casing Diameter: 10.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1007090112

Layer: 1 .5 Slot: Screen Top Depth: 9.0 Screen End Depth: 27.0 5 Screen Material: ft Screen Depth UOM: Screen Diameter UOM: inch Screen Diameter: 10.0

Water ID: 1007090110

Layer:

Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1007090109

Diameter: Depth From: Depth To:

Hole Depth UOM: Hole Diameter UOM: inch

Bore Hole ID: 1006926376 Tag No: A223695 Depth M: 8.2296 Contractor: 7607

Year Completed: 2017

2017/11/26 Latitude: 43.6897345413316 Well Completed Dt: Audit No: Z254857 Longitude: -79.4758133328682

Map Key **Direction** Distance (km) Distance (m) Elevation (m) DB **WWIS** 119 SW 0.13 127.28 125.38

Path:

Flow Rate:

Data Src:

Owner:

Lot:

Well ID: 7276012 Flowing (Y/N):

Construction Date:

Use 1st: Data Entry Status: Dewatering

Use 2nd:

Final Well Status: Date Received: 29-Nov-2016 00:00:00 Dewatering

Water Type: Selected Flag: **TRUE**

Casing Material:

Abandonment Rec: Audit No: Z245168 Contractor:

3413 7 Tag: A215357 Form Version:

Constructn Method:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Northing NAD83: Pump Rate:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276012.pdf

Well Completed Date: 2016/09/05 Year Completed: 2016

Depth (m): 29.3622984

Latitude: 43.6896255390031
Longitude: -79.4757416449281
Path: 727\7276012.pdf

Bore Hole ID: 1006298816 Elevation:

DP2BR: Elevro: Spatial Status: Zone:

 Code OB:
 East83:
 622842.00

 Code OB Desc:
 North83:
 4838530.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 05-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

17

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006458980

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

 Mat2:
 71

Mat2 Desc: FRACTURED

Mat3:

Mat3 Desc:

Formation Top Depth: 90.0

Formation End Depth: 96.33300018310547

Formation End Depth ft

UOM:

Formation ID: 1006458978

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

Most Common Material: SILT Mat2:

Mat3: Mat3 Desc:

Mat2 Desc:

Formation Top Depth: 70.0
Formation End Depth: 81.0
Formation End Depth ft

UOM:

Formation ID: 1006458977

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 14.0
Formation End Depth: 70.0
Formation End Depth ft

UOM:

Formation ID: 1006458976

Layer: 1 Color: 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 05

CLAY

Mat3: Mat3 Desc:

Mat2 Desc:

Formation Top Depth: 0.0
Formation End Depth: 14.0
Formation End Depth ft

UOM:

Formation ID: 1006458979

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth:

Formation Top Depth: 81.0
Formation End Depth: 90.0
Formation End Depth ft

UOM:

Plug ID: 1006458988

Layer: 2 Plug From: 0.0

Plug To: 96.33300018310547

Plug Depth UOM: ft

Plug ID: 1006458987

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006458986

Method Construction

Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe ID: 1006458975

Casing No: 0

Comment: Alt Name:

Casing ID: 1006458983

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006458984

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 0.0

Screen End Depth: 96.33300018310547

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006458982

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006458981

Diameter: 8.0
Depth From: 0.0

Depth To: 96.33300018310547

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298816
 Tag No:
 A215357

 Depth M:
 29.3622984
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276012.pdf

 Well Completed Dt:
 2016/09/05
 Latitude:
 43.6896255390031

 Audit No:
 Z245168
 Longitude:
 -79.4757416449281

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
120	SW	0.13	127.99	125.41	WWIS

Order No: 22090803393p

Well ID: 7276015 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245173
 Contractor:
 3413

 Tag:
 A215355
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276015.pdf

Well Completed Date: 2016/09/22 Year Completed: 2016

Depth (m): 27.2543016

Latitude: 43.6898082020721 Longitude: -79.4759355489259

Path: 727\7276015.pdf

Bore Hole ID: 1006298825 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622826.00

 Code OB Desc:
 North83:
 4838550.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 22-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006459031

Layer: 2
Color: 2
General Color: GREY

Mat1: 05
Most Common Material: CLAY
Mat2: 85

Mat2 Desc: SOFT

Mat3: Mat3 Desc:

Formation Top Depth: 16.0 Formation End Depth: 66.0 Formation End Depth ft

UOM:

Formation ID: 1006459035

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 87.0

Formation End Depth: 89.41699981689453

Formation End Depth

UOM:

Formation ID: 1006459032

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: 06 Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 66.0 Formation End Depth: 74.0 Formation End Depth ft

UOM:

Formation ID: 1006459030

Layer: 1 Color: 6

General Color: BROWN

Mat1: 28
Most Common Material: SAND
Mat2: 05
Mat2 Desc: CLAY

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 16.0
Formation End Depth ft

UOM:

Formation ID: 1006459033

Layer: 4 Color: 6

General Color: BROWN Mat1: 28

Most Common Material: SAND

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 74.0
Formation End Depth: 79.0
Formation End Depth ft

UOM:

Formation ID: 1006459034

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 79.0
Formation End Depth: 87.0
Formation End Depth ft

UOM:

Plug ID: 1006459042

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Plug ID: 1006459043

Layer: 2

Plug From: 25.0

Plug To: 89.41699981689453

Plug Depth UOM: ft

Method Construction ID: 1006459041

Method Construction

Code:

В

Method Construction: Other Method
Other Method AIR ROTARY

Construction:

Pipe ID: 1006459029

Casing No: 0

Comment: Alt Name:

Casing ID: 1006459038

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0

Depth To: 25.0

Casing Diameter: 4.0

Casing Diameter UOM: inch

Casing Depth UOM: ft

Screen ID: 1006459039

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 89.41699981689453

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006459037

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006459036

Diameter: 8.0 Depth From: 0.0

Depth To: 89.41699981689453

Hole Depth UOM: Hole Diameter UOM: inch

Bore Hole ID: 1006298825 Tag No: A215355 Depth M: 27.2543016 Contractor: 3413

Path: Year Completed: 2016 727\7276015.pdf Well Completed Dt: 2016/09/22 Latitude: 43.6898082020721 Audit No: Z245173 Longitude: -79.4759355489259

Map Key **Direction** Distance (km) Distance (m) Elevation (m) DB 120 SW 0.13 127.99 125.67 **WWIS**

Well ID: 7261345 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type: Selected Flag: **TRUE** Casing Material: Abandonment Rec: Yes Audit No: Z232446 6946 Contractor:

7 Form Version: Tag:

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Order No: 22090803393p

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone:

YORK BOROUGH

Clear/Cloudy: **UTM Reliability:**

Municipality: Site Info:

Well Completed Date: 2016/03/02

Year Completed: 2016

Depth (m):

Latitude: 43.6897990358419

PDF URL (Map):

Longitude: -79.4759233729

Path:

Bore Hole ID: 1005929224 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622827.00

 Code OB Desc:
 North83:
 4838549.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 02-Mar-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Plug ID: 1006022563

 Layer:
 1

 Plug From:
 10.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006022562

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006022556

Casing No: 0

Comment: Alt Name:

Casing ID: 1006022560

Layer: 1
Material: 5

Open Hole or Material: PLASTIC
Depth From: 10.0

Depth To: 0.0
Casing Diameter: 1.5
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006022561

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006022559

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006022558

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005929224 Tag No:

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7261345.pdf

 Well Completed Dt:
 2016/03/02
 Latitude:
 43.6897990358419

 Audit No:
 Z232446
 Longitude:
 -79.4759233729

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
121	SW	0.13	128.19	125.67	WWIS

Well ID: 7196178 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Test Hole Date Received: 28-Jan-2013 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z164222
 Contractor:
 7241

 Tag:
 A140052
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH
Site Info: WKQ-005635 A0-A04

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7196178.pdf

Well Completed Date: 2013/01/09
Year Completed: 2013
Depth (m): 6.096

Latitude: 43.689644036937
Longitude: -79.4757784008166
Path: 719\7196178.pdf

Bore Hole ID: 1004245002 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622839.00

 Code OB Desc:
 North83:
 4838532.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 09-Jan-2013 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1004780952

3 Layer: Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 66 Mat3 Desc: **DENSE** Formation Top Depth: 8.0 Formation End Depth: 20.0

Formation ID: 1004780950

ft

Layer: 1

Color:

UOM:

General Color:

Mat1:

Most Common Material:

Formation End Depth

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 1.0
Formation End Depth ft

UOM:

Formation ID: 1004780951

Layer: 2 Color: 6

General Color: BROWN

Mat1: 01
Most Common Material: FILL

Mat2:

Mat2 Desc:

Mat3: 77

Mat3 Desc: LOOSE

Formation Top Depth: 1.0

Formation End Depth: 8.0

Formation End Depth ft

UOM:

Plug ID: 1004780960

Layer: 1

Plug From: 0.0
Plug To: 1.0
Plug Depth UOM: ft

Plug ID: 1004780961

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 9.0

 Plug Depth UOM:
 ft

Plug ID: 1004780962

 Layer:
 3

 Plug From:
 9.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method Construction ID: 1004780959

D

Method Construction

Code:

Method Construction: Direct Push

Other Method Construction:

Pipe ID: 1004780949

Casing No: 0

Comment:
Alt Name:

Casing ID: 1004780955

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 10.0
Casing Diameter: 1.25

Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1004780956

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 10.0

Screen End Depth: 20.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1.5

Water ID: 1004780954

Layer:

Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: f

Hole ID: 1004780953

Diameter: 2.25

Depth From: 0.0

Depth To: 20.0

Hole Depth UOM: ft

Hole Diameter UOM: inch

 Bore Hole ID:
 1004245002
 Tag No:
 A140052

 Depth M:
 6.096
 Contractor:
 7241

 Year Completed:
 2013
 Path:
 719\7196178.pdf

 Well Completed Dt:
 2013/01/09
 Latitude:
 43.689644036937

 Audit No:
 Z164222
 Longitude:
 -79.4757784008166

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
122	SW	0.13	129.51	125.44	WWIS

Well ID: 7196176 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Test Hole Date Received: 28-Jan-2013 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z164223
 Contractor:
 7241

 Tag:
 A142656
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Lot:

Order No: 22090803393p

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH
Site Info: WKQ-005635 A0-A04

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7196176.pdf

Well Completed Date: 2013/01/07
Year Completed: 2013
Depth (m): 3.6576

Latitude: 43.6896808673408 Longitude: -79.4758395086956 Path: 719\7196176.pdf

Bore Hole ID: 1004244996 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622834.00

 Code OB Desc:
 North83:
 4838536.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 07-Jan-2013 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1004780923

Layer: 2 Color: 6

General Color: BROWN

 Mat1:
 01

 Most Common Material:
 FILL

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 77

 Mat3 Desc:
 LOOSE

 Formation Top Depth:
 0.5

Formation End Depth: 3.0 Formation End Depth ft

UOM:

Formation ID: 1004780924

3 Layer: Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: **CLAY** Mat2: 06 Mat2 Desc: SILT Mat3: 66 Mat3 Desc: **DENSE** Formation Top Depth: 3.0 Formation End Depth: 12.0 Formation End Depth ft

Formation ID: 1004780922

Layer: 1

Color:

UOM:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 0.5 Formation End Depth ft

UOM:

Plug ID: 1004780933

 Layer:
 2

 Plug From:
 0.5

 Plug To:
 4.0

 Plug Depth UOM:
 ft

Plug ID: 1004780934

 Layer:
 3

 Plug From:
 4.0

 Plug To:
 12.0

 Plug Depth UOM:
 ft

Plug ID: 1004780932

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 0.5

 Plug Depth UOM:
 ft

Method Construction ID: 1004780931

D

Method Construction

Code:

Method Construction: Direct Push

Other Method Construction:

Pipe ID: 1004780921

Casing No: 0

Comment: Alt Name:

Casing ID: 1004780927

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 5.0

Depth To:

Casing Diameter: 1.25
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1004780928

Layer: 1 10 Slot: Screen Top Depth: 5.0 Screen End Depth: 12.0 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.5

Water ID: 1004780926

Layer: Kind Code:

Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1004780925

Diameter: 2.25

Depth From: 0.0

Depth To: 12.0

Hole Depth UOM: ft

Hole Diameter UOM: inch

 Bore Hole ID:
 1004244996
 Tag No:
 A142656

 Depth M:
 3.6576
 Contractor:
 7241

 Year Completed:
 2013
 Path:
 719\7196176.pdf

 Well Completed Dt:
 2013/01/07
 Latitude:
 43.6896808673408

 Audit No:
 Z164223
 Longitude:
 -79.4758395086956

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
123	SW	0.13	130.68	125.44	WWIS

Well ID: 7196175 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Test Hole Date Received: 28-Jan-2013 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z164220
 Contractor:
 7241

 Tag:
 A140053
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH
Site Info: WKQ-005635 A0-A04

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7196175.pdf

Well Completed Date: 2013/01/10
Year Completed: 2013
Depth (m): 3.048

Latitude: 43.6896993652441

Longitude: -79.4758762646483

Path: 719\7196175.pdf

Bore Hole ID: 1004244993 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622831.00

 Code OB Desc:
 North83:
 4838538.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 10-Jan-2013 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1004780909

Layer: 2 Color: 6

General Color: BROWN Mat1: 01

Most Common Material: FILL
Mat2: 28
Mat2 Desc: SAND

Mat3: Mat3 Desc:

Formation Top Depth: 0.5
Formation End Depth: 2.0
Formation End Depth ft

UOM:

Formation ID: 1004780910

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: 06 Mat2 Desc: SILT

Mat3:

Mat3 Desc:

Formation Top Depth: 2.0
Formation End Depth: 10.0
Formation End Depth ft

UOM:

Formation ID: 1004780908

Layer: 1

Color:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 0.5
Formation End Depth ft

UOM:

Plug ID: 1004780919

 Layer:
 2

 Plug From:
 0.5

 Plug To:
 3.5

 Plug Depth UOM:
 ft

Plug ID: 1004780918

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 0.5

 Plug Depth UOM:
 ft

Plug ID: 1004780920

 Layer:
 3

 Plug From:
 3.5

 Plug To:
 10.0

 Plug Depth UOM:
 ft

Method Construction ID: 1004780917

D

Method Construction

Code:

Method Construction: Direct Push

Other Method Construction:

Pipe ID: 1004780907

Casing No:

Comment: Alt Name:

Casing ID: 1004780913

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 4.0
Casing Diameter: 1.25

Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1004780914

Layer: 1
Slot: 10
Screen Top Depth: 4.0
Screen End Depth: 10.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch

Water ID: 1004780912

1.5

Layer: Kind Code: Kind:

Water Found Depth:

Screen Diameter:

Water Found Depth UOM: ft

Hole ID: 1004780911

Diameter: 2.25
Depth From: 0.0
Depth To: 10.0
Hole Depth UOM: ft

Hole Diameter UOM: inch

 Bore Hole ID:
 1004244993
 Tag No:
 A140053

 Depth M:
 3.048
 Contractor:
 7241

 Year Completed:
 2013
 Path:
 719\7196175.pdf

 Well Completed Dt:
 2013/01/10
 Latitude:
 43.6896993652441

 Audit No:
 Z164220
 Longitude:
 -79.4758762646483

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB124SW0.13132.08125.44WWIS

Well ID: 7276013 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245171
 Contractor:
 3413

 Tag:
 A215356
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276013.pdf

Order No: 22090803393p

Well Completed Date: 2016/09/05 Year Completed: 2016 Depth (m): 27.051

Latitude: 43.6896905298604 Longitude: -79.4758888965898 Path: 727\7276013.pdf

Bore Hole ID: 1006298819 Elevation: DP2BR: Elevro:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 622830.00

 Code OB Desc:
 North83:
 4838537.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 05-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1006459002

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 14.0
Formation End Depth: 56.0
Formation End Depth ft

UOM:

Formation ID: 1006459001

Layer: 1 Color: 6

General Color: BROWN

Mat1: 28
Most Common Material: SAND
Mat2: 05
Mat2 Desc: CLAY

Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 14.0
Formation End Depth ft

UOM:

Formation ID: 1006459003

Layer: 3 Color: 2

General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 06

Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 56.0
Formation End Depth: 76.0
Formation End Depth ft

UOM:

Formation ID: 1006459004

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 76.0
Formation End Depth: 88.0
Formation End Depth ft

UOM:

Formation ID: 1006459005

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

 Mat2:
 71

Mat2 Desc: FRACTURED

Mat3: Mat3 Desc:

Formation Top Depth: 88.0
Formation End Depth: 88.75
Formation End Depth ft

UOM:

Plug ID: 1006459012

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Plug ID: 1006459013

 Layer:
 2

 Plug From:
 25.0

 Plug To:
 88.75

 Plug Depth UOM:
 ft

Method Construction ID: 1006459011

Method Construction

Code:

В

Method Construction: Other Method
Other Method AIR ROTARY

Construction:

Pipe ID: 1006459000

Casing No: 0

Comment: Alt Name:

Casing ID: 1006459008

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006459009

1 Layer: Slot: 10 Screen Top Depth: 25.0 Screen End Depth: 88.75 5 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 4.0

Water ID: 1006459007

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006459006

Diameter: 8.0
Depth From: 0.0
Depth To: 88.75
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298819
 Tag No:
 A215356

 Depth M:
 27.051
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276013.pdf

 Well Completed Dt:
 2016/09/05
 Latitude:
 43.6896905298604

 Audit No:
 Z245171
 Longitude:
 -79.4758888965898

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
125	SW	0.13	132.79	125.44	WWIS

Well ID: 7276008 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245170
 Contractor:
 3413

 Tag:
 A201834
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Lot:

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

oloui, oloui,

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276008.pdf

Well Completed Date: 2016/09/10 Year Completed: 2016

Depth (m): 26.9495016

Latitude: 43.6896450295334
Longitude: -79.4758528245676
Path: 727\7276008.pdf

Bore Hole ID: 1006298804 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622833.00

 Code OB Desc:
 North83:
 4838532.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 10-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1006458870

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 05

 Mat2 Desc:
 CLAY

Mat3:

Mat3 Desc:

Formation Top Depth: 67.0
Formation End Depth: 78.0
Formation End Depth ft

UOM:

Formation ID: 1006458871

Layer: 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 78.0
Formation End Depth: 88.0
Formation End Depth ft

UOM:

Formation ID: 1006458872

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

 Mat2:
 71

Mat2 Desc: FRACTURED

Mat3:

Mat3 Desc:

Formation Top Depth: 88.0

Formation End Depth: 88.41699981689453

Formation End Depth ft

UOM:

Formation ID: 1006458869

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 12.0
Formation End Depth: 67.0
Formation End Depth ft

UOM:

Formation ID: 1006458868

Layer: 1 Color: 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 12.0
Formation End Depth ft

UOM:

Plug ID: 1006458883

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Plug ID: 1006458885

Layer: 2
Plug From: 25.0

Plug To: 88.41699981689453

Plug Depth UOM: ft

Method Construction ID: 1006458878

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1006458867

Casing No: 0

Comment: Alt Name:

Casing ID: 1006458875

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0

Casing Diameter: 4.0
Casing Diameter UOM: inch

Casing Depth UOM: ft

Screen ID: 1006458876

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 0.0

Screen End Depth: 88.41699981689453

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006458874

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006458873

Diameter: 8.0
Depth From: 0.0

Depth To: 88.41699981689453

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298804
 Tag No:
 A201834

 Depth M:
 26.9495016
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276008.pdf

 Well Completed Dt:
 2016/09/10
 Latitude:
 43.6896450295334

 Audit No:
 Z245170
 Longitude:
 -79.4758528245676

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
126	SW	0.13	133.33	125.41	WWIS

Order No: 22090803393p

Well ID: 7153850 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Monitoring Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Observation Wells Date Received: 02-Nov-2010 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z099574
 Contractor:
 7075

 Tag:
 A096204
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:
Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7153850.pdf

Well Completed Date: 2010/10/05
Year Completed: 2010
Depth (m): 28

Latitude: 43.689763694279
Longitude: -79.4759739007019
Path: 715\7153850.pdf

Bore Hole ID: 1003358860 Elevation:

DP2BR: Elevro: Spatial Status: Zone:

 Code OB:
 East83:
 622823.00

 Code OB Desc:
 North83:
 4838545.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 3

Date Completed: 05-Oct-2010 00:00:00 UTMRC Desc: margin of error : 10 - 30 m

17

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1003406307

Layer: 1 Color: 6

General Color: BROWN

Mat1: 28
Most Common Material: SAND
Mat2: 11

Mat2 Desc: GRAVEL

Mat3: 77

Mat3 Desc: LOOSE
Formation Top Depth: 0.0
Formation End Depth: 3.0
Formation End Depth m

UOM:

Formation ID: 1003406308

Layer: 2 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 68 Mat3 Desc: DRY Formation Top Depth: 3.0 Formation End Depth: 16.5

UOM:

Formation End Depth

Formation ID: 1003406309

m

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2:

Mat2 Desc:

Mat3: 77

Mat3 Desc: LOOSE

Formation Top Depth: 16.5

Formation End Depth: 18.0

Formation End Depth m

UOM:

Formation ID: 1003406310

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

Most Common Material: CLAY
Mat2: 06
Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 18.0 Formation End Depth: 28.0 Formation End Depth m

UOM:

Plug ID: 1003406312

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 24.0

 Plug Depth UOM:
 m

Method Construction ID: 1003406317

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1003406306

Casing No: 0

Comment: Alt Name:

Casing ID: 1003406314

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 24.0
Casing Diameter: 2.0
Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1003406315

Layer: 1
Slot: 10
Screen Top Depth: 24.0
Screen End Depth: 28.0
Screen Material: 5

Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 2.0

Water ID: 1003406313

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1003406311

Diameter: 8.0

Depth From: 0.0

Depth To: 28.0

Hole Depth UOM: m

Hole Diameter UOM: m

 Bore Hole ID:
 1003358860
 Tag No:
 A096204

 Depth M:
 28
 Contractor:
 7075

 Year Completed:
 2010
 Path:
 715\7153850.pdf

 Well Completed Dt:
 2010/10/05
 Latitude:
 43.689763694279

 Audit No:
 Z099574
 Longitude:
 -79.4759739007019

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
127	SW	0.13	134.59	125.14	WWIS

Well ID: 7276010 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245175
 Contractor:
 3413

 Tag:
 A215348
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

558

Static Water Level: Zone:

Clear/Cloudy: **UTM Reliability:**

Municipality: YORK BOROUGH

Site Info:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276010.pdf PDF URL (Map):

Well Completed Date: 2016/09/10 Year Completed: 2016 27.303984 Depth (m):

Latitude: 43.6896088608671 Longitude: -79.4758413325204 Path: 727\7276010.pdf

Bore Hole ID: 1006298810 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

Code OB: East83: 622834.00 Code OB Desc: North83: 4838528.00 Open Hole: Org CS: UTM83

Cluster Kind: UTMRC:

Date Completed: 10-Sep-2016 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1006458924

Layer: 2 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: **CLAY**

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 58.0 Formation End Depth: 70.0 Formation End Depth

UOM:

559

Formation ID: 1006458926

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 75.0

Formation End Depth: 89.58000183105469

Formation End Depth f

UOM:

Formation ID: 1006458925

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 70.0
Formation End Depth: 75.0
Formation End Depth ft

UOM:

Formation ID: 1006458923

Layer: 1 Color: 6

General Color: BROWN

Mat1: 05
Most Common Material: CLAY
Mat2: 17
Mat2 Desc: SHALE

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 58.0
Formation End Depth ft

UOM:

Plug ID: 1006458933

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Plug ID: 1006458934

Layer: 2
Plug From: 0.0

Plug To: 89.58000183105469

В

Plug Depth UOM: ft

Method Construction ID: 1006458932

Method Construction

Code:

Method Construction: Other Method
Other Method AIR ROTARY

Construction:

Pipe ID: 1006458922

Casing No: 0

Comment: Alt Name:

Casing ID: 1006458929

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0

Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006458930

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 89.58000183105469

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter: 4.0

Water ID: 1006458928

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006458927

Diameter: 8.0
Depth From: 0.0

Depth To: 89.58000183105469

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298810
 Tag No:
 A215348

 Depth M:
 27.303984
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276010.pdf

 Well Completed Dt:
 2016/09/10
 Latitude:
 43.6896088608671

 Audit No:
 Z245175
 Longitude:
 -79.4758413325204

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
128	SW	0.14	135.08	125.38	WWIS

Well ID: 7276011 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Dewatering Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Dewatering Date Received: 29-Nov-2016 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z245169
 Contractor:
 3413

 Tag:
 A201835
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276011.pdf

Well Completed Date: 2016/09/10 Year Completed: 2016

Depth (m): 26.9495016

Latitude: 43.6895815275772

Longitude: -79.4758172085617

Path: 727\7276011.pdf

Bore Hole ID: 1006298813 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622836.00

 Code OB Desc:
 North83:
 4838525.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 10-Sep-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1006458949

Layer: 1 Color: 6

General Color: BROWN

Mat1: 28

Most Common Material: SAND

Mat2: 05

Mat2 Desc: CLAY

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 14.0
Formation End Depth ft

UOM:

Formation ID: 1006458951

 Layer:
 3

 Color:
 2

 General Color:
 GREY

Mat1: 06
Most Common Material: SILT

Mat2: Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 70.0
Formation End Depth: 78.0
Formation End Depth ft

UOM:

Formation ID: 1006458950

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 14.0
Formation End Depth: 70.0
Formation End Depth ft

UOM:

Formation ID: 1006458952

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 78.0

Formation End Depth: 88.41699981689453

Formation End Depth ft

UOM:

Plug ID: 1006458960

Layer: 2
Plug From: 25.0

Plug To: 88.41699981689453

Plug Depth UOM: ft

Plug ID: 1006458959

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 25.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006458958

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1006458948

Casing No: 0

Comment: Alt Name:

Casing ID: 1006458955

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 25.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006458956

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 25.0

Screen End Depth: 88.41699981689453

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.0

Water ID: 1006458954

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006458953

Diameter: 8.0
Depth From: 0.0

Depth To: 88.41699981689453

Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1006298813
 Tag No:
 A201835

 Depth M:
 26.9495016
 Contractor:
 3413

 Year Completed:
 2016
 Path:
 727\7276011.pdf

 Well Completed Dt:
 2016/09/10
 Latitude:
 43.6895815275772

 Audit No:
 Z245169
 Longitude:
 -79.4758172085617

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
128	SW	0.14	135.08	125.38	wwis

Well ID: 7379606 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status: Yes

Use 2nd: Data Src:

Final Well Status: Date Received: 02-Feb-2021 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

Audit No: Z352428 Contractor: 6875
Tag: Form Version: 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Lot:

Order No: 22090803393p

Elevatn Reliabilty:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

N (OL)

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

Bore Hole ID: 1008628858 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622836.00

 Code OB Desc:
 North83:
 4838525.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 17-Dec-2020 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment: Supplier Comment:

Bore Hole ID: 1008628858 Tag No:

Depth M: Contractor: 6875

Year Completed: 2020 Path:

 Well Completed Dt:
 2020/12/17
 Latitude:
 43.6895815275772

 Audit No:
 Z352428
 Longitude:
 -79.4758172085617

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB129SW0.14136.53125.44WWIS

Well ID: 7196177 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Test Hole Date Received: 28-Jan-2013 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z164219
 Contractor:
 7241

 Tag:
 A142654
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Order No: 22090803393p

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Northing NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH
Site Info: WKQ-005635 A0-A04

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7196177.pdf

Well Completed Date: 2013/01/10
Year Completed: 2013
Depth (m): 6.096

Latitude: 43.689636690428 Longitude: -79.4759026683725 Path: 719\7196177.pdf

Bore Hole ID: 1004244999 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622829.00

 Code OB Desc:
 North83:
 4838531.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 10-Jan-2013 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1004780938

 Layer:
 3

 Color:
 2

 General Color:
 GREY

Mat1: 05 Most Common Material: **CLAY** Mat2: 06 Mat2 Desc: SILT Mat3: 66 Mat3 Desc: DENSE Formation Top Depth: 5.0 Formation End Depth: 20.0

UOM:

ft

Formation End Depth

5.0

ft

Formation ID: 1004780937

Layer: 2 Color: 6

General Color: BROWN

Mat1: 01
Most Common Material: FILL
Mat2: 28
Mat2 Desc: SAND
Mat3: 77
Mat3 Desc: LOOSE
Formation Top Depth: 1.0

Formation End Depth: Formation End Depth

UOM:

Formation ID: 1004780936

Layer: 1

Color:

General Color:

Mat1:

Most Common Material:

Mat2:

Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 1.0
Formation End Depth ft

UOM:

Plug ID: 1004780946

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

Plug ID: 1004780947

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 9.0

 Plug Depth UOM:
 ft

Plug ID: 1004780948

 Layer:
 3

 Plug From:
 9.0

 Plug To:
 20.0

 Plug Depth UOM:
 ft

Method Construction ID: 1004780945

D

Method Construction

Code:

Method Construction: Direct Push

Other Method Construction:

Pipe ID: 1004780935

Casing No: 0

Comment: Alt Name:

Casing ID: 1004780941

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 10.0
Casing Diameter: 1.25
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1004780942

Layer: 1 Slot: 10 Screen Top Depth: 10.0 Screen End Depth: 20.0 5 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.5

Water ID: 1004780940

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1004780939

Diameter: 2.25

Depth From: 0.0

Depth To: 20.0

Hole Depth UOM: ft

Hole Diameter UOM: inch

 Bore Hole ID:
 1004244999
 Tag No:
 A142654

 Depth M:
 6.096
 Contractor:
 7241

 Year Completed:
 2013
 Path:
 719\7196177.pdf

 Well Completed Dt:
 2013/01/10
 Latitude:
 43.689636690428

 Audit No:
 Z164219
 Longitude:
 -79.4759026683725

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
130	SW	0.14	136.76	125.14	WWIS

Well ID: 7261350 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Data Entry Status:

Data Src:

Final Well Status: Abandoned-Other Date Received: 12-Apr-2016 00:00:00

Water Type:Selected Flag:TRUECasing Material:Abandonment Rec:YesAudit No:Z232444Contractor:6946

 Tag:
 A142654
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map):

Well Completed Date: 2016/03/02 Year Completed: 2016

Depth (m):

Use 2nd:

erisinfo.com Environmental Risk Information Services

Latitude: 43.6896001909147 Longitude: -79.4758663683971

Path:

Bore Hole ID: 1005929239 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622832.00

 Code OB Desc:
 North83:
 4838527.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 02-Mar-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Plug ID: 1006022623

 Layer:
 1

 Plug From:
 20.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1006022622

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1006022616

Casing No: 0

Comment: Alt Name:

Casing ID: 1006022620

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0
Depth To: 20.0
Casing Diameter: 1.25
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006022621

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Water ID: 1006022619

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: 1

Hole ID: 1006022618

Diameter:
Depth From:
Depth To:

Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole ID: 1005929239 Tag No: A142654

Depth M: Contractor: 6946

 Year Completed:
 2016
 Path:
 726\7261350.pdf

 Well Completed Dt:
 2016/03/02
 Latitude:
 43.6896001909147

 Audit No:
 Z232444
 Longitude:
 -79.4758663683971

Map KeyDirectionDistance (km)Distance (m)Elevation (m)DB131WSW0.17167.81124.55WWIS

Order No: 22090803393p

Well ID: 7153849 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Observation Wells Date Received: 02-Nov-2010 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z76788
 Contractor:
 7075

 Tag:
 A096205
 Form Version:
 4

Constructn Method: Owner:

Elevation (m): County: YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7153849.pdf

Well Completed Date: 2010/10/08
Year Completed: 2010
Depth (m): 28

 Latitude:
 43.6899514835779

 Longitude:
 -79.4765523306049

 Path:
 715\7153849.pdf

Bore Hole ID: 1003358858 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622776.00

 Code OB Desc:
 North83:
 4838565.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 3

Date Completed: 08-Oct-2010 00:00:00 UTMRC Desc: margin of error : 10 - 30 m

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1003360028

Layer: 6 Color:

General Color: **BROWN**

Mat1: 28

Most Common Material: SAND Mat2: 01 Mat2 Desc: **FILL** Mat3: 77

LOOSE Mat3 Desc: Formation Top Depth: 0.0 Formation End Depth: 3.5 Formation End Depth

UOM:

UOM:

Formation ID: 1003360029

Layer: 2 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: **CLAY** Mat2: 34 Mat2 Desc: TILL Mat3: 06 SILT Mat3 Desc: Formation Top Depth: 3.5 Formation End Depth: 16.5 Formation End Depth

Formation ID: 1003360030

m

3 Layer: 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 34 Mat2 Desc: TILL Mat3: 79

Mat3 Desc: **PACKED** Formation Top Depth: 16.5 Formation End Depth: 28.0 Formation End Depth m

UOM:

Plug ID: 1003360032

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 24.0

 Plug Depth UOM:
 m

Method Construction ID: 1003360037

Method Construction

Code:

Method Construction: Rotary (Convent.)

2

Other Method Construction:

Pipe ID: 1003360027

Casing No: 0

Comment: Alt Name:

Casing ID: 1003360034

Layer:

Material: 5

Open Hole or Material: PLASTIC

Depth From:

Depth To: 28.0
Casing Diameter: 2.0
Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1003360035

Layer: Slot:

Screen Top Depth: Screen End Depth:

Screen Material: 5

Screen Depth UOM: Screen Diameter UOM:

Screen Diameter:

Water ID: 1003360033

Layer:

Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1003360031

Diameter: 8.0

Depth From:

Depth To: 28.0

Hole Depth UOM: m

Hole Diameter UOM: cm

 Bore Hole ID:
 1003358858
 Tag No:
 A096205

 Depth M:
 28
 Contractor:
 7075

 Year Completed:
 2010
 Path:
 715\7153849.pdf

 Well Completed Dt:
 2010/10/08
 Latitude:
 43.6899514835779

 Audit No:
 Z76788
 Longitude:
 -79.4765523306049

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
132	S	0.21	209.32	126.30	WWIS

Well ID: 7204804 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Monitoring Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Observation Wells Date Received: 16-Jul-2013 00:00:00

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z163526
 Contractor:
 7360

 Tag:
 A142449
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7204804.pdf

Well Completed Date: 2013/03/04
Year Completed: 2013
Depth (m): 4.572

Latitude: 43.6885079095875

Longitude: -79.4743058200816

Path: 720\7204804.pdf

Bore Hole ID: 1004424462 Elevation:

DP2BR: Elevro:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622960.00

 Code OB Desc:
 North83:
 4838408.00

 Open Hole:
 Org CS:
 UTM83

Date Completed: 04-Mar-2013 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

UTMRC:

4

Order No: 22090803393p

Remarks: Location Method: wwr

Elevrc Desc:

Cluster Kind:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1004854730

Layer: 3

Color:

General Color:

Mat1: 06
Most Common Material: SILT

Mat2:

Mat2 Desc:

Mat3: 73

Mat3 Desc: HARD

Formation Top Depth: 10.0

Formation End Depth: 15.0

Formation End Depth ft

UOM:

Formation ID: 1004854729

Layer: 2

Color:

General Color:

Mat1: 28
Most Common Material: SAND

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 5.0
Formation End Depth: 10.0
Formation End Depth ft

UOM:

Formation ID: 1004854728

Layer: 1 Color: 6

General Color: BROWN
Mat1: 01
Most Common Material: FILL

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 5.0 Formation End Depth ft

UOM:

Plug ID: 1004854737

 Layer:
 1

 Plug From:
 3.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method Construction ID: 1004854736

6

Method Construction

Code:

Method Construction: Boring

Other Method Construction:

Pipe ID: 1004854727

Casing No: 0

Comment: Alt Name:

Casing ID: 1004854733

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 10.0

Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1004854734

Layer: 1 Slot: .10 Screen Top Depth: 10.0 Screen End Depth: 15.0 Screen Material: 5 ft Screen Depth UOM: Screen Diameter UOM: inch Screen Diameter: 2.5

Water ID: 1004854732

Layer: 1 Kind Code: 8

Kind: Untested
Water Found Depth: 11.0
Water Found Depth UOM: ft

Hole ID: 1004854731

Diameter: 6.0
Depth From: 0.0
Depth To: 15.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

 Bore Hole ID:
 1004424462
 Tag No:
 A142449

 Depth M:
 4.572
 Contractor:
 7360

 Year Completed:
 2013
 Path:
 720\7204804.pdf

 Well Completed Dt:
 2013/03/04
 Latitude:
 43.6885079095875

 Audit No:
 Z163526
 Longitude:
 -79.4743058200816

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
133	WSW	0.23	234 57	122.06	\//\/!S

Order No: 22090803393p

Well ID: 7260483 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: 0 Data Src:

Final Well Status: Monitoring and Test Hole Date Received: 31-Mar-2016 00:00:00

Water Type: Selected Flag: **TRUE**

Casing Material: Abandonment Rec:

Audit No: Z228281 Contractor: 7241 Tag: A197710 Form Version: 7

Constructn Method: Owner:

YORK AND TORONT Elevation (m): County:

Elevatn Reliabilty: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: **UTM Reliability:**

Municipality: YORK BOROUGH

PDF URL (Map):

Site Info:

Well Completed Date: 2016/03/03 2016 Year Completed: Depth (m):

43.6897910479715 Latitude: Longitude: -79.4773505158203

Path:

Bore Hole ID: 1005919627 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

Code OB: East83: 622712.00 Code OB Desc: North83: 4838546.00 Open Hole: Org CS: UTM83

Cluster Kind: UTMRC:

Date Completed: 03-Mar-2016 00:00:00 **UTMRC Desc:** margin of error: 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1006020244

Layer:

Color: 6

General Color: BROWN Mat1: 02

Most Common Material: TOPSOIL

Mat2:

Mat2 Desc:

Mat3: 85

Mat3 Desc: SOFT

Formation Top Depth: 0.0

Formation End Depth: 1.0

Formation End Depth m

UOM:

Formation ID: 1006020246

Layer: 3 Color: 6

General Color: BROWN

Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 85 Mat3 Desc: SOFT Formation Top Depth: 5.0 Formation End Depth: 20.0 Formation End Depth m

UOM:

Formation ID: 1006020245

Layer: 2 Color: 6

General Color: BROWN

Mat1: Most Common Material: **FILL** Mat2: 28 Mat2 Desc: SAND Mat3: 85 Mat3 Desc: **SOFT** Formation Top Depth: 1.0 Formation End Depth: 5.0 Formation End Depth m

UOM:

Formation ID: 1006020247

Layer: 4 Color: 2

General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 85 Mat3 Desc: **SOFT** Formation Top Depth: 20.0 Formation End Depth: 30.0 Formation End Depth m

UOM:

Plug ID: 1006020256

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 19.0

 Plug Depth UOM:
 m

Plug ID: 1006020257

 Layer:
 3

 Plug From:
 19.0

 Plug To:
 30.0

 Plug Depth UOM:
 m

Plug ID: 1006020255

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 m

Method Construction ID: 1006020254

Method Construction

Code:

Method Construction: Other Method

Other Method Construction:

Pipe ID: 1006020243

Casing No: 0

Comment: Alt Name:

Casing ID: 1006020250

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 20.0
Casing Diameter: 2.0
Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1006020251

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 20.0

 Screen End Depth:
 30.0

 Screen Material:
 5

 Screen Depth UOM:
 m

 Screen Diameter UOM:
 cm

Screen Diameter: 2.0999999046325684

Water ID: 1006020249

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1006020248

Diameter: 6.0
Depth From: 0.0
Depth To: 30.0
Hole Depth UOM: m
Hole Diameter UOM: cm

 Bore Hole ID:
 1005919627
 Tag No:
 A197710

 Depth M:
 30
 Contractor:
 7241

 Year Completed:
 2016
 Path:
 726\7260483.pdf

 Well Completed Dt:
 2016/03/03
 Latitude:
 43.6897910479715

 Audit No:
 Z228281
 Longitude:
 -79.4773505158203

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
134	WSW	0.25	247.49	121.83	WWIS

Well ID: 7260482 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: 0

Final Well Status: Monitoring and Test Hole Date Received: 31-Mar-2016 00:00:00

Data Src:

Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z228280
 Contractor:
 7241

 Tag:
 A197711
 Form Version:
 7

Constructn Method: Owner:

Elevation (m): YORK AND TORONT

Elevatn Reliability: Lot:

Depth to Bedrock: Concession:

Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83:

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: YORK BOROUGH

PDF URL (Map):

Site Info:

Well Completed Date: 2016/03/03
Year Completed: 2016
Depth (m): 30

Latitude: 43.6897208592954 Longitude: -79.4774887816608

Path:

Bore Hole ID: 1005919608 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 17

 Code OB:
 East83:
 622701.00

 Code OB Desc:
 North83:
 4838538.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 03-Mar-2016 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: digit

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Source.

Improvement Location

Method: Source Revision

erisinfo.com | Environmental Risk Information Services

Comment:

Supplier Comment:

Formation ID: 1006020229

Layer: 1 Color: 6

General Color: **BROWN**

Mat1: 02

Most Common Material: **TOPSOIL**

Mat2:

UOM:

Mat2 Desc:

Mat3: 77 Mat3 Desc: LOOSE Formation Top Depth: 0.0 Formation End Depth: 1.0 Formation End Depth m

Formation ID: 1006020231

Layer: 3 Color: 6

General Color: **BROWN**

Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 85 Mat3 Desc: **SOFT** Formation Top Depth: 5.0 Formation End Depth: 20.0 Formation End Depth m UOM:

Formation ID: 1006020232

Layer: 4 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 85 Mat3 Desc: **SOFT** Formation Top Depth: 20.0 Formation End Depth: 30.0 Formation End Depth

UOM:

m

Formation ID: 1006020230

Layer: 2 Color: 6

General Color: BROWN

Mat1: 01 Most Common Material: **FILL** Mat2: 28 Mat2 Desc: SAND Mat3: 85 Mat3 Desc: **SOFT** Formation Top Depth: 1.0 Formation End Depth: 5.0 Formation End Depth m

UOM:

Plug ID: 1006020241

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 19.0

 Plug Depth UOM:
 m

Plug ID: 1006020240

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 m

Plug ID: 1006020242

 Layer:
 3

 Plug From:
 19.0

 Plug To:
 30.0

 Plug Depth UOM:
 m

Method Construction ID: 1006020239

Method Construction

Code:

Method Construction: Other Method

В

Other Method Construction:

Pipe ID: 1006020228

Casing No: 0

Comment: Alt Name:

Casing ID: 1006020235

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 20.0
Casing Diameter: 2.0
Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1006020236

Layer: 1
Slot: 10
Screen Top Depth: 20.0
Screen End Depth: 30.0
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 2.0999999046325684

Water ID: 1006020234

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1006020233

Diameter: 6.0
Depth From: 0.0
Depth To: 30.0
Hole Depth UOM: m
Hole Diameter UOM: cm

 Bore Hole ID:
 1005919608
 Tag No:
 A197711

 Depth M:
 30
 Contractor:
 7241

 Year Completed:
 2016
 Path:
 726\7260482.pdf

 Well Completed Dt:
 2016/03/03
 Latitude:
 43.6897208592954

 Audit No:
 Z228280
 Longitude:
 -79.4774887816608

Radon Information

Detailed radon information for the project property is provided below.

Radon Zone Information

ID: 144851 **Radon Rank**: MOD

Health Canada Radon Information

Health Region: 3595

Health Region Name: City of Toronto Health Unit

Province or Territory: ON Number Homes in 73

Survey:

% Below 200 Bq/m3: 97.3 % Above 200 Bq/m3: 2.7 200 to 600 Bq/m3: 2.7 % Above 600 Bq/m3: 0

Area of Natural and Scientific Interest Information

Thora	ic no	IDIAN	unit a	vailable	in this	area
There	IS HO	AINOI	umu a	vaname	III IIII	3 2102

Area of Natural and Scientific Interest Information

Detailed ANSI information is provided below.

No records found for the project property or surrounding properties.

Federal Sources

Bedrock Geology of Canada

BEDROCK GEOLOGY

The Geological Map of Canada is scaled at 1:5,000,000. This map is created by Geological Survey of Canada and published by Natural Resources Canada.

Health Canada Radon Information

RADON

This source is the results from the Cross-Canada Survey of Radon Concentrations in Homes, a two-year study conducted by Health Canada's National Radon Program. The aims of this study were to obtain an estimate of the proportion of the Canadian population living in homes with radon gas levels above the guideline of 200 Bq/m3, to identify previously unknown areas where radon gas exposure may constitute a health risk, and to build, over time, a map of indoor radon gas exposure levels across Canada.

National Energy Board Wells

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date

Soil Landscapes of Canada (SLC)

SLC

Major characteristics of soil and land such as surface form, slope, water table depth, permafrost and lakes.

Surficial Geology of Canada

SURFICIAL GEOLOGY

This map contains information on surficial materials and associated landforms left by the retreat of the last glaciers and non glacial environments. It is based on compilation of existing maps. This data was authored by the Geological Survey of Canada and published by Natural Resources Canada.

Toporama

TOPORAMA

Toporama covers the entire area of Canada's landmass and provides topographic, geo-referenced, and symbolic information in a raster format at 1:50,000 scale. This is a digital topographic reference product made available by Natural Resources Canada (NRCan).

Provincial Sources

Area of Natural and Scientific Interest

ANSI

Areas of Natural and Scientific Interest (ANSIs) are lands and waters with features that are important for natural heritage protection, appreciation, scientific study or education. This dataset is made available by Ontario Ministry of Natural Resources.

Bedrock Geology of Ontario

BEDROCK GEOLOGY

The Bedrock Geology layer shows the distribution of bedrock units underlying Ontario at a 1:250,000 scale. The geology of the province consists of Precambrian rocks of the Canadian Shield and Phanerozoic sedimentary rocks that overlie the Canadian Shield. This layer was compiled by the Precambrian Geoscience Section of Ontario Geological Survey.

Ontario Detailed Soil Survey (DSS3)

SOIL SURVEY

Soil surveys have been published for most of the agricultural areas, and many surrounding areas, across Canada. Data from these surveys comprise the most detailed soil inventory information in the National Soil DataBase. Data is made available by Agriculture and Agri-Food Canada

Ontario Oil and Gas Wells

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Provincial Groundwater Monitoring Network

GROUNDWATER

Appendix

Groundwater level and chemistry data from monitoring wells that are part of the Provincial Groundwater Monitoring Network (PGMN) Program. Precipitation data (rain) is also available for some sites. This data is provided by 'Ontario Ministry of Environment and Climate Change.

Surficial Geology of Ontario

SURFICIAL GEOLOGY

The Surficial Geology dataset contains a layer depicting the distribution and characteristics of surficial deposits across southern Ontario. This data set is authored by the Ontario Geological Survey.

Topographic Map of Ontario

TOPOGRAPHIC MAP

Order No: 22090803393p

The Ontario Basic Mapping program provides a relationship between topographic information and the provincial geographical referencing grid, thereby forming the foundation for a comprehensive provincial geographical referencing system. This data is made available by the Ontario Ministry of Natural Resources and Forestry. This is ERIS self-designed topographic map template at 1:10,000.

Water Well Information System

WWIS

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Wetlands of Ontario WETLAND

The Ministry of Natural Resources and Forestry has made available a database of wetlands in Ontario. Certain attributes identify wetlands that have been evaluated with the Ontario Wetland Evaluation System (OWES), and of those which ones have been designated as Provincially Significant Wetlands (PSW).

Private Sources

Oil and Gas Wells OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

RADON RADON

The Radon Potential Map is developed by Radon Environmental Management Corporation. Its objective was to illustrate the relative variation of radon risk across the country, and in 2011 it published its first geologic Radon Potential Map of Canada.

Liability Notice

Reliance on information in Report: The Physical Setting Report (PSR) DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a review of environmental databases and physical characteristics for the site or adjacent properties.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and State government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS Information Limited Partnership disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

APPENDIX VI GOVERNMENT AND REGULATORY INFORMATION



Ministry of the Environment, Conservation and Parks

Ministère de l'Environnement, de la Protection de la nature et des Parcs

Corporate Management Division

Division de la gestion ministérielle

September 26, 2022

Michael Deans Terrapex Environmental Ltd.

Dear Michael Deans

RE: Request #: EPI-2022-2000001249

Requestor provided Client Reference: CT3639.00

Site address: 2636 - 2654 Eglinton Avenue (Even), Toronto

This letter confirms that, after conducting a thorough search of its source system applications, the ministry has identified potential records related to your property request. Our search indicates that the ministry may hold the following records:

- Correspondence, Abatement, Occurrence reports
- Incident Reporting
- Waste Generator number/classes

If you would like to proceed to submit a Freedom of Information request to the ministry, please visit FOI eForm.

If you have any questions regarding the matter, please contact the ministry at eproperty@ontario.ca.

Sincerely,

Environmental Property Information (EPI) Program

Disclaimer

This search result is provided for informational purposes only and is not intended to provide specific advice or recommendations. The Ministry of the Environment, Conservation and Parks (MECP) cannot and does not guarantee that the information provided is current, accurate, complete, or free of errors. Any reliance upon this information is solely at the risk of the user.

¹ In addition to the core reports (e.g Environmental Compliance Approval), there may be extensive supporting documentation associated with this record type. When transferring your request over to FOI, we encourage you to refine the scope of you request to only the supporting documentation required for your purposes, as the inclusion of this additional documentation can add significant processing time.



Ministry of the Environment, Conservation and Parks

Ministère de l'Environnement, de la Protection de la nature et des Parcs

Corporate Management Division

Division de la gestion ministérielle

Le 26 septembre 2022

Michael Deans Terrapex Environmental Ltd.

Madame.

Monsieur, Michael Deans

Objet: No de demande: EPI-2022-2000001249

Le demandeur a fourni une référence client: CT3639.00 Adresse du site: 2636 - 2654 Eglinton Avenue (Pair), Toronto

La présente lettre confirme que, après avoir effectué une recherche exhaustive dans ses applications de système source, le ministère a circonscrit des dossiers potentiels reliés à votre demande concernant des biens immobiliers. Notre recherche indique que les dossiers suivants peuvent être en possession du ministère:

- Correspondence, Abatement, Occurrence reports
- Incident Reporting
- Waste Generator number/classes

Si vous souhaitez présenter une demande d'accès à l'information au ministère, nous vous invitons à visiter le <u>Formulaire électronique FOI</u>.

Si vous avez des questions concernant votre demande, nous vous invitons à communiquer avec le ministère à l'adresse électronique suivante : eproperty@ontario.ca.

Veuillez recevoir mes salutations les plus sincères,

Programme d'Information Environnementale de la propriété

Avertissement

Ce résultat de recherche est fourni uniquement à titre informatif et n'a aucunement pour but de donner des conseils particuliers ou des recommandations. Le ministère de l'Environnement de la Protection de la nature et des Parcs (MEPP) ne peut pas garantir que les renseignements fournis sont à jour, exacts, complets et exempts d'erreurs. L'utilisateur qui se fie à ces renseignements le fait à ses seuls risques.

¹ En plus des rapports de base (par exemple, l'approbation de conformité environnementale), il peut y avoir de nombreux documents justificatifs associés à ce type d'enregistrement. Lors du transfert de votre demande vers FOI, nous vous encourageons à affiner la portée de votre demande en ne tenant compte que des pièces justificatives requises pour vos besoins, car l'inclusion de ces documents supplémentaires peut ajouter un temps de traitement important.

Michael Deans

From: Public Information Services <publicinformationservices@tssa.org>

Sent: November 1, 2022 11:37 AM

To: Michael Deans

Subject: RE: Available information

Caution: This email originated from outside of the Terrapex Office365 Mail System. Do not click on a link or attachment unless you are absolutely sure that it is safe. Be extra vigilant with any internal emails that have this banner. Please report the email to spam@sysoft.ca or contact Sysoft Support via the regular support channel if you have doubts.

Please refrain from sending documents to head office. The Public Information (PI) team works remotely, mailing in applications will lengthen the overall processing time.

NO RECORD FOUND IN CURRENT DATABASE

Hello,

Thank you for your request for confirmation of public information. TSSA has performed a preliminary search of TSSA's current database.

• We confirm that there are no records in our current database of any fuel storage tanks at the subject address(es).

<u>This is not a confirmation that there are no records in the archives</u>. For a further search in our archives, please submit an application for release of public information (PI Form) through TSSA's new Service Prepayment Portal. The associated fee must be paid via credit card (Visa or MasterCard) through a secure site.

Please follow the steps below to access the new application(s) and Service Prepayment Portal:

- 1. Click Release of Public Information TSSA and click "need a copy of a document";
- 2. Select the appropriate application, download it and complete it in full; and
- 3. Proceed to page 3 of the application and click the link TSSA Service Prepayment Portal under payment options (the link will take you the secure site to pay for the release via credit card).

Accessing the Service Prepayment Portal:

- 1. Select new or existing customer (*if you are an existing customer, you will need your account # & postal code to access your account);
- 2. Select the program area: AD (Amusement Devices), BPV (Boilers and Pressure Vessels), ED (Elevating Devices), FS (Fuels Services), OE (Operating Engineers) or SKI (Ski Lifts) and click continue;
- 3. Enter the application form number (obtained from bottom left corner of application form) and click continue;
 - a. When selecting the application form number from the drop-down menu, please make sure you select the application that begins with "PI" (i.e. PI-FS, PI-BPV etc.);
- 4. Complete the primary contact information section;
- Complete the fees section;
- 6. Upload your completed application; and

7. Upload supporting documents (if required) and click continue.

Once all steps have been successfully completed, you will receive your receipt via email.

Questions? Please contact TSSA's Public Information Release team at <u>publicinformationservices@tssa.org</u>.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind Regards,

Kim



Public Information Agent Facilities and Business Services 345 Carlingview Drive Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 [Fax: +1-416-734-3568 | E-Mail: publicinformationservices@tssa.org

f 💟 💢 🔞

From: Michael Deans <m.deans@terrapex.com>

Sent: November 1, 2022 10:41 AM

To: Public Information Services <publicinformationservices@tssa.org>

Subject: Available information

Importance: High

[CAUTION]: This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good Morning,

Terrapex is currently conducting a Phase I Environmental Site Assessment of a property located at 2636 -2654 Eglinton Avenue West, in Toronto, Ontario. As part

of our records search, we are inquiring whether the TSSA has on-file records pertaining to the following addresses:

2615 Eglinton Avenue West

2621 Eglinton Avenue West

2623 Eglinton Avenue West

2636 Eglinton Avenue West

2640 Eglinton Avenue West

2642 Eglinton Avenue West

2654 Eglinton Avenue West

2660 Eglinton Avenue West

2690 Eglinton Avenue West

1856 Keele Street

All of these properties are located in Toronto. Thank you in advance for your time and consideration.

Sincerely,

Mike Deans

Michael Deans, BAT, CET Project Manager





Office: 416 245 0011 ext 203 Direct: 647 250 8086 Mobile:416 529 7032

Mobile:416 529 7032 Email: m.deans@terrapex.com 90 Scarsdale Road Toronto Ontario M3B 2R7 Canada

This message, including any attachments, is confidential, may contain privileged information, and is intended solely for the addressee. Any distribution, use or copying of this email or the information it contains by other than an intended recipient is unauthorized and prohibited. If you are not the intended recipient of this message, please advise the sender immediately and permanently delete this message and attachments. Thank you for your attention and cooperation.

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.








Environmentally Significant Areas

Toronto Official Plan

Map 12A

Environmentally Significant Areas

February 2019






Wetlands Areas of Natural and Scientific Interest

Toronto Official Plan

Map 12B

Provincially Significant Wetlands and Areas of Natural and Scientific Interest February 2019






Natural Heritage System

Toronto Official Plan

Map 9

Natural Heritage System

February 2019














APPENDIX VII AERIAL PHOTOGRAPHS
























APPENDIX VIII TOPOGRAPHIC AND ONTARIO BASE MAPS

Topographic Information




Topographic Information

The previous topographic map(s) show general topographic information in the surrounding area of the project property, using Toporama data or a provincial source when available. Below are shaded relief map(s), derived from Digital Elevation data to depict terrain in further detail.


Topographic information at project property:

Elevation: 129.89 m Slope Direction: NW




Order No: 22090803393p


Hydrologic Information




Geologic Information



Geologic Information



Soil Information



This map shows soil units around the target property. Please refer to the report for detailed soil descriptions.



Wells and Additional Sources



APPENDIX IX SITE PHOTOGRAPHS



Page 1 of 11

Client: Fora Developments

Site Location:

1856-1856A Keele Street and 2636-2654 Eglinton Avenue West, Toronto, Ontario Project No: CT3639.00

Photo No: 1

Date: Sept 12, 2022

Viewing Direction:

East

Description:

View of entrance to the residential unit at 1856 Keele Street.



Photo No: 2

Date: Sept 12, 2022

Viewing Direction:

N/A

Description:

View of interior of the residential unit of 1856 Keele Street. Note the window mounted A/C unit.





Page 2 of 11

Client: Fora Developments

Site Location:

1856-1856A Keele Street and 2636-2654 Eglinton Avenue West, Toronto, Ontario Project No: CT3639.00

Photo No: 3

Date: Sept 12, 2022

Viewing Direction:

Northwest

Description:

View of entrance to 1856A Keele Street.



Photo No: 4

Date: Sept 12, 2022

Viewing Direction:

Southwest

Description:

View of vent and fill pipes for the fuel oil aboveground storage tank (AST) on the north side of the building.





Page 3 of 11

Client: Fora Developments

Site Location:

1856-1856A Keele Street and 2636-2654 Eglinton Avenue West, Toronto, Ontario Project No: CT3639.00

Photo No: 5

Date: Sept 12, 2022

Viewing Direction:

N/A

Description:

View of the interior of the Pizza and Chicken restaurant. Note the wall mounted A/C unit on the north wall.



Photo No: 6

Date: Sept 12, 2022

Viewing Direction:

N/A

Description:

View of a floor drain in the basement of Metro Pizza and Chicken Restaurant.





Page 4 of 11

Client: Fora Developments

Site Location:

1856-1856A Keele Street and 2636-2654 Eglinton Avenue West, Toronto, Ontario Project No: CT3639.00

Photo No: 7

Date: Sept 12, 2022

Viewing Direction:

N/A

Description:

View of a floor drain in the kitchen area on the main floor of the restaurant.



Photo No: 8


Date: Sept 12, 2022

Viewing Direction:

N/A

Description:

View of the basement area of the restaurant. Note the AST in the background along the northern basement wall.





Page 5 of 11

Client: Fora Developments

Site Location:

1856-1856A Keele Street and 2636-2654 Eglinton Avenue West, Toronto, Ontario Project No: CT3639.00

Photo No: 9

Date: Sept 12, 2022

Viewing Direction:

N/A

Description:

View of the interior of Jin Jin's Nail and Spa main floor area.




Photo No: 10

Date: Sept 12, 2022

Viewing Direction:

N/A

Description:

View of fluorescent light ballast in the basement of 2636 Eglinton Avenue West.





Page 6 of 11

Client: Fora Developments

Site Location:

1856-1856A Keele Street and 2636-2654 Eglinton Avenue West, Toronto, Ontario Project No: CT3639.00

Photo No: 11

Date: Sept 12, 2022

Viewing Direction:

N/A

Description:

View of the interior of the residential unit associated with 2640 Eglinton Avenue West. Note the window mounted A/C unit.




Photo No: 12

Date: Sept 12, 2022

Viewing Direction:

N/A

Description:

View of the interior of the salon at 2642 Eglinton Avenue West.





Page 7 of 11

Client: Fora Developments

Site Location:

1856-1856A Keele Street and 2636-2654 Eglinton Avenue West, Toronto, Ontario Project No: CT3639.00

Photo No: 13

Date: Sept 12, 2022

Viewing Direction:

N/A

Description:

View of floor drain at the bottom of the stairs leading to the basement of 2642 Eglinton Avenue West.



Photo No: 14

Date: Sept 12, 2022

Viewing Direction:

West

Description:

View of the entrance to Dollar Tree (2654 Eglinton Avenue West).





Page 8 of 11

Client: Fora Developments

Site Location:

1856-1856A Keele Street and 2636-2654 Eglinton Avenue West, Toronto, Ontario Project No: CT3639.00

Photo No: 15

Date: Sept 12, 2022

Viewing Direction:

N/A

Description:

View of storage area in the northern portion of the Dollar Tree (2654 Eglinton Avenue West).



Photo No: 16

Date: Sept 12, 2022

Viewing Direction:

N/A

Description:

View of main retail area of the Dollar Tree (2654 Eglinton Avenue West).





Page 9 of 11

Client: Fora Developments

Site Location:

1856-1856A Keele Street and 2636-2654 Eglinton Avenue West, Toronto, Ontario Project No: CT3639.00

Photo No: 17

Date: Sept 12, 2022

Viewing Direction:

N/A

Description:

View of basement in the eastern portion of the Dollar Tree (2654 Eglinton Avenue West).



Photo No: 18

Date: Sept 12, 2022

Viewing Direction:

N/A

Description:

View of the sump located in the basement portion of the Dollar Tree (2654 Eglinton Avenue West).





Page 10 of 11

Client: Fora Developments

Site Location:

1856-1856A Keele Street and 2636-2654 Eglinton Avenue West, Toronto, Ontario Project No: CT3639.00

Photo No: 19

Date: Sept 12, 2022

Viewing Direction:

N/A

Description:

View of potential water damage and staining in the basement area of the Dollar Tree (2654 Eglinton Avenue West).



Photo No: 20

Date: Sept 12, 2022

Viewing Direction:

East

Description:

View of Eglinton Avenue to the south of the Site.





Page 11 of 11

Client: Fora Developments

Site Location:

1856-1856A Keele Street and 2636-2654 Eglinton Avenue West, Toronto, Ontario Project No: CT3639.00

Photo No: 21

Date: Sept 12, 2022

Viewing Direction:

West

Description:

View of the laneway along the northern portion of the Site. Note the manhole for the transmission water main in the foreground.



Photo No: 22

Date: Sept 12, 2022

Viewing Direction:

Southwest

Description:

View of the asphalt parking area on the north side of the building.



APPENDIX X PHASE ONE CONCEPTUAL SITE MODEL

PHASE ONE CONCEPTUAL SITE MODEL

The Phase One Conceptual Site Model (CSM) showing the potentially contaminating activities (PCAs) is presented on Figure 4, and the Areas of Potential Environmental Concern (APECs) are presented on Figure 5. A summary of the CSM is provided below.

The Site is located on the northwest side of Keele Street and Eglinton Avenue West, in the City of Toronto (see Figure 1). The Site has a rectangular shape with a total area of approximately 0.14 ha (1,352.6 m²) and is currently occupied by conjoined buildings (between one and two stories tall). The buildings are currently occupied by various tenants for residential and commercial use, including multiple private residences, a grocery store, two beauty salons, and a restaurant.

Potentially Contaminating Activities: Several PCAs, as listed in Table 2 of Schedule D of O. Reg. 153/04, were identified on or potentially affecting the Site.

Overall a total of 70 PCAs were identified on the Phase One property and within the Phase One Study Area, of which 13, may be contributing to an area of potential environmental concern (APEC) at the Site.

Areas of Potential Environmental Concern: As a result of the PCAs identified and other considerations, the following APECs were identified at the Site:

APEC¹	LOCATION OF APEC ON PHASE ONE PROPERTY	POTELTIALLY CONTAMINATING ACTIVITY ²	LOCATION OF PCA (ON-SITE or OFF- SITE)	CONTAMINANTS OF POTENTIAL CONCERN ³	MEDIA POTENTIALLY IMPACTED (Ground water, Soil, and/or Sediment)
APEC 1	Northeastern corner of the Site	28 - Gasoline and Associated Products Storage in Fixed Tanks	On-Site PCA 1	BTEX PHCs PAHs	Soil Groundwater
APEC 2	Northern portion of the building at the 2654 Eglinton Ave W portion of the Site	55 - Transformer Manufacturing, Processing and Use	On-Site PCA 2	PCBs	Soil
APEC 3	2636 Eglinton Ave W portion of the Site.	31 - Ink Manufacturing, Processing and Bulk Storage	On-Site PCA 3	VOCs Metals	Soil Groundwater
APEC 4	2642 Eglinton Ave W portion of the SIte	54 - Textile Manufacturing and Processing	On-Site PCA 4	VOCs Metals	Soil Groundwater
APEC 5	Western property boundary	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	Off-Site PCA 5	VOCs BTEX PHCs PAHs	Soil Groundwater

APEC¹	LOCATION OF APEC ON PHASE ONE PROPERTY	POTELTIALLY CONTAMINATING ACTIVITY ²	LOCATION OF PCA (ON-SITE or OFF- SITE)	CONTAMINANTS OF POTENTIAL CONCERN ³	MEDIA POTENTIALLY IMPACTED (Ground water, Soil, and/or Sediment)
APEC 6	Western property boundary	28 - Gasoline and Associated Products Storage in Fixed Tanks	Off-Site PCA 6	BTEX PHCs PAHs	Soil Groundwater
APEC 7	Northwestern property boundary	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	Off-Site PCA 7	VOCs BTEX PHCs PAHs	Soil Groundwater
APEC 8	Entire Site	30 - Importation of Fill Material of Unknown Quality	On-Site PCA 39	PHCs PAHs Metals As, Sb, Se B(HWS), Cr(VI), CN-, Hg	Soil
APEC 9	1856 Keele St portion of the Site.	19 - Electronic and Computer Equipment Manufacturing	On-Site PCA 40	VOCs Metals	Soil Groundwater
APEC 10	Eastern and southern property boundary	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	Off-Site PCA 60 PCA 61 PCA 62	VOCs	Groundwater

Enter APEC

Contaminants of Potential Concern:

The Contaminants of Potential Concern (COPCs) associated with the APECs are as follows:

- benzene, toluene, ethylbenzene, xylenes (BTEX)
- petroleum hydrocarbons (PHC F1-F4)
- volatile organic compounds (VOCs)
- polycyclic aromatic hydrocarbons (PAHs)
- metals and inorganic parameters (including hydride-forming metals [As, Sb, Se], hot water soluble boron [B(HWS), hexavalent chromium [Cr(VI)], cyanide [CN-], and mercury [Hg])
- polychlorinated biphenyls (PCBs)

Underground Utilities:

In general, potential migration pathways for subsurface contaminants at the Site would consist of buried services or remnants of former buried services.

Geology/Hydrogeology:

Available regional or site specific geological and hydrogeological information are summarized below:

SUMMARY OF TOPOGRAPHY, HYDROLOGY AND GEOLOGY

SITE FEATURE	DESCRIPTION / DETAILS
REGIONAL TOPOGRAPHY	Site is generally flat with no significant grade difference, slopes gently to the southwest
APPROX ELEVATION (masl)	Between 127.80 m above sea level (m asl) and 130.08 m asl. Based on the topographic survey provided by Fora.
PHYSIOGRAPHIC REGION	The Site and Phase One Study Area are located in the physiographic region known as Iroquois Plain, which consists of shallow-water deposits sand and silty sand.
OVERBURDEN SOIL STRATIGRAPHY	Quarternary geology mapping indicates the Site is located in an area of glaciolacustrine deposits, predominantly consisting of sand, gravelly sand and gravel, along with nearshore and beach deposits.
BEDROCK AND APPROXIMATE DEPTH	Upper Ordovician shale, limestone, dolostone, and siltstone of the Georgian Bay Formation and is anticipated to be more than 30 m below grade.

SUMMARY OF WATER BODIES, AREAS OF NATURAL SIGNIFICANCE, GROUNDWATER INFORMATION

FEATURE	WITHIN PHASE ONE PROPERTY	WITHIN PHASE ONE STUDY AREA	DESCRIPTION/ DETAILS
WATER BODY	No	Yes	Black Creek is located to the northwest of the Phase one property
ANSI	No	No	N/A
WELL-HEAD PROTECTION AREA	No	No	N/A
MUNICIPAL DRINKING WATER SYSTEM	Yes	Yes	Supplied by City of Toronto (derived from surface water sources)
WELL FOR CONSUMPTION/ AGRICULTURAL USE	No	No	N/A

Uncertainty on absence of information: The main uncertainty associated with the CSM developed for the site relates to the limited information regarding the former use of the Site as well as the limited information regarding activities on neighbouring properties. This lack of information is mitigated by the inherent nature of residential land uses, with are not typically associated with significant PCAs.

Notwithstanding the above, it should be noted that Phase One ESAs have inherent limitations, and therefore findings cannot be considered definitive (i.e., the findings of a Phase One ESA are inherently associated with some uncertainty).

TABLE 17.1 POTENTIALLY CONTAMINATING ACTIVITIES ON, IN OR UNDER THE PHASE ONE PROPERTY

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 1	28 - Gasoline and Associated Products Storage in Fixed Tanks	An oil-fired water heating system is present on the Site in 1962. An AST was present on the 1856 Keele Street portion of the property during the Site reconnaissance.	ERIS Report FIPs Site Visit	Possible	No information regarding historic spills or maintenance
PCA 2	55 - Transformer Manufacturing, Processing and Use	Spill of 5 L of transformer oil to the vault and drain due to equipment failure.	ERIS Report	Possible	No information on the location of the former transformer
PCA 3	31 - Ink Manufacturing, Processing and Bulk Storage	Antonio Foto Studio Ltd. is registered as a generator of photoprocessing wastes. A photography studio identified as Public Club is present in 1962 on the 2636 Eglinton Avenue West portion of the Site.	ERIS Report FIPs	Possible	No information on the storage of chemicals or maintenance practices
PCA 4	54 - Textile Manufacturing and Processing	A textile operation identified as Enza Fashion and Textiles operated on the 2642 Eglinton Avenue West portion on the property in 1962.	FIPs	Possible	No information on the chemicals used or maintenance practices
PCA 39	30 - Importation of Fill Material of Unknown Quality	Fill material was likely imported on the Site during grading and development activities.	Site Visit	Possible	No information on where the fill was placed or the origin of the fill.
PCA 40	19 - Electronic and Computer Equipment Manufacturing	An electronic repair and service business operated at the 1856 Keele Street portion of the Site between 1970 and at least 2001.	City Directories	Possible	No information on the storage of chemicals or maintenance practices

¹ As shown on Figure 4. ² As set out in Table 2 in Schedule D of O. Reg. 153/04.

³ Area of potential environmental concern (APEC)

TABLE 17.2 POTENTIALLY CONTAMINATING ACTIVITIES WITHIN THE PHASE ONE STUDY AREA

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 5	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	2660 Eglington Ave W Adjacent, west	An automotive repair service garage historically operated on this property. Toronto Ambulance Services is registered as a generator of organic wastes, detergents, and/or oil skimmings. Metrolinx is registered as a generator of petroleum distillates, oil skimmings, and light fuels. Crosslinx is registered as a generator of waste oils, inorganic sludges, and lubricants.	ERIS Report FIPs City Directory	Possible due to close proximity to the Site	No information on the storage or maintenance practices
PCA 6	28 - Gasoline and Associated Products Storage in Fixed Tanks	2660 Eglington Ave W	Imperial Oil received a permit to develop a gas station in 1949.	ERIS Report City Directory	Possible due to close proximity to the Site	No information on the storage or maintenance practices
PCA 7	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	111 Yore Rd Adjacent, northwest	Toronto Transit Commission is registered as operating a car wash. Delsan is registered as a generator of oil skimmings and sludges.	ERIS Report	Possible due to close proximity to the Site	No information on the storage or maintenance practices
PCA 8	28 - Gasoline and Associated Products Storage in Fixed Tanks	2601 Eglinton Ave W 25 m south of the Site	A historic gasoline service station and automotive garage registered fuel tanks in 1949.	ERIS Report City Directory	Unlikely due to downgradient location from the Site	No information on the storage or maintenance practices
PCA 9	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	2601 Eglinton Ave W 25 m south of the Site	A historic gasoline service station and automotive garage registered fuel tanks in 1949.	City Directory	Unlikely due to downgradient location from the Site	No information on the storage or maintenance practices
PCA 10	30 - Importation of Fill Material of Unknown Quality	2609 Eglinton Ave W 25 m south of the Site	Approximately 400 cubic yards of fill were placed on the property in 1933.	ERIS Report	Unlikely due to downgradient location from the Site	No information on the origin of the fill material

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 11	28 - Gasoline and Associated Products Storage in Fixed Tanks	2615 Eglinton Ave W	A fuel storage tank was registered at a gasoline service station in 1947.	ERIS Report City Directory	Unlikely due to downgradient location from the Site	No information on the storage or maintenance practices
		25 m south of the Site				
PCA 12	Other - Spill of motor oil from the road	Keele St, south of Eglinton Ave W	Canada Building Materials reported a spill of motor oil which had leaked from a truck.	ERIS Report	Unlikely due to downgradient location from the Site	No information on the exact location of the spill or any cleanup activities
		40 m southwest of the Site				
PCA 13	Other - Spill of engine coolant to the catch basin	Southeast corner of Keele St and Eglinton Ave W	Toronto Transit Commission reported a spill of 20 L of engine coolant to a catch basin.	ERIS Report	Unlikely due to downgradient location from the Site	No information on the exact location of the spill or any cleanup activities
		40 m southwest of the Site				
PCA 14	40 - Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing,	2612 Eglinton Ave W	Valiant Hardware Ltd. is registered as a pesticide vendor.	ERIS Report	Unlikely due to cross- gradient location and small quantity of chemicals stored	No information on the storage or maintenance practices
	Processing, Bulk Storage and Large-Scale Applications	Site				
PCA 15	52 - Storage, maintenance, fuelling and repair of equipment,	2621 Eglinton Ave W	An auto repair service garage and a storage tank were present in 1962.	FIPs	Unlikely due to downgradient location from the Site	No information on the storage or maintenance practices
	vehicles, and material used to maintain transportation systems	65 m southwest of the Site				
PCA 16	8 - Chemical Manufacturing, Processing and Bulk	2623 Eglinton Ave W	TD Canada Trust is registered as a generator of oil skimmings and sludges.	ERIS Report	Unlikely due to downgradient location from the Site	No information on the storage or maintenance practices
	Storage	65 m southwest of the Site				

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 17	8 - Chemical Manufacturing, Processing and Bulk Storage	2 Trethwey Dr 65 m west of the Site	York Board of Education is registered as a generator of light fuels, organic laboratory chemicals, and/or inorganic laboratory chemicals.	ERIS Report	Unlikely due to cross- gradient location and small quantity of chemicals stored	No information on the storage or maintenance practices
PCA 18	55 - Transformer Manufacturing, Processing and Use	2 Trethwey Dr 65 m west of the Site	York Board of Education is registered as using PCB-containing equipment.	ERIS Report	Unlikely due to cross- gradient location and low mobility of PCBs	No information on the storage or maintenance practices
PCA 19	8 - Chemical Manufacturing, Processing and Bulk Storage	2600 Eglinton Ave W 80 m east of the Site	Gam X-Ray Limited is registered as a generator of waste oils and lubricants.	ERIS Report	Unlikely due to cross- gradient location and small quantity of chemicals stored	No information on the storage or maintenance practices
PCA 20	Other – Spill of chlorinated water to a nearby watercourse	2639 Eglinton Ave W 100 m southwest of the Site	A water main break released chlorinated water into the Humber River.	ERIS Report	Unlikely due to downgradient location from the Site	No information on the exact location of the spill or any cleanup activities
PCA 21	8 - Chemical Manufacturing, Processing and Bulk Storage	2690 Eglinton Ave W 100 m west of the Site	The York Board of Education is registered as a generator of aliphatic solvents, inorganic laboratory chemicals, heavy metals, halogenated pesticides, waste oils and lubricants, organic laboratory chemicals, and/or light fuels.	ERIS Report	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 22	24 - Fire Training	2690 Eglinton Ave W 100 m west of the Site	A large fire was reported at York Memorial Collegiate Institute.	ERIS Report	Unlikely due to cross- gradient location intervening distance from the Site	No information on the extent of the fire or firefighting chemicals used
PCA 23	Other - coal storage	2690 Eglinton Ave W 100 m west of the Site	Several coal bins are shown on the exterior of a large building identified as York Memorial Collegiate Institute	FIPs	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 24	8 - Chemical Manufacturing, Processing and Bulk Storage	2641 Eglinton Ave W 110 m southwest of the Site	Metrolinx is registered as a generator of aromatic solvents and heavy fuels.	ERIS Report	Unlikely due to downgradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 25	58 - Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	Cameron Ave and Keele St 140 m southwest of the Site	An illegal trash site was reported at this property in 1929.	ERIS Report	Unlikely due to downgradient location intervening distance from the Site	No information on the type of refuse fumped
PCA 26	28 - Gasoline and Associated Products Storage in Fixed Tanks	1872 Keele St 150 m north of the Site	A private residence reported a spill of 300 L of furnace oil to their basement.	ERIS Report	Unlikely due to the intervening distance from the Site	No information on the cleanup/remediation
PCA 27	31 - Ink Manufacturing, Processing and Bulk Storage	2681 Eglinton Ave W 190 m west of the Site	Gisini Printing Co. is identified as a commercial printing business that was established in 1978.	ERIS Report City Directory	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 28	55 - Transformer Manufacturing, Processing and Use	2700 Eglinton Ave W 215 m west of the Site	City of York is registered as a PCB storage site.	ERIS Report	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 29	8 - Chemical Manufacturing, Processing and Bulk Storage	2700 Eglinton Ave W 215 m west of the Site	City of York and City of Toronto are registered as a generator of waste organic laboratory chemicals, photogrocessing wastes, heavy metals, paints, pigments, and coatings, and/or waste oils and sludges.	ERIS Report	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 30	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	1822 Keele St 225 m south of the Site	An automotive repair garage is present in 1962.	FIP	Unlikely due to downgradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 31	28 - Gasoline and Associated Products Storage in Fixed Tanks	1820 Keele St 225 m south of the Site	A fuel tank is registered to a gasoline service station in 1929.	ERIS Report	Unlikely due to downgradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 32	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	1819 Keele St 230 m south of the Site	A permit to relocate a gasoline pump at a gasoline service station was approved in 1932.	ERIS Report City Directory	Unlikely due to downgradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 33	28 - Gasoline and Associated Products Storage in Fixed Tanks	1815 Keele St 230 m south of the Site	A permit for a gasoline service station was issued in 1928.	ERIS Report City Directory	Unlikely due to downgradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 34	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	1815 Keele St 230 m south of the Site	An automotive repair garage is present in 1962.	FIP City Directory	Unlikely due to downgradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 35	49 - Salvage Yard, including automobile wrecking	1815 Keele St 230 m south of the Site	North Auto Wrecker operated as a junkyard in 1929.	ERIS Report City Directory	Unlikely due to downgradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 36	8 - Chemical Manufacturing, Processing and Bulk Storage	2696 Eglinton Ave W 250 m west of the Site	Metropolitan Toronto Police are registered as a generator of light fuels and/or oil skimmings and sludges.	ERIS Report	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 37	28 - Gasoline and Associated Products Storage in Fixed Tanks	2696 Eglinton Ave W 250 m west of the Site	York Township Police were issued a permit for a gasoline tank and a pump in 1950.	ERIS Report	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 38	58 - Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	Gorge west of Trethewey Dr 250 m west of the Site	Coronation Park Dump operated for two years when the township dumped garbage ashes and other refuse into the gorge to the west of Trethewey Drive.	ERIS Report	Unlikely due to cross- gradient location intervening distance from the Site	No information on the type of refuse stored or any cleanup
PCA 41	Other - Spill of fuel to the sewer	111 Yore Rd Adjacent, northwest	Crosslinx Transit Solutions Contractors reported a spill of 20 L of water and diesel to the sewer.	ERIS Report	Unlikely due to the small quantity of fuel which did not spill to the soil or water	No information on the exact location of the spill
PCA 42	28 - Gasoline and Associated Products Storage in Fixed Tanks	2538 Eglinton Avenue West 240 m east of the Site	Fuel Oil Co LTD operated as a retail fuel outlet in 1965.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 43	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2540 Eglinton Avenue West 235 m east of the Site	A dry cleaner identified as Tailors & Cleaners was present east of the Site between 1965 and 1980.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 44	31 - Ink Manufacturing, Processing and Bulk Storage	2548 Eglinton Avenue West 225 m east of the Site	A photo studio operation was present east of the Site between 1965 and 1980.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 45	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2562 Eglinton Avenue West 135 m east of the Site	Laundry & Cleaners was operated east of the Site in 1955.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 46	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2564 Eglinton Avenue West 135 m east of the Site	Keelton Cleaners was operated as a dry cleaner east of the Site between 1960 and 1970.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 47	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	2584 Eglinton Avenue West 135 m east of the Site	Several automotive businesses including an auto repair garage were operated east of the Site in 1995.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 48	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2521 Eglinton Avenue West 240 m east of the Site	Launderama was operated as a dry cleaner east of the Site between 1965 to 1975.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 49	39 - Paints Manufacturing, Processing and Bulk Storage	2527 Eglinton Avenue West 225 m east of the Site	Fiarview Paint & Wallpaper was operated east of the Site in 1955.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 50	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2529 Eglinton Avenue West 220 m east of the Site	Tru-Tone Dry Cleaners was operated as a dry cleaner east of the Site between 1955 and 1995.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 51	31 - Ink Manufacturing, Processing and Bulk Storage	2531 Eglinton Avenue West 200 m east of the Site	Sun Star Printing operated as a printing shop east of the Site in 2001.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 52	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2531 Eglinton Avenue West 200 m east of the Site	Do It Right Dry Cleaners operated as a dry cleaner east of the Site between 1985 and 1986.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 53	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2535 Eglinton Avenue West 185 m east of the Site	G T A Dry Cleaners operated as a dry cleaner east of the Site in 1960 and 2001.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 54	39 - Paints Manufacturing, Processing and Bulk Storage	2535 Eglinton Avenue West 185 m east of the Site	Fairview Paint & Wallpaper was identified east of the Site in 1960.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 55	31 - Ink Manufacturing, Processing and Bulk Storage	2557 Eglinton Avenue West 90 m east of the Site	FAL Photo Agency was operated as a photo studio east of the Site in 1980.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 56	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	2583 Eglinton Avenue West 25 m southeast of the Site	Thruway Muffler Center was operated as a service garage southeast of the Site in 1995.	City Directories	Unlikely due to downgradient location from the Site	No information on the storage or maintenance practices
PCA 57	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2585 Eglinton Avenue West 25 m southeast of the Site	Bo-Bo Cleaners & Launderers and Durable Cleaners were operated as possible dry cleaners between 1955 and 1960.	City Directories	Possible due to intervening distance from the Site.	No information on the storage or maintenance practices

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 58	31 - Ink Manufacturing, Processing and Bulk Storage	2599 Eglinton Avenue West	Chap Printing was present south of the Site in 1975.	City Directories	Unlikely due to downgradient location from the Site	No information on the storage or maintenance practices
		25 m south of the Site				
PCA 59	28 - Gasoline and Associated Products Storage in Fixed Tanks	2610 Eglinton Avenue West	A retail fuel outlet operation was present east of the Site in 1995.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
		70 m east of the Site				
PCA 60	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2616 Eglinton Avenue West	Jim's Laundry & Cleaner was operated as a dry cleaner in 1960.	City Directories	Possible due to the intervening distance from the Site	No information on the storage or maintenance practices
		50 m east of the Site				
PCA 61	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2601 Eglinton Avenue West	Today's Cleaning SVC was operated as a possible dry cleaner in 2001.	City Directories	Possible due to the intervening distance from the Site	No information on the storage or maintenance practices
		25 m south of the Site				
PCA 62	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2603 Eglinton Avenue West	Keeton Cleaners was operated as a possible dry cleaner in 1955.	City Directories	Possible due to the intervening distance from the Site	No information on the storage or maintenance practices
		25 m south of the Site				
PCA 63	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2635 Eglinton Avenue West	MF Cleaners was operated as a possible dry cleaner between 1965 and 1975.	City Directories	Unlikely due to cross- gradient location intervening distance	No information on the storage or maintenance practices
		95 m west of the Site			from the Site	
PCA 64	31 - Ink Manufacturing, Processing and Bulk Storage	2637 Eglinton Avenue West	Roma Printing was present west of the Site between 1970 and 1980.	City Directories	Unlikely due to cross- gradient location intervening distance	No information on the storage or maintenance practices
		95 m west of the Site			from the Site	

PCA ¹	POTENTIALLY CONTAMINATING ACTIVITY ²	ADDRESS/ LOCATION	DESCRIPTION	SOURCE/ REFERENCE	LIKELIHOOD TO CONTRIBUTE TO AN APEC ³	UNCERTAINTY
PCA 65	19 - Electronic and Computer Equipment Manufacturing	2665 Eglinton Avenue West 160 m west of the Site	TV SVC CTR was operated as an electronic equipment operation in 1960.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 66	19 - Electronic and Computer Equipment Manufacturing	2681 Eglinton Avenue West 190 m west of the Site	TV Repairs was present west of the Site in 1975.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 67	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2683 Eglinton Avenue West 195 m west of the Site	Cleaner was operated as a dry cleaner between 1955 and 1965.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 68	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	2687 Eglinton Avenue West 205 m west of the Site	Kay's Cleaners was operated as a dry cleaner between 1985 and 1986.	City Directories	Unlikely due to cross- gradient location intervening distance from the Site	No information on the storage or maintenance practices
PCA 69	49 - Salvage Yard, including automobile wrecking	4 Avon Drive 225 m south of the Site	A&A Salvage was operated as a salvage yard between 1980 and 1991.	City Directories	Unlikely due to downgradient location from the Site	No information on the storage or maintenance practices
PCA 70	55 - Transformer Manufacturing, Processing and Use	West of 1997 Keele Street 20 m northeast of the Site	A pole-mounted transformer is identified northeast of the Site.	Site Reconnaissance	Unlikely due to the nature of contaminants	No information on the chemicals used in manufacturing the transformer.

¹ As shown on Figure 4.

² As set out in Table 2 in Schedule D of O. Reg. 153/04.

³ Area of potential environmental concern (APEC)

TABLE 18 AREAS OF POTENTIAL ENVIRONMENTAL CONCERN

APEC¹	LOCATION OF APEC ON PHASE ONE PROPERTY	POTELTIALLY CONTAMINATING ACTIVITY ²	LOCATION OF PCA (ON-SITE or OFF- SITE)	CONTAMINANTS OF POTENTIAL CONCERN ³	MEDIA POTENTIALLY IMPACTED (Ground water, Soil, and/or Sediment)
APEC 1	Northeastern corner of the Site	28 - Gasoline and Associated Products Storage in Fixed Tanks	On-Site PCA 1	BTEX PHCs PAHs	Soil Groundwater
APEC 2	Northern portion of the building at the 2654 Eglinton Ave W portion of the Site	55 - Transformer Manufacturing, Processing and Use	On-Site PCA 2	PCBs	Soil
APEC 3	2636 Eglinton Ave W portion of the Site.	31 - Ink Manufacturing, Processing and Bulk Storage	On-Site PCA 3	VOCs Metals	Soil Groundwater
APEC 4	2642 Eglinton Ave W portion of the SIte	54 - Textile Manufacturing and Processing	On-Site PCA 4	VOCs Metals	Soil Groundwater
APEC 5	Western property boundary	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	Off-Site PCA 5	VOCs BTEX PHCs PAHs	Soil Groundwater
APEC 6	Western property boundary	28 - Gasoline and Associated Products Storage in Fixed Tanks	Off-Site PCA 6	BTEX PHCs PAHs	Soil Groundwater
APEC 7	Northwestern property boundary	52 - Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems	Off-Site PCA 7	VOCs BTEX PHCs PAHs	Soil Groundwater
APEC 8	Entire Site	30 - Importation of Fill Material of Unknown Quality	On-Site PCA 39	PHCs PAHs Metals As, Sb, Se B(HWS), Cr(VI), CN-, Hg	Soil
APEC 9	1856 Keele St portion of the Site.	19 - Electronic and Computer Equipment Manufacturing	On-Site PCA 40	VOCs Metals	Soil Groundwater
APEC 10	Eastern and southern property boundary	37 - Operation of Dry Cleaning Equipment (where chemicals are used)	Off-Site PCA 57 PCA 60 PCA 61 PCA 62	VOCs	Groundwater

- Areas of potential environmental concern (APEC) means the area on, in or under a Phase One property where one or more contaminants are potentially present, as determined through the Phase One environmental site assessment, including through,
 - (a) identification of past or present uses on, in or under the Phase One property, and
 - (b) identification of potentially contaminating activity.
- As set out in Column A of Table 2 of Schedule D.
- Contaminants of potential concern (COPC) according to the Method Groups as identified in the "Protocol for in the Assessment of Properties under Part XV.1 of the Environmental Protection Act", March 9, 2004, amended as of July 1, 2011:

BTEX: benzene, toluene, ethylbenzene, xylenes Hg: mercury As: arsenic Cl: chloride

PHCs: petroleum hydrocarbons (F1-F4)

VOCs: volatile organic compounds

PAHs: polycyclic aromatic hydrocarbons

B (hws): boron, hot water soluble

Cr (VI): chromium (hexavalent)


Se: selenium


SAR: sodium adsorption ratio


CN-: cyanide


Na: sodium


PCBs: polychlorinated biphenyls











APPENDIX XI QUALIFICATIONS OF THE ASSESSORS



PETER SUTTON, P.Eng., QPESA, QPRA

Position: Vice President, Environmental Services

Project Director, Toronto Office

Qualifications: B.A. Economics

B.Sc. Geological Engineering

Professional Engineer and Designated "Consulting Engineer", Professional Engineers Ontario

Registered as Qualified Person per Section 5 and Section 6, O. Reg. 153/04

Experience: Terrapex Environmental Ltd. 2004 to present

Aqua Terre Solutions Inc. 1997 to 2004 ALTECH Environmental Consulting Ltd. 1995 to 1997

Mr. Sutton is a licensed professional engineer (P.Eng.) and designated "Consulting Engineer" at Terrapex with more than twenty-five years of experience in the environmental engineering consulting industry. Mr. Sutton is also registered as a "Qualified Person" for the purposes of submitting Records of Site Condition ("QP_{ESA}") and Risk Assessments ("QP_{RA}") with the Ontario Ministry of the Environment, Conservation and Parks, and regularly provides consulting services relating to the assessment and remediation/management of petroleum hydrocarbon, chlorinated solvent, and inorganic contaminants in both overburden and bedrock media, including qualitative and quantitative human health and ecological risk assessment.

In addition to degrees in geological engineering and economics, Mr. Sutton has successfully completed technical training courses in Phase I Environmental Site Assessment, Monitored Natural Attenuation and In-Situ Remediation of Groundwater, Dense Non-Aqueous Phase Liquids in Fractured Rocks and Aquitards, and Human Health Risk Assessment.

Mr. Sutton has qualified as an expert witness and provided testimony in the areas of contaminant hydrogeology and contaminated site assessment and remediation, and routinely provides peer review / expert opinion services to clients in support of due diligence efforts, civil litigation claims, and subrogation claims.

Representative projects include the following:

City of Toronto: Project Director and Senior Environmental Engineer for a series of site investigation work programs, including Phase I and Phase II ESAs, hydrogeological evaluations, geophysical surveys, and geotechnical investigations, to obtain an approval under Section 46 of the *Environmental Protection Act* to permit the operation of a concrete batching facility at a former industrial waste landfill site.

Industrial client: Lead site assessor for the investigation of several current and formerly industrial properties to identify the extent, magnitude, and source of soil and groundwater trichloroethylene (TCE) contamination. The work was completed in response to a Ministry of the Environment, Conservation and Parks (MECP) "Director's Order" with the determination of the source of the impacts being complicated by the presence of more than five separate properties known or suspected to have historically used industrial solvents.

Build Toronto Inc.: Lead site assessor (QP_{ESA}) and lead risk assessor (QP_{RA}) for the development of the former Birchcliff Quarry infill property (the "Birchcliff Quarry dump") in Toronto, Ontario. Contaminants of concern evaluated during the risk assessment included metallic and inorganic parameters, polycyclic aromatic hydrocarbons, petroleum hydrocarbons, and volatile organic compounds.

Developer client: Lead site assessor (QP_{ESA}) and lead risk assessor (QP_{RA}) related to obtaining a Record of Site Condition for the residential development of a former welding facility that used trichloroethylene (TCE) as a degreasing agent. The work included horizontal and vertical delineation of both soil and groundwater impacts as well as soil vapour sampling to assess potential vapour intrusion concerns.

Industrial client: Lead risk assessor (QP_{RA}) relating to the management of VOC impacts at and downgradient of a former manufacturing facility in eastern Ontario. Contaminants of concern comprise trichloroethylene (TCE) and degradation products, and risk assessment works included both soil vapour and indoor air sampling to evaluate vapour intrusion risks.



MICHAEL D. DEANS, B.A.T., C.E.T.

Position: Project Manager, Toronto Office

Qualifications: B.A.T. (Hons.) Integrated Environmental Site Remediation

Experience: Terrapex Environmental Ltd. 2007 to present

Mr. Deans is a Project Manager and Certified Engineering Technologist (C.E.T.) at Terrapex with experience coordinating, supervising and managing site assessments for industrial, government, and private clients. Mr. Deans is proficient in conducting Phase I and Phase II ESAs, planning and conducting monitoring programs as well as facility decommissioning and remediation activities. He has expertise with conducting soil vapour surveys, topographical surveys, Designated Substance Surveys, and numerous soil sampling methods (i.e., drilling and test pit excavation).

Mr. Deans has extensive experience collecting various media samples (soil, sediment, soil vapour, groundwater, surface water and indoor air) in accordance with Provincial protocols as well as materials and supplies sourcing, field supervision, data interpretation, and reporting.

Representative projects include the following:

Petroleum Clients: Supervised the decommissioning of underground storage tanks, removal of facilities and removal of contaminated soil at several sites in Southern Ontario.

Industrial Client: Conducted a designated substances survey per O. Reg. 490/09 as well as an asbestos survey involving laboratory analyses of potential asbestos containing materials, and prepared the hazardous materials assessment report.

Municipal Client: Management of an on-going long-term methane vapour monitoring program involving both soil gas sampling and analyses and the use of portable field meters for a former landfill area in Southern Ontario. The project involves monitoring locations at three industrial properties as well as a nearby correctional institution, decision-making regarding the need for contingency measure implementation, and the preparation of annual reports for various stakeholders including the Ontario Ministry of the Environment, Conservation and Parks.

Aggregate Producer: Management of a long-term groundwater monitoring program involving groundwater flow mapping, groundwater sampling and analyses, and the preparation of annual reports for various stakeholders including the Ministry of Natural Resources and Forestry, the Ministry of the Environment, Conservation and Parks, and a local municipality.

Government Client: Completed "Enhanced Phase I ESA" investigation of four communications sites (light stations and towers) and associated buildings in Northern Ontario. Work included standard site inspection, record reviews, and interviews for a Phase I Environmental Site Assessment as well as collecting soil samples using hand augers and shovels, and sediment sampling using a Pioinar dredge sampler for subsequent laboratory analyses.

Remote First Nation Client: Conducted field work for a Phase II ESA to delineate diesel impacts around a former aboveground storage tank location and surrounding locations on the reserve. Supervised the drilling operations and took split spoon soil samples throughout the course of the drilling. Conducted in-situ chemical injection to remediated diesel impacts to the groundwater. Tracer dye tests were also conducted to determine the path the groundwater was taking in the subsurface. Sediment sampling was also conducted along bank of river to evaluate the potential for diesel impacts within the sediments of the river.

Developer: Managed field assessment activities and prepared Environmental Site Assessment documentation in support of an environmental risk assessment for a proposed residential development of a former commercial property in downtown Toronto, Ontario. Work was undertaken to support the filing of a Record of Site Condition per O. Reg. 153/04. Contaminants of concern at the property included metallic and inorganic parameters, polycyclic aromatic hydrocarbons, petroleum hydrocarbons, and volatile organic compounds. Environmental Site Assessment work was completed in 2016. Risk Assessment work was completed and a Record of Site Condition was filed for the property in 2018.



ELIZABETH MADDEN, P.Eng.

Position: Environmental Engineer and Risk Assessor, Hamilton Office

Qualifications: B.Sc. Environmental Chemical Engineering

Licensed Professional Engineer, Association of Professional Engineers of Ontario

Licensed Professional Engineer, Association of Professional Engineers and Geoscientists of

Alberta

Experience: Terrapex Environmental Ltd. June 2011 to present

Ms. Madden is an Environmental Engineer and Environmental Risk Assessor with Terrapex Environmental, and is recognized as a licensed professional engineer in both Ontario and Alberta. Since 2011, Ms. Madden has worked on numerous Phase One and Phase Two ESAs, soil vapour and indoor air quality assessments, and site remediation programs in support of filing a Record of Site Conditions at variety of sites, including retail fuel outlets, automotive garages, institutional buildings, and residential homes. Since 2016, Ms. Madden has contributed to multiple O. Reg. 153/04-compliant Tier 3 Risk Assessments and Modified Generic Risk Assessments to support the filing of Records of Site Condition, as well as due diligence risk assessments to support real estate and financial transactions.

Ms. Madden's field experience includes conducting record reviews, interviews and site inspections, collection of soil vapour and indoor air samples, supervising various soil and rock drilling techniques, logging of soil stratigraphy and soil vapours, collection of soil and groundwater samples for laboratory analysis, and the supervision of underground storage tank decommissioning, infrastructure upgrades, and removal of contaminated soil.

Representative projects include the following:

Building Developer: Completed a successful Modified Generic Risk Assessment (MGRA) for a parcel of land included in a larger residential development plan. Contaminants of concern identified with the former public transportation commuter parking lot included inorganic parameters. Acceptance of the risk assessment was obtained within three months of the original risk assessment submission date.

Real Estate Development Company: Contributed to a successful Tier 3 Risk Assessment under O. Reg. 153/04, as amended, at a former gas station and service garage located in Toronto, Ontario. Assessed potential human health and ecological risks due to on-Site soil and groundwater impacts caused by degrading underground fuel storage tanks and widespread solvent use.

Municipal Client: Contributed to a successful Tier 3 Risk Assessment under O. Reg. 153/04, as amended, at a former industrial property in Toronto, Ontario used for brick works, quarrying, landfilling, and a golf driving range. Contaminants at the property included volatile organic compounds (VOCs), PHCs, PAHs, metals and inorganic parameters, dioxins and furans, and polychlorinated biphenyls (PCBs). Assisted with the determination of human health and ecological risks, including running Johnson and Ettinger soil and groundwater models to determine the potential for subsurface vapour intrusion, and writing and compiling the final reports. The consideration of methane was also required due to historic landfilling operations.

Petroleum Client: Conducted soil vapour and indoor air sampling at multiple sites (former retail fuel outlets, automotive service centres, and residential homes). Wrote soil vapour and indoor air quality reports to conclude findings and outline methodology and reasoning for sampling locations, frequency, and duration.

Various Clients: Completion of multiple Phase One ESAs at retail gas outlets, automotive service centres, and commercial buildings in support of filing a Records of Site Conditions; including records review, interviews, site inspection, identification of Areas of Potential Environmental Concern, development of a Conceptual Site Model, and writing the final report.

Various Clients: Completion of multiple Phase Two ESAs and remedial excavation activities in support of filing a Record of Site Conditions at fuel outlets, chemical manufacturers, and municipal facilities; including coordination of site activities with subcontractors, development of a Sampling and Analysis Plan (as per Ontario Regulation 153/04), collection of soil and groundwater samples for laboratory analysis of Contaminants of Concern, interpretation of laboratory results, development of a Conceptual Site Model, and report preparation.